

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-162969-1
Client Project/Site: Ford LTP - On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/28/2022 3:48:53 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Job ID: 240-162969-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-162969-1**

Comments

No additional comments.

Receipt

The samples were received on 2/23/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.1° C, 0.2° C and 1.1° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-162969-1	TRIP BLANK_140	Water	02/19/22 00:00	02/23/22 08:00
240-162969-2	MW-210S_021922	Water	02/19/22 10:03	02/23/22 08:00
240-162969-3	MW-34_021922	Water	02/19/22 11:15	02/23/22 08:00
240-162969-4	MW-42_021922	Water	02/19/22 12:30	02/23/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-162969-1

No Detections.

Client Sample ID: MW-210S_021922

Lab Sample ID: 240-162969-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.97	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	13		1.0	0.46	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.8		1.0	0.51	ug/L	1		8260B	Total/NA
Vinyl chloride	4.9		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-34_021922

Lab Sample ID: 240-162969-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	3.6		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	0.57	J	1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-42_021922

Lab Sample ID: 240-162969-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.72	J	1.0	0.45	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-162969-1

Date Collected: 02/19/22 00:00

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/25/22 13:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/25/22 13:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 13:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/25/22 13:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 13:20	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/25/22 13:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		02/25/22 13:20	1
4-Bromofluorobenzene (Surr)	95		56 - 136		02/25/22 13:20	1
Toluene-d8 (Surr)	99		78 - 122		02/25/22 13:20	1
Dibromofluoromethane (Surr)	106		73 - 120		02/25/22 13:20	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: MW-210S_021922

Lab Sample ID: 240-162969-2

Date Collected: 02/19/22 10:03

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.97	J	2.0	0.86	ug/L			02/24/22 05:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		66 - 120					02/24/22 05:53	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/25/22 15:40	1
cis-1,2-Dichloroethene	13		1.0	0.46	ug/L			02/25/22 15:40	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 15:40	1
trans-1,2-Dichloroethene	1.8		1.0	0.51	ug/L			02/25/22 15:40	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 15:40	1
Vinyl chloride	4.9		1.0	0.45	ug/L			02/25/22 15:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					02/25/22 15:40	1
4-Bromofluorobenzene (Surr)	91		56 - 136					02/25/22 15:40	1
Toluene-d8 (Surr)	92		78 - 122					02/25/22 15:40	1
Dibromofluoromethane (Surr)	101		73 - 120					02/25/22 15:40	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: MW-34_021922

Lab Sample ID: 240-162969-3

Date Collected: 02/19/22 11:15

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	3.6		2.0	0.86	ug/L			02/24/22 06:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120					02/24/22 06:20	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/25/22 16:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/25/22 16:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 16:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/25/22 16:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 16:04	1
Vinyl chloride	0.57	J	1.0	0.45	ug/L			02/25/22 16:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					02/25/22 16:04	1
4-Bromofluorobenzene (Surr)	96		56 - 136					02/25/22 16:04	1
Toluene-d8 (Surr)	97		78 - 122					02/25/22 16:04	1
Dibromofluoromethane (Surr)	108		73 - 120					02/25/22 16:04	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: MW-42_021922

Lab Sample ID: 240-162969-4

Date Collected: 02/19/22 12:30

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/22 06:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		66 - 120		02/24/22 06:46	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/25/22 16:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/25/22 16:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 16:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/25/22 16:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 16:27	1
Vinyl chloride	0.72	J	1.0	0.45	ug/L			02/25/22 16:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		02/25/22 16:27	1
4-Bromofluorobenzene (Surr)	101		56 - 136		02/25/22 16:27	1
Toluene-d8 (Surr)	101		78 - 122		02/25/22 16:27	1
Dibromofluoromethane (Surr)	113		73 - 120		02/25/22 16:27	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-162969-1	TRIP BLANK_140	92	95	99	106
240-162969-2	MW-210S_021922	90	91	92	101
240-162969-3	MW-34_021922	97	96	97	108
240-162969-4	MW-42_021922	104	101	101	113
240-162970-E-3 MS	Matrix Spike	99	111	110	108
240-162970-F-3 MSD	Matrix Spike Duplicate	104	111	114	112
LCS 240-518745/5	Lab Control Sample	98	108	113	111
MB 240-518745/7	Method Blank	100	104	109	111

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-162969-2	MW-210S_021922	82
240-162969-3	MW-34_021922	80
240-162969-4	MW-42_021922	84
240-162970-H-4 MS	Matrix Spike	79
240-162970-N-4 MSD	Matrix Spike Duplicate	79
LCS 240-518603/4	Lab Control Sample	79
MB 240-518603/5	Method Blank	78

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-518745/7
Matrix: Water
Analysis Batch: 518745

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/25/22 12:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/25/22 12:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 12:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/25/22 12:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/25/22 12:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/25/22 12:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		02/25/22 12:33	1
4-Bromofluorobenzene (Surr)	104		56 - 136		02/25/22 12:33	1
Toluene-d8 (Surr)	109		78 - 122		02/25/22 12:33	1
Dibromofluoromethane (Surr)	111		73 - 120		02/25/22 12:33	1

Lab Sample ID: LCS 240-518745/5
Matrix: Water
Analysis Batch: 518745

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	24.8		ug/L		99	63 - 134
cis-1,2-Dichloroethene	25.0	23.6		ug/L		95	77 - 123
Tetrachloroethene	25.0	26.0		ug/L		104	76 - 123
trans-1,2-Dichloroethene	25.0	24.7		ug/L		99	75 - 124
Trichloroethene	25.0	24.4		ug/L		98	70 - 122
Vinyl chloride	25.0	22.8		ug/L		91	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	113		78 - 122
Dibromofluoromethane (Surr)	111		73 - 120

Lab Sample ID: 240-162970-E-3 MS
Matrix: Water
Analysis Batch: 518745

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	23.0		ug/L		92	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.2		ug/L		93	66 - 128
Tetrachloroethene	1.0	U	25.0	23.2		ug/L		93	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.3		ug/L		89	56 - 136
Trichloroethene	1.0	U	25.0	22.7		ug/L		91	61 - 124
Vinyl chloride	1.0	U	25.0	21.2		ug/L		85	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	111		56 - 136
Toluene-d8 (Surr)	110		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-162970-E-3 MS
Matrix: Water
Analysis Batch: 518745

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	108		73 - 120

Lab Sample ID: 240-162970-F-3 MSD
Matrix: Water
Analysis Batch: 518745

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.0		ug/L		92	66 - 128	1	14
Tetrachloroethene	1.0	U	25.0	23.5		ug/L		94	62 - 131	2	20
trans-1,2-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	56 - 136	1	15
Trichloroethene	1.0	U	25.0	22.5		ug/L		90	61 - 124	1	15
Vinyl chloride	1.0	U	25.0	22.4		ug/L		90	43 - 157	5	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	111		56 - 136
Toluene-d8 (Surr)	114		78 - 122
Dibromofluoromethane (Surr)	112		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-518603/5
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/23/22 20:58	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	78		66 - 120		02/23/22 20:58	1			

Lab Sample ID: LCS 240-518603/4
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 122

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-162970-H-4 MS
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	51 - 153

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-162970-N-4 MSD
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	51 - 153	3	16

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

GC/MS VOA

Analysis Batch: 518603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162969-2	MW-210S_021922	Total/NA	Water	8260B SIM	
240-162969-3	MW-34_021922	Total/NA	Water	8260B SIM	
240-162969-4	MW-42_021922	Total/NA	Water	8260B SIM	
MB 240-518603/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-518603/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-162970-H-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-162970-N-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 518745

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162969-1	TRIP BLANK_140	Total/NA	Water	8260B	
240-162969-2	MW-210S_021922	Total/NA	Water	8260B	
240-162969-3	MW-34_021922	Total/NA	Water	8260B	
240-162969-4	MW-42_021922	Total/NA	Water	8260B	
MB 240-518745/7	Method Blank	Total/NA	Water	8260B	
LCS 240-518745/5	Lab Control Sample	Total/NA	Water	8260B	
240-162970-E-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-162970-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-162969-1

Date Collected: 02/19/22 00:00

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518745	02/25/22 13:20	LEE	TAL CAN

Client Sample ID: MW-210S_021922

Lab Sample ID: 240-162969-2

Date Collected: 02/19/22 10:03

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518745	02/25/22 15:40	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 05:53	CS	TAL CAN

Client Sample ID: MW-34_021922

Lab Sample ID: 240-162969-3

Date Collected: 02/19/22 11:15

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518745	02/25/22 16:04	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 06:20	CS	TAL CAN

Client Sample ID: MW-42_021922

Lab Sample ID: 240-162969-4

Date Collected: 02/19/22 12:30

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518745	02/25/22 16:27	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 06:46	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-162969-1

Laboratory: Eurofins Canton


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22 *
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	12-21-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Canton

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Company Name: Arcadis Address: 26550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Client Contact Client Project Manager: Kris Hinsky Telephone: 248-994-2240 Email: krisoffer.hinsky@arcadis.com		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		Lab Contact: Mike DeMonico Telephone: 330-497-9196		TestAmerica Laboratories, Inc. COC No.:	
Project Name: Ford LTP On-Site Project Number: 30080642.401.03 PO # 30080642.401.03		Site Contact: Julia McClafferty Telephone: 734-644-5131		Analysis Turnaround Time TAT is different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Analyses 1,4-Dioxane 8260B SIM Vinyl Chloride 8260B TCE 8260B PCE 8260B Trans-1,2-DCE 8260B Cis-1,2-DCE 8260B 1,1-DCE 8260B Composite C / Grab G		For lab use only Walk-in client Lab sampling Job/SDG No:	
Sampler Name: <i>Dennis Han</i>		Method of Shipment/Carrier:		Shipping/Tracking No.:		Filtered Sample (Y/N) Composite C / Grab G H2SO4 HNO3 HCl NaOH ZnAc NaOH Umpres Other:		Sample Specific Notes / Special Instructions: 1 Trip Blank 3 VOAs for 8260B 3 VOAs for 8260B SIM	
Sample Identification TRIP BLANK_140 MW-2105-021422 MW-34-021422 MW-42-021422		Sample Date --- 02/14/22 02/14/22 02/14/22		Sample Time --- 1003 1115 1230		Matrix Air Aqueous Sediment Solid Other:		Chain of Custody  240-162969 Chain of Custody	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown									
Special Instructions/QC Requirements & Comments: On-site EAST Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.									
Relinquished by: <i>[Signature]</i>		Company: Arcadis Date/Time: 02/29/22 1545		Received by: Novi cold storage Company: Arcadis Date/Time: 2/22/22 1000		Relinquished by: <i>[Signature]</i>		Company: BETA Date/Time: 2-22-22 1000	
Relinquished by: <i>[Signature]</i>		Company: TRCACHIS Date/Time: 2-22-22 1401		Received in Laboratory by: <i>[Signature]</i>		Company: EET INC Date/Time: 2-23-22 800			

©2008 TestAmerica Laboratories, Inc. All rights reserved.
 TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.




Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 162969
Canton Facility

Client Arcadis Site Name _____ Cooler unpacked by: Rachelle Horvick
 Cooler Received on 2-23-22 Opened on 2-23-22
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11. Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
 14. Were VOAs on the COC? Yes No
 15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by:

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: 162969

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form				
Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
TA Client Box Other	IR-14 IR-15	0.3	0.1	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	0.4	0.2	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	1.3	1.1	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form