

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-162967-1
Client Project/Site: Ford LTP - On Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/28/2022 3:48:27 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Job ID: 240-162967-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-162967-1**

Comments

No additional comments.

Receipt

The samples were received on 2/23/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.1° C, 0.2° C and 1.1° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-162967-1	TRIP BLANK_41	Water	02/19/22 00:00	02/23/22 08:00
240-162967-2	MW-40_021922	Water	02/19/22 11:21	02/23/22 08:00
240-162967-3	MW-31_021922	Water	02/19/22 12:41	02/23/22 08:00
240-162967-4	MW-208S_021922	Water	02/19/22 14:11	02/23/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-162967-1

No Detections.

Client Sample ID: MW-40_021922

Lab Sample ID: 240-162967-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.2		1.0	0.46	ug/L	1		8260B	Total/NA

Client Sample ID: MW-31_021922

Lab Sample ID: 240-162967-3

No Detections.

Client Sample ID: MW-208S_021922

Lab Sample ID: 240-162967-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-162967-1

Date Collected: 02/19/22 00:00

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/22 18:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/24/22 18:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/22 18:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/22 18:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		62 - 137		02/24/22 18:02	1
4-Bromofluorobenzene (Surr)	100		56 - 136		02/24/22 18:02	1
Toluene-d8 (Surr)	92		78 - 122		02/24/22 18:02	1
Dibromofluoromethane (Surr)	82		73 - 120		02/24/22 18:02	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: MW-40_021922

Lab Sample ID: 240-162967-2

Date Collected: 02/19/22 11:21

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/22 03:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120		02/24/22 03:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/22 18:24	1
cis-1,2-Dichloroethene	2.2		1.0	0.46	ug/L			02/24/22 18:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/22 18:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/22 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		62 - 137		02/24/22 18:24	1
4-Bromofluorobenzene (Surr)	101		56 - 136		02/24/22 18:24	1
Toluene-d8 (Surr)	93		78 - 122		02/24/22 18:24	1
Dibromofluoromethane (Surr)	84		73 - 120		02/24/22 18:24	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: MW-31_021922

Lab Sample ID: 240-162967-3

Date Collected: 02/19/22 12:41

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/22 05:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120		02/24/22 05:00	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/22 18:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/24/22 18:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/22 18:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 18:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/22 18:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		62 - 137		02/24/22 18:46	1
4-Bromofluorobenzene (Surr)	102		56 - 136		02/24/22 18:46	1
Toluene-d8 (Surr)	94		78 - 122		02/24/22 18:46	1
Dibromofluoromethane (Surr)	82		73 - 120		02/24/22 18:46	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: MW-208S_021922

Lab Sample ID: 240-162967-4

Date Collected: 02/19/22 14:11

Matrix: Water

Date Received: 02/23/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/22 05:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120		02/24/22 05:26	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/22 19:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/24/22 19:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 19:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/22 19:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 19:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/22 19:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		62 - 137		02/24/22 19:09	1
4-Bromofluorobenzene (Surr)	102		56 - 136		02/24/22 19:09	1
Toluene-d8 (Surr)	96		78 - 122		02/24/22 19:09	1
Dibromofluoromethane (Surr)	83		73 - 120		02/24/22 19:09	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-162961-A-2 MS	Matrix Spike	84	102	93	83
240-162961-F-2 MSD	Matrix Spike Duplicate	81	101	93	82
240-162967-1	TRIP BLANK_41	83	100	92	82
240-162967-2	MW-40_021922	87	101	93	84
240-162967-3	MW-31_021922	86	102	94	82
240-162967-4	MW-208S_021922	86	102	96	83
LCS 240-518646/5	Lab Control Sample	88	104	93	89
MB 240-518646/8	Method Blank	88	102	91	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-162967-2	MW-40_021922	81
240-162967-3	MW-31_021922	81
240-162967-4	MW-208S_021922	80
240-162970-H-4 MS	Matrix Spike	79
240-162970-N-4 MSD	Matrix Spike Duplicate	79
LCS 240-518603/4	Lab Control Sample	79
MB 240-518603/5	Method Blank	78

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-518646/8
Matrix: Water
Analysis Batch: 518646

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/22 11:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/24/22 11:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 11:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/22 11:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/22 11:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/22 11:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		62 - 137		02/24/22 11:42	1
4-Bromofluorobenzene (Surr)	102		56 - 136		02/24/22 11:42	1
Toluene-d8 (Surr)	91		78 - 122		02/24/22 11:42	1
Dibromofluoromethane (Surr)	86		73 - 120		02/24/22 11:42	1

Lab Sample ID: LCS 240-518646/5
Matrix: Water
Analysis Batch: 518646

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	19.7		ug/L		98	63 - 134
cis-1,2-Dichloroethene	20.0	18.7		ug/L		93	77 - 123
Tetrachloroethene	20.0	18.3		ug/L		92	76 - 123
trans-1,2-Dichloroethene	20.0	18.0		ug/L		90	75 - 124
Trichloroethene	20.0	18.2		ug/L		91	70 - 122
Vinyl chloride	20.0	19.4		ug/L		97	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	89		73 - 120

Lab Sample ID: 240-162961-A-2 MS
Matrix: Water
Analysis Batch: 518646

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	20.0	16.8		ug/L		84	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	16.9		ug/L		84	66 - 128
Tetrachloroethene	1.0	U	20.0	17.8		ug/L		89	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	16.6		ug/L		83	56 - 136
Trichloroethene	1.0	U	20.0	16.4		ug/L		82	61 - 124
Vinyl chloride	1.0	U	20.0	17.7		ug/L		88	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	93		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-162961-A-2 MS
Matrix: Water
Analysis Batch: 518646

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	83		73 - 120

Lab Sample ID: 240-162961-F-2 MSD
Matrix: Water
Analysis Batch: 518646

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	20.0	17.5		ug/L		87	56 - 135	4	26	
cis-1,2-Dichloroethene	1.0	U	20.0	17.3		ug/L		86	66 - 128	2	14	
Tetrachloroethene	1.0	U	20.0	18.3		ug/L		92	62 - 131	3	20	
trans-1,2-Dichloroethene	1.0	U	20.0	17.0		ug/L		85	56 - 136	2	15	
Trichloroethene	1.0	U	20.0	17.0		ug/L		85	61 - 124	3	15	
Vinyl chloride	1.0	U	20.0	17.9		ug/L		90	43 - 157	1	24	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	81		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	82		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-518603/5
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		02/23/22 20:58	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	78		66 - 120	02/23/22 20:58	1	

Lab Sample ID: LCS 240-518603/4
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS LCS		Unit	D	%Rec	%Rec.	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 122	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-162970-H-4 MS
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS MS		Unit	D	%Rec	%Rec.	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	51 - 153	

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-162970-N-4 MSD
Matrix: Water
Analysis Batch: 518603

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	51 - 153	3	16

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

GC/MS VOA

Analysis Batch: 518603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162967-2	MW-40_021922	Total/NA	Water	8260B SIM	
240-162967-3	MW-31_021922	Total/NA	Water	8260B SIM	
240-162967-4	MW-208S_021922	Total/NA	Water	8260B SIM	
MB 240-518603/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-518603/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-162970-H-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-162970-N-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 518646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162967-1	TRIP BLANK_41	Total/NA	Water	8260B	
240-162967-2	MW-40_021922	Total/NA	Water	8260B	
240-162967-3	MW-31_021922	Total/NA	Water	8260B	
240-162967-4	MW-208S_021922	Total/NA	Water	8260B	
MB 240-518646/8	Method Blank	Total/NA	Water	8260B	
LCS 240-518646/5	Lab Control Sample	Total/NA	Water	8260B	
240-162961-A-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-162961-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-162967-1

Date Collected: 02/19/22 00:00

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518646	02/24/22 18:02	TJL1	TAL CAN

Client Sample ID: MW-40_021922

Lab Sample ID: 240-162967-2

Date Collected: 02/19/22 11:21

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518646	02/24/22 18:24	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 03:13	CS	TAL CAN

Client Sample ID: MW-31_021922

Lab Sample ID: 240-162967-3

Date Collected: 02/19/22 12:41

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518646	02/24/22 18:46	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 05:00	CS	TAL CAN

Client Sample ID: MW-208S_021922

Lab Sample ID: 240-162967-4

Date Collected: 02/19/22 14:11

Matrix: Water

Date Received: 02/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	518646	02/24/22 19:09	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	518603	02/24/22 05:26	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-162967-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22 *
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	12-21-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



MICHIGAN 190

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citalion Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP On-Site Project Number: 30080642-401.03 PO # 30080642-401.03		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com Sampler Name: <i>Gray Schuster</i> Method of Shipment/Carrier: <i>Gray Schuster</i> Shipping/Tracking No:		Site Contact: Julia McClafferty Telephone: 734-644-5131 Analysis Turnaround Time: TAT if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Lab Contact: Mike DeMontico Telephone: 310-497-9396		TestAmerica Laboratories, Inc. COC No:	
For lab use only: Walk-in client Lab sampling Job/SDG No:		COCs	
Sample Identification: TRIP BLANK_ 41 MW-40-021922 MW-31-021922 MW-2085-021922		Sample Specific Notes / Special Instructions: 1 Trip Blank 3 VOAs for 8260B 3 VOAs for 8260B SIM	
Sample Date: Sample Time: 02/19/22 11:21 02/19/22 12:41 02/19/22 14:11		Filtered Sample (Y / N) Composite C / Grab C 1-1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
Matrix: Aqueous Sediment Solid Other:		Containers & Preservatives: H2SO4 HNO3 HCl NaOH ZnAc NaOH Lipex Other:	
Possible Hazard Identification: <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Special Instructions/OC Requirements & Comments: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.			
Relinquished by: <i>Gray Schuster</i> Relinquished by: <i>NOVI COLD STORAGE</i> Relinquished by: <i>Gray Schuster</i>		Received by: <i>NOVI COLD STORAGE</i> Received by: <i>Gray Schuster</i> Received in Laboratory by: <i>Michelle Spivack</i>	
Company: Arcadis Company: Arcadis Company: Arcadis		Company: Arcadis Company: EETA Company: EETA	
Date/Time: 02/22/22 1400 Date/Time: 02/22/22 1000 Date/Time: 02/22/22 1400		Date/Time: 2/21/22 805 Date/Time: 2-22-22 1000 Date/Time: 2-22-22 800	



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

©2020 TestAmerica Laboratories, Inc. All rights reserved.
 TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 62907
Canton Facility

Client Arcadis Site Name _____ Cooler unpacked by: Rachelle Horvath
Cooler Received on 2-23-22 Opened on 2-23-22
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box _____ Client Cooler Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-14 (CF -0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
- Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA
- Shippers' packing slip attached to the cooler(s)? Yes No
- Did custody papers accompany the sample(s)? Yes No
- Were the custody papers relinquished & signed in the appropriate place? Yes No
- Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- Did all bottles arrive in good condition (Unbroken)? Yes No
- Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
- Were correct bottle(s) used for the test(s) indicated? Yes No
- Sufficient quantity received to perform indicated analyses? Yes No
- Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
- Were VOAs on the COC? Yes No
- Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
- Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
- Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: 162967

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form				
Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
TA Client Box Other	IR-14 IR-15	0.3	0.1	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	0.4	0.2	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	1.3	1.1	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15			Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form