

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-163165-1
Client Project/Site: Ford LTP - Off-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
3/16/2022 2:59:40 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Job ID: 240-163165-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-163165-1**

Comments

No additional comments.

Receipt

The samples were received on 3/2/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.2° C and 3.7° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-163165-1	TRIP BLANK_122	Water	02/23/22 00:00	03/02/22 08:00
240-163165-2	MW-82D_022322	Water	02/23/22 15:16	03/02/22 08:00
240-163165-3	MW-82SR_022322	Water	02/23/22 13:46	03/02/22 08:00
240-163165-4	MW-83_022322	Water	02/23/22 16:46	03/02/22 08:00
240-163165-5	MW-83S_022422	Water	02/24/22 10:06	03/02/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: TRIP BLANK_122

Lab Sample ID: 240-163165-1

No Detections.

Client Sample ID: MW-82D_022322

Lab Sample ID: 240-163165-2

No Detections.

Client Sample ID: MW-82SR_022322

Lab Sample ID: 240-163165-3

No Detections.

Client Sample ID: MW-83_022322

Lab Sample ID: 240-163165-4

No Detections.

Client Sample ID: MW-83S_022422

Lab Sample ID: 240-163165-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: TRIP BLANK_122

Lab Sample ID: 240-163165-1

Date Collected: 02/23/22 00:00

Matrix: Water

Date Received: 03/02/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 14:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 14:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 14:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 14:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 14:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 14:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/07/22 14:18	1
4-Bromofluorobenzene (Surr)	104		56 - 136		03/07/22 14:18	1
Toluene-d8 (Surr)	110		78 - 122		03/07/22 14:18	1
Dibromofluoromethane (Surr)	117		73 - 120		03/07/22 14:18	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: MW-82D_022322

Lab Sample ID: 240-163165-2

Date Collected: 02/23/22 15:16

Matrix: Water

Date Received: 03/02/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/22 19:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120		03/04/22 19:24	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 14:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 14:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 14:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 14:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 14:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 14:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/07/22 14:41	1
4-Bromofluorobenzene (Surr)	104		56 - 136		03/07/22 14:41	1
Toluene-d8 (Surr)	113		78 - 122		03/07/22 14:41	1
Dibromofluoromethane (Surr)	115		73 - 120		03/07/22 14:41	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: MW-82SR_022322

Lab Sample ID: 240-163165-3

Date Collected: 02/23/22 13:46

Matrix: Water

Date Received: 03/02/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/22 19:49	1
Surrogate									
	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120					03/04/22 19:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 15:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 15:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 15:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 15:05	1
Surrogate									
	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					03/07/22 15:05	1
4-Bromofluorobenzene (Surr)	104		56 - 136					03/07/22 15:05	1
Toluene-d8 (Surr)	109		78 - 122					03/07/22 15:05	1
Dibromofluoromethane (Surr)	116		73 - 120					03/07/22 15:05	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: MW-83_022322

Lab Sample ID: 240-163165-4

Date Collected: 02/23/22 16:46

Matrix: Water

Date Received: 03/02/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/22 20:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120		03/04/22 20:15	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 15:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 15:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 15:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:29	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 15:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		03/07/22 15:29	1
4-Bromofluorobenzene (Surr)	103		56 - 136		03/07/22 15:29	1
Toluene-d8 (Surr)	107		78 - 122		03/07/22 15:29	1
Dibromofluoromethane (Surr)	113		73 - 120		03/07/22 15:29	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: MW-83S_022422

Lab Sample ID: 240-163165-5

Date Collected: 02/24/22 10:06

Matrix: Water

Date Received: 03/02/22 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/22 20:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120		03/04/22 20:40	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 15:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 15:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 15:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 15:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 15:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137		03/07/22 15:53	1
4-Bromofluorobenzene (Surr)	102		56 - 136		03/07/22 15:53	1
Toluene-d8 (Surr)	109		78 - 122		03/07/22 15:53	1
Dibromofluoromethane (Surr)	114		73 - 120		03/07/22 15:53	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-163164-D-3 MS	Matrix Spike	87	101	103	100
240-163164-F-3 MSD	Matrix Spike Duplicate	86	98	100	101
240-163165-1	TRIP BLANK_122	98	104	110	117
240-163165-2	MW-82D_022322	98	104	113	115
240-163165-3	MW-82SR_022322	102	104	109	116
240-163165-4	MW-83_022322	100	103	107	113
240-163165-5	MW-83S_022422	97	102	109	114
LCS 240-519272/5	Lab Control Sample	97	107	111	111
MB 240-519272/8	Method Blank	98	109	113	119

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-163165-2	MW-82D_022322	80
240-163165-3	MW-82SR_022322	79
240-163165-4	MW-83_022322	79
240-163165-5	MW-83S_022422	80
240-163172-A-9 MSD	Matrix Spike Duplicate	79
240-163172-C-9 MS	Matrix Spike	80
LCS 240-519224/5	Lab Control Sample	79
MB 240-519224/6	Method Blank	79

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-519272/8
Matrix: Water
Analysis Batch: 519272

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/07/22 13:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/07/22 13:06	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 13:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/07/22 13:06	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/07/22 13:06	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/07/22 13:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/07/22 13:06	1
4-Bromofluorobenzene (Surr)	109		56 - 136		03/07/22 13:06	1
Toluene-d8 (Surr)	113		78 - 122		03/07/22 13:06	1
Dibromofluoromethane (Surr)	119		73 - 120		03/07/22 13:06	1

Lab Sample ID: LCS 240-519272/5
Matrix: Water
Analysis Batch: 519272

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	25.0	26.5		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	24.2		ug/L		97	77 - 123
Tetrachloroethene	25.0	26.3		ug/L		105	76 - 123
trans-1,2-Dichloroethene	25.0	24.9		ug/L		100	75 - 124
Trichloroethene	25.0	25.2		ug/L		101	70 - 122
Vinyl chloride	25.0	23.7		ug/L		95	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	111		78 - 122
Dibromofluoromethane (Surr)	111		73 - 120

Lab Sample ID: 240-163164-D-3 MS
Matrix: Water
Analysis Batch: 519272

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	25.0	25.4		ug/L		102	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	24.0		ug/L		96	66 - 128
Tetrachloroethene	1.0	U	25.0	23.3		ug/L		93	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	56 - 136
Trichloroethene	1.0	U	25.0	23.3		ug/L		93	61 - 124
Vinyl chloride	1.0		25.0	22.7		ug/L		87	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-163164-D-3 MS
Matrix: Water
Analysis Batch: 519272

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 240-163164-F-3 MSD
Matrix: Water
Analysis Batch: 519272

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	24.6		ug/L		98	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.7		ug/L		95	66 - 128	1	14
Tetrachloroethene	1.0	U	25.0	24.3		ug/L		97	62 - 131	4	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.3		ug/L		93	56 - 136	3	15
Trichloroethene	1.0	U	25.0	23.1		ug/L		92	61 - 124	1	15
Vinyl chloride	1.0		25.0	23.4		ug/L		89	43 - 157	3	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-519224/6
Matrix: Water
Analysis Batch: 519224

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/22 16:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120		03/04/22 16:28	1

Lab Sample ID: LCS 240-519224/5
Matrix: Water
Analysis Batch: 519224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.43		ug/L		94	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-163172-A-9 MSD
Matrix: Water
Analysis Batch: 519224

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	51 - 153	1	16

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

Lab Sample ID: 240-163172-C-9 MS
Matrix: Water
Analysis Batch: 519224

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MS</i> <i>Result</i>	<i>MS</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>
1,4-Dioxane	2.0	U	10.0	10.5		ug/L		105	51 - 153

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	80		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

GC/MS VOA

Analysis Batch: 519224

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-163165-2	MW-82D_022322	Total/NA	Water	8260B SIM	
240-163165-3	MW-82SR_022322	Total/NA	Water	8260B SIM	
240-163165-4	MW-83_022322	Total/NA	Water	8260B SIM	
240-163165-5	MW-83S_022422	Total/NA	Water	8260B SIM	
MB 240-519224/6	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-519224/5	Lab Control Sample	Total/NA	Water	8260B SIM	
240-163172-A-9 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	
240-163172-C-9 MS	Matrix Spike	Total/NA	Water	8260B SIM	

Analysis Batch: 519272

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-163165-1	TRIP BLANK_122	Total/NA	Water	8260B	
240-163165-2	MW-82D_022322	Total/NA	Water	8260B	
240-163165-3	MW-82SR_022322	Total/NA	Water	8260B	
240-163165-4	MW-83_022322	Total/NA	Water	8260B	
240-163165-5	MW-83S_022422	Total/NA	Water	8260B	
MB 240-519272/8	Method Blank	Total/NA	Water	8260B	
LCS 240-519272/5	Lab Control Sample	Total/NA	Water	8260B	
240-163164-D-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-163164-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Client Sample ID: TRIP BLANK_122

Lab Sample ID: 240-163165-1

Date Collected: 02/23/22 00:00

Matrix: Water

Date Received: 03/02/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519272	03/07/22 14:18	LEE	TAL CAN

Client Sample ID: MW-82D_022322

Lab Sample ID: 240-163165-2

Date Collected: 02/23/22 15:16

Matrix: Water

Date Received: 03/02/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519272	03/07/22 14:41	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	519224	03/04/22 19:24	CS	TAL CAN

Client Sample ID: MW-82SR_022322

Lab Sample ID: 240-163165-3

Date Collected: 02/23/22 13:46

Matrix: Water

Date Received: 03/02/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519272	03/07/22 15:05	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	519224	03/04/22 19:49	CS	TAL CAN

Client Sample ID: MW-83_022322

Lab Sample ID: 240-163165-4

Date Collected: 02/23/22 16:46

Matrix: Water

Date Received: 03/02/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519272	03/07/22 15:29	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	519224	03/04/22 20:15	CS	TAL CAN

Client Sample ID: MW-83S_022422

Lab Sample ID: 240-163165-5

Date Collected: 02/24/22 10:06

Matrix: Water

Date Received: 03/02/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519272	03/07/22 15:53	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	519224	03/04/22 20:40	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-163165-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22 *
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program:		Site Contact: Julia McClafferty		Lab Contact: Mike DelMonico		TestAmerica Laboratories, Inc.	
Company Name: Arcadis		<input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCKA <input type="checkbox"/> Other		Telephone: 330-497-9396		Telephone: 330-497-9396		60C No:	
Address: 28550 Cabot Drive, Suite 500		Client Project Manager: Kris Hinskey		Email: kristoffer.hinskey@arcadis.com		Analyses		1 of 1 COCs	
City/State/Zip: Novi, MI, 48377		Telephone: 248-994-2240		Analysis Turnaround Time		TCE 8260B		For lab use only	
Phone: 248-994-2240		Email: kristoffer.hinskey@arcadis.com		TAT if different from below		PCE 8260B		Walk-in client	
Project Name: Ford LTP Off-Site		Sampler Name: Gary Scheifer		10 day		Trans-1,2-DCE 8260B		Lab sampling	
Project Number: 30080642.402.04		Method of Shipment/Carrier:		3 weeks		cis-1,2-DCE 8260B		Job/SDG No:	
PO # 30080642.402.04		Shipping/Tracking No:		2 weeks		1,1-DCE 8260B		Sample Specific Notes / Special Instructions:	
Sample Identification		Sample Date		Sample Time		Composite=C / Grab=C		1 Trip Blank	
TRIP BLANK_ 122						Filtered Sample (Y/N)		3 VOAs for 8260B	
MW-82D-022322		02/23/22		15:16		N		3 VOAs for 8260B SIM	
MW-82SR-022322		02/23/22		13:46		N			
MW-83-022322		02/23/22		16:46		N			
MW-835-022422		02/24/22		10:06		N			
Possible Hazard Identification		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed if sample)		<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab		Barcode: 240-163165 Chain of Custody	
Special Instructions/OC Requirements & Comments:		Sample Address: Residential Row - STARK		Relinquished by: Gary Scheifer		Date/Time: 02/25/22 09:12		Company: Arcadis	
Submit all results through Cadena at jomalia@cadenaco.com, Cadena #E203631		Level IV Reporting requested.		Relinquished by: outburys		Date/Time: 3/11/22		Company: EEXA	
Relinquished by: Gary Scheifer		Company: Arcadis		Date/Time: 02/25/22 09:12		Received by: Mike Gold Storage		Date/Time: 3/11/22	
Relinquished by: outburys		Company: Arcadis		Date/Time: 3/11/22 15:40		Received by: Mike Gold Storage		Date/Time: 3-2-22 800	
Relinquished by: Mike Gold Storage		Company: Arcadis		Date/Time: 3/11/22		Received in Laboratory by: Gary Scheifer			



©2005, TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Logo are trademarks of TestAmerica Laboratories, Inc.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : _____
Canton Facility

Client ArCADIS Site Name _____ Cooler unpacked by: Vanny Royce
Cooler Received on 3-2-22 Opened on 3-2-22
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____


Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # 7A Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes  ← Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 60358 Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Login #: 163165

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-14 IR-15	3.9	3.7	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15	3.4	3.2	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	

See Temperature Excursion Form