

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-166705-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:  
5/27/2022 11:07:10 AM

Michael DeMonico, Project Manager I  
(330)497-9396  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	14
Lab Chronicle . . . . .	15
Certification Summary . . . . .	16
Chain of Custody . . . . .	17

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

---

**Job ID: 240-166705-1**

---

**Laboratory: Eurofins Canton**

---

**Narrative**

**Job Narrative  
240-166705-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 5/17/2022 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.6° C and 2.1° C.

**GC/MS VOA**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

**VOA Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-166705-1	TRIP BLANK_147	Water	05/13/22 00:00	05/17/22 09:30
240-166705-2	MW-111S_051322	Water	05/13/22 11:56	05/17/22 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: TRIP BLANK\_147**

**Lab Sample ID: 240-166705-1**

No Detections.

**Client Sample ID: MW-111S\_051322**

**Lab Sample ID: 240-166705-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: TRIP BLANK\_147**

**Lab Sample ID: 240-166705-1**

**Date Collected: 05/13/22 00:00**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/22 19:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/22 19:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 19:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/22 19:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 19:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/22 19:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137		05/24/22 19:25	1
4-Bromofluorobenzene (Surr)	85		56 - 136		05/24/22 19:25	1
Toluene-d8 (Surr)	95		78 - 122		05/24/22 19:25	1
Dibromofluoromethane (Surr)	101		73 - 120		05/24/22 19:25	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: MW-111S\_051322**

**Lab Sample ID: 240-166705-2**

**Date Collected: 05/13/22 11:56**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/22 03:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120		05/21/22 03:30	1

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/22 21:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/22 21:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 21:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/22 21:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 21:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/22 21:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/24/22 21:30	1
4-Bromofluorobenzene (Surr)	85		56 - 136		05/24/22 21:30	1
Toluene-d8 (Surr)	96		78 - 122		05/24/22 21:30	1
Dibromofluoromethane (Surr)	102		73 - 120		05/24/22 21:30	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-166662-F-4 MS	Matrix Spike	96	97	99	103
240-166662-I-4 MSD	Matrix Spike Duplicate	96	101	99	106
240-166705-1	TRIP BLANK_147	96	85	95	101
240-166705-2	MW-111S_051322	99	85	96	102
LCS 240-527705/4	Lab Control Sample	94	99	98	102
MB 240-527705/6	Method Blank	98	88	95	100

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-166705-2	MW-111S_051322	81
240-166860-C-2 MS	Matrix Spike	85
240-166860-C-2 MSD	Matrix Spike Duplicate	83
LCS 240-527374/3	Lab Control Sample	85
MB 240-527374/4	Method Blank	83

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-527705/6**  
**Matrix: Water**  
**Analysis Batch: 527705**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/22 13:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/22 13:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 13:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/22 13:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 13:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/22 13:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		05/24/22 13:33	1
4-Bromofluorobenzene (Surr)	88		56 - 136		05/24/22 13:33	1
Toluene-d8 (Surr)	95		78 - 122		05/24/22 13:33	1
Dibromofluoromethane (Surr)	100		73 - 120		05/24/22 13:33	1

**Lab Sample ID: LCS 240-527705/4**  
**Matrix: Water**  
**Analysis Batch: 527705**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	26.2		ug/L		105	63 - 134
cis-1,2-Dichloroethene	25.0	26.3		ug/L		105	77 - 123
Tetrachloroethene	25.0	25.7		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	26.5		ug/L		106	75 - 124
Trichloroethene	25.0	26.0		ug/L		104	70 - 122
Vinyl chloride	12.5	10.9		ug/L		87	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

**Lab Sample ID: 240-166662-F-4 MS**  
**Matrix: Water**  
**Analysis Batch: 527705**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	29.1		ug/L		117	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	25.8		ug/L		103	66 - 128
Tetrachloroethene	1.0	U	25.0	25.5		ug/L		102	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	26.9		ug/L		108	56 - 136
Trichloroethene	1.0	U	25.0	25.0		ug/L		100	61 - 124
Vinyl chloride	0.84	J	25.0	20.8		ug/L		80	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	99		78 - 122

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-166662-F-4 MS**  
**Matrix: Water**  
**Analysis Batch: 527705**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	103		73 - 120

**Lab Sample ID: 240-166662-I-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 527705**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	28.0		ug/L		112	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	25.0	25.7		ug/L		103	66 - 128	0	14
Tetrachloroethene	1.0	U	25.0	25.9		ug/L		103	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	25.0	26.4		ug/L		106	56 - 136	2	15
Trichloroethene	1.0	U	25.0	25.0		ug/L		100	61 - 124	0	15
Vinyl chloride	0.84	J	25.0	23.2		ug/L		90	43 - 157	11	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	106		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-527374/4**  
**Matrix: Water**  
**Analysis Batch: 527374**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/20/22 19:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120		05/20/22 19:13	1

**Lab Sample ID: LCS 240-527374/3**  
**Matrix: Water**  
**Analysis Batch: 527374**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	11.6		ug/L		116	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		66 - 120

**Lab Sample ID: 240-166860-C-2 MS**  
**Matrix: Water**  
**Analysis Batch: 527374**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	5.7		10.0	15.9		ug/L		102	51 - 153

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	85		66 - 120

**Lab Sample ID: 240-166860-C-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 527374**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	5.7		10.0	15.7		ug/L		100	51 - 153	1	16

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	83		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## GC/MS VOA

### Analysis Batch: 527374

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166705-2	MW-111S_051322	Total/NA	Water	8260D SIM	
MB 240-527374/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-527374/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-166860-C-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-166860-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 527705

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166705-1	TRIP BLANK_147	Total/NA	Water	8260D	
240-166705-2	MW-111S_051322	Total/NA	Water	8260D	
MB 240-527705/6	Method Blank	Total/NA	Water	8260D	
LCS 240-527705/4	Lab Control Sample	Total/NA	Water	8260D	
240-166662-F-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-166662-I-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: TRIP BLANK\_147**

**Lab Sample ID: 240-166705-1**

**Date Collected: 05/13/22 00:00**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527705	05/24/22 19:25	SAM	TAL CAN

**Client Sample ID: MW-111S\_051322**

**Lab Sample ID: 240-166705-2**

**Date Collected: 05/13/22 11:56**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527705	05/24/22 21:30	SAM	TAL CAN
Total/NA	Analysis	8260D SIM		1	527374	05/21/22 03:30	CS	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

## Laboratory: Eurofins Canton


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	05-24-22
Oregon	NELAP	4062	05-24-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.





<b>Company Name:</b> Arcadis <b>Address:</b> 28550 Cabot Drive, Suite 500 <b>City/State/Zip:</b> Novi, MI, 48377 <b>Phone:</b> 248-994-2240 <b>Project Name:</b> Ford LTP Off-Site <b>Project Number:</b> 30080642.402.04 <b>PO #</b> 30080642.402.04		<b>Client Contact</b> <b>Client Project Manager:</b> Kris Hinskey <b>Telephone:</b> 248-932-7478 <b>Email:</b> Kristoffer.Hinskey@arcadis.com <b>Sampler Name:</b> <i>Gary Schaber</i> <b>Method of Shipment/Carrier:</b> <b>Shipping/Tracking No.:</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		<b>Lab Contact:</b> Mike DeMonico <b>Telephone:</b> 330-966-9783		<b>TestAmerica Laboratories, Inc.</b> <b>COC No.:</b>						
<b>Analysis Turnaround Time</b> TAT, if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <b>10 day</b>		<b>Containers &amp; Preservatives</b> <input type="checkbox"/> HCl <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> Other:		<b>Matrix</b> <input type="checkbox"/> Aqueous <input type="checkbox"/> Solid <input type="checkbox"/> Sediment <input type="checkbox"/> Other:		<b>Filtered Sample (Y/N)</b> <input type="checkbox"/> Composite=C/Grab=G		<b>Analyses</b> <input type="checkbox"/> 1,1-DCE 8260D <input type="checkbox"/> cis-1,2-DCE 8260D <input type="checkbox"/> Trans-1,2-DCE 8260D <input type="checkbox"/> PCE 8260D <input type="checkbox"/> TCE 8260D <input type="checkbox"/> Vinyl Chloride 8260D <input type="checkbox"/> 1,4-Dioxane 8260D SIM						
<b>Sample Identification</b> TRIP BLANK_ 147 MW-115-051322		<b>Sample Date</b> 5/13/22 5/13/22		<b>Sample Time</b> --- 11:56		<input type="checkbox"/> Walk-in client <input type="checkbox"/> Lab sampling <input type="checkbox"/> Job/SDG No.:		<b>Sample Specific Notes / Special Instructions:</b> 1 Trip Blank 3 VOAs for 8260D 3 VOAs for 8260D SIM						
 240-166705 Chain of Custody														
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown					<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
<b>Special Instructions/QC Requirements &amp; Comments:</b> Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested.					<b>Relinquished by:</b> <i>Gary Schaber</i> <b>Relinquished by:</b> <i>Chris Stark</i> <b>Relinquished by:</b> <i>John</i>					<b>Received by:</b> <i>Novi cold storage</i> <b>Received by:</b> <i>Arcadis</i> <b>Received in Laboratory by:</b> <i>Jeanmarc</i>				
<b>Company:</b> Arcadis <b>Company:</b> ARCADIS <b>Company:</b> FEA					<b>Date/Time:</b> 5/14/22 1254 <b>Date/Time:</b> 5/16/22 1200 <b>Date/Time:</b> 5/16/22 1250					<b>Date/Time:</b> 5/14/22 1254 <b>Date/Time:</b> 5/16/22 1200 <b>Date/Time:</b> 5-17-22 0930				



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 166705

Client Accadis Site Name Ford LTP

Cooler unpacked by:

Cooler Received on 5-17-22 Opened on 5-17-22

DWR

FedEx: 1<sup>st</sup> Grd  (Exp) UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
  2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 ea Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA  
 -Were tamper/custody seals intact and uncompromised? Yes No NA
  3. Shippers' packing slip attached to the cooler(s)? Yes No
  4. Did custody papers accompany the sample(s)? Yes No
  5. Were the custody papers relinquished & signed in the appropriate place? Yes No
  6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
  7. Did all bottles arrive in good condition (Unbroken)? Yes No
  8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
  9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
  10. Were correct bottle(s) used for the test(s) indicated? Yes No
  11. Sufficient quantity received to perform indicated analyses? Yes No
  12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
  14. Were VOAs on the COC? Yes No
  15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
  16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes No
  17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by:

---



---



---

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



Eurofins - Canton Sample Receipt Multiple Cooler Form					
Cooler Description (Circle)		IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
<input checked="" type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input checked="" type="radio"/> IR-13 <input type="radio"/> IR-15	2.1	2.1	<input checked="" type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input checked="" type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input checked="" type="radio"/> IR-13 <input type="radio"/> IR-15	0.6	0.6	<input checked="" type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client <input type="radio"/> Box <input type="radio"/> Other	<input type="radio"/> IR-13 <input type="radio"/> IR-15			<input type="radio"/> Wet Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> Water <input type="radio"/> None

See Temperature Excursion Form

# DATA VERIFICATION REPORT



May 29, 2022

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30080642.402.04  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Barberton  
Laboratory submittal: 166705-1  
Sample date: 2022-05-13  
Report received by CADENA: 2022-05-27  
Initial Data Verification completed by CADENA: 2022-05-29  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 166705-1

Sample Name: TRIP BLANK\_147 MW-111S\_051322  
 Lab Sample ID: 2401667051 2401667052  
 Sample Date: 5/13/2022 5/13/2022

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-166705-1

CADENA Verification Report: 2022-05-29

Analyses Performed By:

TestAmerica

North Canton, Ohio

Report # 45776R

Review Level: Tier III

Project: 30080642.402.01



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-166705-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_147	240-166705-1	Water	05/13/22		X	
MW-111S_051322	240-166705-2	Water	05/13/22		X	X



## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Vinayak Hegde

SIGNATURE: 

---

DATE: June 10, 2022

---

PEER REVIEW: Andrew Korycinski

DATE: June 14, 2022

---

**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**




**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**





TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>																					
Company Name: Arcadis		Client Project Manager: Kris Hinskey					Site Contact: Christina Weaver					Lab Contact: Mike DelMonico					COC No:																
Address: 28550 Cabot Drive, Suite 500		Telephone: 269-832-7478					Telephone: 248-994-2329					Telephone: 330-966-9783					1 of 1 COCs																
City/State/Zip: Novi, MI, 48377		Email: Kristoffer.Hinskey@arcadis.com					<b>Analysis Turnaround Time</b>					<b>Analyses</b>					For lab use only																
Phone: 248-994-2240		Sampler Name: Gary Schafer					TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM					Walk-in client																
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:					Shipping/Tracking No:										Lab sampling																
Project Number: 30080642.402.04		Matrix					Containers & Preservatives					Sample Specific Notes / Special Instructions:					Job/SDG No:																
PO # 30080642.402.04																						Sample Identification		Sample Date		Sample Time		Air		Aqueous		Sediment	
TRIP BLANK_ 147		5/13/22		---																												1 Trip Blank	
MW-115-051322		5/13/22		11:51p		X																								3 VOAs for 8260D 3 VOAs for 8260D SIM			
Possible Hazard Identification		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																					
Special Instructions/QC Requirements & Comments: Sample Address: 12051 STARK Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested.																																	
Relinquished by: Gary Schafer					Company: Arcadis					Date/Time: 5/14/22 1256					Received by: Novi cold storage					Company: Arcadis					Date/Time: 5/14/22 1256								
Relinquished by: [Signature]					Company: ARCADIS					Date/Time: 5/16/22 1200					Received by: [Signature]					Company: EETA					Date/Time: 5/16/22 1200								
Relinquished by: [Signature]					Company: EETA					Date/Time: 5/16/22 1250					Received in Laboratory by: [Signature]					Company: EETNC					Date/Time: 5-17-22 0930								



Page 17 of 19



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: TRIP BLANK\_147**

**Lab Sample ID: 240-166705-1**

**Date Collected: 05/13/22 00:00**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/22 19:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/22 19:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 19:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/22 19:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 19:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/22 19:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137		05/24/22 19:25	1
4-Bromofluorobenzene (Surr)	85		56 - 136		05/24/22 19:25	1
Toluene-d8 (Surr)	95		78 - 122		05/24/22 19:25	1
Dibromofluoromethane (Surr)	101		73 - 120		05/24/22 19:25	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-166705-1

**Client Sample ID: MW-111S\_051322**

**Lab Sample ID: 240-166705-2**

**Date Collected: 05/13/22 11:56**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/22 03:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120		05/21/22 03:30	1

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/22 21:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/22 21:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 21:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/22 21:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/22 21:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/22 21:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/24/22 21:30	1
4-Bromofluorobenzene (Surr)	85		56 - 136		05/24/22 21:30	1
Toluene-d8 (Surr)	96		78 - 122		05/24/22 21:30	1
Dibromofluoromethane (Surr)	102		73 - 120		05/24/22 21:30	1