

Ford Motor Company

QUARTERLY PROGRESS REPORT - 3Q 2021

Livonia Transmission Plant

This document is a DRAFT document that has not received approval from the Michigan Department of Environment, Great Lakes, and Energy (EGLE). This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

October 29, 2021



Kris Hinskey
Certified Project Manager II



Theresa Olechiw
Project Manager

QUARTERLY PROGRESS REPORT - 3Q 2021

Livonia Transmission Plant

Prepared for:

Ford Motor Company
Environmental Quality Office
Fairlane Plaza North
290 Town Center Drive, Suite 800
Dearborn, Michigan 48126

Prepared by:

Arcadis of Michigan, LLC
28550 Cabot Drive
Suite 500
Novi, Michigan 48377
Tel 248 994 2240
Fax 248 994 2241

Our Ref.:
30080642

Date:
October 29, 2021

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

3Q 2021: Activities

On-Site

1. Groundwater Sampling
2. Hydraulic Control System
 - ✓ Operating as Designed Since March 15, 2017
 - ✓ Discharge Compliance
3. Sub-Slab Depressurization System
 - ✓ Operating as Designed Since August 13, 2018
 - ✓ Discharge Compliance
4. Response Activities
 - Vapor Intrusion Assessment
 - Groundwater Delineation
 - Utility Corridor Assessment

Total On-Site Samples

Period	Groundwater / Water	Soil / Sediment	Sub-Slab / Soil Gas
3Q 2021	78	0	0
Total since Oct. 2015	1,757	328	593

Off-Site

1. Groundwater Sampling
2. Response Activities
 - Vapor Intrusion Mitigation
 - Groundwater Delineation
 - Utility Corridor Assessment

Total Off-Site Samples

Period	Groundwater	Sub-Slab / Soil Gas
3Q 2021	131	2
Total since Oct. 2015	1,853	257

Hydraulic Control System – Through September 2021
Total Treated Groundwater Discharged



Key Dates



2018-2021 Document Submittal

Document	Date Submitted	Status
4Q 2017 Progress Report	1/30/18	Received
RespAP Response to Comments Letter	4/13/18	Received
VI RespAP 6.6(b)(i) Revised	4/13/18	Approved with Modifications
RI RespAP 6.7 Revised	4/13/18	Approved with Modifications
1Q 2018 Progress Report	4/30/18	Received
Response to EGLE Request for CSM	7/20/18	Received
2Q 2018 Progress Report	7/31/18	Received
Public Outreach Plan	8/7/2018	Received
3Q 2018 Progress Report	10/31/18	Received
4Q 2018 Progress Report	2/1/2019	Received
Response to EGLE	2/8/2019	Responded
Response to EGLE	3/11/19	Responded
Response to EGLE	3/14/19	Responded
Extension Request to EGLE	3/14/19	Responded
Laboratory Memo	4/16/19	Received
Extension Request to EGLE	4/17/19	Responded
1Q 2019 Progress Report	5/2/19	Received
Response to EGLE	5/15/19	Responded
Response to EGLE	5/17/19	Responded
Response to EGLE	5/24/19	Responded
Response to EGLE	5/30/19	Responded

Document	Date Submitted	Status
EGLE Update Letter	6/7/19	Received
Updated Public Outreach Plan	6/28/19	Received
EGLE Update Letter	7/12/19	Received
Response to EGLE	7/25/19	Responded
EGLE Update Letter	7/31/19	Received
Q2 2019 Progress Report	7/31/19	Received
Residential Concern Memo	7/31/19	Received
Utility Corridor Response Activity Plan	8/8/19	Responded
EGLE Update Letter	8/30/19	Received
Residential Concern Memo	8/30/19	Received
EGLE Update Letter	9/30/19	Received
Residential Concern Memo	9/30/19	Received
Residential Concern Memo	10/31/19	Received
EGLE Update Letter	10/31/19	Received
Q3 2019 Progress Report	11/8/19	Received
EGLE Update Letter	11/27/19	Received
Residential Concern Memo	11/27/19	Received
EGLE Update Letter	12/31/19	Received
Residential Concern Memo	12/31/19	Received
Response Activity Plan – Revised Utility Corridor Evaluation	1/7/2020	Received
EGLE Letter	1/23/2020	Received
Residential Concern Memo	1/31/2020	Received
Q4 2019 Progress Report	1/31/2020	Received

2018-2021 Document Submittal

Document	Date Submitted	Status
EGLE Update Letter	1/31/2020	Received
EGLE Update Letter	2/14/2020	Received
Residential Concern Memo	2/29/2020	Received
EGLE Update Letter	2/29/2020	Received
EGLE Update Letter	3/5/2020	Received
EGLE Update Letter	3/31/2020	Received
Residential Concern Memo	3/31/2020	Received
EGLE Update Letter	4/30/2020	Received
Residential Concern Memo	4/30/2020	Received
1Q 2020 Progress Report	4/30/2020	Received
EGLE Update Letter	5/31/2020	Received
Residential Concern Memo	5/31/2020	Received
EGLE Update Letter	6/30/2020	Received
Residential Concern Memo	6/30/2020	Received
2Q 2020 Progress Report	7/31/2020	Received
EGLE Update Letter	7/31/2020	Received
Residential Concern Memo	7/31/2020	Received
EGLE Update Letter	8/31/2020	Received
Residential Concern Memo	8/31/2020	Received
EGLE Update Letter	9/30/2020	Received
Residential Concern Memo	9/30/2020	Received
3Q 2020 Progress Report	10/31/2020	Received
EGLE Update Letter	10/31/2020	Received
Residential Concern Memo	10/31/2020	Received
Utility Corridor Response Activity Plan Addendum	12/4/2020	Received

Document	Date Submitted	Status
Revised Interim Groundwater Monitoring Plan	1/26/2021	Approved with modifications
Response Activity Plan for the Utility Corridor Addendum #2	1/27/2021	Received
4Q 2020 Progress Report	1/31/2021	Received
EGLE Update Letter	1/31/2021	Received
Residential Concern Memo	1/31/2021	Received
CSM and Requested Property Specific Monitoring Program for Five Offsite Mitigation Properties	2/22/2021	Approved
LTP Summary of Individual Off-Site Vapor Intrusion Evaluations and Request for No Additional Investigation	3/19/2021	Received
1Q 2021 Progress Report	4/30/2021	Received
EGLE Update Letter	4/30/2021	Received
Residential Concern Memo	4/30/2021	Received
Interim Groundwater Monitoring Plan Addendum #1	5/12/2021	Approved with modifications
Utility Corridor Progress Update Memo	7/2/2021	Received
Offsite Vertical Aquifer Profile Investigation Memo	7/28/2021	Received
2Q 2021 Progress Report	7/30/2021	Received
Quarterly Mitigation EGLE Update Letter	7/30/2021	Received
Quarterly Residential Concern Memo	7/30/2021	Received

Upcoming Dates 2021

November Off-Site 4Q 2021
Groundwater Sampling

November On-Site 4Q 2021
Groundwater Sampling

CONTENTS

Acronyms and Abbreviations	iv
1 Introduction.....	1
1.1 Purpose	1
1.2 Background	1
1.3 Additional Response Activities	1
2 Summary of Routine Activities	3
2.1 On-Site Groundwater Sampling	3
2.2 Off-Site Groundwater Sampling	3
2.3 Hydraulic Control System	4
2.3.1 System Overview	4
2.4 Interim Sub-Slab Depressurization System	5
2.4.1 System Overview	5
3 Summary of Response Activity Results	6
3.1 On-Site Groundwater Sampling	6
3.2 Off-Site Groundwater Sampling	6
3.3 Off-Site Vapor Intrusion	6
3.3.1 Ongoing Off-Site Vapor Intrusion Response Activities	6
3.4 Hydraulic Control System Operation and Performance Monitoring	7
3.4.1 Hydraulic Control System Operation	7
3.4.2 Maintenance Activities	9
3.4.3 Hydraulic Control System Performance Monitoring	9
3.4.3.1 Groundwater Elevation	9
3.4.3.2 Hydraulic Response	10
3.4.3.3 Groundwater Analytical Trends	11
3.5 Summary of Hydraulic Control System Compliance Actions	12
3.6 Interim Sub-Slab Depressurization System Operation and Performance Monitoring	13
4 Access Agreements	14
5 Other Relevant Information	15
5.1 Due Care Obligations	15
5.2 Public Outreach	15

QUARTERLY PROGRESS REPORT – 3Q 2021

5.3 List of Reporting Documents.....	15
6 Waste Management	16
7 Proposed Schedule	16
8 References	17

EXHIBITS (*embedded in text*)

Exhibit 1: HCS Shutdown Summary	7
Exhibit 2: HCS Treated Discharge Water Volume and Flow Rate Summary – 3Q 2021	8
Exhibit 3: HCS Mass Removal – 3Q 2021	8
Exhibit 4: GLWA Discharge Limitations for HCS	12
Exhibit 5: SSDS Shutdown Summary – 3Q 2021	14
Exhibit 6: SSDS Mass Removal – 3Q 2021	14
Exhibit 7: Submitted Reporting Documents – 3Q 2021	15
Exhibit 8: Response Activity Schedule	16

TABLES

Table 1: On-Site Groundwater Elevations
Table 2: On-Site Groundwater Analytical Results
Table 3: Off-Site Groundwater Elevations
Table 4: Off-Site Groundwater Analytical Results
Table 5: Hydraulic Control System Monthly Discharge Volumes

FIGURES

Figure 1: Site Location Map
Figure 2: Site Layout
Figure 3: Site-Wide Groundwater Elevation Contour Map Under Pumping Conditions August 2021
Figure 4: On-Site Monitoring Wells Cis-1,2-Dichloroethene in Groundwater
Figure 5: On-Site Monitoring Wells Trans-1,2-Dichloroethene in Groundwater
Figure 6: On-Site Monitoring Wells Trichloroethene in Groundwater
Figure 7: On-Site Monitoring Wells Vinyl Chloride in Groundwater

QUARTERLY PROGRESS REPORT – 3Q 2021

Figure 8: On-Site Monitoring Wells 1,4-Dioxane in Groundwater

Figure 9: Off-Site Monitoring Wells 1,4-Dioxane in Groundwater

Figure 10: Off-Site Monitoring Wells Trichloroethene in Groundwater

Figure 11: Off-Site Monitoring Wells Vinyl Chloride in Groundwater

Figure 12: Hydraulic Gradient Map August 2021

APPENDICES

Appendix A: On-Site Groundwater Field Sampling Logs

Appendix B: Off-Site Residential Monitoring Wells

Appendix C: Off-Site Groundwater Field Sampling Logs

Appendix D: Transducer Data

Appendix E: Stability Analysis

ACRONYMS AND ABBREVIATIONS

3Q 2021	third quarter of 2021
µg/L	microgram per liter
AOC	area of concern
Arcadis	Arcadis of Michigan LLC
COC	constituent of concern
DCE	dichloroethane
EGLE	Michigan Department of Environment, Great Lakes, and Energy
Ford	Ford Motor Company
GLWA	Great Lakes Water Authority
HCS	hydraulic control system
IGMP	Interim Groundwater Monitoring Plan
LTP	Livonia Transmission Plant
mg/L	milligram per liter
PCE	tetrachloroethene
report	Progress Report
ROW	right-of-way
SSDS	sub-slab depressurization system
TCE	trichloroethene
TestAmerica	Eurofins TestAmerica Laboratories
the site	Livonia Transmission Plant, 36200 Plymouth Road, Livonia, Michigan
USEPA	United States Environmental Protection Agency
VC	vinyl chloride
VI	vapor intrusion
VOC	volatile organic compound

1 INTRODUCTION

1.1 Purpose

Arcadis of Michigan LLC (Arcadis), on behalf of Ford Motor Company (Ford), has prepared this Progress Report (report) for the Livonia Transmission Plant (LTP) property (the site) located at 36200 Plymouth Road in Livonia, Michigan. This report was produced in compliance with a Consent Decree filed by the Michigan Department of Environment, Great Lakes, and Energy (EGLE), on July 27, 2017 (Number: 2:1712372-GAD-RSW). The purpose of this report is to summarize the routine groundwater and any vapor sampling conducted at the site and the area east of the site, as well as the performance monitoring and maintenance associated with the hydraulic control system (HCS) and sub-slab depressurization system (SSDS) completed voluntarily by Ford. This report includes activities completed during the third quarter of 2021 (3Q 2021), from July 1 through September 30, 2021. Activities described in this 3Q 2021 report include the following:

- On-site and off-site groundwater sampling.
- HCS operation, evaluation, and performance monitoring.
- SSDS operation, evaluation, and performance monitoring.

This report primarily focuses on the seven constituents of concern (COCs) for the site: 1,1-dichloroethene (DCE), cis-1,2-DCE, trans-1,2-DCE, tetrachloroethene (PCE), trichloroethene (TCE), vinyl chloride (VC), and 1,4-dioxane.

1.2 Background

The site is located at 36200 Plymouth Road, Livonia, Michigan (**Figure 1**) and occupies 178 acres of land. The LTP has been active in manufacturing in some capacity since the 1950s. The LTP building occupies approximately 3 million square feet. The area surrounding the site includes light industrial, commercial, and residential properties. For the purpose of this report, data are presented based on their locations as either on-site or off-site (**Figure 2**). On-site areas of concern (AOCs) comprise all areas within the site boundary, including the LTP, Test Track, Wastewater Pre-Treatment Plant, Automatic Transmission Plant New Product Center, associated outbuildings, and the Plymouth Road right-of-way (ROW). Off-site AOCs include commercial and residential properties located east of the site, from Belden Court west to Stark Road, and from Plymouth Road north to the railroad ROW (**Figure 2**).

1.3 Additional Response Activities

Additional response activities completed in 3Q 2021 include off-site vapor intrusion (VI) investigation, groundwater sampling, and activities related to the utility corridor investigation, as outlined in the following Response Activity Plans:

- Response Activity Plan – Vapor Intrusion Evaluation (Arcadis 2018a) dated April 13, 2018.
- Response Activity Plan – Remedial Investigation (Arcadis 2018b), dated April 13, 2018.

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

QUARTERLY PROGRESS REPORT – 3Q 2021

- Response Activity Plan – Utility Corridor Evaluation Revised (Arcadis 2020a) dated February 11, 2020.
- Response Activity Plan – Utility Corridor Evaluation Addendum (Arcadis 2020b) dated December 4, 2020.
- Response Activity Plan – Utility Corridor Evaluation Addendum 2 (Arcadis 2021b) dated January 27, 2021.

In addition to the activities completed under these approved Response Activity Plans, this report includes information regarding the interim pre-emptive mitigation system activities completed in 3Q 2021. Details regarding the additional response activities completed in 3Q 2021 are provided below.

Date	Activity	Activities Completed in 3Q 2021	Additional Activities Required (yes or no)
July 2021	On-Site and Off-Site Utility Corridor Evaluation	A total of 24 samples collected in total, which includes 12 vapor samples and 12 liquid samples. Includes quality assurance samples for both the vapor and liquid samples.	Yes
April to June 2021	Off-Site Mitigation System Operation, Monitoring and Maintenance	Operations, monitoring, and maintenance events were performed. Rainwater inspections were conducted, and water was removed.	Yes
September 2021	Additional Off-Site VI Assessment	A total of two sub-slab samples collected.	Yes

2 SUMMARY OF ROUTINE ACTIVITIES

The following table summarizes the monitoring that was completed at the AOC during 3Q 2021. Refer to the subsequent sections for further detail on each respective event and associated tables and figures.

Date	Activity	Table(s)	Figure(s)
July to September 2021	On-Site Groundwater Sampling	1, 2	3, 4, 5, 6, 7, 8
July to September 2021	Off-Site Groundwater Sampling	3, 4	3, 9, 10, 11
July to September 2021	HCS Performance Monitoring	5	2, 3, 12
July to September 2021	SSDS Performance Monitoring	-	2

2.1 On-Site Groundwater Sampling

Arcadis completed on-site gauging on August 17, 2021. Monitoring wells and piezometers were gauged from the top of casing using an electronic water level meter to within 0.01 foot. A summary of the on-site 3Q 2021 groundwater elevations is included in the on-site quarterly groundwater elevation summary table (**Table 1**). On-site groundwater elevation contours and apparent groundwater flow for the 3Q 2021 are provided on **Figure 3**.

On-site groundwater sampling was conducted from August 2 through August 28, 2021 at all wells, excluding 28 on-site light non-aqueous phase liquid wells (LMW-15-01 through LMW-15-10 and LMW-20-11 through LMW-20-28) and monitoring wells MW-15-59D, MW-15-60D, MW-15-61D, MW-26, MW-27, MW-28, MW-55, MW-55D, MW-56, MW-113, MW-114, MW-120, MW-122, MW-124, MW-194, MW-194S, MW-198, MW-198S, MW-199S, TW-16-01, TW-16-02, TW-16-03, and TW-16-04, consistent with the Interim Groundwater Monitoring Plan (IGMP; Arcadis 2021a) approved by EGLE on February 18, 2021 and July 27, 2021. At all other monitoring wells, groundwater was purged at a flow rate of 100 to 300 milliliters per minute until field parameters (i.e., conductivity, pH, turbidity, temperature, dissolved oxygen, and oxidation-reduction potential) stabilized. Groundwater samples were collected from 78 on-site monitoring wells into laboratory-supplied bottles and were submitted on ice to Eurofins TestAmerica Laboratories (TestAmerica) in Canton, Ohio and Edison, New Jersey.

Additionally, duplicates and trip blanks collected during the sampling event were analyzed in accordance with the methodology specified in the on-site Quality Assurance Project Plan (Arcadis 2017a) and submitted to TestAmerica. All groundwater samples were submitted for analysis of the seven COCs via United States Environmental Protection Agency (USEPA) Method 8260B and 1,4-dioxane via USEPA Method 8260B-SIM based on a standard turnaround time of 10 business days. The groundwater analytical results are discussed in Section 3. A summary of the 3Q 2021 groundwater analytical results is presented in the on-site quarterly groundwater analytical data summary table (**Table 2**). On-site groundwater field sampling logs are provided for reference as **Appendix A**.

2.2 Off-Site Groundwater Sampling

Arcadis completed off-site gauging on August 17, 2021. Monitoring wells were gauged from the top of casing using an electronic water level meter accurate to within 0.01 foot. A summary of the 3Q 2021

groundwater elevations (ROW monitoring wells only) are included in the off-site quarterly groundwater elevation summary table (**Table 3**). Groundwater elevation contours and apparent groundwater flow are illustrated on **Figure 3**. Only monitoring wells within the ROWs were gauged during the site-wide gauging event and used to produce the elevation contour figure.

Off-site groundwater sampling was conducted from August 2 through August 28, 2021. Monitoring wells MW-125, MW-125S, MW-129, MW-129S, MW-186S, MW-187, MW-187S, MW-188S, MW-189, MW-189S, MW-190, MW-190S, MW-191S, MW-202, MW-202S, MW-203, MW-203S, MW-204, MW-204S, MW-205, MW-205S, MW-206, and MW-206S were not sampled during 3Q 2021 based on the IGMP approved by EGLE on February 18, 2021 and July 27, 2021. A sample could not be collected from MW-175S due to access restrictions. At all other locations, groundwater was purged from the monitoring wells at a flow rate of 100 to 300 milliliters per minute until field parameters (i.e., depth to water, specific conductance, conductivity, pH, turbidity, temperature, dissolved oxygen, and redox/oxidation-reduction potential) stabilized. Groundwater samples were collected from 131 off-site monitoring wells into laboratory-supplied bottles and submitted to TestAmerica.

Additionally, duplicates, matrix spike/matrix spike duplicates, and trip blanks collected during the sampling event were analyzed in accordance with the methodology specified in the off-site Quality Assurance Project Plan (Arcadis 2017b) and submitted to TestAmerica. All groundwater samples were submitted for analysis of the seven COCs via USEPA Method 8260B and 1,4-dioxane via USEPA Method 8260B-SIM based on a standard turnaround time of 10 business days. The groundwater analytical results are discussed in Section 3. The 3Q 2021 groundwater analytical results are summarized in the off-site quarterly groundwater analytical data summary tables (**Table 4** and **Appendix B**). Off-site groundwater field sampling logs are provided for reference as **Appendix C**.

2.3 Hydraulic Control System

2.3.1 System Overview

The HCS was installed to intercept groundwater and mitigate the potential for impacted groundwater to continue to migrate east of the HCS. Ford began operation of the HCS on March 15, 2017.

The system is designed to extract groundwater via four horizontal wells (ESD-1, ESD-2, ESD-3, and ESD-4; **Figure 2**), each equipped with a groundwater extraction pump. Each extraction well screen is 400 to 600 feet long. The combined length of the four wells extends across approximately 2,000 linear feet on a line approximately perpendicular to groundwater flow. Extracted groundwater is pumped to an above-grade treatment system where it is treated by bag filters, an air stripper, and granular activated carbon filters before it is discharged to the sanitary sewer under the approved wastewater discharge permit (permit number 006-27510-IU) with the Great Lakes Water Authority (GLWA).

HCS equipment is operated by a programmable logic controller unit that allows the system to function without constant operator supervision. The HCS operates each horizontal well by extracting groundwater to achieve the set level within each pumping well. Pumping in each well ceases when target drawdown is achieved and resumes when the water level begins to rebound. Details regarding design and operation of the system are provided in the Remedial System Operation and Maintenance Manual dated June 29, 2017 (Arcadis 2017c), and in the Conceptual Site Model dated August 25, 2017 (Arcadis 2017d).

2.4 Interim Sub-Slab Depressurization System

2.4.1 System Overview

In response to the presence of volatile organic compounds (VOCs) beneath the LTP building, Ford has designed, installed, and is operating an interim SSDS. The SSDS was specifically designed to target select locations in the plant where the highest concentrations of VOCs were present underneath the concrete slab. The goal of the interim SSDS is to reduce the potential for sub-slab soil vapor to migrate through the concrete slab into indoor air. Construction of the SSDS began in September 2017, and the system began extracting and treating soil vapor on August 14, 2018.

The system is designed to extract soil vapor via nine suction pits located in the LTP building (**Figure 2**). The suction pits are installed just beneath the building slab to induce a sub-slab vacuum and reduce the potential for sub-slab soil vapor to migrate into the indoor air. Each suction pit is connected to the conveyance piping network to transmit extracted soil vapor to the system building, where it is treated via a catalytic oxidizer before being discharged to the atmosphere pursuant to the Rule 290 air permitting exemption of the Michigan Air Pollution Control Rules.

During the fourth quarter of 2020, three new suction pits were installed within the LTP building. The equipment in the system building was upgraded to accommodate the additional flow. The installation of the conveyance network connecting the three new suction pits to the existing system building was completed and startup of the three new suction points was conducted on September 2, 2021.

3 SUMMARY OF RESPONSE ACTIVITY RESULTS

3.1 On-Site Groundwater Sampling

The on-site monitoring well groundwater results are compared to Michigan Part 201 Non-residential Generic Cleanup Criteria (EGLE 2018). Comprehensive analytical results are summarized in **Table 2**. Concentrations of COCs exceeding Part 201 Non-residential Generic Cleanup Criteria for 3Q 2021 include cis-1,2-DCE, trans-1,2-DCE, TCE, VC, and 1,4-dioxane. Exceedances of cis-1,2-DCE, trans-1,2-DCE, TCE, VC, and 1,4-dioxane from the four most recent quarters of data (October/November 2020, February/March 2021, May 2021, and August 2021) are summarized on **Figures 4 through 8**, respectively. All other site-specific compounds (i.e., 1,1-DCE and PCE) either were not detected at concentrations above the reporting limits or were detected at concentrations below Part 201 Non-residential Generic Cleanup Criteria for 3Q 2021.

3.2 Off-Site Groundwater Sampling

The off-site monitoring well groundwater results are compared to the Part 201 Residential Generic Cleanup Criteria (EGLE 2018) and the site-specific groundwater VI screening levels included as part of the Consent Decree; however, the site-specific screening levels provided for TCE and VC where groundwater may be in contact with a structure are below the typical target detection limits for these compounds. In December 2017, Ford requested and received EGLE approval to use the EGLE Remediation and Redevelopment Division target detection limits for TCE and VC of 1.0 microgram per liter (µg/L) as the groundwater screening level protective of VI at residential structures where there is potential for groundwater to be in contact.

Comprehensive off-site groundwater analytical results are summarized in **Table 4** and **Appendix B**. Only VC was detected during the 3Q 2021 event in off-site monitoring wells to the east of the site property at concentrations above the applicable criteria (1.0 µg/L). The results for 1,4-dioxane, TCE, and VC from the four most recent quarters of data (November 2020, February/March 2021, May 2021, and August 2021) for the off-site monitoring wells to the east of the site property boundary are provided on **Figures 9, 10, and 11**, respectively. Other site-specific compounds (i.e., cis-1,2-DCE, 1,1-DCE, 1,4-dioxane, trans-1,2-DCE, TCE, and PCE) either were not detected at concentrations above the reporting limits or were detected at concentrations below respective Part 201 Residential Generic Cleanup Criterion for 3Q 2021.

3.3 Off-Site Vapor Intrusion

3.3.1 Ongoing Off-Site Vapor Intrusion Response Activities

Since September 2018, multiple media have been sampled to assess VI. To date, approximately 3,407 indoor air, ambient air, and sub-slab soil vapor samples (including duplicate samples) have been collected at residential and commercial properties. Additionally, 60 water samples have been collected from residential properties where a sump is present. Vapor samples were collected from two locations in 3Q 2021 as part of the Conceptual Site Model and Requested Property Specific Monitoring Program for

Five Offsite Mitigation Properties (Arcadis 2021c) request dated February 22, 2021, which was approved on April 14, 2021.

3.4 Hydraulic Control System Operation and Performance Monitoring

The HCS performance is continuously evaluated and monitored. Treated water discharge volumes are documented daily and tabulated monthly (**Table 5**). System shutdowns are documented as detailed below. Samples are collected monthly and annually, as required, to document permit compliance for sanitary discharge and air emissions.

3.4.1 Hydraulic Control System Operation

The HCS operated with minimal unscheduled downtime during 3Q 2021. **Exhibit 1** describes the system shutdowns, approximate durations, and dates. Most of the downtime was to facilitate routine maintenance. The system operated with an uptime of 96.5 percent during 3Q 2021.

Exhibit 1: HCS Shutdown Summary

Date of Shutdown	Duration of Shutdowns	Summary of Shutdown
July 16, 2021	0.5 hours	Well pumps were turned off to pump down the on-site water storage tank. Field staff completed pumping and the HCS resumed normal operation the same day.
July 22, 2021	13 hours	The system shut down to a malfunctioning motor saver control devise which caused the fuses to blow and prevented the system to restart.
July 25, 2021	14.3 hours	The system shut down on Sunday, July 25. Arcadis was able to restart the system on Monday, July 26.
July 26, 2021	3.2 hours	The system was shut down to perform backwashing on the lead carbon vessel, Field staff completed backwashing and were able to restart the HCS system.
July 28, 2021	0.6 hours	High water levels shut down the system temporarily. System resumed after short shutdown.
July 30, 2021 through July 31, 2021	10.9 hours	The system went down on July 30, 2021 due to well high level alarm and turned back on after troubleshooting on July 31, 2021.
August 3, 2021 through August 4, 2021	29 hours	The system was on and off during this time as the air stripper sump pump was unable to keep up with the volume of water flowing through the system.
August 23, 2021	4.7 hours	The system was shut down to pump the on-site storage tank and replace fuses.
September 10, 2021	0.7 hours	The system was shut down to perform backwashing on the lead carbon vessel.

During the reporting period, groundwater was extracted from the horizontal wells to maintain continuous and consistent drawdown in each horizontal well. Discharge volumes and flow rates tabulated monthly during the reporting period are summarized in **Exhibit 2**. Daily HCS discharge volumes and monthly discharge totals are provided in **Table 5** for the 3Q 2021 reporting period. The total volume of water collected and treated from system startup on March 15, 2017, through 3Q 2021 is 68,566,252 gallons.

QUARTERLY PROGRESS REPORT – 3Q 2021

Exhibit 2: HCS Treated Discharge Water Volume and Flow Rate Summary – 3Q 2021


Month	Volume Treated (gallons)	Average Operational Flow Rate* (gallons per minute)
July	1,207,691	29
August	1,510,629	35
September	1,262,827	34

Note:

*Treated volume divided by operating time.

Exhibit 3 depicts the cumulative constituent-specific mass removal of VOCs through the 3Q 2021 reporting period. Groundwater mass removal calculations are based on air stripper effluent vapor sampled from June 2017 through October 2020, then from combined influent liquid samples since November 2020.

Exhibit 3: HCS Mass Removal – 3Q 2021



This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

3.4.2 Maintenance Activities

Routine maintenance is required for effective operation of the HCS equipment and groundwater extraction. In 3Q 2021, maintenance activities included routine bag filter changes, system cleanings, and carbon back washing.

3.4.3 Hydraulic Control System Performance Monitoring

The performance of the HCS is evaluated in general accordance with USEPA guidance – A Systematic Approach for Evaluation of Capture Zone at Pump and Treat Systems (USEPA 2008) to demonstrate that the system is capturing groundwater as designed and mitigating additional migration of impacted groundwater to the east of the HCS. Three lines of evidence are used to evaluate system performance:

1. Groundwater elevation and horizontal gradient
2. Hydraulic response to pumping
3. Downgradient groundwater analytical trends

Aquifer response and well efficiency during 3Q 2021 remained consistent with previous quarters. The HCS horizontal wells were last flushed in December 2020. The next flushing event is planned for October 2021.

3.4.3.1 Groundwater Elevation

A groundwater elevation contour map, including the area around the HCS, is provided as **Figure 3**. The HCS wells are a horizontal groundwater sink oriented perpendicular to groundwater flow that captures groundwater flux across the approximately 2,000-foot-long cross-sectional area. The elevation of groundwater and the corresponding HCS total flow rate vary seasonally. The HCS extraction wells are equipped with variable speed pumps and can vary flow rate based on wet and dry seasons. The average monthly pumping rates (ranging from approximately 13 to 42 gallons per minute over the course of system operation) are consistent with the range of ambient groundwater flux rate calculated for the site. The groundwater contours suggest a deflection and removal of groundwater flux for the northern half of the HCS (ESD-1 and ESD-2) and a more pronounced inward gradient around wells ESD-3 and ESD-4 (**Figure 3**). This result is consistent with groundwater removal and capture at the site.

Consistent with USEPA guidance, hydraulic gradient direction was calculated for a series of well triplets located downgradient of the HCS. Groundwater gauging was completed for select wells on August 17, 2021. The well triplets and calculated flow vectors are shown on **Figure 12**. The August 2021 gradient map shows that flow was easterly near ESD-1 and the northern portion of ESD-2 but turns more southerly near the southern portion ESD-2. Flow is south-southwesterly near ESD-3, bending inward at ESD-4. Overall, the deflection of groundwater gradient is consistent with continued removal of groundwater flux.

Hydraulic capture is difficult to evaluate for this system for several reasons:

- Aquifer response can be subtle (as outlined below), and low seasonal water levels during drier portions of the year confound observed drawdown within portions of the system area of influence.

- The coverage provided by the existing piezometers and monitoring wells is relatively sparse, and the well spacing relative to the HCS extraction wells is not optimum, particularly around ESD-1. Dense utilities in the area limit safe drilling locations and monitoring well spacing near the ESD wells is maintained to avoid striking the HCS during drilling (i.e., ESD well horizontal placement is plus or minus 5 feet).
- HCS well efficiency also tends to decrease with time, and regular maintenance (e.g., flushing) is required to maintain optimum performance. The ESD wells were most recently flushed in December 2020.

3.4.3.2 Hydraulic Response

Pressure transducers have been installed to monitor the system performance and influence on the aquifer system surrounding the HCS. Transducers are installed in 20 monitoring wells surrounding the HCS, at the southern end of the HCS wells above the pump, and within the northern access vaults for each well. Below is a list of the monitoring wells that are currently equipped with transducers to evaluate the performance of the HCS:

- ESD-1: MW-50, MW-62, PZ-01, PZ-08, PZ-14, and PZ-15 record water levels near the northernmost section of the system adjacent to ESD-1.
- ESD-2: MW-48, PZ-06, PZ-07, and PZ-09 record water levels near the center section of the system adjacent to well ESD-2.
- ESD-3: MW-46, MW-68, PZ-03, PZ-10, and PZ-13 record water levels near the center section of the system adjacent to well ESD-3.
- ESD-4: MW-45, MW-71, PZ-05, PZ-11, and PZ-12 record water levels near the southern section of the system adjacent to well ESD-4.
- The transducers located above the pumps on the southern end of each well are used to monitor pumping drawdown and modulate pumping rates for each well.
- The transducers located at the northern end of each HCS well are used to evaluate head loss along the length of the HCS well screen and evaluate pumping efficiency.
- The transducer located at MW-18 provides upgradient background water level data to help evaluate regional and seasonal groundwater elevation trends.

The transducer data for 3Q 2021 show piezometer and monitoring well groundwater elevation response in phase with pumping response, indicating hydraulic communication between the HCS wells and the surrounding aquifer. Transducer data for each ESD well shows excessive noise in the data from approximately mid-August to mid-September that is attributed to HCS maintenance. Hydrographs for each ESD well are provided in **Appendix D**. Transducer data for MW-45 and MW-71 were not collected during 3Q 2021 due to download connection issues, therefore are not shown in the ESD-4 hydrograph. New transducers will be installed during the fourth quarter to replace the defected transducers that are currently in the wells.

3.4.3.3 Groundwater Analytical Trends

To date, up to 19 quarters of groundwater samples have been collected from monitoring wells beginning in 2016 (May 2016, April 2017, July 2017, November 2017, February 2018, May 2018, August 2018, October/November/December 2018, February/March 2019, May/June 2019, September 2019, November 2019, February/March 2020, May/June 2020, July/August 2020, October/November 2020, February/March 2021, May 2021, and August 2021). Analytical results from the four most recent quarters of data are included on **Figures 4** through **11**. A key result of the performance monitoring is from monitoring well MW-71, which is located west of the HCS, opposite the primary zone of VOC impact migrating east from the LTP building. Since the installation of this well (April 2017), concentrations have been stable with only estimated detections of total DCE and VC at concentrations less than 1.0 µg/L.

Concentration trends for TCE, total DCE, and VC were reviewed at representative wells located along the axis of impacted areas (on-site and off-site) and at wells downgradient from the HCS between May 2016 and August 2021. Trend analysis from wells upgradient from the HCS can provide insights regarding source maturity. Stable concentrations (i.e., no trend with low variability in concentrations over time) and decreasing trends indicate that the source is mature or depleted. Increasing trends at individual source area wells can indicate an expanding plume, but also can reflect the wide range of concentrations and temporal variability common at source areas.

Trend analysis downgradient from the HCS provides the best measure of hydraulic capture performance; decreasing trends and no trends verify that the HCS is working, whereas increasing trends indicate a lack of capture.

Mann-Kendall trend tests were conducted at selected wells for constituents present at concentrations greater than applicable screening criteria, and coefficient of variation values were calculated. The methodology, preliminary results summary, figures, and trend graphs are included in **Appendix E**. Key findings of the Mann-Kendall trend test include the following:

- Upgradient from HCS (south): At monitoring wells in the southern impacted area, concentrations of TCE, total DCE, and VC (where present above applicable screening levels) show a statistically significant decreasing trend or no trend. The exceptions are MW-02, where total DCE shows a statistically significant increasing trend, and MW-10, where VC shows a statistically significant increasing trend. These two wells are located upgradient from the HCS along the core of the southern impacted area. Groundwater impacts associated with these two monitoring wells are captured by the HCS.
- Upgradient from HCS (north): VC concentration trends at monitoring wells upgradient from the HCS in the northern impacted area show statistically significant decreasing trends (TW-16-04 and MW-65). The exception is MW-50, immediately adjacent (upgradient) to ESD-1, which shows a statistically significant increasing trend. Analytical results from the last three quarters (fourth quarter of 2020 through third quarter of 2021) at MW-50 are within the historical range for this well.
- Downgradient from the HCS (on-site): Concentrations of VC at each monitoring well located downgradient from the HCS exhibit no statistically significant trend or decreasing trends. The exception being MW-69, which shows a statistically significant increasing trend.

- Monitoring well MW-69 has fluctuated between <1.0 and 5.0 µg/L since April 2017. Since February 2019, the concentration of VC has been stable with concentrations ranging from 3.2 to 5.0 µg/L. The result during the 3Q 2021 event was 3.5 µg/L.
- Downgradient from the HCS (off-site): Concentrations of VC at monitoring wells MW-72, MW-75D, MW-79D, and MW-85 show statistically significant decreasing trends. Monitoring wells MW-74 and MW-80SR show no significant trend, and MW-73SR and MW-73D did not meet the criteria for trend analysis.
 - VC concentrations at MW-75D decreased from 6.4 µg/L in May 2017 to 2.6 µg/L in August 2021.
 - VC concentrations at MW-79D decreased from 4.1 µg/L in July 2017 to 1.5 µg/L in August 2021.
 - VC concentrations at MW-85 decreased from 8.6 µg/L in May 2017 to 3.8 µg/L in August 2021.
 - VC concentrations at MW-72 decreased from 3.9 µg/L in May 2017 to 1.3 µg/L in August 2021.
 - VC concentrations at MW-74 concentrations have fluctuated from <1.0 µg/L in May 2017, to a maximum of 4.1 µg/L in November 2020. The VC concentration measured in August 2021 was 2.0 J µg/L.
 - VC concentrations of MW-80SR have fluctuated from 1.4 µg/L in December 2018 to a maximum concentration of 4.3 µg/L in August and November 2020. The concentration of VC at this location decreased to 1.4 µg/L in August 2021.

Except for a limited number of on-site upgradient monitoring wells and constituent combinations that show statistically significant increasing trends (total DCE at MW-02; VC at MW-10, and VC at MW-50) and one downgradient monitoring well with a statistically increasing trend for VC (MW-69), the observations and measurements to date indicate that the groundwater impacts are stable and/or show statistically significant decreasing trends. Results of this evaluation provide a key line of evidence to indicate that the HCS prevents further migration of groundwater impacts to the east of the HCS.

3.5 Summary of Hydraulic Control System Compliance Actions

Compliance sampling for the HCS GLWA discharge permit was completed each month. Samples were collected after treatment and before groundwater discharge. Samples were analyzed within appropriate hold times for constituents required by the discharge permit. **Exhibit 4** depicts the sampling parameters, methods, and discharge limits monitored for compliance with the GLWA discharge permit. Results of compliance samples have been within discharge limits since system startup. Self-monitoring reports are submitted to the GLWA every six months to document discharge compliance.

Exhibit 4: GLWA Discharge Limitations for HCS

Parameter	Analytical Method	Discharge Limit
Cadmium (Cd)	USEPA 200.7 – Metals	1.0 milligrams per liter (mg/L)
Chromium (Cr)	USEPA 200.7 – Metals	25 mg/L
Copper (Cu)	USEPA 200.7 – Metals	2.5 mg/L

Parameter	Analytical Method	Discharge Limit
Lead (Pb)	USEPA 200.7 – Metals	1.0 mg/L
Nickel (Ni)	USEPA 200.7 – Metals	5.0 mg/L
Mercury (Hg)	USEPA 245.1 – Mercury	Non-Detect
Silver (Ag)	USEPA 200.7	1.0 mg/L
Zinc (Zn)	USEPA 200.7	7.3 mg/L
Total Polychlorinated Biphenyls	USEPA 608.3	Non-Detect
Total Toxic Organic Compounds	USEPA 624.1 – VOCs USEPA 625.1 – Semi-Volatile Organic Compounds USEPA 625.1 Dioxin Screen USEPA 1613B – Dioxins and Furans	20 µg/L

The GLWA discharge permit limits the discharge volume of the HCS to 100,800 gallons per day. Discharge volumes, documented daily and tabulated monthly, have been within discharge limits since system startup. Tabulated discharge volumes for the 3Q 2021 reporting period are presented in **Table 5**.

Historical monthly vapor sampling has shown that the potential uncontrolled VOCs emissions from the system are below the exemption emission limits specified in both Rule 290 and Rule 291 Michigan Air Pollution Control Rules. The system currently operates under the Rule 291 exemption, with annual vapor sampling and monthly water sampling to evaluate Rule 291 compliance. Annual vapor sampling was completed on October 10, 2021. Vapor samples were analyzed for VOCs using the USEPA Method TO-15 and results will be reported during the Fourth Quarter 2021 Progress Report. To date, all vapor emissions have been within discharge limits since system startup. Rule 290 and Rule 291 emissions calculations are documented and available upon request.

3.6 Interim Sub-Slab Depressurization System Operation and Performance Monitoring

The SSDS performance is continually evaluated and monitored. Vapor analytical samples are collected monthly to monitor mass removal, verify destruction efficiency of the catalytic oxidizer, and document emissions compliance with the Rule 290 air permitting exemption of the Michigan Air Pollution Control Rules.

During the reporting period, monthly vapor samples were collected and analyzed for VOCs using USEPA Method TO-15. All vapor emissions have been within discharge limits since system startup. Rule 290 emissions calculations are documented monthly and available upon request.

Exhibit 5 describes the approximate duration and date of each system shutdown. The system operated with an uptime of 70.9 percent during 3Q 2021.


QUARTERLY PROGRESS REPORT – 3Q 2021

Exhibit 5: SSDS Shutdown Summary – 3Q 2021

Date of Shutdown	Duration of Shutdowns	Summary of Shutdown
July 29, 2021 through August 2, 2021	95 hours	The system was shut down for connecting pipe to the new extraction point tie-ins.
August 6, 2021 through August 9, 2021	70 hours	The system was shut down for connecting pipe to the new extraction point tie-ins.
August 13, 2021 through August 16, 2021	69 hours	The system was shut down for connecting pipe to the new extraction point tie-ins.
September 2, 2021	1 hour	Field staff shut down the system to perform maintenance on the blower. System was returned to operation the same day after maintenance was completed
September 10, 2021 through September 27, 2021	408 hours	System shut down for leak testing the recently installed conveyance pipe for the system expansion.

Exhibit 6 depicts the cumulative constituent-specific mass removal of VOCs from sub-slab soil vapor through the 3Q 2021 reporting period.

Exhibit 6: SSDS Mass Removal – 3Q 2021



4 ACCESS AGREEMENTS

Access agreements were obtained for three residential properties (12131 Boston Post, 34367 Capital, and 34990 Beacon) and where there was a change in ownership during 3Q 2021. Monitoring well MW-

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

175S was not able to be sampled during 3Q 2021 due to access restrictions. Another access agreement will be sent to the property owner for signature prior to the next groundwater sampling event. Ford continues to negotiate in good faith to obtain access to the remaining residential property for completion of response activities and to acquire access to the commercial properties along Plymouth, west of Stark.

5 OTHER RELEVANT INFORMATION

5.1 Due Care Obligations

Response activities and plant activities are ongoing and maintain the due care obligation. In addition, to identify potential methane breakthrough, Arcadis performed weekly ambient air monitoring throughout the plant during 3Q 2021. The monitoring is biased toward locations where piping or conduits come through the slab and move above grade.

5.2 Public Outreach

Ford currently has an active website that allows the general public access to project updates: <http://www.fordlivoniabostonbeaconproject.com>. Additionally, during work implementation, Ford and Arcadis continue to communicate with EGLE and off-site property owners. In 3Q 2021, Ford and Arcadis established a bi-weekly meeting schedule with EGLE to provide updates on the ongoing environmental field activities. During 3Q 2021, meetings were completed on July 2, July 16, July 30, August 13, August 27, September 10, and September 24, 2021.

5.3 List of Reporting Documents

A list of all reporting documents submitted during the 3Q 2021 reporting period is included in **Exhibit 7**. During a meeting with EGLE on October 22, 2020, a switch from monthly to quarterly mitigation update letters and residential concern memos was discussed and agreed to. The next EGLE mitigation update letter will be submitted in July 2021.

Exhibit 7: Submitted Reporting Documents – 3Q 2021

Report Title	Submission Date
Utility Corridor Progress Update Memo	July 2, 2021
Offsite Vertical Aquifer Profile Investigation Memo	July 28, 2021
2Q 2021 Progress Report	July 30, 2021
Quarterly Mitigation EGLE Update Letter	July 30, 2021
Quarterly Residential Concern Memo	July 30, 2021

6 WASTE MANAGEMENT

All investigation-derived waste, construction debris, or other waste is properly stored in labeled containers (e.g., 55-gallon drum, roll-off) pending off-site disposal. All waste is managed by Ford and the Total Waste Managers for the Site. All purge water generated during the groundwater sampling event is containerized in buckets and passed through the groundwater treatment system on-site along with storm water collected from off-site mitigation crawl spaces following significant rain events. Trash, personal protective equipment, and bag filters (once dry) are disposed of in the on-site dumpster. A total of eight empty plastic drums and three empty steel drums were sent for reclamation and six drums were disposed of during 3Q 2021.

7 PROPOSED SCHEDULE

Future response activities are scheduled as listed in **Exhibit 8**.

Exhibit 8: Response Activity Schedule

Response Activity	Proposed Schedule	Anticipated Completion
Fourth Quarter 2021 On-site Groundwater Sampling	November 2021	November 2021
Fourth Quarter 2021 Off-site Groundwater Sampling	November 2021	November 2021
HCS Performance Monitoring	Monthly	Ongoing
SSDS Performance Monitoring	Monthly	Ongoing
Off-Site VI sampling	November 2021	Ongoing
Off-Site Mitigation Operation, Monitoring, and Maintenance	As needed	Ongoing
On-Site and Off-Site Utility Corridor VI Assessment	Fourth Quarter 2021	Ongoing

8 REFERENCES

- Arcadis. 2017a. Quality Assurance Project Plan for the Ford Livonia Transmission Plant – On-Site. August.
- Arcadis. 2017b. Quality Assurance Project Plan for the Ford Livonia Transmission Plant – Off-Site. August.
- Arcadis. 2017c. Remedial System Operation and Maintenance Manual. June 29
- Arcadis. 2017d. Conceptual Site Model. August 25.
- Arcadis. 2018a. Response Activity Plan - Vapor Intrusion Evaluation. April 13.
- Arcadis. 2018b. Response Activity Plan - Remedial Investigation. April 13.
- Arcadis. 2020a. Response Activity Plan – Utility Corridor Evaluation. February 11.
- Arcadis. 2020b. Response Activity Plan – Utility Corridor Evaluation Addendum. December 4.
- Arcadis. 2021a. Interim Groundwater Monitoring Plan. January 26.
- Arcadis. 2021b. Response Activity Plan – Utility Corridor Evaluation Addendum 2. January 27.
- Arcadis. 2021c. Conceptual Site Model and Requested Property Specific Monitoring Program for Five Offsite Mitigation Properties. February 22.
- EGLE. 2018. Part 201 Groundwater: Residential and Nonresidential Part 201 Generic Cleanup Criteria and Screening Levels. Michigan Department of Environment, Great Lakes, and Energy. June.
- USEPA. 2008. A Systematic Approach for Evaluation of Capture Zones at Pump and Treat Systems. U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-08/003.

TABLES



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
LMW-15-01	673.98	7.0-12.0	11/16/15	8.42	11.36	12.00	665.56	2.94	662.62	664.97
			11/25/15	8.44	11.35	12.00	665.54	2.91	662.63	664.96
			11/30/15	8.38	11.36	12.00	665.60	2.98	662.62	665.01
			12/08/15	8.35	11.35	12.00	665.63	3.00	662.63	665.03
			11/06/17	Could Not Open						
			02/05/18							
			05/07/18	8.34	10.44	NM	665.64	2.10	663.54	665.22
			08/16/18	8.48	10.82	NM	665.50	2.34	663.16	665.03
			11/19/18	8.30	11.30	NM	665.68	3.00	662.68	665.08
			02/22/19	8.36	10.30	11.66	665.62	1.94	663.68	665.23
			06/14/19	8.21	9.42	11.70	665.77	1.21	664.56	665.53
			09/26/19	8.47	10.90	11.66	665.51	2.43	663.08	665.03
			11/04/19	8.43	10.80	NM	665.55	2.37	663.18	665.08
			02/05/20	8.25	9.63	NM	665.73	1.38	664.35	665.46
			05/18/20	8.28	10.12	NM	665.70	1.84	663.86	665.33
			08/17/20	8.36	10.45	NM	665.62	2.09	663.53	665.20
			11/20/20	8.67	11.31	NM ⁽⁵⁾	665.31	2.64	662.67	664.78
			02/08/21	8.75	11.35	NM	665.23	2.60	662.63	664.71
			05/03/21	8.88	11.36	NM	665.10	2.48	662.62	664.61
			08/17/21	8.48	10.67	NM	665.50	2.19	663.31	665.06
LMW-15-02	673.90	7.0-12.0	11/16/15	7.70	10.10	12.00	666.20	2.40	663.80	665.72
			11/25/15	7.68	9.83	12.00	666.22	2.15	664.07	665.79
			11/30/15	7.66	9.84	12.00	666.24	2.18	664.06	665.80
			12/09/15	7.60	9.76	12.00	666.30	2.16	664.14	665.86
			11/06/17	8.39	11.13	NM	665.51	2.74	662.77	664.96
			02/05/18	8.54	11.02	NM	665.36	2.48	662.88	664.86
			05/07/18	8.31	9.91	NM	665.59	1.60	663.99	665.27
			08/16/18	8.34	9.56	NM	665.56	1.22	664.34	665.31
			11/19/18	8.38	11.32	NM	665.52	2.94	662.58	664.93
			02/22/19	8.35	10.34	11.67	665.55	1.99	663.56	665.15
			06/14/19	8.18	9.01	11.70	665.72	0.83	664.89	665.55
			09/26/19	8.32	10.21	11.67	665.58	1.89	663.69	665.20
			11/04/19	8.33	10.50	NM	665.57	2.17	663.40	665.13
			02/05/20	8.22	9.46	NM	665.68	1.24	664.44	665.43
			05/18/20	8.20	9.29	NM	665.70	1.09	664.61	665.48
			08/17/20	8.20	9.41	NM	665.70	1.21	664.49	665.45
			11/20/20	8.39	10.69	NM ⁽⁵⁾	665.51	2.30	663.21	665.05
			02/08/21	8.38	10.38	NM	665.52	2.00	663.52	665.12
			05/03/21	8.37	10.38	NM	665.53	2.01	663.52	665.12
			08/17/21	8.17	10.28	NM	665.73	2.11	663.62	665.30
LMW-15-03	670.18	7.0-12.0	11/16/15	6.01	7.46	12.00	664.17	1.45	662.72	663.88
			11/25/15	5.92	7.04	12.00	664.26	1.12	663.14	664.04
			11/30/15	5.81	6.94	12.00	664.37	1.13	663.24	664.14
			12/11/15	5.83	7.26	12.00	664.35	1.43	662.92	664.06
			11/06/17	6.36	7.49	NM	663.82	1.13	662.69	663.59
			02/05/18	6.62	8.41	NM	663.56	1.79	661.77	663.20
			05/07/18	6.03	7.06	NM	664.15	1.03	663.12	663.94
			08/16/18	6.19	6.41	NM	663.99	0.22	663.77	663.95
			11/19/18	NM	NM	NM	NA	NA	NM	NM
			02/22/19	6.38	7.49	11.33	663.80	1.11	662.69	663.58
			06/14/19	5.80	6.85	11.73	664.38	1.05	663.33	664.17
			09/26/19	6.44	7.54	NM	663.74	1.10	662.64	663.52
			11/04/19	6.09	7.30	NM	664.09	1.21	662.88	663.85
			02/05/20	6.16	6.87	NM	664.02	0.71	663.31	663.88
			05/18/20	6.22	7.15	NM	663.96	0.93	663.03	663.77
			08/17/20	6.33	7.33	NM	663.85	1.00	662.85	663.65
			11/20/20	6.72	8.12	NM ⁽⁵⁾	663.46	1.40	662.06	663.18
			02/08/21	6.75	8.40	11.72	663.43	1.65	661.78	663.10
			05/03/21	6.60	7.72	NM	663.58	1.12	662.46	663.36
			08/17/21	6.14	7.13	NM	664.04	0.99	663.05	663.84
LMW-15-04	673.92	6.0-11.0	11/16/15	7.10	8.79	11.00	666.82	1.69	665.13	666.48
			11/25/15	7.10	8.79	11.00	666.82	1.69	665.13	666.48
			11/30/15	7.06	8.79	11.00	666.86	1.73	665.13	666.52
			12/09/15	7.00	8.86	11.00	666.92	1.86	665.06	666.55
			11/06/17	Could Not Open						
			02/05/18							
			05/07/18	7.68	9.20	NM	666.24	1.52	664.72	665.94
			08/16/18	7.60	9.28	NM	666.32	1.68	664.64	665.99
			11/19/18	7.64	9.20	NM	666.28	1.56	664.72	665.97
			02/22/19	7.69	9.19	10.79	666.23	1.50	664.73	665.93
			06/14/19	7.44	8.97	11.22	666.48	1.53	664.95	666.18
			09/26/19	7.62	9.20	11.20	666.30	1.58	664.72	665.99
			11/04/19	Could Not Open						
			02/05/20							
			05/18/20	7.51	8.98	NM	666.41	1.47	664.94	666.12
			08/17/20	7.46	8.90	NM	666.46	1.44	665.02	666.17
			11/20/20	7.52	8.96	NM	666.40	1.44	664.96	666.11
			11/20/20	7.78	9.23	NM ⁽⁵⁾	666.14	1.45	664.69	665.85
			02/08/21	7.84	9.25	NM	666.08	1.41	664.67	665.80
			05/03/21	7.85	9.33	NM	666.07	1.48	664.59	665.78
			08/17/21	7.63	9.11	NM	666.29	1.48	664.81	666.00
LMW-15-05	673.93	7.0-12.0	11/16/15	8.50	10.20	12.00	665.43	1.70	663.73	665.09
			11/25/15	8.50	9.99	12.00	665.43	1.49	663.94	665.14
			11/30/15	8.47	9.98	12.00	665.46	1.51	663.95	665.16
			12/08/15	8.42	9.92	12.00	665.51	1.50	664.01	665.21
			11/06/17	Could Not Locate						
			02/05/18							
			05/07/18							
			08/16/18	8.98	10.53	NM	664.95	1.55	663.40	664.64
			11/19/18	8.91	10.38	NM	665.02	1.47	663.55	664.73
			02/22/19	8.99	10.49	11.85	664.94	1.50	663.44	664.64
			06/14/19	8.66	10.00	11.83	665.27	1.34	663.93	665.01
			09/26/19	8.96	10.51	NM	664.97	1.55	663.42	664.66
			11/04/19	8.95	10.38	NM	664.98	1.43	663.55	664.70
			02/05/20	Could Not Access Well, covered by storage racks/pallets						
			05/18/20							
			08/17/20	8.85	10.22	NM	665.08	1.37	663.71	664.81
			08/17/20	8.81	10.19	NM	665.12	1.38	663.74	664.85
			11/20/20	9.14	10.70	NM ⁽⁵⁾	664.79	1.56	663.23	664.48
			02/08/21	9.22	10.75	NM	664.71	1.53	663.18	664.41
			05/03/21	9.05	10.57	NM	664.88	1.52	663.36	664.58
			08/17/21	8.75	10.13	NM	665.18	1.38	663.80	664.91

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)	
LMW-15-06	673.93	7.0-12.0	11/16/15	6.92	8.82	12.00	667.01	1.90	665.11	666.63	
			11/25/15	6.89	8.52	12.00	667.04	1.63	665.41	666.72	
			11/30/15	6.74	8.39	12.00	667.19	1.65	665.54	666.86	
			12/09/15	6.62	8.40	12.00	667.31	1.78	665.53	666.96	
			11/06/17	Could Not Open							
			02/05/18								
			05/07/18	6.57	8.16	NM	667.36	1.59	665.77	667.05	
			08/16/18	6.93	8.64	NM	667.00	1.71	665.29	666.66	
			11/19/18	6.88	8.40	NM	667.05	1.52	665.53	666.75	
			02/22/19	6.79	8.42	11.50	667.14	1.63	665.51	666.82	
			06/14/19	6.35	8.10	11.53	667.58	1.75	665.83	667.23	
			09/26/19	Could Not Open							
			11/04/19	6.70	8.16	NM	667.23	1.46	665.77	666.94	
			02/05/20	6.23	7.64	NM	667.70	1.41	666.29	667.42	
			05/18/20	6.30	7.83	NM	667.63	1.53	666.10	667.33	
			08/17/20	6.58	8.38	NM	667.35	1.80	665.55	666.99	
			11/20/20	6.91	8.61	NM ⁽⁵⁾	667.02	1.70	665.32	666.68	
			02/08/21	6.96	8.61	NM	666.97	1.65	665.32	666.64	
			05/03/21	6.74	8.50	NM	667.19	1.76	665.43	666.84	
			08/17/21	6.73	8.36	NM	667.20	1.63	665.57	666.88	
LMW-15-07	673.52	7.0-12.0	11/16/15	NP	7.70	12.00	NA	NA	665.82	665.82	
			11/25/15	NP	7.32	12.00	NA	NA	666.20	666.20	
			11/30/15	7.14	7.15	12.00	666.38	0.01	666.37	666.38	
			12/11/15	7.08	7.09	12.00	666.44	0.01	666.43	666.44	
			11/06/17	7.43	7.53	NM	666.09	0.10	665.99	666.07	
			02/05/18	Could Not Locate							
			05/07/18								
			08/16/18	7.22	7.34	NM	666.30	0.12	666.18	666.28	
			11/19/18	Could Not Locate							
			02/22/19								
			06/14/19	6.31	6.40	11.70	667.21	0.09	667.12	667.19	
			09/26/19	7.30	7.35	NM	666.22	0.05	666.17	666.21	
			11/04/19	6.52	6.64	NM	667.00	0.12	666.88	666.98	
			02/05/20	6.02	6.10	NM	667.50	0.08	667.42	667.48	
			05/18/20	5.98	6.02	NM	667.54	0.04	667.50	667.53	
			08/17/20	6.79	6.82	NM	666.73	0.03	666.70	666.72	
			11/20/20	7.16	7.18	NM ⁽⁵⁾	666.36	0.02	666.34	666.36	
			02/08/21	7.19	7.21	NM	666.33	0.02	666.31	666.33	
			05/03/21	6.87	6.89	NM	666.65	0.02	666.63	666.65	
			08/17/21	5.73	11.34	NM	667.79	5.61	662.18	666.67	
LMW-15-08	673.88	7.5-12.5	11/16/15	NP	6.30	12.50	NA	NA	667.58	667.58	
			11/25/15	6.25	6.26	12.50	667.63	0.01	667.62	667.63	
			11/30/15	6.12	6.13	12.50	667.76	0.01	667.75	667.76	
			12/11/15	6.09	6.10	12.50	667.79	0.01	667.78	667.79	
			11/06/17	Could Not Open							
			02/05/18								
			05/07/18	5.72	7.35	NM	668.16	1.63	666.53	667.84	
			08/16/18	6.04	7.72	NM	667.84	1.68	666.16	667.51	
			11/19/18	5.83	7.59	NM	668.05	1.76	666.29	667.70	
			02/22/19	5.92	7.59	12.34	667.96	1.67	666.29	667.63	
			06/14/19	Could Not Locate							
			09/26/19	6.10	7.74	NM	667.78	1.64	666.14	667.45	
			11/04/19	5.80	7.41	NM	668.08	1.61	666.47	667.76	
			02/05/20	5.44	7.03	NM	668.44	1.59	666.85	668.12	
			05/18/20	5.47	7.05	NM	668.41	1.58	666.83	668.10	
			08/17/20	5.74	7.33	NM	668.14	1.59	666.55	667.82	
			11/20/20	6.09	7.71	NM ⁽⁵⁾	667.79	1.62	666.17	667.47	
			02/08/21	6.15	7.77	NM	667.73	1.62	666.11	667.41	
			05/03/21	5.96	7.60	NM	667.92	1.64	666.28	667.59	
			08/17/21	5.88	7.43	NM	668.00	1.55	666.45	667.69	
LMW-15-09	673.93	7.0-12.0	11/16/15	7.82	10.62	12.00	666.11	2.80	663.31	665.55	
			11/25/15	7.76	10.51	12.00	666.17	2.75	663.42	665.62	
			11/30/15	7.72	10.32	12.00	666.21	2.60	663.61	665.69	
			12/10/15	7.73	10.38	12.00	666.20	2.65	663.55	665.67	
			11/06/17	8.29	NA	11.75	665.64	3.71	NM	NM**	
			02/05/18	8.58	10.50	NM	665.35	1.92	663.43	664.96	
			05/07/18	7.95	9.39	NM	665.98	1.44	664.54	665.69	
			08/16/18	8.12	10.45	NM	665.81	2.33	663.48	665.34	
			11/19/18	8.04	10.01	NM	665.89	1.97	663.92	665.49	
			02/22/19	8.09	10.40	11.70	665.84	2.31	663.53	665.38	
			06/14/19	Could Not Open							
			09/26/19								
			11/04/19								
			02/05/20	7.98	8.46	NM	665.95	0.48	665.47	665.85	
			05/18/20	7.82	9.51	NM	666.11	1.69	664.42	665.77	
			08/17/20	7.89	9.44	NM	666.04	1.55	664.49	665.73	
			11/20/20	8.01	10.81	NM ⁽⁵⁾	665.92	2.80	663.12	665.36	
			02/08/21	8.80	10.59	NM	665.13	1.79	663.34	664.77	
			05/03/21	8.01	10.05	NM	665.92	2.04	663.88	665.51	
			08/17/21	8.04	10.35	NM	665.89	2.31	663.58	665.43	
LMW-15-10	673.89	7.0-12.0	11/16/15	8.40	9.26	12.00	665.49	0.86	664.63	665.32	
			11/25/15	8.32	9.13	12.00	665.57	0.81	664.76	665.41	
			11/30/15	8.24	8.96	12.00	665.65	0.72	664.93	665.51	
			12/10/15	8.18	8.79	12.00	665.71	0.61	665.10	665.59	
			11/06/17	8.69	9.50	NM	665.20	0.81	664.39	665.04	
			02/05/18	8.50	8.58	NM	665.39	0.08	665.31	665.38	
			05/07/18	8.15	8.28	NM	665.74	0.13	665.61	665.72	
			08/16/18	8.47	9.16	NM	665.42	0.69	664.73	665.29	
			11/19/18	Could Not Locate							
			02/22/19	8.34	8.65	11.50	665.55	0.31	665.24	665.49	
			06/14/19	Could Not Locate							
			09/26/19								
			11/04/19								
			02/05/20								
			05/18/20								
			08/17/20								
			11/20/20								
			02/08/21								
			05/03/21								
			08/17/21	8.31	8.59	NM	665.58	0.28	665.30	665.53	
See Notes on Last Page.											

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
LMW-20-11	670.61	5.0-15.0	05/18/20	NP	5.21	14.49	NA	NA	665.40	665.40
			08/17/20	NP	5.80	NM	NA	NA	664.81	664.81
			11/20/20	NP	6.03	NM ⁽⁵⁾	NA	NA	664.58	664.58
			02/08/21	NP	5.94	14.49	NA	NA	664.67	664.67
			05/03/21	NP	5.78	14.48	NA	NA	664.83	664.83
			08/17/21	NP	5.11	14.48	NA	NA	665.50	665.50
LMW-20-12	673.83	7.0-17.0	05/18/20	NP	7.88	16.45	NA	NA	665.95	665.95
			08/17/20	NP	7.92	NM	NA	NA	665.91	665.91
			11/20/20	NP	8.20	NM ⁽⁵⁾	NA	NA	665.63	665.63
			02/08/21	NP	8.25	16.42	NA	NA	665.58	665.58
			05/03/21	NP	8.24	16.40	NA	NA	665.59	665.59
			08/17/21	NP	8.13	16.41	NA	NA	665.70	665.70
LMW-20-13	673.67	6.0-16.0	05/18/20	NP	7.42	14.25	NA	NA	666.25	666.25
			08/17/20	NP	7.55	NM	NA	NA	666.12	666.12
			11/20/20	NP	7.82	NM ⁽⁵⁾	NA	NA	665.85	665.85
			02/08/21	NP	7.84	14.25	NA	NA	665.83	665.83
			05/03/21	NP	7.81	14.26	NA	NA	665.86	665.86
			08/17/21	NP	7.67	14.26	NA	NA	666.00	666.00
LMW-20-14	673.74	6.0-16.0	05/18/20	NP	6.52	14.97	NA	NA	667.22	667.22
			08/17/20	NP	6.70	NM	NA	NA	667.04	667.04
			11/20/20	NP	6.94	NM ⁽⁵⁾	NA	NA	666.80	666.80
			02/08/21	NP	7.09	15.04	NA	NA	666.65	666.65
			05/03/21	NP	7.08	14.97	NA	NA	666.66	666.66
			08/17/21	NP	6.69	14.97	NA	NA	667.05	667.05
LMW-20-15	671.435	7.5-17.5	05/18/20	NP	6.05	15.00	NA	NA	665.39	665.39
			08/17/20	NP	7.32	NM	NA	NA	664.12	664.12
			11/20/20	NP	7.79	NM ⁽⁵⁾	NA	NA	663.65	663.65
			02/08/21	NP	7.93	15.80	NA	NA	663.51	663.51
			05/03/21	NP	8.05	15.80	NA	NA	663.39	663.39
			08/17/21	NP	7.53	15.79	NA	NA	663.91	663.91
LMW-20-16	672.776	7.5-17.5	05/18/20	NP	8.82	16.33	NA	NA	663.96	663.96
			08/17/20	NP	8.88	NM	NA	NA	663.90	663.90
			11/20/20	NP	9.42	NM ⁽⁵⁾	NA	NA	663.36	663.36
			02/08/21	NP	9.58	16.32	NA	NA	663.20	663.20
			05/03/21	NP	9.55	16.30	NA	NA	663.23	663.23
			08/17/21	NP	9.87	16.32	NA	NA	662.91	662.91
LMW-20-17	670.798	7.0-17.0	05/18/20	7.32	7.72	NM	663.48	0.40	663.08	663.40
			08/17/20	7.47	8.17	NM	663.33	0.70	662.63	663.19
			11/20/20	7.81	8.81	NM ⁽⁵⁾	662.99	1.00	661.99	662.79
			02/08/21	7.92	8.90	15.00	662.88	0.98	661.90	662.68
			05/03/21	7.80	8.45	NM	663.00	0.65	662.35	662.87
			08/17/21	7.11	7.45	NM	663.69	0.34	663.35	663.62
LMW-20-18	668.581	6.5-16.5	05/18/20	NP	6.95	15.82	NA	NA	661.63	661.63
			08/17/20	NP	5.80	NM	NA	NA	662.78	662.78
			11/20/20	NP	6.22	NM ⁽⁵⁾	NA	NA	662.36	662.36
			02/08/21	NP	6.47	14.90	NA	NA	662.11	662.11
			05/03/21	NP	6.55	14.90	NA	NA	662.03	662.03
			08/17/21	NP	5.80	14.90	NA	NA	662.78	662.78
LMW-20-19	673.51	6.0-16.0	05/18/20	6.71	7.16	NM	666.80	0.45	666.35	666.71
			08/17/20	6.88	7.54	NM	666.63	0.66	665.97	666.50
			11/20/20	7.11	8.39	NM ⁽⁵⁾	666.40	1.28	665.12	666.14
			02/08/21	7.14	8.39	NM	666.37	1.25	665.12	666.12
			05/03/21	7.05	7.81	NM	666.46	0.76	665.70	666.31
			08/17/21	7.01	8.33	NM	666.50	1.32	665.18	666.24
LMW-20-20	672.641	4.0-14.0	05/18/20	NP	5.78	13.25	NA	NA	666.86	666.86
			08/17/20	NP	5.87	NM	NA	NA	666.77	666.77
			11/20/20	NP	6.22	NM ⁽⁵⁾	NA	NA	666.42	666.42
			02/08/21	NP	6.31	13.25	NA	NA	666.33	666.33
			05/03/21	NP	6.45	13.12	NA	NA	666.19	666.19
			08/17/21	NP	5.68	13.14	NA	NA	666.96	666.96
LMW-20-21	673.62	7.0-17.0	05/18/20	NP	9.24	16.20	NA	NA	664.38	664.38
			08/17/20	NP	9.51	NM	NA	NA	664.11	664.11
			11/20/20	NP	9.81	NM ⁽⁵⁾	NA	NA	663.81	663.81
			02/08/21	NP	9.78	16.19	NA	NA	663.84	663.84
			05/03/21	NP	9.63	16.19	NA	NA	663.99	663.99
			08/17/21	NP	9.71	16.20	NA	NA	663.91	663.91
LMW-20-22	673.7	6.5-16.5	05/18/20	NP	6.91	15.78	NA	NA	666.79	666.79
			08/17/20	NP	7.05	NM	NA	NA	666.65	666.65
			11/20/20	NP	7.31	NM ⁽⁵⁾	NA	NA	666.39	666.39
			02/08/21	NP	7.32	15.75	NA	NA	666.38	666.38
			05/03/21	NP	7.26	15.73	NA	NA	666.44	666.44
			08/17/21	NP	7.11	15.73	NA	NA	666.59	666.59
LMW-20-23	671.701	5.0-15.0	05/18/20	NP	6.20	13.92	NA	NA	665.50	665.50
			08/17/20	NP	6.48	NM	NA	NA	665.22	665.22
			11/20/20	NP	6.94	NM ⁽⁵⁾	NA	NA	664.76	664.76
			02/08/21	NP	7.02	13.92	NA	NA	664.68	664.68
			05/03/21	NP	7.17	13.93	NA	NA	664.53	664.53
			08/17/21	NP	6.50	13.94	NA	NA	665.20	665.20
LMW-20-24	672.068	2.0-12.0	08/17/20	NP	2.83	NM	NA	NA	669.24	669.24
			11/20/20	NP	3.16	NM ⁽⁵⁾	NA	NA	668.91	668.91
			02/08/21	NP	3.27	11.39	NA	NA	668.80	668.80
			05/03/21	NP	3.05	11.36	NA	NA	669.02	669.02
			08/17/21	NP	3.21	11.37	NA	NA	668.86	668.86
			LMW-20-25	670.582	3.0-13.0	08/17/20	Could Not Access Well			
11/20/20	7.42	7.42				NM ⁽⁵⁾	663.16	0.00	663.16	663.16
02/08/21	Could Not Access Well, covered by ice/snow									
05/03/21	Could Not Access Well, covered by storage racks/pallets									
08/17/21	Could Not Access Well, covered by storage racks/pallets									
LMW-20-26	670.704	5.0-15.0				08/17/20	NP	6.95	NM	NA
			11/20/20	NP	7.37	NM ⁽⁵⁾	NA	NA	663.33	663.33
			02/08/21	NP	7.41	14.21	NA	NA	663.29	663.29
			05/03/21	NP	7.17	14.01	NA	NA	663.53	663.53
			08/17/21	NP	6.39	13.99	NA	NA	664.31	664.31
			LMW-20-27	670.351	5.0-15.0	08/17/20	NP	5.57	NM	NA
11/20/20	NP	7.96				NM ⁽⁵⁾	NA	NA	662.39	662.39
02/08/21	NP	8.02				14.46	NA	NA	662.33	662.33
05/03/21	NP	7.88				14.47	NA	NA	662.47	662.47
08/17/21	NP	7.11				14.46	NA	NA	663.24	663.24
LMW-20-28	673.75	4.5-14.5				08/17/20	NP	6.18	NM	NA
			11/20/20	6.39	6.55	NM ⁽⁵⁾	667.36	0.16	667.20	667.33
			02/08/21	6.40	6.62	NM	667.35	0.22	667.13	667.31
			05/03/21	6.31	6.55	NM	667.44	0.24	667.20	667.39
			08/17/21	6.36	6.58	NM	667.39	0.22	667.17	667.35
			See Notes on Last Page.							

Table 1
On-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-01	670.77	14.0-19.0	04/17/17	NP	3.82	18.61	NA	NA	666.95	666.95
			07/24/17	NP	3.57	18.44	NA	NA	667.20	667.20
			11/06/17	NP	3.93	18.78	NA	NA	666.84	666.84
			02/05/18	Could Not Access Well, well submerged under water						
			05/07/18	NP	3.88	18.60	NA	NA	666.89	666.89
			08/16/18	NP	3.73	NM	NA	NA	667.04	667.04
			11/19/18	NP	3.30	NM	NA	NA	667.47	667.47
			03/01/19	NP	4.77	18.53	NA	NA	666.00	666.00
			06/14/19	NP	3.17	18.64	NA	NA	667.60	667.60
			09/26/19	NP	3.65	18.65	NA	NA	667.12	667.12
MW-01	670.77	14.0-19.0	11/04/19	Could Not Access Well, well submerged under water						
			02/05/20	NP	3.38	NM	NA	NA	667.39	667.39
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	3.50	NM	NA	NA	667.27	667.27
			11/20/20	NP	3.82	NM ⁽⁵⁾	NA	NA	666.95	666.95
			02/08/21	Could Not Access Well, covered by ice/snow						
			05/03/21	NP	0.00	16.23	NA	NA	670.77	670.77
			08/17/21	NP	4.80	16.19	NA	NA	665.97	665.97
			05/12/16	NP	6.35	19.52	NA	NA	667.45	667.45
			04/17/17	NP	6.91	19.45	NA	NA	666.89	666.89
MW-02	673.80	15.5-20.5	07/24/17	NP	6.99	19.44	NA	NA	666.81	666.81
			11/06/17	NP	7.24	19.50	NA	NA	666.56	666.56
			02/05/18	NP	7.42	19.55	NA	NA	666.38	666.38
			05/07/18	NP	6.92	19.47	NA	NA	666.88	666.88
			08/16/18	NP	7.03	NM	NA	NA	666.77	666.77
			11/19/18	NP	6.56	NM	NA	NA	667.24	667.24
			03/01/19	NP	6.90	19.42	NA	NA	666.90	666.90
			06/14/19	NP	6.69	19.50	NA	NA	667.11	667.11
			09/26/19	NP	6.98	19.43	NA	NA	666.82	666.82
			11/04/19	NP	6.88	19.48	NA	NA	666.92	666.92
			02/05/20	NP	6.78	NM	NA	NA	667.02	667.02
			05/18/20	NP	6.75	19.47	NA	NA	667.05	667.05
			08/17/20	NP	6.83	NM	NA	NA	666.97	666.97
			11/20/20	NP	7.07	NM ⁽⁵⁾	NA	NA	666.73	666.73
			02/08/21	NP	7.18	19.52	NA	NA	666.62	666.62
			05/03/21	Could Not Access Well, covered by storage racks/pallets						
			08/17/21	NP	6.92	19.51	NA	NA	666.88	666.88
			05/12/16	NP	5.82	18.79	NA	NA	667.79	667.79
			04/17/17	NP	7.09	18.72	NA	NA	666.52	666.52
			07/24/17	NP	7.29	18.43	NA	NA	666.32	666.32
MW-03	673.61	14.0-19.0	11/06/17	NP	7.61	18.80	NA	NA	666.00	666.00
			02/05/18	NP	7.70	18.87	NA	NA	665.91	665.91
			05/07/18	NP	7.23	18.74	NA	NA	666.38	666.38
			08/16/18	NP	7.48	NM	NA	NA	666.13	666.13
			11/19/18	NP	7.34	NM	NA	NA	666.27	666.27
			02/22/19	7.25	7.27	18.78	666.36	0.02	666.34	666.36
			06/14/19	NP	7.10	18.64	NA	NA	666.51	666.51
			09/26/19	NP	7.36	18.65	NA	NA	666.25	666.25
			11/04/19	NP	7.25	18.63	NA	NA	666.36	666.36
			02/05/20	NP	7.04	NM	NA	NA	666.57	666.57
			05/18/20	NP	6.91	18.64	NA	NA	666.70	666.70
			08/17/20	NP	7.10	NM	NA	NA	666.51	666.51
			11/20/20	NP	7.33	NM ⁽⁵⁾	NA	NA	666.28	666.28
			02/08/21	NP	7.33	18.64	NA	NA	666.28	666.28
			05/03/21	NP	7.26	18.65	NA	NA	666.35	666.35
			08/17/21	NP	7.13	18.76	NA	NA	666.48	666.48
			05/13/16	NP	7.15	20.20	NA	NA	666.70	666.70
			04/17/17	NP	7.57	20.09	NA	NA	666.28	666.28
			07/24/17	NP	7.61	19.93	NA	NA	666.24	666.24
			11/06/17	NP	7.94	20.05	NA	NA	665.91	665.91
MW-04	673.85	15.5-20.5	02/05/18	NP	8.50	20.16	NA	NA	665.35	665.35
			05/07/18	NP	7.60	20.12	NA	NA	666.25	666.25
			08/16/18	NP	7.73	NM	NA	NA	666.12	666.12
			11/19/18	NP	7.59	NM	NA	NA	666.26	666.26
			02/22/19	7.64	7.67	19.93	666.21	0.03	666.18	666.20
			06/14/19	NP	7.39	20.15	NA	NA	666.46	666.46
			09/26/19	NP	7.63	20.12	NA	NA	666.22	666.22
			11/04/19	NP	7.69	20.13	NA	NA	666.16	666.16
			02/05/20	7.48	7.51	NM	666.37	0.03	666.34	666.36
			05/18/20	NP	7.48	20.10	NA	NA	666.37	666.37
			08/17/20	NP	7.54	NM	NA	NA	666.31	666.31
			11/20/20	NP	7.90	NM ⁽⁵⁾	NA	NA	665.95	665.95
			02/08/21	NP	7.91	20.10	NA	NA	665.94	665.94
			05/03/21	NP	8.03	20.12	NA	NA	665.82	665.82
			08/17/21	NP	7.74	20.13	NA	NA	666.11	666.11
			05/13/16	NP	6.49	21.73	NA	NA	667.91	667.91
			07/24/17	NP	NM	NM	NA	NA	NM	NM
			11/06/17	NP	7.51	19.71	NA	NA	666.89	666.89
			02/05/18	NP	7.70	19.54	NA	NA	666.70	666.70
			05/07/18	NP	7.26	19.63	NA	NA	667.14	667.14
MW-05*	674.40	15.5-20.5	08/16/18	NP	7.36	NM	NA	NA	667.04	667.04
			11/19/18	NP	7.20	NM	NA	NA	667.20	667.20
			02/22/19	7.22	7.23	19.63	667.18	0.01	667.17	667.18
			06/14/19	NP	7.00	19.68	NA	NA	667.40	667.40
			09/27/19	NP	7.28	19.66	NA	NA	667.12	667.12
			11/04/19	Could Not Access Well, access to Clean Room not granted						
			02/05/20							
			05/18/20	NP	7.05	19.67	NA	NA	667.35	667.35
			08/17/20	NP	7.11	NM	NA	NA	667.29	667.29
			11/20/20	NP	7.39	NM ⁽⁵⁾	NA	NA	667.01	667.01
			02/08/21	NP	7.45	19.65	NA	NA	666.95	666.95
			05/03/21	NP	7.50	19.65	NA	NA	666.90	666.90
			08/17/21	NP	7.24	19.43	NA	NA	667.16	667.16
			07/24/17	NP	4.79	22.39	NA	NA	666.10	666.10
			11/06/17	NP	5.24	22.56	NA	NA	665.65	665.65
MW-07	670.89	18.0-23.0	02/06/18	NP	4.48	22.50	NA	NA	666.41	666.41
			05/07/18	NP	4.54	22.35	NA	NA	666.35	666.35
			08/16/18	NP	4.81	NM	NA	NA	666.08	666.08
			11/19/18	NP	4.59	NM	NA	NA	666.30	666.30
			02/22/19	NP	4.65	22.55	NA	NA	666.24	666.24
			06/14/19	NP	4.25	22.40	NA	NA	666.64	666.64
			09/26/19	NP	4.88	22.39	NA	NA	666.01	666.01
			11/04/19	NA	4.82	22.35	NA	NA	666.07	666.07
			02/05/20	NP	4.32	NM	NA	NA	666.57	666.57
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	4.71	NM	NA	NA	666.18	666.18
			11/20/20	NP	5.12	NM ⁽⁵⁾	NA	NA	665.77	665.77
			02/08/21	NP	5.25	22.37	NA	NA	665.64	665.64
			05/03/21	NP	5.43	22.41	NA	NA	665.46	665.46
			08/17/21	NP	4.35	22.30	NA	NA	666.54	666.54

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-09	671.18	19.5-24.5	05/09/16	NP	5.82	24.34	NA	NA	665.36	665.36
			04/17/17	NP	6.79	24.34	NA	NA	664.39	664.39
			07/24/17	NP	5.88	24.29	NA	NA	665.30	665.30
			11/06/17	NP	6.38	24.53	NA	NA	664.80	664.80
			02/05/18	NP	6.40	24.35	NA	NA	664.78	664.78
			05/07/18	NP	5.65	24.20	NA	NA	665.53	665.53
			08/16/18	NP	5.94	NM	NA	NA	665.24	665.24
			11/19/18	NP	5.66	NM	NA	NA	665.52	665.52
			02/22/19	NP	5.74	24.35	NA	NA	665.44	665.44
			06/14/19	NP	5.42	24.25	NA	NA	665.76	665.76
			09/26/19	NP	5.98	24.24	NA	NA	665.2	665.20
			11/04/19	NP	5.96	24.26	NA	NA	665.22	665.22
			02/05/20	NP	5.50	NM	NA	NA	665.68	665.68
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.82	NM	NA	NA	665.36	665.36
			11/20/20	NP	6.21	NM ⁽⁵⁾	NA	NA	664.97	664.97
			02/08/21	NP	6.32	24.23	NA	NA	664.86	664.86
			05/03/21	NP	6.53	24.25	NA	NA	664.65	664.65
MW-10	673.78	16.5-21.5	08/17/21	NP	5.80	24.23	NA	NA	665.38	665.38
			05/13/16	NP	8.16	20.81	NA	NA	665.62	665.62
			04/17/17	NP	8.15	20.81	NA	NA	665.63	665.63
			07/24/17	NP	8.58	20.76	NA	NA	665.20	665.20
			11/06/17	NP	6.00	20.84	NA	NA	667.78	667.78
			02/05/18	NP	9.01	15.89	NA	NA	664.77	664.77
			05/07/18	NP	8.68	20.24	NA	NA	665.10	665.10
			08/16/18	NP	8.68	NM	NA	NA	665.10	665.10
			11/19/18	NP	8.49	NM	NA	NA	665.29	665.29
			02/22/19	NP	8.56	10.77	NA	NA	665.22	665.22
			06/14/19	NP	8.30	20.78	NA	NA	665.48	665.48
			09/26/19	NP	8.63	20.75	NA	NA	665.15	665.15
			11/04/19	NP	8.63	20.75	NA	NA	665.15	665.15
			02/05/20	NP	8.38	NM	NA	NA	665.40	665.40
			05/18/20	NP	8.45	20.76	NA	NA	665.33	665.33
			08/17/20	NP	8.49	NM	NA	NA	665.29	665.29
			11/20/20	NP	8.89	NM ⁽⁵⁾	NA	NA	664.89	664.89
			02/08/21	NP	8.96	20.75	NA	NA	664.82	664.82
05/03/21	Could Not Open									
MW-14	671.24	15.0-20.0	08/17/21	NP	8.75	20.76	NA	NA	665.03	665.03
			07/24/17	NP	6.63	19.53	NA	NA	664.61	664.61
			11/06/17	NP	7.01	19.61	NA	NA	664.23	664.23
			02/05/18	NP	7.29	19.80	NA	NA	663.95	663.95
			05/07/18	NP	6.14	19.65	NA	NA	665.10	665.10
			08/16/18	NP	6.52	NM	NA	NA	664.72	664.72
			11/19/18	NP	6.19	NM	NA	NA	665.05	665.05
			02/26/19	NP	6.21	19.49	NA	NA	665.03	665.03
			06/14/19	NP	6.91	19.41	NA	NA	664.33	664.33
			09/26/19	NP	6.56	19.29	NA	NA	664.68	664.68
			11/04/19	NP	5.46	19.26	NA	NA	665.78	665.78
			02/05/20	NP	6.00	NM	NA	NA	665.24	665.24
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	6.41	NM	NA	NA	664.83	664.83
			11/20/20	NP	6.89	NM ⁽⁵⁾	NA	NA	664.35	664.35
			02/08/21	NP	7.08	18.75	NA	NA	664.16	664.16
			05/03/21	NP	6.60	19.05	NA	NA	664.64	664.64
			08/17/21	NP	6.70	19.03	NA	NA	664.54	664.54
MW-15-59D	675.17	94.0-99.0	01/07/16	NP	21.83	99.00	NA	NA	653.34	653.34
			01/19/16	NP	21.91	99.00	NA	NA	653.26	653.26
			04/19/17	NP	21.37	99.37	NA	NA	653.80	653.80
			07/24/17	NP	28.71	100.80	NA	NA	646.46	646.46
			11/06/17	NP	24.48	100.65	NA	NA	650.69	650.69
			02/05/18	NP	21.44	100.01	NA	NA	653.73	653.73
			05/07/18	NP	23.48	NM	NA	NA	651.69	651.69
			08/16/18	NP	30.45	NM	NA	NA	644.72	644.72
			11/19/18	NP	22.90	NM	NA	NA	652.27	652.27
			02/22/19	NP	21.29	100.02	NA	NA	653.88	653.88
			06/14/19	NM	NM	NM	NA	NA	NM	NM
			09/26/19	NP	28.84	100.25	NA	NA	646.33	646.33
			11/04/19	NP	24.33	100.40	NA	NA	650.84	650.84
			02/05/20	NP	21.06	NM	NA	NA	654.11	654.11
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	27.97	NM	NA	NA	647.20	647.20
			11/20/20	NP	22.85	NM ⁽⁵⁾	NA	NA	652.32	652.32
			02/08/21	NP	21.40	99.85	NA	NA	653.77	653.77
05/03/21	NP	20.72	99.85	NA	NA	654.45	654.45			
08/17/21	NP	27.90	99.60	NA	NA	647.27	647.27			
MW-15-60D	675.75	93.0-98.0	01/07/16	NP	19.47	100.00	NA	NA	656.28	656.28
			01/19/16	NP	19.71	100.00	NA	NA	656.04	656.04
			04/19/17	NP	18.65	99.50	NA	NA	657.10	657.10
			07/24/17	NP	24.09	99.92	NA	NA	651.66	651.66
			11/06/17	NP	20.63	99.92	NA	NA	655.12	655.12
			02/05/18	NP	19.61	99.42	NA	NA	656.14	656.14
			05/07/18	NP	19.31	NM	NA	NA	656.44	656.44
			08/16/18	NP	23.85	NM	NA	NA	651.90	651.90
			11/19/18	NP	19.97	NM	NA	NA	655.78	655.78
			02/22/19	NP	19.41	99.46	NA	NA	656.34	656.34
			06/14/19	NP	19.53	99.11	NA	NA	656.22	656.22
			09/26/19	NP	23.12	99.90	NA	NA	652.63	652.63
			11/04/19	NP	20.49	99.89	NA	NA	655.26	655.26
			02/05/20	NP	19.20	NM	NA	NA	656.55	656.55
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	21.76	NM	NA	NA	653.99	653.99
			11/20/20	NP	20.27	NM ⁽⁵⁾	NA	NA	655.48	655.48
			02/08/21	NP	19.66	NM	NA	NA	656.09	656.09
05/03/21	NP	19.10	97.00	NA	NA	656.65	656.65			
08/17/21	NP	22.10	98.90	NA	NA	653.65	653.65			
MW-15-61D	670.03	88.0-93.0	01/07/16	NP	76.49	93.00	NA	NA	593.54	593.54
			01/08/16	NP	88.02	93.00	NA	NA	582.01	582.01
			01/19/16	NP	73.23	93.00	NA	NA	596.80	596.80
			01/20/16	NP	89.31	93.00	NA	NA	580.72	580.72
			01/26/16	NP	84.09	93.00	NA	NA	585.94	585.94
			01/27/16	NP	82.42	93.00	NA	NA	587.61	587.61
See Notes on Last Page.										

Table 1
On-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)	
MW-15-61D	670.03	88.0-93.0	01/28/16	NP	80.71	93.00	NA	NA	589.32	589.32	
			04/19/17	NP	24.71	93.87	NA	NA	645.32	645.32	
			07/24/17	NP	24.74	94.09	NA	NA	645.29	645.29	
			11/06/17	NP	26.58	94.72	NA	NA	643.45	643.45	
			02/06/18	NP	25.79	94.71	NA	NA	644.24	644.24	
			05/07/18	NP	25.63	94.24	NA	NA	644.40	644.40	
			08/16/18	NP	56.16	NM	NA	NA	613.87	613.87	
			11/19/18	NP	36.37	NM	NA	NA	633.66	633.66	
			03/02/19	NP	21.90	92.85	NA	NA	648.13	648.13	
			06/14/19	Could Not Access Well, high traffic roadway							
			09/28/19	NP	24.70	94.59	NA	NA	645.33	645.33	
			11/04/19	Could Not Access Well, high traffic roadway							
			02/05/20								
			05/18/20								
			08/17/20								
			11/20/20								
			02/08/21								
			05/03/21	NP	25.26	94.00	NA	NA	644.77	644.77	
			08/17/21	Could Not Access Well, high traffic roadway							
MW-18	670.41	13.0-18.0	05/09/16	NP	6.29	17.89	NA	NA	664.12	664.12	
			04/17/17	NP	6.67	17.90	NA	NA	663.74	663.74	
			07/24/17	NP	6.92	17.70	NA	NA	663.49	663.49	
			11/06/17	NP	7.31	17.80	NA	NA	663.10	663.10	
			02/06/18	NP	7.45	17.85	NA	NA	662.96	662.96	
			05/04/18	NP	6.53	18.01	NA	NA	663.88	663.88	
			08/16/18	NP	6.82	NM	NA	NA	663.59	663.59	
			11/19/18	NP	6.45	17.92	NA	NA	663.96	663.96	
			02/22/19	NP	6.76	18.01	NA	NA	663.65	663.65	
			06/14/19	NP	6.14	17.82	NA	NA	664.27	664.27	
			09/26/19	NP	6.83	17.84	NA	NA	663.58	663.58	
			11/04/19	NP	6.69	17.83	NA	NA	663.72	663.72	
			02/05/20	NP	6.33	NM	NA	NA	664.08	664.08	
			05/18/20	NP	6.40	17.83	NA	NA	664.01	664.01	
			08/17/20	NP	6.68	NM	NA	NA	663.73	663.73	
			11/20/20	NP	7.23	17.84 ⁽⁵⁾	NA	NA	663.18	663.18	
			12/17/20	NP	7.20	17.75	NA	NA	663.21	663.21	
			02/08/21	NP	7.37	17.80	NA	NA	663.04	663.04	
			05/03/21	NP	7.39	17.85	NA	NA	663.02	663.02	
			08/17/21	NP	6.77	17.85	NA	NA	663.64	663.64	
MW-19	669.65	15.0-20.0	05/13/16	NM	NM	NM	NA	NA	NM	NM	
			04/17/17	NM	NM	NM	NA	NA	NM	NM	
			07/24/17	NM	NM	NM	NA	NA	NM	NM	
			11/06/17	NP	5.91	19.85	NA	NA	663.74	663.74	
			02/05/18	NP	6.23	19.84	NA	NA	663.42	663.42	
			05/07/18	NP	5.51	19.98	NA	NA	664.14	664.14	
			08/16/18	NP	5.67	NM	NA	NA	663.98	663.98	
			11/19/18	NP	NM	NM	NA	NA	NM	NM	
			02/22/19	NP	6.47	19.49	NA	NA	663.18	663.18	
			06/14/19	NP	5.31	19.97	NA	NA	664.34	664.34	
			09/26/19	NP	5.94	19.99	NA	NA	663.71	663.71	
			11/04/19	NP	5.72	19.82	NA	NA	663.93	663.93	
			02/05/20	NM	NM	NM	NA	NA	NA	NA	
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	
			08/17/20	NP	8.84	NM	NA	NA	660.81	660.81	
			11/20/20	NP	6.25	20.00 ⁽⁵⁾	NA	NA	663.40	663.40	
			02/08/21	NP	6.35	20.00	NA	NA	663.30	663.30	
			05/03/21	NP	5.92	20.00	NA	NA	663.73	663.73	
			08/17/21	NP	5.75	19.87	NA	NA	663.90	663.90	
			MW-20	669.33	13.5-18.5	07/24/17	NP	6.29	16.98	NA	NA
11/06/17	NP	6.52				16.84	NA	NA	662.81	662.81	
02/05/18	NP	6.68				16.62	NA	NA	662.65	662.65	
05/11/18	NP	5.95				16.48	NA	NA	663.38	663.38	
08/16/18	NP	5.70				NM	NA	NA	663.63	663.63	
11/19/18	NP	5.49				16.00	NA	NA	663.84	663.84	
02/22/19	NP	5.97				15.81	NA	NA	663.36	663.36	
06/14/19	NP	4.95				15.42	NA	NA	664.38	664.38	
09/26/19	NP	4.67				15.24	NA	NA	664.66	664.66	
11/04/19	NP	5.65				14.98	NA	NA	663.68	663.68	
02/05/20	NP	5.46				NM	NA	NA	663.87	663.87	
05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾				NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	
08/17/20	NP	5.85				NM	NA	NA	663.48	663.48	
11/20/20	NP	6.85				NM ⁽⁵⁾	NA	NA	662.48	662.48	
02/08/21	NP	7.10				14.96	NA	NA	662.23	662.23	
05/03/21	NP	7.16				14.98	NA	NA	662.17	662.17	
08/17/21	NP	6.33				14.99	NA	NA	663.00	663.00	
MW-21	670.76	13.5-18.5	05/13/16	Could Not Open							
			04/17/17								
			07/24/17								
			11/06/17								
			02/06/18	NP	7.95	17.74	NA	NA	662.81	662.81	
			05/07/18	NP	7.15	17.60	NA	NA	663.61	663.61	
			08/16/18	NP	6.65	NM	NA	NA	664.11	664.11	
	11/19/18		NP	6.85	17.71	NA	NA	663.91	663.91		
	02/22/19		NP	7.40	17.60	NA	NA	663.36	663.36		
	06/14/19		NP	6.57	18.60	NA	NA	664.19	664.19		
	09/26/19		NP	6.94	17.64	NA	NA	663.82	663.82		
	11/04/19		NP	6.81	17.65	NA	NA	662.91	662.91		
	02/05/20		NP	7.20	NM	NA	NA	662.52	662.52		
	05/18/20		7.06	7.07	17.67	662.66	0.01	662.65	662.66		
	08/17/20		NP	6.95	NM	NA	NA	662.77	662.77		
	11/20/20		NP	7.49	NM ⁽⁵⁾	NA	NA	662.23	662.23		
	02/08/21		NP	7.78	17.36	NA	NA	661.94	661.94		
05/03/21	NP	7.85	17.36	NA	NA	661.87	661.87				
08/17/21	NP	7.01	17.34	NA	NA	662.71	662.71				
MW-22	670.18	16.5-21.5	05/10/16	NP	6.18	20.83	NA	NA	664.00	664.00	
			04/17/17	NP	7.13	21.41	NA	NA	663.05	663.05	
			07/24/17	NP	7.53	20.42	NA	NA	662.65	662.65	
			11/06/17	NP	7.51	20.51	NA	NA	662.67	662.67	
			02/05/18	NP	7.61	20.48	NA	NA	662.57	662.57	
			05/07/18	NP	6.66	20.50	NA	NA	663.52	663.52	
08/16/18	NP	6.71	NM	NA	NA	663.47	663.47				
See Notes on Last Page.											

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)			
MW-22	670.18	16.5-21.5	11/19/18	NP	7.14	NM	NA	NA	663.04	663.04			
			02/22/19	NP	7.54	20.45	NA	NA	662.64	662.64			
			06/14/19	NP	6.53	20.48	NA	NA	663.65	663.65			
			09/26/19	NP	7.48	20.47	NA	NA	662.70	662.70			
			11/04/19	NP	7.43	20.46	NA	NA	662.77	662.77			
	670.20		02/05/20	NP	7.43	NM	NA	NA	662.77	662.77			
			05/18/20	NP	7.49	20.50	NA	NA	662.71	662.71			
			08/17/20	NP	7.56	NM	NA	NA	662.64	662.64			
			11/20/20	NP	7.98	NM ⁽⁵⁾	NA	NA	662.22	662.22			
			12/17/20	NP	8.02	20.51	NA	NA	662.18	662.18			
			02/08/21	NP	8.14	20.45	NA	NA	662.06	662.06			
			03/23/21	NP	8.26	NM	NA	NA	661.94	661.94			
			05/03/21	NP	8.05	20.49	NA	NA	662.15	662.15			
MW-23	669.24	15.0-20.0	08/17/21	NP	7.18	20.47	NA	NA	663.02	663.02			
			05/09/16	NP	6.23	19.82	NA	NA	663.01	663.01			
			04/17/17	NP	6.67	19.79	NA	NA	662.57	662.57			
			07/24/17	NP	6.69	19.72	NA	NA	662.55	662.55			
			11/06/17	NP	6.60	19.72	NA	NA	662.64	662.64			
			02/06/18	NP	6.93	NM	NA	NA	662.31	662.31			
			05/07/18	NP	5.67	19.70	NA	NA	663.57	663.57			
			08/16/18	NP	5.80	NM	NA	NA	663.44	663.44			
			11/19/18	NP	5.75	NM	NA	NA	663.49	663.49			
			02/22/19	Could Not Access Well, covered by ice/snow									
			06/14/19	NP	5.33	19.46	NA	NA	663.91	663.91			
			09/26/19	NP	6.34	19.48	NA	NA	662.90	662.90			
			11/04/19	NP	6.22	19.69	NA	NA	663.02	663.02			
			02/05/20	NP	5.93	NM	NA	NA	663.31	663.31			
			05/18/20	NP	6.35	19.70	NA	NA	662.89	662.89			
			08/17/20	NP	6.37	NM	NA	NA	662.87	662.87			
			11/20/20	NP	6.80	NM ⁽⁵⁾	NA	NA	662.44	662.44			
			12/17/20	NP	6.83	19.70	NA	NA	662.41	662.41			
			02/08/21	NP	7.08	19.68	NA	NA	662.16	662.16			
			03/23/21	NP	7.30	NM	NA	NA	661.94	661.94			
			05/03/21	NP	7.09	19.72	NA	NA	662.15	662.15			
			08/17/21	NP	6.12	19.69	NA	NA	663.12	663.12			
MW-24	675.48	19.0-24.0	04/17/17	NP	9.32	23.85	NA	NA	666.16	666.16			
			07/24/17	NP	10.01	23.90	NA	NA	665.47	665.47			
			11/06/17	NP	10.40	23.76	NA	NA	665.08	665.08			
			02/05/18	NP	10.37	23.99	NA	NA	665.11	665.11			
			05/07/18	NP	9.38	23.70	NA	NA	666.10	666.10			
			08/16/18	NP	10.01	NM	NA	NA	665.47	665.47			
			11/19/18	NP	9.56	NM	NA	NA	665.92	665.92			
			02/22/19	NP	9.55	23.95	NA	NA	665.93	665.93			
			06/14/19	NP	9.21	23.73	NA	NA	666.27	666.27			
			09/26/19	NP	10.09	23.87	NA	NA	665.39	665.39			
			11/04/19	NP	9.95	23.71	NA	NA	665.53	665.53			
			02/05/20	NP	9.21	NM	NA	NA	666.27	666.27			
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾			
			08/17/20	NP	9.88	NM	NA	NA	665.60	665.60			
			11/20/20	NP	10.34	NM ⁽⁵⁾	NA	NA	665.14	665.14			
			02/08/21	NP	10.41	23.71	NA	NA	665.07	665.07			
			MW-25	675.04	16.0-21.0	05/03/21	NP	10.51	23.89	NA	NA	664.97	664.97
08/17/21	NP	9.57				23.30	NA	NA	665.91	665.91			
04/17/17	NP	5.35				20.54	NA	NA	669.69	669.69			
07/24/17	NP	6.34				20.52	NA	NA	668.70	668.70			
11/06/17	NP	6.51				20.38	NA	NA	668.53	668.53			
02/05/18	NP	6.55				20.52	NA	NA	668.49	668.49			
05/07/18	NP	4.98				20.25	NA	NA	670.06	670.06			
08/16/18	NP	6.19				NM	NA	NA	668.85	668.85			
11/19/18	NP	5.77				NM	NA	NA	669.27	669.27			
02/22/19	NP	5.51				20.48	NA	NA	669.53	669.53			
06/14/19	NP	4.89				20.52	NA	NA	670.15	670.15			
09/26/19	NP	6.05				20.50	NA	NA	668.99	668.99			
11/04/19	NP	5.15				20.50	NA	NA	669.89	669.89			
MW-26	673.39	4.5-14.5	02/05/20	NP	5.22	NM	NA	NA	669.82	669.82			
			05/18/20	NP	4.65	20.51	NA	NA	670.39	670.39			
			08/17/20	NP	5.93	NM	NA	NA	669.11	669.11			
			11/20/20	NP	6.18	NM ⁽⁵⁾	NA	NA	668.86	668.86			
			02/08/21	NP	6.25	20.51	NA	NA	668.79	668.79			
			05/03/21	NP	6.05	20.51	NA	NA	668.99	668.99			
			08/17/21	NP	5.65	20.49	NA	NA	669.39	669.39			
			07/24/17	NP	5.96	14.09	NA	NA	667.43	667.43			
			11/06/17	NP	6.09	14.10	NA	NA	667.30	667.30			
			02/05/18	NP	6.08	14.05	NA	NA	667.31	667.31			
			05/07/18	NP	5.24	13.90	NA	NA	668.15	668.15			
			08/16/18	NP	5.98	NM	NA	NA	667.41	667.41			
			11/19/18	NP	5.52	NM	NA	NA	667.87	667.87			
MW-27*	668.15	2.0-12.0	02/28/19	NP	4.55	14.50	NA	NA	668.84	668.84			
			06/14/19	NP	5.01	14.05	NA	NA	668.38	668.38			
			09/26/19	NP	6.11	14.04	NA	NA	667.28	667.28			
			11/04/19	NP	5.30	14.05	NA	NA	668.09	668.09			
			02/05/20	NP	4.85	NM	NA	NA	668.54	668.54			
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾			
			08/17/20	NP	5.66	NM	NA	NA	667.73	667.73			
			11/20/20	NP	6.00	NM ⁽⁵⁾	NA	NA	667.39	667.39			
			02/08/21	NP	6.09	14.03	NA	NA	667.30	667.30			
			05/03/21	NP	5.72	14.06	NA	NA	667.67	667.67			
			08/17/21	NP	4.54	14.07	NA	NA	668.85	668.85			
			Well Inaccessible										
			MW-28	668.15	2.0-12.0	05/09/16	NP	3.21	11.81	NA	NA	664.94	664.94
04/17/17	NP	3.78				11.69	NA	NA	664.37	664.37			
07/24/17	NP	4.61				11.73	NA	NA	663.54	663.54			
11/06/17	NP	4.81				11.68	NA	NA	663.34	663.34			
02/05/18	NP	4.63				11.65	NA	NA	663.52	663.52			
05/07/18	NP	3.67				11.67	NA	NA	664.48	664.48			
08/16/18	NP	4.64				NM	NA	NA	663.51	663.51			
11/19/18	NP	4.11				NM	NA	NA	664.04	664.04			
02/22/19	NP	3.98				11.64	NA	NA	664.17	664.17			
06/14/19	NP	3.50				11.65	NA	NA	664.65	664.65			
09/26/19	NP	4.67				11.65	NA	NA	663.48	663.48			
11/04/19	NP	4.01	11.68	NA	NA	664.14	664.14						
See Notes on Last Page.													

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-28	668.15	2.0-12.0	02/05/20	NP	3.27	NM	NA	NA	664.88	664.88
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	
			08/17/20	NP	4.08	NM	NA	NA	664.07	664.07
			11/20/20	NP	4.48	NM ⁽⁵⁾	NA	NA	663.67	663.67
			02/08/21	NP	4.31	11.67	NA	NA	663.84	663.84
			05/03/21	NP	4.05	11.66	NA	NA	664.10	664.10
MW-29	669.45	5.0-15.0	08/17/21	NP	3.01	11.66	NA	NA	665.14	665.14
			05/13/16	NP	4.10	14.85	NA	NA	665.35	665.35
			04/17/17	NP	4.53	14.84	NA	NA	664.92	664.92
			07/24/17	NP	5.41	14.90	NA	NA	664.04	664.04
			11/06/17	NP	6.65	15.81	NA	NA	662.80	662.80
			02/05/18	NP	5.52	14.84	NA	NA	663.93	663.93
			05/07/18	NP	4.64	14.80	NA	NA	664.81	664.81
			08/16/18	NP	5.44	NM	NA	NA	664.01	664.01
			11/19/18	NP	5.10	NM	NA	NA	664.35	664.35
			02/22/19	NP	5.09	14.87	NA	NA	664.36	664.36
			06/14/19	NM	NM	NM	NA	NA	NM	NM
			09/26/19	NP	5.50	14.90	NA	NA	663.95	663.95
			11/04/19	NP	5.22	19.75 ⁽²⁾	NA	NA	664.23	664.23
			02/05/20	NP	4.65	NM	NA	NA	664.80	664.80
			05/18/20	NP	4.70	14.87	NA	NA	664.75	664.75
			08/17/20	NP	5.12	NM	NA	NA	664.33	664.33
			11/20/20	NP	5.43	14.90 ⁽⁵⁾	NA	NA	664.02	664.02
			02/08/21	NP	5.36	14.73	NA	NA	664.09	664.09
			05/03/21	NP	5.17	14.87	NA	NA	664.28	664.28
			MW-30	670.70	19.0-24.0	08/17/21	NP	4.87	14.85	NA
05/09/16	NP	9.37				24.82	NA	NA	661.33	661.33
04/17/17	NP	9.86				24.78	NA	NA	660.84	660.84
07/24/17	NP	9.93				24.73	NA	NA	660.77	660.77
11/06/17	NP	10.47				24.84	NA	NA	660.23	660.23
02/05/18	NP	10.31				24.69	NA	NA	660.39	660.39
05/07/18	NP	9.03				24.70	NA	NA	661.67	661.67
08/16/18	NP	9.51				NM	NA	NA	661.19	661.19
11/19/18	NP	9.23				NM	NA	NA	661.47	661.47
02/22/19	NP	9.45				24.91	NA	NA	661.25	661.25
06/14/19	NP	8.50				24.74	NA	NA	662.20	662.20
09/26/19	NP	9.81				24.65	NA	NA	660.89	660.89
11/04/19	NP	10.01				24.71	NA	NA	660.69	660.69
02/05/20	NP	9.47				NM	NA	NA	661.23	661.23
05/18/20	NP	9.38				NM	NA	NA	661.32	661.32
08/17/20	NP	9.74				NM	NA	NA	660.96	660.96
11/20/20	NP	10.37				NM ⁽⁵⁾	NA	NA	660.33	660.33
12/17/20	NP	10.43				24.70	NA	NA	660.27	660.27
02/08/21	NP	10.42				24.72	NA	NA	660.28	660.28
MW-31	670.82	17.0-22.0				03/23/21	NP	10.62	NM	NA
			05/03/21	NP	10.35	24.75	NA	NA	660.35	660.35
			08/17/21	NP	9.23	24.69	NA	NA	661.47	661.47
			05/09/16	NP	9.96	21.75	NA	NA	660.86	660.86
			04/17/17	NP	10.13	21.78	NA	NA	660.69	660.69
			07/24/17	NP	10.19	21.69	NA	NA	660.63	660.63
			11/06/17	NP	10.65	21.92	NA	NA	660.17	660.17
			02/05/18	NP	10.70	21.48	NA	NA	660.12	660.12
			05/07/18	NP	9.23	21.67	NA	NA	661.59	661.59
			08/16/18	NP	9.58	NM	NA	NA	661.24	661.24
			11/19/18	NP	9.31	NM	NA	NA	661.51	661.51
			02/22/19	NP	9.69	21.66	NA	NA	661.13	661.13
			06/14/19	NP	8.58	21.68	NA	NA	662.24	662.24
			09/26/19	NP	9.84	21.68	NA	NA	660.98	660.98
			11/04/19	NP	9.91	21.70	NA	NA	660.91	660.91
			02/05/20	NP	9.50	NM	NA	NA	661.32	661.32
			05/18/20	NP	9.61	21.68	NA	NA	661.21	661.21
			08/17/20	NP	9.77	NM	NA	NA	661.05	661.05
			11/20/20	NP	10.42	NM ⁽⁵⁾	NA	NA	660.40	660.40
			12/17/20	NP	10.43	21.69	NA	NA	660.39	660.39
MW-32	670.43	18.0-23.0	02/08/21	NP	10.76	21.43	NA	NA	660.06	660.06
			03/23/21	NP	10.88	NM	NA	NA	659.94	659.94
			05/03/21	NP	10.63	21.69	NA	NA	660.19	660.19
			08/17/21	NP	9.53	21.67	NA	NA	661.29	661.29
			05/09/16	NP	9.64	22.92	NA	NA	660.79	660.79
			04/17/17	NP	9.52	22.91	NA	NA	660.91	660.91
			07/24/17	NP	9.71	22.71	NA	NA	660.72	660.72
			11/06/17	NP	10.18	23.03	NA	NA	660.25	660.25
			02/05/18	NP	10.17	22.78	NA	NA	660.26	660.26
			05/07/18	NP	8.73	22.83	NA	NA	661.70	661.70
			08/16/18	NP	9.07	NM	NA	NA	661.36	661.36
			11/19/18	NP	8.72	NM	NA	NA	661.71	661.71
			02/22/19	NP	9.19	19.93	NA	NA	661.24	661.24
			06/14/19	NP	8.00	22.73	NA	NA	662.43	662.43
			09/26/19	NP	9.26	22.84	NA	NA	661.17	661.17
			11/04/19	NP	9.32	22.84	NA	NA	661.11	661.11
			02/05/20	NP	8.79	NM	NA	NA	661.64	661.64
			05/18/20	NP	8.99	22.82	NA	NA	661.44	661.44
			08/17/20	NP	9.15	NM	NA	NA	661.28	661.28
			MW-33	669.94	14.0-19.0	11/20/20	NP	9.80	NM ⁽⁵⁾	NA
12/17/20	NP	9.89				22.73	NA	NA	660.54	660.54
02/08/21	NP	10.18				22.73	NA	NA	660.25	660.25
05/03/21	NP	10.08				22.84	NA	NA	660.35	660.35
08/17/21	NP	9.49				22.64	NA	NA	660.94	660.94
05/09/16	NP	8.68				18.76	NA	NA	661.26	661.26
04/17/17	NP	8.76				18.75	NA	NA	661.18	661.18
07/24/17	NP	8.84				19.72	NA	NA	661.10	661.10
11/06/17	NP	8.58				19.08	NA	NA	661.36	661.36
02/05/18	NP	8.63				18.74	NA	NA	661.31	661.31
05/07/18	NP	7.34				18.66	NA	NA	662.60	662.60
08/16/18	NP	7.59				NM	NA	NA	662.35	662.35
11/19/18	NP	7.33				NM	NA	NA	662.61	662.61
02/22/19	NP	7.95				18.83	NA	NA	661.99	661.99
See Notes on Last Page.										

Table 1
On-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-33	669.94	14.0-19.0	05/18/20	NP	7.92	18.67	NA	NA	662.02	662.02
			08/17/20	NP	7.95	NM	NA	NA	661.99	661.99
			11/20/20	NP	8.54	NM ⁽⁶⁾	NA	NA	661.40	661.40
			12/17/20	NP	8.60	18.72	NA	NA	661.34	661.34
			02/08/21	NP	8.94	18.70	NA	NA	661.00	661.00
			03/23/21	NP	9.09	NM	NA	NA	660.85	660.85
			05/03/21	NP	8.88	18.69	NA	NA	661.06	661.06
			08/17/21	NP	7.70	18.68	NA	NA	662.24	662.24
MW-34	670.49	16.5-21.5	05/09/16	NP	7.98	21.21	NA	NA	662.51	662.51
			04/17/17	NP	8.83	21.30	NA	NA	661.66	661.66
			07/24/17	NP	9.45	21.23	NA	NA	661.04	661.04
			11/06/17	NP	10.02	21.65	NA	NA	660.47	660.47
			02/05/18	NP	9.73	21.35	NA	NA	660.76	660.76
			05/07/18	NP	8.34	21.26	NA	NA	662.15	662.15
			08/16/18	NP	9.18	NM	NA	NA	661.31	661.31
			11/19/18	NP	8.79	NM	NA	NA	661.70	661.70
			02/22/19	NP	9.18	20.20	NA	NA	661.31	661.31
			06/14/19	NP	7.95	21.26	NA	NA	662.54	662.54
			09/26/19	NP	9.39	21.28	NA	NA	661.10	661.10
			11/04/19	NP	9.32	20.27 ⁽²⁾	NA	NA	661.17	661.17
			02/05/20	NP	9.05	NM	NA	NA	661.44	661.44
			05/18/20	NP	8.79	21.26	NA	NA	661.70	661.70
			08/17/20	NP	9.31	NM	NA	NA	661.18	661.18
			11/20/20	NP	9.93	NM ⁽⁶⁾	NA	NA	660.56	660.56
			12/17/20	NP	9.85	21.30	NA	NA	660.64	660.64
			02/08/21	NP	9.97	21.29	NA	NA	660.52	660.52
			03/23/21	NP	9.88	NM	NA	NA	660.61	660.61
			05/03/21	NP	9.63	21.28	NA	NA	660.86	660.86
			08/17/21	NP	8.64	21.25	NA	NA	661.85	661.85
MW-35	669.44	19.5-24.5	05/09/16	NP	6.62	24.48	NA	NA	662.82	662.82
			04/17/17	NP	7.16	24.63	NA	NA	662.28	662.28
			07/24/17	NP	8.55	24.44	NA	NA	660.89	660.89
			11/06/17	NP	9.11	24.45	NA	NA	660.33	660.33
			02/05/18	NP	8.63	24.50	NA	NA	660.81	660.81
			05/07/18	NP	7.03	24.40	NA	NA	662.41	662.41
			08/16/18	NP	8.30	NM	NA	NA	661.14	661.14
			11/19/18	NP	7.76	NM	NA	NA	661.68	661.68
			02/22/19	NP	7.64	24.55	NA	NA	661.80	661.80
			06/14/19	NP	6.85	24.35	NA	NA	662.59	662.59
			09/26/19	NP	8.60	23.34	NA	NA	660.84	660.84
			11/04/19	NP	8.45	24.29	NA	NA	660.99	660.99
			02/05/20	NP	7.46	NM	NA	NA	661.98	661.98
			05/18/20	NP	7.32	24.25	NA	NA	662.12	662.12
			08/17/20	NP	8.37	NM	NA	NA	661.07	661.07
			11/20/20	NP	8.96	NM ⁽⁶⁾	NA	NA	660.48	660.48
			12/17/20	NP	8.87	24.25	NA	NA	660.57	660.57
			02/08/21	NP	8.92	24.25	NA	NA	660.52	660.52
			03/23/21	NP	8.68	NM	NA	NA	660.76	660.76
			05/03/21	NP	8.18	24.22	NA	NA	661.26	661.26
			08/17/21	NP	7.98	24.20	NA	NA	661.46	661.46
MW-36	676.39	20.0-25.0	07/24/17	NP	9.49	24.75	NA	NA	666.90	666.90
			11/06/17	NP	10.98	24.88	NA	NA	665.41	665.41
			02/05/18	NP	10.15	24.91	NA	NA	666.24	666.24
			05/07/18	NP	9.28	24.72	NA	NA	667.11	667.11
			08/16/18	NP	9.55	NM	NA	NA	666.84	666.84
			11/19/18	NP	9.34	NM	NA	NA	667.05	667.05
			02/22/19	NP	9.42	24.89	NA	NA	666.97	666.97
			06/14/19	NP	8.90	24.80	NA	NA	667.49	667.49
			09/26/19	NP	9.65	24.82	NA	NA	666.74	666.74
			11/04/19	NP	9.63	24.83	NA	NA	666.76	666.76
			02/05/20	NP	9.05	NM	NA	NA	667.34	667.34
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	9.46	NM	NA	NA	666.93	666.93
			11/20/20	NP	10.91	NM ⁽⁶⁾	NA	NA	665.48	665.48
			02/08/21	NP	10.06	24.74	NA	NA	666.33	666.33
			05/03/21	NP	10.09	24.60	NA	NA	666.30	666.30
			08/17/21	NP	8.88	24.92	NA	NA	667.51	667.51
MW-37	671.24	18.0-23.0	07/24/17	NP	8.14	24.75	NA	NA	663.10	663.10
			11/06/17	NP	8.26	23.18	NA	NA	662.98	662.98
			02/05/18	NP	8.33	22.80	NA	NA	662.91	662.91
			05/07/18	NP	7.01	22.76	NA	NA	664.23	664.23
			08/16/18	NP	7.49	NM	NA	NA	663.75	663.75
			11/19/18	NP	7.13	NM	NA	NA	664.11	664.11
			02/22/19	NP	7.54	22.92	NA	NA	663.70	663.70
			06/14/19	NP	6.67	22.67	NA	NA	664.57	664.57
			09/26/19	NP	7.79	22.68	NA	NA	663.45	663.45
			11/04/19	NP	7.62	22.69	NA	NA	663.62	663.62
			02/05/20	NP	7.14	NM	NA	NA	664.10	664.10
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	7.80	NM	NA	NA	663.44	663.44
			11/20/20	NP	8.34	NM ⁽⁶⁾	NA	NA	662.90	662.90
			12/17/20	NP	8.31	22.68	NA	NA	662.93	662.93
			02/08/21	NP	8.47	22.69	NA	NA	662.77	662.77
			05/03/21	NP	8.40	22.68	NA	NA	662.84	662.84
			08/17/21	NP	7.52	22.80	NA	NA	663.72	663.72
MW-38	671.79	15.0-20.0	04/17/17	NP	8.23	19.55	NA	NA	663.56	663.56
			07/24/17	NP	8.69	23.69	NA	NA	663.10	663.10
			11/06/17	NP	8.53	19.75	NA	NA	663.26	663.26
			02/05/18	NP	8.67	19.65	NA	NA	663.12	663.12
			05/07/18	NP	7.28	19.50	NA	NA	664.51	664.51
			08/16/18	NP	7.61	NM	NA	NA	664.18	664.18
			11/19/18	NP	7.40	NM	NA	NA	664.39	664.39
			02/22/19	NP	8.00	19.59	NA	NA	663.79	663.79
			06/14/19	NP	6.90	19.50	NA	NA	664.89	664.89
			09/26/19	NP	8.05	19.53	NA	NA	663.74	663.74
			11/04/19	NP	7.92	19.51	NA	NA	663.87	663.87
			02/05/20	NP	7.61	NM	NA	NA	664.18	664.18
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	8.04	NM	NA	NA	663.75	663.75
			11/20/20	NP	8.66	NM ⁽⁶⁾	NA	NA	663.13	663.13

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)			
MW-38	671.79	15.0-20.0	12/17/20	NP	8.64	19.51	NA	NA	663.15	663.15			
			02/08/21	NP	8.98	19.51	NA	NA	662.81	662.81			
			05/03/21	NP	8.92	19.51	NA	NA	662.87	662.87			
			08/17/21	NP	7.75	19.50	NA	NA	664.04	664.04			
MW-39	672.19	19.5-24.5	04/19/17	NP	11.08	24.14	NA	NA	661.11	661.11			
			07/24/17	NP	11.41	23.92	NA	NA	660.78	660.78			
			11/06/17	NP	11.64	24.36	NA	NA	660.55	660.55			
			02/05/18	NP	11.63	24.30	NA	NA	660.56	660.56			
			05/07/18	NP	10.25	24.16	NA	NA	661.94	661.94			
			08/16/18	NP	10.55	NM	NA	NA	661.64	661.64			
			11/19/18	NP	10.24	NM	NA	NA	661.95	661.95			
			02/22/19	NP	10.74	24.10	NA	NA	661.45	661.45			
			06/14/19	NP	9.60	24.19	NA	NA	662.59	662.59			
			09/26/19	NP	10.81	24.16	NA	NA	661.38	661.38			
			11/04/19	NP	10.86	24.18	NA	NA	661.33	661.33			
			02/05/20	NP	10.35	NM	NA	NA	661.84	661.84			
			05/18/20	NP	10.61	24.15	NA	NA	661.58	661.58			
			08/17/20	NP	10.73	NM	NA	NA	661.46	661.46			
			11/20/20	NP	11.34	NM ⁽⁵⁾	NA	NA	660.85	660.85			
			12/17/20	NP	11.43	24.22	NA	NA	660.76	660.76			
			02/08/21	NP	11.76	24.19	NA	NA	660.43	660.43			
			03/23/21	NP	11.86	NM	NA	NA	660.33	660.33			
			05/03/21	NP	11.65	24.20	NA	NA	660.54	660.54			
			08/17/21	NP	10.93	24.07	NA	NA	661.26	661.26			
MW-40	670.65	15.0-20.0	05/09/16	NP	9.94	19.72	NA	NA	660.71	660.71			
			04/19/17	NP	9.98	19.72	NA	NA	660.67	660.67			
			07/24/17	NP	10.10	19.66	NA	NA	660.55	660.55			
			11/06/17	NP	10.58	19.75	NA	NA	660.07	660.07			
			02/05/18	NP	10.62	19.43	NA	NA	660.03	660.03			
			05/07/18	NP	9.15	19.64	NA	NA	661.50	661.50			
			08/16/18	NP	9.46	NM	NA	NA	661.19	661.19			
			11/19/18	NP	9.13	NM	NA	NA	661.52	661.52			
			02/22/19	NP	9.54	19.62	NA	NA	661.11	661.11			
			06/14/19	NP	8.40	19.65	NA	NA	662.25	662.25			
			09/26/19	NP	9.66	19.64	NA	NA	660.99	660.99			
			11/04/19	NP	9.64	19.52	NA	NA	661.01	661.01			
			02/05/20	NP	9.23	NM	NA	NA	661.42	661.42			
			05/18/20	NP	9.42	19.36	NA	NA	661.23	661.23			
			08/17/20	NP	9.54	NM	NA	NA	661.11	661.11			
			11/20/20	NP	10.24	NM ⁽⁵⁾	NA	NA	660.41	660.41			
			12/17/20	NP	10.29	19.66	NA	NA	660.36	660.36			
			02/08/21	Could Not Access Well									
			03/23/21	NP	10.74	NM	NA	NA	659.91	659.91			
			05/03/21	NP	10.53	19.67	NA	NA	660.12	660.12			
			MW-41	670.34	16.0-21.0	08/17/21	NP	9.40	19.65	NA	NA	661.25	661.25
						05/09/16	NP	8.20	20.97	NA	NA	662.14	662.14
						04/19/17	NP	8.97	20.99	NA	NA	661.37	661.37
07/24/17	NP	9.39				20.78	NA	NA	660.95	660.95			
11/06/17	NP	9.96				21.25	NA	NA	660.38	660.38			
02/05/18	NP	9.75				20.85	NA	NA	660.59	660.59			
05/07/18	NP	8.35				20.94	NA	NA	661.99	661.99			
08/16/18	NP	9.06				NM	NA	NA	661.28	661.28			
11/19/18	NP	8.73				NM	NA	NA	661.61	661.61			
02/22/19	NP	8.81				20.93	NA	NA	661.53	661.53			
06/14/19	NP	7.80				20.95	NA	NA	662.54	662.54			
09/26/19	NP	9.29				20.78	NA	NA	661.05	661.05			
11/04/19	NP	9.28				20.95	NA	NA	661.06	661.06			
02/05/20	NP	8.77				NM	NA	NA	661.57	661.57			
05/18/20	NP	8.67				20.93	NA	NA	661.67	661.67			
08/17/20	NP	9.22				NM	NA	NA	661.12	661.12			
11/20/20	NP	9.78				NM ⁽⁵⁾	NA	NA	660.56	660.56			
12/17/20	NP	9.80				20.79	NA	NA	660.54	660.54			
02/08/21	NP	9.97				20.89	NA	NA	660.37	660.37			
03/23/21	NP	9.93				NM	NA	NA	660.41	660.41			
05/03/21	NP	9.70				20.89	NA	NA	660.64	660.64			
MW-42	670.10	16.0-21.0				08/17/21	NP	8.66	20.88	NA	NA	661.68	661.68
						05/09/16	NP	7.29	11.52	NA	NA	662.81	662.81
			04/19/17	NP	8.01	20.48	NA	NA	662.09	662.09			
			07/24/17	NP	9.13	20.43	NA	NA	660.97	660.97			
			11/06/17	NP	9.76	20.77	NA	NA	660.34	660.34			
			02/05/18	NP	9.32	20.55	NA	NA	660.78	660.78			
			05/07/18	NP	7.81	20.43	NA	NA	662.29	662.29			
			08/16/18	NP	8.94	NM	NA	NA	661.16	661.16			
			11/19/18	NP	8.46	NM	NA	NA	661.64	661.64			
			02/22/19	NP	8.42	19.42	NA	NA	661.68	661.68			
			06/14/19	NP	7.56	20.44	NA	NA	662.54	662.54			
			09/26/19	NP	9.10	20.46	NA	NA	661.00	661.00			
			11/04/19	NP	9.13	20.46	NA	NA	660.97	660.97			
			02/05/20	NP	8.26	NM	NA	NA	661.84	661.84			
			05/18/20	NP	8.11	20.44	NA	NA	661.99	661.99			
			08/17/20	NP	9.00	NM	NA	NA	661.10	661.10			
			11/20/20	NP	9.59	NM ⁽⁵⁾	NA	NA	660.51	660.51			
			12/17/20	NP	9.51	20.48	NA	NA	660.59	660.59			
			02/08/21	NP	9.59	20.47	NA	NA	660.51	660.51			
			03/23/21	NP	9.37	NM	NA	NA	660.73	660.73			
			05/03/21	NP	9.02	20.45	NA	NA	661.08	661.08			
			08/17/21	NP	8.20	20.42	NA	NA	661.90	661.90			
			MW-43	669.24	17.0-22.0	05/09/16	NP	6.34	21.85	NA	NA	662.90	662.90
04/19/17	NP	6.80				26.82	NA	NA	662.44	662.44			
07/24/17	NP	8.34				21.79	NA	NA	660.90	660.90			
11/06/17	NP	8.92				21.98	NA	NA	660.32	660.32			
02/05/18	NP	8.42				21.80	NA	NA	660.82	660.82			
05/07/18	NP	6.78				21.76	NA	NA	662.46	662.46			
08/16/18	NP	8.17				NM	NA	NA	661.07	661.07			
11/19/18	NP	7.54				NM	NA	NA	661.70	661.70			
02/22/19	NP	7.34				21.95	NA	NA	661.90	661.90			
06/14/19	NP	6.55				21.54	NA	NA	662.69	662.69			
09/26/19	NP	8.45				21.56	NA	NA	660.79	660.79			
11/04/19	NP	8.14				21.53	NA	NA	661.10	661.10			
02/05/20	NP	7.18				NM	NA	NA	662.06	662.06			
05/18/20	NP	6.93				21.76	NA	NA	662.31	662.31			
See Notes on Last Page.													

Table 1
On-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-43	669.24	17.0-22.0	08/17/20	NP	8.24	NM	NA	NA	661.00	661.00
			11/20/20	NP	8.84	NM ⁽⁶⁾	NA	NA	660.40	660.40
			12/17/20	NP	8.70	21.78	NA	NA	660.54	660.54
			02/08/21	NP	8.80	21.79	NA	NA	660.44	660.44
			03/23/21	NP	8.52	NM	NA	NA	660.72	660.72
			05/03/21	NP	8.01	21.78	NA	NA	661.23	661.23
MW-44	671.48	16.0-21.0	08/17/21	NP	7.23	21.76	NA	NA	662.01	662.01
			05/09/16	NP	6.59	17.42	NA	NA	664.89	664.89
			04/19/17	NP	7.48	19.95	NA	NA	664.00	664.00
			07/24/17	NP	8.38	20.93	NA	NA	663.10	663.10
			11/06/17	NP	8.55	20.74	NA	NA	662.93	662.93
			02/05/18	NP	8.51	20.90	NA	NA	662.97	662.97
			05/07/18	NP	7.40	20.75	NA	NA	664.08	664.08
			08/16/18	NP	8.01	NM	NA	NA	663.47	663.47
			11/19/18	NP	7.90	NM	NA	NA	663.58	663.58
			02/22/19	NP	8.20	20.72	NA	NA	663.28	663.28
			06/14/19	NP	7.38	20.73	NA	NA	664.10	664.10
			09/26/19	NP	8.44	20.75	NA	NA	663.04	663.04
			11/04/19	NP	8.16	20.72	NA	NA	663.32	663.32
			02/05/20	NP	8.01	NM	NA	NA	663.47	663.47
			05/18/20	NP	8.06	20.93	NA	NA	663.42	663.42
			08/17/20	NP	8.45	NM	NA	NA	663.03	663.03
			11/20/20	NP	8.91	NM ⁽⁶⁾	NA	NA	662.57	662.57
			12/17/20	NP	8.85	30.76	NA	NA	662.63	662.63
			02/08/21	NP	9.00	20.90	NA	NA	662.48	662.48
			03/23/21	NP	8.98	NM	NA	NA	662.50	662.50
			05/03/21	NP	8.70	20.74	NA	NA	662.78	662.78
08/17/21	NP	7.67	20.92	NA	NA	663.81	663.81			
MW-45	670.83	15.0-20.0	05/09/16	NP	14.22	19.81	NA	NA	656.61	656.61
			04/19/17	NP	11.45	19.67	NA	NA	659.38	659.38
			07/24/17	NP	11.07	19.76	NA	NA	659.76	659.76
			11/06/17	NP	9.82	19.75	NA	NA	661.01	661.01
			02/05/18	NP	10.30	19.72	NA	NA	660.53	660.53
			05/07/18	NP	9.43	19.99	NA	NA	661.40	661.40
			08/16/18	NP	9.02	NM	NA	NA	661.81	661.81
			11/19/18	NP	9.91	19.69	NA	NA	660.92	660.92
			02/22/19	NP	10.67	19.71	NA	NA	660.16	660.16
			06/14/19	NP	9.60	19.79	NA	NA	661.23	661.23
			09/26/19	NP	10.18	20.68	NA	NA	660.65	660.65
			11/04/19	NP	10.52	19.69	NA	NA	660.31	660.31
			02/05/20	NP	11.21	NM	NA	NA	659.62	659.62
			04/01/20	NP	11.47	NM	NA	NA	659.36	659.36
			05/18/20	NP	11.39	19.69	NA	NA	659.44	659.44
			08/17/20	NP	10.44	NM	NA	NA	660.39	660.39
			11/20/20	NP	10.85	NM ⁽⁶⁾	NA	NA	659.98	659.98
			12/17/20	NP	11.46	19.68	NA	NA	659.37	659.37
			02/08/21	NP	11.56	19.64	NA	NA	659.27	659.27
			03/23/21	NP	12.18	NM	NA	NA	658.65	658.65
			05/03/21	NP	11.69	19.68	NA	NA	659.14	659.14
08/17/21	NP	10.15	19.68	NA	NA	660.68	660.68			
MW-46	670.84	16.0-21.0	05/09/16	NP	8.42	20.45	NA	NA	662.42	662.42
			04/19/17	NP	10.61	20.30	NA	NA	660.23	660.23
			07/24/17	NP	10.33	19.78	NA	NA	660.51	660.51
			11/06/17	NP	9.76	19.81	NA	NA	661.08	661.08
			02/05/18	NP	10.20	19.81	NA	NA	660.64	660.64
			05/07/18	NP	9.84	19.94	NA	NA	661.00	661.00
			08/16/18	NP	9.47	NM	NA	NA	661.37	661.37
			11/19/18	NP	10.18	19.63	NA	NA	660.66	660.66
			02/22/19	NP	10.79	19.64	NA	NA	660.05	660.05
			06/14/19	NP	9.48	19.87	NA	NA	661.36	661.36
			09/26/19	NP	10.35	19.73	NA	NA	660.49	660.49
			11/04/19	NP	10.26	19.70	NA	NA	660.58	660.58
			02/05/20	NP	10.82	NM	NA	NA	660.02	660.02
			04/01/20	NP	10.20	NM	NA	NA	660.64	660.64
			05/18/20	NP	10.60	19.65	NA	NA	660.24	660.24
			08/17/20	NP	10.31	NM	NA	NA	660.53	660.53
			11/20/20	NP	10.52	NM ⁽⁶⁾	NA	NA	660.32	660.32
			12/17/20	NP	10.92	19.69	NA	NA	659.92	659.92
			02/08/21	NP	11.17	19.62	NA	NA	659.67	659.67
			03/23/21	NP	11.23	NM	NA	NA	659.61	659.61
			05/03/21	NP	9.01	19.77	NA	NA	661.83	661.83
08/17/21	NP	9.48	19.65	NA	NA	661.36	661.36			
MW-47	671.33	16.0-21.0	05/09/16	NP	7.53	11.92	NA	NA	663.80	663.80
			04/19/17	NP	9.88	20.76	NA	NA	661.45	661.45
			07/24/17	NP	10.11	19.96	NA	NA	661.22	661.22
			11/06/17	NP	9.87	19.98	NA	NA	661.46	661.46
			02/05/18	NP	10.11	19.98	NA	NA	661.22	661.22
			05/07/18	NP	9.49	19.94	NA	NA	661.84	661.84
			08/16/18	NP	9.65	NM	NA	NA	661.68	661.68
			11/19/18	NP	10.02	19.93	NA	NA	661.31	661.31
			02/22/19	NP	10.50	19.92	NA	NA	660.83	660.83
			06/14/19	NM	NM	NM	NA	NA	NM	NM
			09/26/19	NP	10.23	19.96	NA	NA	661.10	661.10
			11/04/19	NP	10.07	19.92	NA	NA	661.26	661.26
			02/05/20	NP	10.32	NM	NA	NA	661.01	661.01
			05/18/20	NP	10.07	19.97	NA	NA	661.26	661.26
			08/17/20	NP	10.10	NM	NA	NA	661.23	661.23
			11/20/20	NP	10.35	NM ⁽⁶⁾	NA	NA	660.98	660.98
			12/17/20	NP	10.54	19.97	NA	NA	660.79	660.79
			02/08/21	NP	10.68	19.99	NA	NA	660.65	660.65
			03/23/21	NP	10.69	NM	NA	NA	660.64	660.64
			05/03/21	NP	10.40	19.98	NA	NA	660.93	660.93
			08/17/21	NP	9.20	18.77	NA	NA	662.13	662.13
See Notes on Last Page.										

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)	
MW-48	670.98	17.0-22.0	05/09/16	NP	6.33	21.76	NA	NA	664.65	664.65	
			04/19/17	NP	8.93	21.62	NA	NA	662.05	662.05	
			07/24/17	NP	9.70	20.42	NA	NA	661.28	661.28	
			11/06/17	NP	9.33	20.34	NA	NA	661.65	661.65	
			02/05/18	NP	10.08	20.35	NA	NA	660.90	660.90	
			05/07/18	NP	8.84	20.60	NA	NA	662.14	662.14	
			08/16/18	NP	9.34	NM	NA	NA	661.64	661.64	
			11/19/18	NP	8.97	NM	NA	NA	662.01	662.01	
			03/04/19	NP	9.80	20.40	NA	NA	661.18	661.18	
			06/14/19	NP	8.64	20.26	NA	NA	662.34	662.34	
			09/26/19	NP	9.17	20.26	NA	NA	661.81	661.81	
			11/04/19	NP	8.78	20.25	NA	NA	662.20	662.20	
			02/05/20	NP	9.26	NM	NA	NA	661.72	661.72	
			04/01/20	NP	9.34	NM	NA	NA	661.64	661.64	
			05/18/20	NP	8.81	20.22	NA	NA	662.17	662.17	
			08/17/20	NP	9.36	NM	NA	NA	661.62	661.62	
			11/20/20	NP	9.74	NM ⁽⁶⁾	NA	NA	661.24	661.24	
			12/17/20	NP	9.94	20.22	NA	NA	661.04	661.04	
			02/08/21	NP	10.23	20.15	NA	NA	660.75	660.75	
			03/23/21	NP	10.13	NM	NA	NA	660.85	660.85	
MW-49	669.07	12.5-17.5	05/03/21	NP	9.54	19.87	NA	NA	661.44	661.44	
			08/17/21	NP	8.37	20.24	NA	NA	662.61	662.61	
			05/12/16	NP	6.57	17.31	NA	NA	662.50	662.50	
			04/19/17	NP	7.03	17.31	NA	NA	662.04	662.04	
			07/24/17	NP	6.94	17.37	NA	NA	662.13	662.13	
			11/06/17	NM	NM	NM	NA	NA	NM	NM	
			02/05/18	NP	7.32	17.44	NA	NA	661.75	661.75	
			05/07/18	NP	6.88	17.28	NA	NA	662.19	662.19	
			08/16/18	NP	6.39	NM	NA	NA	662.68	662.68	
			11/19/18	NP	6.11	17.14	NA	NA	662.96	662.96	
			02/22/19	NP	6.75	17.27	NA	NA	662.32	662.32	
			06/14/19	NP	6.14	16.86	NA	NA	662.93	662.93	
			09/27/19	NP	6.36	17.21	NA	NA	662.71	662.71	
			11/04/19	NP	6.28	17.17	NA	NA	662.79	662.79	
			02/05/20	NP	6.40	NM	NA	NA	662.67	662.67	
			05/18/20	Could Not Access Well, located underneath parked vehicle							
			08/17/20	NP	5.25	NM	NA	NA	663.82	663.82	
			11/20/20	NP	6.68	NM ⁽⁶⁾	NA	NA	662.39	662.39	
			02/08/21	NP	6.88	17.13	NA	NA	662.19	662.19	
			05/03/21	NP	7.07	17.13	NA	NA	662.00	662.00	
MW-50	670.16	16.0-21.0	08/17/21	NP	6.18	17.13	NA	NA	662.89	662.89	
			05/09/16	NP	5.42	20.34	NA	NA	664.74	664.74	
			04/19/17	NP	6.77	20.23	NA	NA	663.39	663.39	
			07/24/17	NP	8.16	18.42	NA	NA	662.00	662.00	
			11/06/17	NP	8.15	18.81	NA	NA	662.01	662.01	
			02/05/18	NP	8.47	18.44	NA	NA	661.69	661.69	
			05/07/18	NP	6.81	19.00	NA	NA	663.35	663.35	
			08/16/18	NP	7.55	NM	NA	NA	662.61	662.61	
			11/19/18	NP	7.44	NM	NA	NA	662.72	662.72	
			02/22/19	NP	7.61	18.81	NA	NA	662.55	662.55	
			06/14/19	NP	6.82	14.91	NA	NA	663.34	663.34	
			09/26/19	NP	8.03	14.72	NA	NA	662.13	662.13	
			11/04/19	NP	7.40	18.78	NA	NA	662.76	662.76	
			02/05/20	NP	7.22	NM	NA	NA	662.94	662.94	
			04/01/20	NP	7.31	NM	NA	NA	662.85	662.85	
			05/18/20	NP	7.14	18.84	NA	NA	663.02	663.02	
			08/17/20	NP	7.78	NM	NA	NA	662.38	662.38	
			11/20/20	NP	8.40	NM ⁽⁶⁾	NA	NA	661.76	661.76	
			12/17/20	NP	8.57	18.77	NA	NA	661.59	661.59	
			02/08/21	NP	8.69	18.74	NA	NA	661.47	661.47	
MW-51	671.07	15.0-20.0	03/23/21	NP	8.56	NM	NA	NA	661.60	661.60	
			05/03/21	NP	8.05	18.76	NA	NA	662.11	662.11	
			08/17/21	NP	6.46	18.55	NA	NA	663.70	663.70	
			04/19/17	NP	6.12	19.04	NA	NA	664.95	664.95	
			07/24/17	NP	7.82	18.92	NA	NA	663.25	663.25	
			11/06/17	NP	7.58	18.91	NA	NA	663.49	663.49	
			02/05/18	NP	7.89	18.95	NA	NA	663.18	663.18	
			05/07/18	NP	6.24	18.85	NA	NA	664.83	664.83	
			08/16/18	NP	7.33	NM	NA	NA	663.74	663.74	
			11/19/18	NP	7.05	NM	NA	NA	664.02	664.02	
			03/01/19	NP	7.03	14.56	NA	NA	664.04	664.04	
			06/14/19	NP	6.08	18.89	NA	NA	664.99	664.99	
			09/26/19	NP	7.81	18.91	NA	NA	663.26	663.26	
			11/04/19	NP	7.12	18.88	NA	NA	663.95	663.95	
			02/05/20	NP	8.79	NM	NA	NA	662.28	662.28	
			05/18/20	NP	6.67	18.89	NA	NA	664.40	664.40	
			08/17/20	NP	7.60	NM	NA	NA	663.47	663.47	
			11/20/20	NP	8.19	NM ⁽⁶⁾	NA	NA	662.88	662.88	
			12/17/20	NP	8.12	18.91	NA	NA	662.95	662.95	
			02/08/21	NP	8.31	18.90	NA	NA	662.76	662.76	
MW-52	669.16	15.0-20.0	03/23/21	NP	8.18	NM	NA	NA	662.89	662.89	
			05/03/21	NP	7.88	14.42 ⁽²⁾	NA	NA	663.19	663.19	
			08/17/21	NP	6.37	18.89	NA	NA	664.70	664.70	
			05/09/16	NP	6.39	19.81	NA	NA	662.77	662.77	
			04/19/17	NP	6.59	19.76	NA	NA	662.57	662.57	
			07/24/17	NP	8.33	19.75	NA	NA	660.83	660.83	
			11/06/17	NP	8.87	19.83	NA	NA	660.29	660.29	
			02/05/18	NP	8.43	19.57	NA	NA	660.73	660.73	
			05/07/18	NP	6.57	19.76	NA	NA	662.59	662.59	
			08/16/18	NP	8.30	NM	NA	NA	660.86	660.86	
			11/19/18	NP	7.52	NM	NA	NA	661.64	661.64	
			02/22/19	NP	7.36	19.73	NA	NA	661.80	661.80	
			06/14/19	NP	6.43	19.75	NA	NA	662.73	662.73	
			09/26/19	NP	8.58	19.76	NA	NA	660.58	660.58	
			11/04/19	NP	8.14	19.44	NA	NA	661.02	661.02	
			02/05/20	NP	7.08	NM	NA	NA	662.08	662.08	
			05/18/20	NP	6.80	19.42	NA	NA	662.36	662.36	
			08/17/20	NP	9.38	NM	NA	NA	659.78	659.78	
			11/20/20	NP	8.91	NM ⁽⁶⁾	NA	NA	660.25	660.25	
			12/17/20	NP	8.71	19.78	NA	NA	660.45	660.45	
See Notes on Last Page.											

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-52	669.16	15.0-20.0	02/08/21	NP	8.84	19.78	NA	NA	660.32	660.32
			03/23/21	NP	8.53	NM	NA	NA	660.63	660.63
			05/03/21	NP	8.15	19.77	NA	NA	661.01	661.01
			08/17/21	NP	7.01	19.74	NA	NA	662.15	662.15
MW-53	668.59	16.0-21.0	05/09/16	NP	6.05	20.85	NA	NA	662.54	662.54
			04/18/17	NP	6.03	20.83	NA	NA	662.56	662.56
			07/24/17	NP	7.92	20.63	NA	NA	660.67	660.67
			11/06/17	NP	8.35	21.08	NA	NA	660.24	660.24
			02/05/18	NP	7.98	20.68	NA	NA	660.61	660.61
			05/07/18	NP	6.08	20.81	NA	NA	662.51	662.51
			08/16/18	NP	7.87	NM	NA	NA	660.72	660.72
			11/19/18	NP	7.10	NM	NA	NA	661.49	661.49
			02/22/19	NP	6.73	20.62	NA	NA	661.86	661.86
			06/14/19	NP	5.98	20.62	NA	NA	662.61	662.61
			09/26/19	NP	8.15	20.64	NA	NA	660.44	660.44
			11/04/19	NP	8.23	20.62	NA	NA	660.36	660.36
			02/05/20	NP	6.55	NM	NA	NA	662.04	662.04
			05/18/20	NP	6.19	20.81	NA	NA	662.40	662.40
			08/17/20	NP	7.83	NM	NA	NA	660.76	660.76
			11/20/20	NP	8.48	NM ⁽⁵⁾	NA	NA	660.11	660.11
			12/17/20	NP	8.57	20.65	NA	NA	660.02	660.02
			02/08/21	NP	8.35	20.80	NA	NA	660.24	660.24
			05/03/21	NP	7.63	20.81	NA	NA	660.96	660.96
			08/17/21	NP	6.30	21.79	NA	NA	662.29	662.29
MW-54	668.49	16.0-21.0	04/19/17	NP	6.01	20.86	NA	NA	662.48	662.48
			07/24/17	NP	8.08	20.52	NA	NA	660.41	660.41
			11/06/17	NP	8.17	20.71	NA	NA	660.32	660.32
			02/05/18	NP	7.96	20.56	NA	NA	660.53	660.53
			05/07/18	NP	6.09	20.82	NA	NA	662.40	662.40
			08/16/18	NP	8.01	NM	NA	NA	660.48	660.48
			11/19/18	NP	7.06	NM	NA	NA	661.43	661.43
			02/22/19	Could Not Access Well, covered by ice/snow						
			06/14/19	NP	5.90	20.82	NA	NA	662.59	662.59
			09/26/19	NP	8.54	20.51	NA	NA	659.95	659.95
			11/04/19	NP	7.82	20.85	NA	NA	660.67	660.67
			02/05/20	NP	6.53	NM	NA	NA	661.96	661.96
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	7.95	NM	NA	NA	660.54	660.54
			11/20/20	NP	8.50	NM ⁽⁵⁾	NA	NA	659.99	659.99
			12/17/20	NP	8.34	20.82	NA	NA	660.15	660.15
			02/08/21	NP	8.40	20.81	NA	NA	660.09	660.09
			05/03/21	NP	7.82	20.85	NA	NA	660.67	660.67
			08/17/21	NP	5.92	20.82	NA	NA	662.57	662.57
MW-54S	668.24	4.5-9.5	06/14/19	NP	2.96	9.25	NA	NA	665.28	665.28
			09/26/19	NP	7.56	9.10	NA	NA	660.68	660.68
			11/04/19	NP	4.83	9.28	NA	NA	663.41	663.41
			02/05/20	NP	5.60	NM	NA	NA	662.64	662.64
			05/18/20	NP	3.39	9.28	NA	NA	664.85	664.85
			08/17/20	NP	3.93	NM	NA	NA	664.31	664.31
			11/20/20	NP	7.51	NM ⁽⁵⁾	NA	NA	660.73	660.73
			12/17/20	NP	7.36	9.02	NA	NA	660.88	660.88
			02/08/21	NP	7.56	9.24	NA	NA	660.68	660.68
			03/23/21	NP	7.23	NM	NA	NA	661.01	661.01
			05/03/21	NP	7.01	9.25	NA	NA	661.23	661.23
			08/17/21	NP	5.10	9.25	NA	NA	663.14	663.14
MW-55	670.04	15.0-20.0	04/19/17	NP	6.84	19.82	NA	NA	663.20	663.20
			07/24/17	NP	8.95	19.56	NA	NA	661.09	661.09
			11/06/17	NP	8.98	20.03	NA	NA	661.06	661.06
			02/05/18	NP	8.78	19.64	NA	NA	661.26	661.26
			05/07/18	NP	6.91	19.74	NA	NA	663.13	663.13
			08/16/18	NP	8.66	NM	NA	NA	661.38	661.38
			11/19/18	NP	7.86	NM	NA	NA	662.18	662.18
			02/22/19	NP	7.63	19.55	NA	NA	662.41	662.41
			06/14/19	NP	6.95	19.72	NA	NA	663.09	663.09
			09/26/19	NP	9.20	19.56	NA	NA	660.84	660.84
			11/04/19	NP	8.14	19.73	NA	NA	661.90	661.90
			02/05/20	NP	7.20	NM	NA	NA	662.84	662.84
			05/18/20	NP	6.64	19.72	NA	NA	663.40	663.40
			08/17/20	NP	8.24	NM	NA	NA	661.80	661.80
			11/20/20	NP	9.12	NM ⁽⁵⁾	NA	NA	660.92	660.92
			12/17/20	NP	8.85	19.58	NA	NA	661.19	661.19
			02/08/21	NP	8.98	19.58	NA	NA	661.06	661.06
			03/23/21	NP	7.00	NM	NA	NA	663.04	663.04
			05/03/21	NP	8.55	19.74	NA	NA	661.49	661.49
			08/17/21	NP	6.83	19.72	NA	NA	663.21	663.21
MW-55D	670.17	19.0-24.0	06/14/19	NP	7.04	23.82	NA	NA	663.13	663.13
			09/26/19	NP	9.46	23.65	NA	NA	660.71	660.71
			11/04/19	NP	8.12	23.45	NA	NA	662.05	662.05
			02/05/20	NP	7.59	NM	NA	NA	662.58	662.58
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	8.32	NM	NA	NA	661.85	661.85
			11/20/20	NP	9.22	NM ⁽⁵⁾	NA	NA	660.95	660.95
			12/17/20	NP	8.93	23.56	NA	NA	661.24	661.24
			02/08/21	NP	9.11	23.56	NA	NA	661.06	661.06
			05/03/21	NP	8.62	23.59	NA	NA	661.55	661.55
			08/17/21	NP	6.92	23.59	NA	NA	663.25	663.25
MW-56	670.26	16.0-21.0	04/19/17	NP	6.67	20.69	NA	NA	663.59	663.59
			07/24/17	NP	8.18	20.58	NA	NA	662.08	662.08
			11/06/17	NP	8.37	20.76	NA	NA	661.89	661.89
			02/05/18	NP	8.08	20.59	NA	NA	662.18	662.18
			05/07/18	NP	6.62	26.44	NA	NA	663.64	663.64
			08/16/18	NP	7.95	NM	NA	NA	662.31	662.31
			11/19/18	NP	7.40	NM	NA	NA	662.86	662.86
			02/22/19	NP	7.19	20.39	NA	NA	663.07	663.07
			06/14/19	NP	6.68	20.41	NA	NA	663.58	663.58
			09/26/19	NP	8.32	20.40	NA	NA	661.94	661.94
			11/04/19	NP	7.34	20.35	NA	NA	662.92	662.92
			02/05/20	NP	6.59	NM	NA	NA	663.67	663.67
			05/18/20	NP	6.25	20.32	NA	NA	664.01	664.01
			08/17/20	NP	7.66	NM	NA	NA	662.60	662.60
			11/20/20	NP	8.35	NM ⁽⁵⁾	NA	NA	661.91	661.91
			12/17/20	NP	8.02	20.32	NA	NA	662.24	662.24

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-56	670.26	16.0-21.0	02/08/21	NP	8.16	20.32	NA	NA	662.10	662.10
			03/23/21	NP	7.90	NM	NA	NA	662.36	662.36
			05/03/21	NP	7.75	20.31	NA	NA	662.51	662.51
			08/17/21	NP	6.33	20.28	NA	NA	663.93	663.93
MW-57	668.93	17.0-22.0	04/19/17	NP	5.89	21.72	NA	NA	663.04	663.04
			07/24/17	NP	7.83	21.63	NA	NA	661.10	661.10
			11/06/17	NP	8.12	21.83	NA	NA	660.81	660.81
			02/06/18	NP	7.86	21.80	NA	NA	661.07	661.07
			05/07/18	NP	5.79	21.73	NA	NA	663.14	663.14
			08/16/18	NP	7.59	NM	NA	NA	661.34	661.34
			11/19/18	NP	6.78	NM	NA	NA	662.15	662.15
			02/22/19	NP	6.73	21.66	NA	NA	662.20	662.20
			06/14/19	NP	5.75	21.66	NA	NA	663.18	663.18
			09/26/19	NP	8.03	21.68	NA	NA	660.90	660.90
			11/04/19	NP	7.13	21.71	NA	NA	661.80	661.80
			02/05/20	NP	6.23	NM	NA	NA	662.70	662.70
			05/18/20	NP	5.72	21.66	NA	NA	663.21	663.21
			08/17/20	NP	7.39	NM	NA	NA	661.54	661.54
			11/20/20	NP	8.16	NM ⁽⁵⁾	NA	NA	660.77	660.77
			12/17/20	NP	9.00	21.68	NA	NA	659.93	659.93
			02/08/21	NP	8.09	21.68	NA	NA	660.84	660.84
			03/23/21	NP	7.77	NM	NA	NA	661.16	661.16
			05/03/21	NP	7.46	21.61	NA	NA	661.47	661.47
			08/17/21	NP	5.72	21.68	NA	NA	663.21	663.21
MW-58	668.73	15.0-20.0	05/09/16	NP	3.51	19.74	NA	NA	665.22	665.22
			04/19/17	NP	4.28	19.72	NA	NA	664.45	664.45
			07/24/17	NP	5.68	18.70	NA	NA	663.05	663.05
			11/06/17	NP	5.78	19.69	NA	NA	662.95	662.95
			02/05/18	NP	5.63	19.40	NA	NA	663.10	663.10
			05/07/18	NP	4.01	19.68	NA	NA	664.72	664.72
			08/16/18	NP	5.43	NM	NA	NA	663.30	663.30
			11/19/18	NP	5.03	NM	NA	NA	663.70	663.70
			03/01/19	NP	4.65	19.66	NA	NA	664.08	664.08
			06/14/19	NP	4.12	19.66	NA	NA	664.61	664.61
			09/26/19	NP	5.75	19.64	NA	NA	662.98	662.98
			11/04/19	NP	5.07	19.64	NA	NA	663.66	663.66
			02/05/20	NP	4.16	NM	NA	NA	664.57	664.57
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.23	NM	NA	NA	663.50	663.50
			11/20/20	NP	5.79	NM ⁽⁵⁾	NA	NA	662.94	662.94
			12/17/20	NP	5.57	19.62	NA	NA	663.16	663.16
			02/08/21	NP	5.70	19.62	NA	NA	663.03	663.03
			03/23/21	NP	5.46	NM	NA	NA	663.27	663.27
			05/03/21	NP	5.23	19.61	NA	NA	663.50	663.50
08/17/21	NP	3.97	19.59	NA	NA	664.76	664.76			
MW-62	671.06	16.3-21.3	04/20/17	NP	7.89	21.13	NA	NA	663.17	663.17
			07/24/17	NP	10.11	21.01	NA	NA	660.95	660.95
			11/06/17	NP	9.43	21.14	NA	NA	661.63	661.63
			02/05/18	NP	9.46	21.15	NA	NA	661.60	661.60
			05/07/18	NP	7.72	21.15	NA	NA	663.34	663.34
			08/16/18	NP	8.75	NM	NA	NA	662.31	662.31
			11/19/18	NP	8.46	NM	NA	NA	662.60	662.60
			02/22/19	NP	8.52	21.13	NA	NA	662.54	662.54
			06/14/19	NP	7.87	21.15	NA	NA	663.19	663.19
			09/26/19	NP	9.14	21.12	NA	NA	661.92	661.92
			11/04/19	NP	8.60	21.12	NA	NA	662.46	662.46
			02/05/20	NP	8.23	NM	NA	NA	662.83	662.83
			04/01/20	NP	8.32	NM	NA	NA	662.74	662.74
			05/18/20	NP	8.13	21.12	NA	NA	662.93	662.93
			08/17/20	NP	8.93	NM	NA	NA	662.13	662.13
			11/20/20	NP	9.55	NM ⁽⁵⁾	NA	NA	661.51	661.51
			12/17/20	NP	9.63	21.15	NA	NA	661.43	661.43
			02/08/21	NP	9.73	21.15	NA	NA	661.33	661.33
			03/23/21	NP	9.55	NM	NA	NA	661.51	661.51
			05/03/21	NP	9.10	21.15	NA	NA	661.96	661.96
MW-63	669.96	7.0-12.0	08/17/21	NP	7.65	21.16	NA	NA	663.41	663.41
			04/20/17	NP	7.32	11.75	NA	NA	662.64	662.64
			07/24/17	NP	8.45	11.78	NA	NA	661.51	661.51
			11/06/17	NP	8.18	11.80	NA	NA	661.78	661.78
			02/05/18	NP	8.77	11.80	NA	NA	661.19	661.19
			05/07/18	NP	7.24	11.80	NA	NA	662.72	662.72
			08/16/18	NP	7.82	NM	NA	NA	662.14	662.14
			11/19/18	NP	7.89	NM	NA	NA	662.07	662.07
			02/22/19	NP	8.36	11.79	NA	NA	661.60	661.60
			06/19/19	NP	7.55	11.78	NA	NA	662.41	662.41
			09/26/19	NP	8.22	11.78	NA	NA	661.74	661.74
			11/04/19	NP	7.68	11.77	NA	NA	662.28	662.28
			02/05/20	NP	7.86	NM	NA	NA	662.10	662.10
			04/01/20	NP	7.88	NM	NA	NA	662.08	662.08
			05/18/20	NP	7.60	11.78	NA	NA	662.36	662.36
			08/17/20	NP	7.93	NM	NA	NA	662.03	662.03
			11/20/20	NP	8.52	NM ⁽⁵⁾	NA	NA	661.44	661.44
			12/17/20	NP	8.85	11.80	NA	NA	661.11	661.11
			02/08/21	NP	8.97	11.80	NA	NA	660.99	660.99
			03/23/21	NP	8.89	NM	NA	NA	661.07	661.07
05/03/21	NP	8.16	11.80	NA	NA	661.80	661.80			
08/17/21	NP	6.81	11.81	NA	NA	663.15	663.15			
MW-64	671.09	15.0-20.0	04/20/17	NP	8.55	21.10	NA	NA	662.54	662.54
			07/24/17	NP	9.83	20.05	NA	NA	661.26	661.26
			11/06/17	NP	10.20	20.36	NA	NA	660.89	660.89
			02/06/18	NP	10.14	20.19	NA	NA	660.95	660.95
			05/07/18	NP	8.44	20.05	NA	NA	662.65	662.65
			08/16/18	NP	9.42	NM	NA	NA	661.67	661.67
			11/19/18	NP	9.12	NM	NA	NA	661.97	661.97
			02/28/19	NP	9.05	20.20	NA	NA	662.04	662.04
			06/14/19	NP	8.30	20.00	NA	NA	662.79	662.79
			09/26/19	NP	9.71	20.01	NA	NA	661.38	661.38
			11/04/19	NP	9.45	20.01	NA	NA	661.64	661.64
			02/05/20	NP	8.99	NM	NA	NA	662.10	662.10
			05/18/20	NP	8.79	20.05	NA	NA	662.30	662.30
08/17/20	NP	9.57	NM	NA	NA	661.52	661.52			
See Notes on Last Page.										

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-64	671.09	15.0-20.0	11/20/20	NP	10.18	NM ⁽⁵⁾	NA	NA	660.91	660.91
			12/17/20	NP	10.23	20.02	NA	NA	660.86	660.86
			02/08/21	NP	10.21	20.02	NA	NA	660.88	660.88
			03/23/21	NP	10.05	NM	NA	NA	661.04	661.04
			05/03/21	NP	9.01	20.02	NA	NA	662.08	662.08
			08/17/21	NP	8.59	20.03	NA	NA	662.50	662.5
MW-65	671.98	16.0-21.0	04/20/17	NP	8.26	21.18	NA	NA	663.72	663.72
			07/24/17	NP	9.87	21.11	NA	NA	662.11	662.11
			11/06/17	NP	9.68	21.11	NA	NA	662.30	662.30
			02/05/18	NP	10.05	21.16	NA	NA	661.93	661.93
			05/07/18	NP	8.37	21.04	NA	NA	663.61	663.61
			08/16/18	NP	9.13	NM	NA	NA	662.85	662.85
			11/19/18	NP	9.06	NM	NA	NA	662.92	662.92
			02/28/19	NP	9.49	19.59	NA	NA	662.49	662.49
			06/14/19	NP	8.35	21.10	NA	NA	663.63	663.63
			09/26/19	NP	9.57	21.10	NA	NA	662.41	662.41
			11/04/19	NP	9.07	21.08	NA	NA	662.91	662.91
			02/05/20	NP	8.92	NM	NA	NA	663.06	663.06
			05/18/20	NP	8.84	21.09	NA	NA	663.14	663.14
			08/17/20	NP	9.41	NM	NA	NA	662.57	662.57
			11/20/20	NP	10.01	NM ⁽⁵⁾	NA	NA	661.97	661.97
			12/17/20	NP	10.15	21.12	NA	NA	661.83	661.83
			02/08/21	NP	10.24	21.05	NA	NA	661.74	661.74
			03/23/21	NP	10.20	NM	NA	NA	661.78	661.78
			05/03/21	NP	9.71	21.10	NA	NA	662.27	662.27
			08/17/21	NP	8.15	21.08	NA	NA	663.83	663.83
MW-66	669.83	15.0-20.0	04/20/17	NP	6.55	19.49	NA	NA	663.28	663.28
			07/24/17	NP	7.81	19.35	NA	NA	662.02	662.02
			11/06/17	NP	7.51	19.23	NA	NA	662.32	662.32
			02/05/18	NP	8.03	19.06	NA	NA	661.80	661.80
			05/07/18	NP	6.79	19.02	NA	NA	663.04	663.04
			08/16/18	NP	7.33	NM	NA	NA	662.50	662.50
			11/19/18	NP	7.25	NM	NA	NA	662.58	662.58
			03/04/19	NP	7.65	19.11	NA	NA	662.18	662.18
			06/14/19	NP	6.45	19.00	NA	NA	663.38	663.38
			09/26/19	NP	7.49	19.02	NA	NA	662.34	662.34
			11/04/19	NP	7.03	18.99	NA	NA	662.80	662.80
			02/05/20	NP	7.15	NM	NA	NA	662.68	662.68
			05/18/20	NP	7.03	19.01	NA	NA	662.80	662.80
			08/17/20	NP	7.59	NM	NA	NA	662.24	662.24
			11/20/20	NP	8.01	NM ⁽⁵⁾	NA	NA	661.82	661.82
			12/17/20	NP	8.17	19.01	NA	NA	661.66	661.66
			02/08/21	NP	8.25	18.98	NA	NA	661.58	661.58
			03/23/21	NP	8.25	NM	NA	NA	661.58	661.58
			05/03/21	NP	7.80	18.97	NA	NA	662.03	662.03
			08/17/21	NP	6.41	18.93	NA	NA	663.42	663.42
MW-67	671.32	9.0-14.0	04/20/17	NP	9.44	13.97	NA	NA	661.88	661.88
			07/24/17	NP	9.84	13.84	NA	NA	661.48	661.48
			11/06/17	NP	9.76	14.01	NA	NA	661.56	661.56
			02/05/18	NP	10.00	14.02	NA	NA	661.32	661.32
			05/07/18	NP	9.14	14.01	NA	NA	662.18	662.18
			08/16/18	NP	9.48	NM	NA	NA	661.84	661.84
			11/19/18	NP	9.30	NM	NA	NA	662.02	662.02
			02/28/19	NP	9.89	14.12	NA	NA	661.43	661.43
			06/14/19	NP	9.02	14.03	NA	NA	662.30	662.30
			09/26/19	NP	9.59	14.00	NA	NA	661.73	661.73
			11/04/19	NP	9.38	14.00	NA	NA	661.94	661.94
			02/05/20	NP	9.70	NM	NA	NA	661.62	661.62
			05/18/20	NP	9.57	14.02	NA	NA	661.75	661.75
			08/17/20	NP	9.66	NM	NA	NA	661.66	661.66
			11/20/20	NP	9.95	NM ⁽⁵⁾	NA	NA	661.37	661.37
			12/17/20	NP	10.15	14.50	NA	NA	661.17	661.17
			02/08/21	NP	10.21	14.02	NA	NA	661.11	661.11
			03/23/21	NP	10.28	NM	NA	NA	661.04	661.04
			05/03/21	NP	9.97	14.03	NA	NA	661.35	661.35
			08/17/21	NP	8.70	14.02	NA	NA	662.62	662.62
MW-68	670.71	15.0-20.0	04/20/17	NP	9.39	21.85	NA	NA	661.32	661.32
			07/24/17	NP	9.55	19.86	NA	NA	661.16	661.16
			11/06/17	NP	9.51	19.85	NA	NA	661.20	661.20
			02/05/18	NP	9.68	19.85	NA	NA	661.03	661.03
			05/15/18	NP	8.68	19.82	NA	NA	662.03	662.03
			08/16/18	NP	9.04	NM	NA	NA	661.67	661.67
			11/19/18	NP	9.17	19.79	NA	NA	661.54	661.54
			03/08/19	NP	9.69	15.29	NA	NA	661.02	661.02
			06/14/19	NP	8.75	19.85	NA	NA	661.96	661.96
			09/26/19	NP	9.47	19.79	NA	NA	661.24	661.24
			11/04/19	NP	9.35	19.81	NA	NA	661.36	661.36
			02/05/20	NP	9.58	NM	NA	NA	661.13	661.13
			04/01/20	NP	9.35	NM	NA	NA	661.36	661.36
			05/18/20	NP	9.38	19.80	NA	NA	661.33	661.33
			08/17/20	NP	9.39	NM	NA	NA	661.32	661.32
			11/20/20	NP	9.68	NM ⁽⁵⁾	NA	NA	661.03	661.03
			12/17/20	NP	9.80	19.84	NA	NA	660.91	660.91
			02/08/21	NP	10.00	19.82	NA	NA	660.71	660.71
			03/23/21	NP	10.01	NM	NA	NA	660.70	660.70
			05/03/21	NP	9.77	19.82	NA	NA	660.94	660.94
08/17/21	NP	8.60	19.83	NA	NA	662.11	662.11			
MW-69	670.27	15.0-20.0	04/20/17	NP	9.71	19.91	NA	NA	660.56	660.56
			07/24/17	NP	NM	NM	NA	NA	NM	NM
			11/06/17	NP	9.91	19.98	NA	NA	660.36	660.36
			02/05/18	NP	9.78	20.01	NA	NA	660.49	660.49
			05/07/18	NP	14.78	19.91	NA	NA	655.49	655.49
			08/16/18	NP	8.90	NM	NA	NA	661.37	661.37
			11/19/18	NP	8.79	NM	NA	NA	661.48	661.48
			02/22/19	NP	9.30	19.98	NA	NA	660.97	660.97
			06/14/19	NM	NM	NM	NA	NA	NM	NM
			09/26/19	NP	9.35	19.92	NA	NA	660.92	660.92
			11/04/19	NP	9.46	19.91	NA	NA	660.81	660.81
			02/05/20	NP	9.29	NM	NA	NA	660.98	660.98
			05/18/20	NP	9.28	19.90	NA	NA	660.99	660.99
08/17/20	NP	9.32	NM	NA	NA	660.95	660.95			
See Notes on Last Page.										

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-69	670.27	15.0-20.0	11/20/20	NP	9.80	NM ⁽⁵⁾	NA	NA	660.47	660.47
			12/17/20	NP	9.87	19.94	NA	NA	660.40	660.40
			02/08/21	NP	10.11	19.88	NA	NA	660.16	660.16
			03/23/21	NP	10.29	NM	NA	NA	659.98	659.98
			05/03/21	NP	9.99	19.90	NA	NA	660.28	660.28
			08/17/21	NP	8.95	19.96	NA	NA	661.32	661.32
MW-70	671.36	15.0-20.0	04/20/17	NP	11.46	20.14	NA	NA	659.90	659.90
			07/24/17	NP	11.02	20.18	NA	NA	660.34	660.34
			11/06/17	NP	10.23	20.15	NA	NA	661.13	661.13
			02/05/18	NP	10.74	20.12	NA	NA	660.62	660.62
			05/07/18	NP	9.72	20.13	NA	NA	661.64	661.64
			08/16/18	NP	9.67	NM	NA	NA	661.69	661.69
			11/19/18	NP	10.40	20.09	NA	NA	660.96	660.96
			02/22/19	NP	11.13	15.30	NA	NA	660.23	660.23
			06/14/19	NP	9.82	20.09	NA	NA	661.54	661.54
			09/26/19	NP	10.77	20.11	NA	NA	660.59	660.59
			11/04/19	NP	10.91	20.10	NA	NA	660.45	660.45
			02/05/20	NP	11.50	NM	NA	NA	659.86	659.86
			05/18/20	NP	11.56	20.12	NA	NA	659.80	659.80
			08/17/20	NP	10.93	NM	NA	NA	660.43	660.43
			11/20/20	NP	11.29	NM ⁽⁵⁾	NA	NA	660.07	660.07
			12/17/20	NP	11.68	20.14	NA	NA	659.68	659.68
			02/08/21	NP	11.90	20.11	NA	NA	659.46	659.46
			03/23/21	NP	12.35	NM	NA	NA	659.01	659.01
			05/03/21	NP	11.89	20.11	NA	NA	659.47	659.47
			08/17/21	NP	10.49	20.11	NA	NA	660.87	660.87
MW-71	671.04	15.0-20.0	04/20/17	NP	12.45	20.16	NA	NA	658.59	658.59
			07/24/17	NP	11.84	20.22	NA	NA	659.20	659.20
			11/06/17	NP	10.74	20.21	NA	NA	660.30	660.30
			02/05/18	NP	11.13	20.18	NA	NA	659.91	659.91
			05/07/18	NP	10.23	20.35	NA	NA	660.81	660.81
			08/16/18	NP	9.79	NM	NA	NA	661.25	661.25
			11/19/18	NP	11.03	20.14	NA	NA	660.01	660.01
			02/22/19	NP	11.66	20.24	NA	NA	659.38	659.38
			06/14/19	NP	10.91	20.15	NA	NA	660.13	660.13
			09/26/19	NP	11.12	20.17	NA	NA	659.92	659.92
			11/04/19	NP	11.84	20.15	NA	NA	659.20	659.20
			02/05/20	NP	12.59	NM	NA	NA	658.45	658.45
			04/01/20	NP	12.99	NM	NA	NA	658.05	658.05
			05/18/20	NP	12.89	20.16	NA	NA	658.15	658.15
			08/17/20	NP	11.56	NM	NA	NA	659.48	659.48
			11/20/20	NP	11.79	20.16 ⁽⁵⁾	NA	NA	659.25	659.25
			12/17/20	NP	12.88	20.19	NA	NA	658.16	658.16
			02/08/21	NP	12.64	20.15	NA	NA	658.40	658.40
			03/23/21	NP	13.54	NM	NA	NA	657.50	657.50
			05/03/21	NP	12.88	20.19	NA	NA	658.16	658.16
MW-113	672.44	5.0-10.0	08/17/21	NP	11.28	20.17	NA	NA	659.76	659.76
			09/26/19	NP	5.20	9.56	NA	NA	667.24	667.24
			11/04/19	NP	4.31	9.56	NA	NA	668.13	668.13
			02/05/20	NP	3.83	NM	NA	NA	668.61	668.61
			05/18/20	NP	3.73	9.55	NA	NA	668.71	668.71
			08/17/20	NP	4.74	NM	NA	NA	667.70	667.70
			11/20/20	NP	5.06	NM ⁽⁵⁾	NA	NA	667.38	667.38
			02/08/21	NP	5.14	9.54	NA	NA	667.30	667.30
MW-114	670.80	5.0-10.0	05/03/21	NP	4.76	9.52	NA	NA	667.68	667.68
			08/17/21	NP	3.63	9.54	NA	NA	668.81	668.81
			09/26/19	NP	5.50	9.42	NA	NA	665.30	665.30
			11/04/19	NP	5.39	9.44	NA	NA	665.41	665.41
			02/05/20	NP	5.16	NM	NA	NA	665.64	665.64
			05/18/20	NP	5.04	9.32	NA	NA	665.76	665.76
			08/17/20	Could Not Access Well, safety hazard						
			11/20/20							
02/08/21										
MW-120	670.35	7.0-12.0	05/03/21	NP	4.76	9.52	NA	NA	667.68	667.68
			08/17/21	NP	3.63	9.54	NA	NA	668.81	668.81
			09/26/19	NP	5.50	9.42	NA	NA	665.30	665.30
			11/04/19	NP	5.39	9.44	NA	NA	665.41	665.41
			02/05/20	NP	5.16	NM	NA	NA	665.64	665.64
			05/18/20	NP	5.04	9.32	NA	NA	665.76	665.76
			08/17/20	Could Not Access Well, safety hazard						
			11/20/20							
02/08/21										
MW-122	670.47	16.0-20.0	05/03/21	NP	6.17	11.75	NA	NA	664.18	664.18
			08/17/21	NP	5.01	11.74	NA	NA	665.34	665.34
			09/26/19	NP	10.01	20.70	NA	NA	660.46	660.46
			11/04/19	NP	8.98	20.19	NA	NA	661.49	661.49
			02/05/20	NP	7.97	NM	NA	NA	662.50	662.50
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	9.22	NM	NA	NA	661.25	661.25
			11/20/20	NP	9.96	NM ⁽⁵⁾	NA	NA	660.51	660.51
MW-124	670.24	5.0-10.0	12/17/20	NP	9.67	20.09 ⁽⁵⁾	NA	NA	660.80	660.80
			02/08/21	NP	9.80	20.09	NA	NA	660.67	660.67
			05/03/21	NP	9.34	20.10	NA	NA	661.13	661.13
			08/17/21	NP	7.55	20.09	NA	NA	662.92	662.92
			09/30/19	NP	2.01	9.60	NA	NA	668.23	668.23
			11/04/19	NP	1.17	9.58	NA	NA	669.07	669.07
			02/05/20	Could Not Access Well, covered by storage racks/pallets						
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
MW-194	672.47	12.0-17.0	08/17/20	Could Not Access Well, covered by storage racks/pallets						
			11/20/20	NP	2.02	NM ⁽⁵⁾	NA	NA	668.22	668.22
			02/08/21	Could Not Access Well, covered by storage racks/pallets						
			05/03/21	NP	1.73	9.60	NA	NA	668.51	668.51
			08/17/21	NP	1.94	9.60	NA	NA	668.30	668.30
			11/20/19	NP	2.39	16.15	NA	NA	670.08	670.08
			02/05/20	NP	2.22	NM	NA	NA	670.25	670.25
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
MW-194S	672.67	2.0-7.0	08/17/20	NP	2.42	NM	NA	NA	670.05	670.05
			11/20/20	NP	2.85	NM ⁽⁵⁾	NA	NA	669.62	669.62
			02/08/21	NP	3.16	16.12	NA	NA	669.31	669.31
			05/03/21	NP	3.00	16.11	NA	NA	669.47	669.47
			08/17/21	NP	2.20	16.08	NA	NA	670.27	670.27
MW-194S	672.67	2.0-7.0	11/20/19	NP	2.58	6.53	NA	NA	670.09	670.09
			02/05/20	NP	2.35	NM	NA	NA	670.32	670.32
			05/18/20	NP	2.41	6.50	NA	NA	670.26	670.26
			08/17/20	NP	2.61	NM	NA	NA	670.06	670.06
See Notes on Last Page.										

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-194S	672.67	2.0-7.0	11/20/20	NP	3.04	NM ⁽⁵⁾	NA	NA	669.63	669.63
			02/08/21	NP	3.33	6.45	NA	NA	669.34	669.34
			05/03/21	NP	3.20	6.45	NA	NA	669.47	669.47
			08/17/21	NP	2.32	6.38	NA	NA	670.35	670.35
MW-195S	671.99	2.0-7.0	11/20/19	NP	1.98	6.20	NA	NA	670.01	670.01
			02/05/20	NP	1.77	NM	NA	NA	670.22	670.22
			05/18/20	NP	1.82	6.08	NA	NA	670.17	670.17
			08/17/20	NP	1.97	NM	NA	NA	670.02	670.02
			11/20/20	NP	2.39	NM ⁽⁵⁾	NA	NA	669.60	669.60
			02/08/21	NP	2.68	6.08	NA	NA	669.31	669.31
			05/03/21	NP	2.60	6.06	NA	NA	669.39	669.39
			08/17/21	NP	1.68	6.06	NA	NA	670.31	670.31
MW-196	672.75	12.0-17.0	11/20/19	NP	2.24	17.14	NA	NA	670.51	670.51
			02/05/20	NP	1.87	NM	NA	NA	670.88	670.88
			05/18/20	NP	1.91	17.12	NA	NA	670.84	670.84
			08/17/20	NP	2.29	NM	NA	NA	670.46	670.46
			11/20/20	NP	2.75	NM ⁽⁵⁾	NA	NA	670.00	670.00
			02/08/21	NP	3.01	17.12	NA	NA	669.74	669.74
			05/03/21	NP	2.85	17.10	NA	NA	669.90	669.90
			08/17/21	NP	1.80	17.10	NA	NA	670.95	670.95
MW-196S	673.01	2.0-7.0	11/20/19	NP	2.50	6.55	NA	NA	670.51	670.51
			02/05/20	NP	2.15	NM	NA	NA	670.86	670.86
			05/18/20	NP	2.14	6.52	NA	NA	670.87	670.87
			08/17/20	NP	2.53	NM	NA	NA	670.48	670.48
			11/20/20	NP	3.01	NM ⁽⁵⁾	NA	NA	670.00	670.00
			02/08/21	NP	3.21	6.52	NA	NA	669.80	669.80
			05/03/21	NP	3.10	6.50	NA	NA	669.91	669.91
MW-197S	675.93	3.0-8.0	08/17/21	NP	2.16	6.53	NA	NA	670.85	670.85
			11/25/19	NP	5.02	7.40	NA	NA	670.91	670.91
			02/05/20	NP	4.57	NM	NA	NA	671.36	671.36
			05/18/20	NP	4.52	7.39	NA	NA	671.41	671.41
			08/17/20	NP	5.10	NM	NA	NA	670.83	670.83
			11/20/20	NP	5.69	NM ⁽⁵⁾	NA	NA	670.24	670.24
			02/08/21	NP	5.93	7.39	NA	NA	670.00	670.00
			05/03/21	NP	5.74	7.40	NA	NA	670.19	670.19
MW-198	675.37	12.0-17.0	08/17/21	NP	4.35	7.40	NA	NA	671.58	671.58
			11/25/19	NP	4.28	16.52	NA	NA	671.09	671.09
			02/05/20	NP	3.57	NM	NA	NA	671.80	671.80
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	Could Not Access Well						
			11/20/20	NP	5.01	NM ⁽⁵⁾	NA	NA	670.36	670.36
			02/08/21	NP	4.31	16.52	NA	NA	671.06	671.06
			05/03/21	NP	5.06	16.51	NA	NA	670.31	670.31
MW-198S	675.41	2.5-7.5	08/17/21	NP	4.92	16.48	NA	NA	670.45	670.45
			11/20/19	NP	4.35	7.10	NA	NA	671.06	671.06
			02/05/20	NP	3.61	NM	NA	NA	671.80	671.80
			05/18/20	NP	3.51	7.10	NA	NA	671.90	671.90
			08/17/20	NP	4.25	NM	NA	NA	671.16	671.16
			11/20/20	NP	5.01	NM ⁽⁵⁾	NA	NA	670.40	670.40
			02/08/21	NP	5.29	7.10	NA	NA	670.12	670.12
			05/03/21	NP	5.10	7.10	NA	NA	670.31	670.31
MW-199S	672.10	2.0-7.0	08/17/21	NP	4.90	7.04	NA	NA	670.51	670.51
			11/25/19	NP	1.97	5.82	NA	NA	670.13	670.13
			02/05/20	NP	1.68	NM	NA	NA	670.42	670.42
			05/18/20	NP	1.34	5.82	NA	NA	670.76	670.76
			08/17/20	NP	1.98	NM	NA	NA	670.12	670.12
			11/20/20	NP	2.72	NM ⁽⁵⁾	NA	NA	669.38	669.38
			02/08/21	NP	2.68	5.82	NA	NA	669.42	669.42
			05/03/21	NP	2.30	5.82	NA	NA	669.80	669.80
MW-200	672.42	15.0-20.0	08/17/21	NP	1.20	5.80	NA	NA	670.90	670.90
			11/21/19	NP	6.41	18.80	NA	NA	666.01	666.01
			02/05/20	NP	5.85	NM	NA	NA	666.57	666.57
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	6.34	NM	NA	NA	666.08	666.08
			11/20/20	NP	6.48	NM ⁽⁵⁾	NA	NA	665.94	665.94
			02/08/21	NP	6.41	18.62	NA	NA	666.01	666.01
			05/03/21	NP	6.41	18.60	NA	NA	666.01	666.01
MW-200S	672.54	5.0-10.0	08/17/21	NP	6.43	18.60	NA	NA	665.99	665.99
			11/21/19	NP	6.35	9.58	NA	NA	666.19	666.19
			02/05/20	NP	5.89	NM	NA	NA	666.65	666.65
			05/18/20	NP	5.59	9.54	NA	NA	666.95	666.95
			08/17/20	NP	6.26	NM	NA	NA	666.28	666.28
			11/20/20	NP	6.43	NM ⁽⁵⁾	NA	NA	666.11	666.11
			02/08/21	NP	6.39	9.56	NA	NA	666.15	666.15
			05/03/21	NP	6.30	9.55	NA	NA	666.24	666.24
MW-201	672.22	17.0-22.0	08/17/21	NP	6.38	9.55	NA	NA	666.16	666.16
			11/19/19	NP	5.02	21.47	NA	NA	667.20	667.20
			02/05/20	NP	4.70	NM	NA	NA	667.52	667.52
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	4.98	NM	NA	NA	667.24	667.24
			11/20/20	NP	5.10	NM ⁽⁵⁾	NA	NA	667.12	667.12
			02/08/21	NP	5.02	21.48	NA	NA	667.20	667.20
			05/03/21	NP	4.89	21.48	NA	NA	667.33	667.33
MW-201S	672.30	3.5-8.5	08/17/21	NP	4.90	21.47	NA	NA	667.32	667.32
			11/19/19	NP	5.16	8.13	NA	NA	667.14	667.14
			02/05/20	NP	4.90	NM	NA	NA	667.40	667.40
			05/18/20	NP	4.39	8.14	NA	NA	667.91	667.91
			08/17/20	NP	5.15	NM	NA	NA	667.15	667.15
			11/20/20	NP	5.23	NM ⁽⁵⁾	NA	NA	667.07	667.07
			02/08/21	NP	5.30	8.13	NA	NA	667.00	667.00
			05/03/21	NP	5.04	8.12	NA	NA	667.26	667.26
MW-208S	671.39	9.0-14.0	08/17/21	NP	5.08	8.11	NA	NA	667.22	667.22
			02/05/20	NP	10.07	14.00 ⁽³⁾	NA	NA	661.32	661.32
			05/18/20	NP	10.09	13.59	NA	NA	661.30	661.30
			08/17/20	NP	10.36	NM	NA	NA	661.03	661.03
			11/20/20	NP	10.98	NM ⁽⁵⁾	NA	NA	660.41	660.41
			12/17/20	NP	11.01	13.59	NA	NA	660.38	660.38
			02/08/21	NP	11.28	13.59	NA	NA	660.11	660.11
			05/03/21	NP	11.11	13.61	NA	NA	660.28	660.28
MW-209S	670.88	8.0-13.0	08/17/21	NP	10.01	13.59	NA	NA	661.38	661.38
			02/05/20	NP	9.43	13.00 ⁽³⁾	NA	NA	661.45	661.45
			05/18/20	NP	9.39	12.72	NA	NA	661.49	661.49
			08/17/20	NP	9.80	NM	NA	NA	661.08	661.08
			11/20/20	NP	10.38	NM ⁽⁵⁾	NA	NA	660.50	660.50
			12/17/20	NP	10.41	12.71	NA	NA	660.47	660.47
			02/08/21	NP	10.61	12.71	NA	NA	660.27	660.27
			05/03/21	NP	10.38	12.73	NA	NA	660.50	660.50
MW-209S	670.88	8.0-13.0	08/17/21	NP	9.27	12.71	NA	NA	661.61	661.61

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-210S	671.08	8.0-13.0	02/05/20	NP	9.35	13.00 ⁽³⁾	NA	NA	661.73	661.73
			05/18/20	NP	9.20	12.73	NA	NA	661.88	661.88
			08/17/20	NP	9.85	NM	NA	NA	661.23	661.23
			11/20/20	NP	10.40	NM ⁽⁵⁾	NA	NA	660.68	660.68
			12/17/20	NP	10.40	12.72	NA	NA	660.68	660.68
			02/08/21	NP	10.53	12.72	NA	NA	660.55	660.55
			05/03/21	NP	10.20	12.71	NA	NA	660.88	660.88
			08/17/21	NP	9.20	12.71	NA	NA	661.88	661.88
MW-211S	669.85	7.0-12.0	02/05/20	NP	7.91	12.00 ⁽³⁾	NA	NA	661.94	661.94
			05/18/20	NP	7.76	11.85	NA	NA	662.09	662.09
			08/17/20	NP	8.73	NM	NA	NA	661.12	661.12
			11/20/20	NP	9.34	NM ⁽⁵⁾	NA	NA	660.51	660.51
			12/17/20	NP	9.25	11.84	NA	NA	660.60	660.60
			02/08/21	NP	9.32	11.84	NA	NA	660.53	660.53
			05/03/21	NP	8.70	11.86	NA	NA	661.15	661.15
			08/17/21	NP	7.88	11.65	NA	NA	661.97	661.97
MW-212S	669.45	6.5-11.5	02/05/20	NP	7.39	11.50 ⁽³⁾	NA	NA	662.06	662.06
			05/18/20	NP	7.22	11.17	NA	NA	662.23	662.23
			08/17/20	NP	8.32	NM	NA	NA	661.13	661.13
			11/20/20	NP	8.93	NM ⁽⁵⁾	NA	NA	660.52	660.52
			12/17/20	NP	8.81	11.17	NA	NA	660.64	660.64
			02/08/21	NP	8.90	11.17	NA	NA	660.55	660.55
			05/03/21	NP	8.13	11.15	NA	NA	661.32	661.32
			08/17/21	NP	7.36	11.16	NA	NA	662.09	662.09
MW-213S	669.10	6.0-11.0	02/05/20	NP	7.02	11.00 ⁽³⁾	NA	NA	662.08	662.08
			05/18/20	NP	6.90	10.83	NA	NA	662.20	662.20
			08/17/20	NP	8.08	NM	NA	NA	661.02	661.02
			11/20/20	NP	8.66	NM ⁽⁵⁾	NA	NA	660.44	660.44
			12/17/20	NP	8.52	10.83	NA	NA	660.58	660.58
			02/08/21	NP	8.59	10.83	NA	NA	660.51	660.51
			05/03/21	NP	7.83	10.82	NA	NA	661.27	661.27
			08/17/21	NP	7.04	10.82	NA	NA	662.06	662.06
MW-218S	671.68	9.0-14.0	02/05/20	NP	9.97	14.00 ⁽³⁾	NA	NA	661.71	661.71
			05/18/20	NP	10.26	13.19	NA	NA	661.42	661.42
			08/17/20	NP	10.38	NM	NA	NA	661.30	661.30
			11/20/20	NP	11.01	NM ⁽⁵⁾	NA	NA	660.67	660.67
			12/17/20	NP	11.10	13.16	NA	NA	660.58	660.58
			02/08/21	NP	11.39	13.15	NA	NA	660.29	660.29
			05/03/21	NP	11.31	13.19	NA	NA	660.37	660.37
			08/17/21	NP	10.89	13.08	NA	NA	660.79	660.79
MW-219S	669.63	7.0-12.0	02/05/20	NP	7.14	12.00 ⁽³⁾	NA	NA	662.49	662.49
			05/18/20	NP	7.36	11.30	NA	NA	662.27	662.27
			08/17/20	NP	7.47	NM	NA	NA	662.16	662.16
			11/20/20	NP	8.04	NM ⁽⁵⁾	NA	NA	661.59	661.59
			12/17/20	NP	8.06	11.32	NA	NA	661.57	661.57
			02/08/21	NP	8.46	11.31	NA	NA	661.17	661.17
			05/03/21	NP	8.42	11.31	NA	NA	661.21	661.21
			08/17/21	NP	7.82	11.30	NA	NA	661.81	661.81
MW-220S	672.38	6.0-11.0	02/05/20	NP	7.62	11.00 ⁽³⁾	NA	NA	664.76	664.76
			05/19/20	NP	7.64	10.44	NA	NA	664.74	664.74
			08/17/20	NP	8.15	NM	NA	NA	664.23	664.23
			11/20/20	NP	8.64	NM ⁽⁵⁾	NA	NA	663.74	663.74
			02/08/21	NP	8.72	10.40	NA	NA	663.66	663.66
			05/03/21	NP	8.83	10.40	NA	NA	663.55	663.55
			08/17/21	NP	8.19	10.40	NA	NA	664.19	664.19
			02/05/20	NP	6.01	11.50 ⁽³⁾	NA	NA	666.84	666.84
MW-221S	672.85	6.5-11.5	05/18/20	NP	6.09	10.99	NA	NA	666.76	666.76
			08/17/20	NP	6.46	NM	NA	NA	666.39	666.39
			11/20/20	NP	6.48	NM ⁽⁵⁾	NA	NA	666.37	666.37
			02/08/21	NP	6.48	10.97	NA	NA	666.37	666.37
			05/03/21	NP	6.35	10.96	NA	NA	666.50	666.50
			08/17/21	NP	6.30	10.94	NA	NA	666.55	666.55
			02/05/20	NP	8.38	10.50 ⁽³⁾	NA	NA	663.39	663.39
			05/18/20	NP	5.85	9.50	NA	NA	665.92	665.92
MW-222S	671.77	5.5-10.5	08/17/20	NP	6.16	NM	NA	NA	665.61	665.61
			11/20/20	NP	6.61	NM ⁽⁵⁾	NA	NA	665.16	665.16
			02/08/21	NP	6.65	9.45	NA	NA	665.12	665.12
			05/03/21	NP	6.89	9.48	NA	NA	664.88	664.88
			08/17/21	NP	5.90	9.45	NA	NA	665.87	665.87
			02/05/20	NP	8.35	12.00 ⁽³⁾	NA	NA	668.61	668.61
			05/18/20	NP	8.40	11.52	NA	NA	668.56	668.56
			08/17/20	NP	8.87	NM	NA	NA	668.09	668.09
MW-224S	676.96	7.0-12.0	11/20/20	NP	9.13	NM ⁽⁵⁾	NA	NA	667.83	667.83
			02/08/21	NP	9.33	11.51	NA	NA	667.63	667.63
			05/03/21	NP	9.20	11.50	NA	NA	667.76	667.76
			08/17/21	NP	8.41	11.50	NA	NA	668.55	668.55
			07/24/17	NP	9.04	21.58	NA	NA	661.19	661.19
			11/06/17	NP	8.45	21.58	NA	NA	661.78	661.78
			02/05/18	NP	8.70	21.62	NA	NA	661.53	661.53
			05/07/18	NP	7.24	21.44	NA	NA	662.99	662.99
PW-16-01	670.23	9.7-19.7	08/16/18	NP	7.56	NM	NA	NA	662.67	662.67
			11/19/18	NP	8.00	NM	NA	NA	662.23	662.23
			02/22/19	NP	8.71	21.60	NA	NA	661.52	661.52
			06/14/19	NP	7.40	21.45	NA	NA	662.83	662.83
			09/26/19	NP	8.46	21.47	NA	NA	661.77	661.77
			11/04/19	NP	8.61	21.57	NA	NA	661.62	661.62
			02/05/20	NP	8.65	NM	NA	NA	661.58	661.58
			05/18/20	NP	8.85	21.56	NA	NA	661.38	661.38
			08/17/20	NP	8.55	NM	NA	NA	661.68	661.68
			11/20/20	NP	9.05	NM ⁽⁵⁾	NA	NA	661.18	661.18
			12/17/20	NP	9.21	21.56	NA	NA	661.02	661.02
			02/08/21	NP	9.46	21.42	NA	NA	660.77	660.77
			05/03/21	NP	9.54	21.49	NA	NA	660.69	660.69
			08/17/21	NP	8.27	21.43	NA	NA	661.96	661.96
			07/24/17	NP	6.77	8.36	NA	NA	663.20	663.20
			11/06/17	NP	6.54	23.79	NA	NA	663.43	663.43
			02/05/18	NP	6.65	24.55	NA	NA	663.32	663.32
			05/07/18	NP	4.85	23.65	NA	NA	665.12	665.12
			08/16/18	NP	6.40	NM	NA	NA	663.57	663.57
			11/19/18	NP	5.72	NM	NA	NA	664.25	664.25
PW-16-02	669.97	6.0-21.0	02/25/19	NP	5.29	23.69	NA	NA	664.68	664.68
			06/14/19	NP	4.78	23.78	NA	NA	665.19	665.19
			09/26/19	NP	6.75	23.70	NA	NA	663.22	663.22
			11/04/19	NP	6.05	23.72	NA	NA	663.92	663.92
			02/05/20	NP	5.20	NM	NA	NA	664.77	664.77
			05/18/20	NP	4.90	23.85	NA	NA	665.07	665.07
			08/17/20	NP	6.25	NM	NA	NA	663.72	663.72
See Notes on Last Page.										

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
PW-16-02	669.97	6.0-21.0	11/20/20	NP	6.42	NM ⁽⁵⁾	NA	NA	663.55	663.55
			12/17/20	NP	6.60	23.79	NA	NA	663.37	663.37
			02/08/21	NP	6.78	23.80	NA	NA	663.19	663.19
			05/03/21	NP	6.35	23.82	NA	NA	663.62	663.62
			08/17/21	NP	5.01	23.65	NA	NA	664.96	664.96
TW-16-01	669.53	12.0-17.0	07/24/17	NP	8.36	16.80	NA	NA	661.17	661.17
			11/06/17	NP	7.68	16.64	NA	NA	661.85	661.85
			02/05/18	NP	7.91	16.87	NA	NA	661.62	661.62
			05/07/18	NP	6.87	16.64	NA	NA	662.66	662.66
			08/16/18	NP	6.78	NM	NA	NA	662.75	662.75
			11/19/18	NP	7.14	NM	NA	NA	662.39	662.39
			02/22/19	NP	7.91	16.62	NA	NA	661.62	661.62
			06/14/19	NP	6.59	16.62	NA	NA	662.94	662.94
			09/26/19	NP	7.71	16.80	NA	NA	661.82	661.82
			11/04/19	NP	7.58	16.80	NA	NA	661.95	661.95
			02/05/20	NP	7.93	NM	NA	NA	661.60	661.60
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	7.77	NM	NA	NA	661.76	661.76
			11/20/20	NP	8.26	NM ⁽⁵⁾	NA	NA	661.27	661.27
			12/17/20	NP	8.34	16.65	NA	NA	661.19	661.19
			02/08/21	NP	8.68	16.78	NA	NA	660.85	660.85
			03/23/21	NP	8.99	NM	NA	NA	660.54	660.54
			05/03/21	NP	8.69	16.79	NA	NA	660.84	660.84
			08/17/21	NP	7.48	16.79	NA	NA	662.05	662.05
			TW-16-02	669.43	12.0-17.0	04/20/17	NP	4.48	18.85	NA
07/24/17	NP	8.00				17.14	NA	NA	661.43	661.43
11/06/17	NP	7.48				17.17	NA	NA	661.95	661.95
02/05/18	NP	7.71				17.15	NA	NA	661.72	661.72
05/07/18	NP	6.85				16.91	NA	NA	662.58	662.58
08/16/18	NP	6.62				NM	NA	NA	662.81	662.81
11/19/18	NP	6.94				NM	NA	NA	662.49	662.49
02/22/19	NP	7.67				17.13	NA	NA	661.76	661.76
06/14/19	NP	6.36				16.89	NA	NA	663.07	663.07
09/26/19	NP	7.50				17.15	NA	NA	661.93	661.93
11/04/19	NP	7.43				17.12	NA	NA	662.00	662.00
02/05/20	NP	7.65				NM	NA	NA	661.78	661.78
05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾				NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
08/17/20	NP	7.60				NM	NA	NA	661.83	661.83
11/20/20	NP	8.09				NM ⁽⁵⁾	NA	NA	661.34	661.34
12/17/20	NP	8.16				17.21	NA	NA	661.27	661.27
02/08/21	NP	8.44				17.14	NA	NA	660.99	660.99
05/03/21	NP	8.42				16.89	NA	NA	661.01	661.01
08/17/21	NP	7.30				17.15	NA	NA	662.13	662.13
TW-16-03	669.34	9.0-19.0				07/24/17	NP	6.10	18.65	NA
			11/06/17	NP	6.00	18.65	NA	NA	663.34	663.34
			02/05/18	NP	6.05	18.75	NA	NA	663.29	663.29
			05/07/18	NP	4.29	18.72	NA	NA	665.05	665.05
			08/16/18	NP	5.79	NM	NA	NA	663.55	663.55
			11/19/18	NP	5.13	NM	NA	NA	664.21	664.21
			02/25/19	NP	4.74	18.89	NA	NA	664.60	664.60
			06/14/19	NP	4.22	18.74	NA	NA	665.12	665.12
			09/26/19	NP	6.16	18.65	NA	NA	663.18	663.18
			11/04/19	NP	5.44	18.33	NA	NA	663.90	663.90
			02/05/20	NP	4.58	NM	NA	NA	664.76	664.76
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	4.60	NM	NA	NA	664.74	664.74
			11/20/20	NP	6.19	NM ⁽⁵⁾	NA	NA	663.15	663.15
			12/17/20	NP	5.99	18.67	NA	NA	663.35	663.35
			02/08/21	NP	6.12	18.65	NA	NA	663.22	663.22
			03/23/21	NP	5.92	NM	NA	NA	663.42	663.42
			05/03/21	NP	5.67	18.64	NA	NA	663.67	663.67
			08/17/21	NP	4.43	18.74	NA	NA	664.91	664.91
			TW-16-04	669.80	9.0-19.0	04/20/17	NP	4.90	19.02	NA
07/24/17	NP	6.46				18.93	NA	NA	663.34	663.34
11/06/17	NP	6.36				18.93	NA	NA	663.44	663.44
02/05/18	NP	6.43				18.73	NA	NA	663.37	663.37
05/07/18	NP	4.65				18.90	NA	NA	665.15	665.15
08/16/18	NP	6.17				NM	NA	NA	663.63	663.63
11/19/18	NP	5.59				NM	NA	NA	664.21	664.21
02/25/19	NP	5.10				18.92	NA	NA	664.70	664.70
06/14/19	NP	4.61				18.71	NA	NA	665.19	665.19
09/26/19	NP	6.53				18.93	NA	NA	663.27	663.27
11/04/19	NP	5.89				18.91	NA	NA	663.91	663.91
02/05/20	NP	4.98				NM	NA	NA	664.82	664.82
05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾				NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
08/17/20	NP	5.00				NM	NA	NA	664.80	664.80
11/20/20	NP	6.51				NM ⁽⁵⁾	NA	NA	663.29	663.29
12/17/20	NP	6.31				18.94	NA	NA	663.49	663.49
02/08/21	NP	6.45				18.72	NA	NA	663.35	663.35
05/03/21	NP	6.10				18.90	NA	NA	663.70	663.70
08/17/21	NP	4.83				18.91	NA	NA	664.97	664.97
PZ-01	670.88	15.0-20.0				02/22/19	NP	8.64	19.42	NA
			06/14/19	NP	7.84	19.42	NA	NA	663.04	663.04
			09/26/19	NP	9.57	19.43	NA	NA	661.31	661.31
			11/04/19	NP	9.07	19.43	NA	NA	661.81	661.81
			02/05/20	NP	8.44	NM	NA	NA	662.44	662.44
			04/01/20	NP	8.44	NM	NA	NA	662.44	662.44
			05/18/20	NP	8.25	19.44	NA	NA	662.63	662.63
			08/17/20	NP	9.35	NM	NA	NA	661.53	661.53
			11/20/20	NP	9.95	19.43 ⁽⁵⁾	NA	NA	660.93	660.93
			12/17/20	NP	9.90	19.45	NA	NA	660.98	660.98
			02/08/21	NP	9.96	19.44	NA	NA	660.92	660.92
			03/23/21	NP	9.74	NM	NA	NA	661.14	661.14
			05/03/21	NP	9.14	19.44	NA	NA	661.74	661.74
			08/17/21	NP	8.18	19.38	NA	NA	662.70	662.70
PZ-02	670.67	15.0-20.0	02/22/19	NP	8.90	19.70	NA	NA	661.77	661.77
			06/14/19	NP	8.06	19.70	NA	NA	662.61	662.61
			09/26/19	NP	9.20	19.72	NA	NA	661.47	661.47
			11/04/19	NP	9.15	19.70	NA	NA	661.52	661.52
			02/05/20	NP	9.09	NM	NA	NA	661.58	661.58
			05/18/20	NP	8.68	19.71	NA	NA	661.99	661.99
			08/17/20	NP	9.24	NM	NA	NA	661.43	661.43
See Notes on Last Page.										

Table 1
On-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
PZ-02	670.67	15.0-20.0	11/20/20	NP	9.78	19.71 ⁽⁵⁾	NA	NA	660.89	660.89
			12/17/20	NP	9.74	19.72	NA	NA	660.93	660.93
			02/08/21	NM	NM	NM	NA	NA	NM	NM
			03/23/21	NP	9.77	NM	NA	NA	660.90	660.90
			05/03/21	NP	9.23	19.73	NA	NA	661.44	661.44
			08/17/21	NP	8.45	19.71	NA	NA	662.22	662.22
PZ-03	670.62	15.0-20.0	02/22/19	NP	9.23	19.68	NA	NA	661.39	661.39
			06/14/19	NP	8.31	19.68	NA	NA	662.31	662.31
			09/26/19	NP	9.48	19.67	NA	NA	661.14	661.14
			11/04/19	NP	9.49	19.68	NA	NA	661.13	661.13
			02/05/20	NP	9.35	NM	NA	NA	661.27	661.27
			04/01/20	NP	9.43	NM	NA	NA	661.19	661.19
			05/18/20	NP	9.24	19.69	NA	NA	661.38	661.38
			08/17/20	NP	9.53	NM	NA	NA	661.09	661.09
			11/20/20	NP	9.95	19.67 ⁽⁵⁾	NA	NA	660.67	660.67
			12/17/20	NP	9.98	19.70	NA	NA	660.64	660.64
			02/08/21	NP	10.16	19.70	NA	NA	660.46	660.46
			03/23/21	NP	10.22	NM	NA	NA	660.40	660.40
			05/03/21	NP	9.96	19.71	NA	NA	660.66	660.66
			08/17/21	NP	8.98	19.70	NA	NA	661.64	661.64
			02/22/19	NP	10.18	19.75	NA	NA	660.85	660.85
PZ-04	671.032	16.0-21.0	06/14/19	NP	9.26	20.73	NA	NA	661.77	661.77
			09/26/19	NP	10.56	20.77	NA	NA	660.47	660.47
			11/04/19	NP	12.22	19.74 ⁽²⁾	NA	NA	658.81	658.81
			02/05/20	NP	10.12	NM	NA	NA	660.91	660.91
			05/18/20	NP	10.67	20.64	NA	NA	660.36	660.36
			08/17/20	NP	10.25	NM	NA	NA	660.78	660.78
			11/20/20	NP	10.74	NM ⁽⁵⁾	NA	NA	660.29	660.29
			12/17/20	NP	11.54	20.74	NA	NA	659.49	659.49
			02/08/21	NM	NM	NM	NA	NA	NM	NM
			03/23/21	NP	11.30	NM	NA	NA	659.73	659.73
			05/03/21	NP	11.15	20.73	NA	NA	659.88	659.88
			08/17/21	NP	10.01	20.69	NA	NA	661.02	661.02
			02/22/19	NP	10.60	19.63	NA	NA	660.32	660.32
			06/14/19	NP	9.52	19.64	NA	NA	661.40	661.40
			09/26/19	NP	10.25	19.62	NA	NA	660.67	660.67
PZ-05	670.92	15.0-20.0	11/04/19	NP	10.42	19.63	NA	NA	660.50	660.50
			02/05/20	NP	10.85	NM	NA	NA	660.07	660.07
			04/01/20	NP	11.15	NM	NA	NA	659.77	659.77
			05/18/20	NP	11.03	19.63	NA	NA	659.89	659.89
			08/17/20	NP	10.40	NM	NA	NA	660.52	660.52
			11/20/20	NP	10.85	19.61 ⁽⁵⁾	NA	NA	660.07	660.07
			12/17/20	NP	11.32	19.65	NA	NA	659.60	659.60
			02/08/21	NP	11.57	19.63	NA	NA	659.35	659.35
			03/23/21	NP	11.99	NM	NA	NA	658.93	658.93
			05/03/21	NP	11.64	19.62	NA	NA	659.28	659.28
			08/17/21	NP	10.21	19.61	NA	NA	660.71	660.71
			02/22/19	NP	10.85	20.97	NA	NA	660.97	660.97
			06/14/19	NP	9.37	20.98	NA	NA	662.45	662.45
			09/26/19	NP	9.94	20.97	NA	NA	661.88	661.88
			11/04/19	NP	9.53	20.92	NA	NA	662.29	662.29
PZ-06	671.82	16.0-21.0	02/05/20	NP	10.06	NM	NA	NA	661.76	661.76
			04/01/20	NP	10.00	NM	NA	NA	661.82	661.82
			05/18/20	NP	9.64	20.98	NA	NA	662.18	662.18
			08/17/20	NP	10.10	NM	NA	NA	661.72	661.72
			11/20/20	NP	10.53	20.98 ⁽⁵⁾	NA	NA	661.29	661.29
			12/17/20	NP	10.83	21.00	NA	NA	660.99	660.99
			02/08/21	NP	10.98	21.00	NA	NA	660.84	660.84
			03/23/21	NP	10.89	NM	NA	NA	660.93	660.93
			05/03/21	NP	10.18	21.17	NA	NA	661.64	661.64
			08/17/21	NP	9.03	21.03	NA	NA	662.79	662.79
			02/22/19	NP	9.49	19.78	NA	NA	661.38	661.38
			06/14/19	NP	8.41	19.79	NA	NA	662.46	662.46
			09/26/19	NP	9.09	19.79	NA	NA	661.78	661.78
			11/04/19	NP	8.73	19.77	NA	NA	662.14	662.14
			02/05/20	NP	9.11	NM	NA	NA	661.76	661.76
PZ-07	670.87	15.0-20.0	04/01/20	NP	9.11	NM	NA	NA	661.76	661.76
			05/18/20	NP	8.77	19.79	NA	NA	662.10	662.10
			08/17/20	NP	9.22	NM	NA	NA	661.65	661.65
			11/20/20	NP	9.66	19.77 ⁽⁵⁾	NA	NA	661.21	661.21
			12/17/20	NP	9.87	19.82	NA	NA	661.00	661.00
			02/08/21	NP	10.05	19.80	NA	NA	660.82	660.82
			03/23/21	NP	9.97	NM	NA	NA	660.90	660.90
			05/03/21	NP	9.24	20.00	NA	NA	661.63	661.63
			08/17/21	NP	8.24	19.78	NA	NA	662.63	662.63
			02/22/19	NP	5.85	19.50	NA	NA	662.77	662.77
			06/14/19	NP	5.31	19.85	NA	NA	663.31	663.31
			09/26/19	NP	7.01	19.88	NA	NA	661.61	661.61
			11/04/19	NP	6.18	19.85	NA	NA	662.44	662.44
			02/05/20	NP	5.46	NM	NA	NA	663.16	663.16
			04/01/20	NP	5.42	NM	NA	NA	663.20	663.20
PZ-08	668.62	15.0-20.0	05/18/20	NP	5.28	19.84	NA	NA	663.34	663.34
			08/17/20	NP	6.55	NM	NA	NA	662.07	662.07
			11/20/20	NP	7.23	19.85 ⁽⁵⁾	NA	NA	661.39	661.39
			12/17/20	NP	7.20	19.88	NA	NA	661.42	661.42
			02/08/21	NP	7.33	19.88	NA	NA	661.29	661.29
			03/23/21	NP	7.07	NM	NA	NA	661.55	661.55
			05/03/21	NP	6.75	19.88	NA	NA	661.87	661.87
			08/17/21	NP	5.14	16.88	NA	NA	663.48	663.48
			03/08/19	NP	10.36	19.75	NA	NA	661.55	661.55
			06/14/19	NP	9.47	19.74	NA	NA	662.44	662.44
			09/26/19	NP	10.02	19.76	NA	NA	661.89	661.89
			11/04/19	NP	9.76	19.77	NA	NA	662.15	662.15
			02/05/20	NP	10.12	NM	NA	NA	661.79	661.79
			04/01/20	NP	10.15	NM	NA	NA	661.76	661.76
			05/18/20	NP	9.98	19.75	NA	NA	661.93	661.93
PZ-09	671.91	15.0-20.0	08/17/20	NP	10.15	NM	NA	NA	661.76	661.76
			11/20/20	NP	10.45	19.73 ⁽⁵⁾	NA	NA	661.46	661.46
			12/17/20	NP	10.52	19.73	NA	NA	661.39	661.39
			02/08/21	NP	10.72	19.75	NA	NA	661.19	661.19
			03/23/21	NP	10.78	NM	NA	NA	661.13	661.13
			05/03/21	NP	10.42	19.75	NA	NA	661.49	661.49
			08/17/21	NP	9.15	19.74	NA	NA	662.76	662.76

See Notes on Last Page.

Well ID	TOC Elevation ⁽¹⁾ (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
PZ-10	671.42	15.0-20.0	02/22/19	NP	10.39	19.76	NA	NA	661.03	661.03
			06/14/19	NP	9.59	19.77	NA	NA	661.83	661.83
			09/26/19	NP	10.13	19.78	NA	NA	661.29	661.29
			11/04/19	NP	9.93	19.77	NA	NA	661.49	661.49
			02/05/20	NP	10.19	NM	NA	NA	661.23	661.23
			04/01/20	NP	9.75	NM	NA	NA	661.67	661.67
			05/18/20	NP	9.95	17.71	NA	NA	661.47	661.47
			08/17/20	NP	10.00	NM	NA	NA	661.42	661.42
			11/20/20	NP	10.26	19.76 ⁽⁵⁾	NA	NA	661.16	661.16
			12/17/20	NP	10.37	19.78	NA	NA	661.05	661.05
			02/08/21	NP	10.55	19.78	NA	NA	660.87	660.87
			03/23/21	NP	10.54	NM	NA	NA	660.88	660.88
			05/03/21	NP	10.28	19.78	NA	NA	661.14	661.14
			08/17/21	NP	9.88	19.78	NA	NA	661.54	661.54
			02/22/19	NP	10.72	19.83	NA	NA	660.34	660.34
PZ-11	671.06	15.0-20.0	06/14/19	NP	9.52	19.83	NA	NA	661.54	661.54
			09/26/19	NP	10.38	19.83	NA	NA	660.68	660.68
			11/04/19	NP	10.40	19.82	NA	NA	660.66	660.66
			02/05/20	NP	10.83	NM	NA	NA	660.23	660.23
			04/01/20	NP	10.52	NM	NA	NA	660.54	660.54
			05/18/20	NP	10.64	19.83	NA	NA	660.42	660.42
			08/17/20	NP	10.44	NM	NA	NA	660.62	660.62
			11/20/20	NP	10.71	19.84 ⁽⁵⁾	NA	NA	660.35	660.35
			12/17/20	NP	10.90	19.85	NA	NA	660.16	660.16
			02/08/21	NP	11.15	19.83	NA	NA	659.91	659.91
			03/23/21	NP	11.29	NM	NA	NA	659.77	659.77
			05/03/21	NP	11.00	19.85	NA	NA	660.06	660.06
			08/17/21	NP	9.78	19.85	NA	NA	661.28	661.28
			02/22/19	NP	11.74	19.65	NA	NA	659.55	659.55
			06/14/19	NP	10.63	19.62	NA	NA	660.66	660.66
PZ-12	671.29	15.0-20.0	09/26/19	NP	11.20	19.62	NA	NA	660.09	660.09
			11/04/19	NP	11.89	19.63	NA	NA	659.40	659.40
			02/05/20	NP	12.53	NM	NA	NA	658.76	658.76
			04/01/20	NP	12.01	NM	NA	NA	659.28	659.28
			05/18/20	NP	12.88	19.64	NA	NA	658.41	658.41
			08/17/20	NP	11.49	NM	NA	NA	659.80	659.80
			11/20/20	NP	11.97	19.56 ⁽⁵⁾	NA	NA	659.32	659.32
			12/17/20	NP	12.86	19.66	NA	NA	658.43	658.43
			02/08/21	NP	12.76	19.60	NA	NA	658.53	658.53
			03/23/21	NP	13.76	NM	NA	NA	657.53	657.53
			05/03/21	NP	13.10	19.65	NA	NA	658.19	658.19
			08/17/21	NP	11.50	19.63	NA	NA	659.79	659.79
			02/22/19	NP	10.46	18.77	NA	NA	660.75	660.75
			06/14/19	NP	9.60	19.73	NA	NA	661.61	661.61
			09/26/19	NP	10.21	18.76	NA	NA	661.00	661.00
PZ-13	671.21	15.0-20.0	11/04/19	NP	10.02	18.74	NA	NA	661.19	661.19
			02/05/20	NP	10.34	NM	NA	NA	660.87	660.87
			04/01/20	NP	9.76	NM	NA	NA	661.45	661.45
			05/18/20	NP	10.06	18.72	NA	NA	661.15	661.15
			08/17/20	NP	10.06	NM	NA	NA	661.15	661.15
			11/20/20	NP	10.31	18.72 ⁽⁵⁾	NA	NA	660.90	660.90
			12/17/20	NP	10.49	18.77	NA	NA	660.72	660.72
			02/08/21	NP	10.65	18.78	NA	NA	660.56	660.56
			03/23/21	NP	10.67	NM	NA	NA	660.54	660.54
			05/03/21	NP	10.38	18.75	NA	NA	660.83	660.83
			08/17/21	NP	9.25	18.76	NA	NA	661.96	661.96
			06/14/19	NP	6.45	17.84	NA	NA	663.81	663.81
			09/26/19	NP	7.81	17.84	NA	NA	662.45	662.45
			11/04/19	NP	7.16	17.84	NA	NA	663.10	663.10
			02/05/20	NP	6.60	NM	NA	NA	663.66	663.66
PZ-14	670.26	13.0-18.0	05/18/20	6.30	6.40	17.85	663.96	0.10	663.86	663.94
			08/17/20	NP	7.57	NM	NA	NA	662.69	662.69
			11/20/20	NP	8.15	17.84 ⁽⁵⁾	NA	NA	662.11	662.11
			12/17/20	NP	8.22	17.86	NA	NA	662.04	662.04
			02/08/21	NP	8.29	17.83	NA	NA	661.97	661.97
			03/23/21	NP	8.12	NM	NA	NA	662.14	662.14
			05/03/21	NP	7.75	17.85	NA	NA	662.51	662.51
			08/17/21	NP	6.13	17.84	NA	NA	664.13	664.13
			06/14/19	NP	5.56	17.32	NA	NA	663.72	663.72
			09/26/19	NP	7.34	17.28	NA	NA	661.94	661.94
			11/04/19	NP	6.41	17.24	NA	NA	662.87	662.87
			02/05/20	NP	5.73	NM	NA	NA	663.55	663.55
			04/01/20	NP	5.54	NM	NA	NA	663.74	663.74
			05/18/20	NP	5.46	17.27	NA	NA	663.82	663.82
			08/17/20	NP	6.75	NM	NA	NA	662.53	662.53
PZ-15	669.28	13.0-18.0	11/20/20	NP	7.51	17.25 ⁽⁵⁾	NA	NA	661.77	661.77
			12/17/20	NP	7.37	17.27	NA	NA	661.91	661.91
			02/08/21	NP	7.55	17.27	NA	NA	661.73	661.73
			03/23/21	NP	7.26	NM	NA	NA	662.02	662.02
			05/03/21	NP	7.13	17.48	NA	NA	662.15	662.15
			08/17/21	NP	5.33	17.28	NA	NA	663.95	663.95
			06/14/19	NP	7.34	17.28	NA	NA	661.94	661.94
			11/04/19	NP	6.41	17.24	NA	NA	662.87	662.87
			02/05/20	NP	5.73	NM	NA	NA	663.55	663.55
			04/01/20	NP	5.54	NM	NA	NA	663.74	663.74

Notes:
Water level measurements collected from top of well casing.
Total depth measurements not collected if product is present in well.
⁽¹⁾ TOC elevation re-surveyed on October 12-13 and/or November 20, 2017 by Geodetic Designs Inc. Monitoring well TOC surveyed for MW-21, MW-22, and MW-194 through MW-201S on 11/12/2019 after reinstallation or repairs.
⁽²⁾ Monitoring well total depth incorrect due to field measurement error. Confirmed during sampling of the monitoring well.
⁽³⁾ Monitoring well total depth not measured. Measurement shown is based on the recorded well screen depth from the well construction log.
⁽⁴⁾ Monitoring well not measured during second quarter of 2020.
⁽⁵⁾ Monitoring well total depth not measured from all wells during fourth quarter of 2020.

* Monitoring well TOC unable to be re-surveyed due to access restrictions.
** Unable to calculate a corrected groundwater elevation due to LNAPL thickness throughout well screen.

Abbreviations:
EGLE Michigan Department of Environment, Great Lakes, and Energy
ft. feet
ft. amsl feet above mean sea level
ft. bgs feet below ground surface
ft. btoc feet below top of casing
ID Identification
LNAPL light non-aqueous phase liquid
NA not applicable
NM not measured
NP no product detected
TOC top of casing

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	LMW-20-11			LMW-20-12			LMW-20-13			LMW-20-14			LMW-20-15			LMW-20-16			LMW-20-18			LMW-20-20			
			5-15			7-17			6-16			6-16			7.5-17.5			7.5-17.5			6.5-16.5			4-14			
			3/12/2020	8/11/2020	11/12/2020	3/10/2020	8/12/2020	11/18/2020	3/10/2020	8/12/2020	11/18/2020	3/10/2020	8/12/2020	11/17/2020	3/13/2020	8/11/2020	11/16/2020	3/12/2020	8/11/2020	11/13/2020	3/13/2020	8/10/2020	11/11/2020	3/13/2020	8/10/2020	11/12/2020	
Semi-volatile Organic Compounds (SVOCs)																											
1,4-Dioxane	µg/L	350	< 2.0	1.0 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.9 J	1.6 J	< 2.0	< 2.0	< 2.0	1.0 J	< 2.0	< 2.0	1.8 J	1.8 J	3.8	12 J	11 J	5.6	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																											
1,1,1-Trichloroethane	µg/L	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 5.0	1.5 J	< 10	< 5.0	< 2.5	< 1,000	< 1,000	< 1,000	< 1.0	< 1.0	< 1.0	
1,2,3-Trimethylbenzene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	< 5.0	NA	NA	< 5.0 J	NA	NA	< 5.0	NA	NA	< 5.0	NA	NA	< 25	NA	NA	< 13	NA	NA	< 5,000	NA	NA	< 5.0	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorodibromomethane	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroethane	µg/L	1,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroform	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloromethane	µg/L	1,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	µg/L	70	< 1.0 UB	< 1.0	0.27 J	1.1	0.88 J	0.98 J	0.18 J	< 1.0	0.19 J	0.30 J	< 1.0	< 1.0 UB	180	170	180	340	75	160	23,000	12,000	15,000	< 1.0	< 1.0	< 1.0 UB	
cis-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cyclohexane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichloromethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Diethyl ether	µg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethylbenzene	µg/L	74	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Isopropylbenzene	µg/L	2,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
m&p-Xylenes	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methyl Acetate	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methyl N-Butyl Ketone (2-Hexanone)	µg/L	2,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methylcyclohexane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	LMW-20-11			LMW-20-12			LMW-20-13			LMW-20-14			LMW-20-15			LMW-20-16			LMW-20-18			LMW-20-20		
			5-15			7-17			6-16			6-16			7.5-17.5			7.5-17.5			6.5-16.5			4-14		
			3/12/2020	8/11/2020	11/12/2020	3/10/2020	8/12/2020	11/18/2020	3/10/2020	8/12/2020	11/18/2020	3/10/2020	8/12/2020	11/17/2020	3/13/2020	8/11/2020	11/16/2020	3/12/2020	8/11/2020	11/13/2020	3/13/2020	8/10/2020	11/11/2020	3/13/2020	8/10/2020	11/12/2020
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	< 1.0 J	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 5.0	NA	NA	< 2.5	NA	NA	< 1,000	NA	NA	< 1.0
Naphthalene	µg/L	1,500	NA	NA	< 1.0	NA	NA	< 1.0 J	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 5.0	NA	NA	< 2.5	NA	NA	< 1,000	NA	NA	< 1.0
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 5.0	< 5.0	< 10	< 5.0	< 2.5	< 1,000	< 1,000	< 1,000	< 1.0	< 1.0	< 1.0
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	0.32 J	< 1.0	< 1.0	13	17	17	< 10	2.6 J	0.69 J	< 1,000	< 1,000	< 1,000	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	0.11 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0 UB	< 1.0	< 1.0	< 1.0 UB	0.56 J	0.72 J	82	83	62	32	47	51	30,000 J	19,000	21,000	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	0.83 J	3.5	2.6 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	22	19	13	210	46	160	1,500	910 J	960 J	< 1.0	< 1.0	< 1.0
Gases																										
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																										
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																										
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	LMW-20-21			LMW-20-22			LMW-20-23			LMW-20-24			LMW-20-25		LMW-20-26			LMW-20-27			LMW-20-28		
			7-17	6.5-16.5		5-15		2-12		2-12		5-15			5-15			4.5-14.5							
			3/12/2020	8/12/2020	11/19/2020	3/13/2020	8/12/2020	11/19/2020	3/13/2020	8/10/2020	11/10/2020	6/11/2020	8/11/2020	11/19/2020	6/11/2020	8/12/2020	6/11/2020	8/10/2020	11/5/2020	6/11/2020	8/10/2020	11/5/2020	7/10/2020	8/12/2020	
Semi-volatile Organic Compounds (SVOCs)																									
1,4-Dioxane	µg/L	350	1.2 J	1.4 J	2.1	2.4	2.4	5.5	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.3 J	< 2.0	< 2.0	0.88 J	1.4 J	1.6 J	3.1	1.0 J	1.2 J	
Volatile Organic Compounds (VOCs)																									
1,1,1-Trichloroethane	µg/L	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 3.3	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.86 J	1.8 J	< 2.5	< 5.0	< 2.5	< 2.5	< 8.0	< 5.0	< 1.0	< 1.0	
1,2,3-Trimethylbenzene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	< 5.0	NA	NA	< 5.0	NA	NA	< 5.0	NA	NA	< 5.0	NA	NA	NA	NA	< 13	NA	NA	< 25	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorodibromomethane	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroethane	µg/L	1,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroform	µg/L	80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chloromethane	µg/L	1,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	µg/L	70	1.0	0.68 J	0.81 J	14	25	24	< 1.0	< 1.0	< 1.0	0.52 J	0.86 J	0.38 J	65	95	54	130	120	64	160	120	0.64 J	0.79 J	
cis-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cyclohexane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichloromethane	µg/L	5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Diethyl ether	µg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethylbenzene	µg/L	74	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Isopropylbenzene	µg/L	2,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
m&p-Xylenes	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methyl Acetate	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methyl N-Butyl Ketone (2-Hexanone)	µg/L	2,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methylcyclohexane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	LMW-20-21			LMW-20-22			LMW-20-23			LMW-20-24			LMW-20-25		LMW-20-26			LMW-20-27			LMW-20-28	
			7-17			6.5-16.5			5-15			2-12			2-12		5-15			5-15			4.5-14.5	
			3/12/2020	8/12/2020	11/19/2020	3/13/2020	8/12/2020	11/19/2020	3/13/2020	8/10/2020	11/10/2020	6/11/2020	8/11/2020	11/19/2020	6/11/2020	8/12/2020	6/11/2020	8/10/2020	11/5/2020	6/11/2020	8/10/2020	11/5/2020	7/10/2020	8/12/2020
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	NA	NA	< 2.5	NA	NA	< 5.0	NA	NA
Naphthalene	µg/L	1,500	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	< 1.0	NA	NA	NA	NA	< 2.5	NA	NA	< 5.0	NA	NA
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 3.3	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	32	18	< 2.5	< 5.0	< 2.5	< 2.5	< 8.0	< 5.0	< 1.0	< 1.0
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	1.0 J	2.1	2.1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.7	7.3	0.55 J	< 5.0	0.72 J	2.2 J	< 8.0	1.2 J	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	0.14 J	< 1.0	< 1.0	2.5 J	0.65 J	0.45 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	12	28	0.76 J	< 5.0	0.42 J	55.0	69.0	47	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	1.1	0.59 J	0.67 J	56	35	39	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.24 J	2.3 J	6.2	53	73	130	11	11	16	< 1.0	< 1.0
Gases																								
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																								
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																								
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-03																		MW-04																	
			14-19																		15.5-20.5																	
			4/27/2017	8/3/2017	11/9/2017	2/13/2018	5/10/2018	8/7/2018	10/26/2018	3/1/2019	6/11/2019	9/25/2019	11/19/2019	2/19/2020	5/27/2020	8/19/2020	11/18/2020	2/10/2021	5/11/2021	8/11/2021	4/27/2017	8/3/2017	11/9/2017	2/13/2018	5/10/2018	8/7/2018	10/26/2018	3/1/2019	6/11/2019	9/25/2019	11/19/2019	2/19/2020	5/20/2020	8/19/2020	11/17/2020	2/10/2021	5/10/2021	8/10/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1,000	< 1,000	< 1,000	< 1,700	< 1,000 J	< 1,000	< 500	< 2,000 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1,000	NA	< 1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1,000	< 1,000	< 1,000	< 1,700	< 1,000 J	< 1,000	< 500	< 2,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1,000	< 1,000	< 1,000	< 1,700	< 1,000 J	< 1,000	< 500	< 2,000	< 1,000	< 1,700	< 100	< 1,300	< 1,300	< 710	< 710	< 1000	< 500	< 330	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1,000	< 1,000	< 1,000	< 1,700	< 1,000 J	< 1,000	< 500	< 2,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2,000	< 2,000	< 2,000	< 3,300	< 2,000 J	< 2,000	< 1,000	< 4,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1,200	1,100	850 J	1,100 J	860 J	1,000	1,100	1,000 J	310 J	770 J	790	670 J	950 J	610 J	410 J	360 J	590	240 J		
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1,000	< 1,000	< 1,000	< 1,700	< 1,000 J	< 1,000	< 500	< 2,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	21,000	18,000	19,000	23,000	23,000 J	31,000	35,000	41,000	13,000	35,000	35,000	28,000	36,000	24,000	15,000	7,800	14,000	4,900		
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	570 J	640 J	470 J	< 1,700	610 J	< 1,000	610	1,100 J	< 1,000	670 J	870	1,300	810 J	1,300	1,600	1,200	1,300	1,200		
Gases																																						
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																						
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																						
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																				

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-05																	MW-07															
			15.5-20.5																	18-23															
			8/3/2017	11/9/2017	2/13/2018	5/10/2018	8/7/2018	10/26/2018	3/1/2019	6/11/2019	9/27/2019	11/20/2019	2/19/2020	5/27/2020	8/19/2020	11/18/2020	2/10/2021	5/11/2021	8/10/2021	7/31/2017	11/10/2017	2/12/2018	5/11/2018	8/14/2018	10/29/2018	2/27/2019	6/10/2019	9/25/2019	11/22/2019	2/7/2020	8/14/2020	11/12/2020	2/12/2021	5/5/2021	8/5/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.18 J	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.40 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																			
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-09 19.5-24.5																MW-10 16.5-21.5																		
			7/28/2017	11/10/2017	2/12/2018	5/11/2018	8/14/2018	10/29/2018	3/1/2019	6/10/2019	9/23/2019	11/21/2019	2/10/2020	8/14/2020	11/10/2020	2/11/2021	5/5/2021	8/4/2021	4/27/2017	8/4/2017	11/9/2017	2/13/2018	5/10/2018	8/9/2018	11/7/2018	3/1/2019	6/11/2019	9/27/2019	11/19/2019	2/19/2020	5/20/2020	8/20/2020	11/17/2020	2/10/2021	5/10/2021	8/10/2021	
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100	< 100	< 200	< 10	< 200	< 200	< 330	< 330	< 330	< 170	< 100	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 100	< 130	< 200	< 400	< 200	< 290	< 500	< 200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100	< 100	< 200	< 10	< 200	< 200	< 330	< 330	< 330	< 170	< 100	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 67	< 100	< 200	< 100	< 140	< 250	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 50	< 67	< 100	< 200	< 100	< 140	< 250	14 J	< 100	< 200	< 10	< 200	< 200	< 330	< 330	< 330	27 J	< 100	
Vinyl chloride	µg/L	2.0	5.5	7.1	4.6	2.2	1.7	1.5	0.94 J	1.2	0.98 J	0.81 J	0.20 J	0.95 J	1.8	1.9	3.9	2.3	1,200	2,100	2,000	1,900	3,100	2,300	3,100	3,300	3,600	3,000	2,700	5,300	3,300	5,500	4,800	4,600	4,300	3,100	
Gases																																					
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																					
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																					
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA</			

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-14																MW-15-59D															
			15-20																94-99															
			7/28/2017	11/10/2017	2/12/2018	5/11/2018	8/14/2018	10/29/2018	2/26/2019	6/12/2019	9/23/2019	11/21/2019	2/3/2020	8/13/2020	11/10/2020	2/11/2021	5/5/2021	8/4/2021	4/26/2017	8/1/2017	11/15/2017	2/6/2018	5/15/2018	8/9/2018	10/31/2018	3/5/2019	6/13/2019	9/27/2019	11/22/2019	2/21/2020	8/21/2020	11/17/2020	2/26/2021	5/17/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	0.35 J	0.46 J	0.30 J	0.31 J	< 1.0	0.17 J	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	0.25 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.28 J	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	Methane	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																		
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-15-60D																MW-15-61D															
			93-98																88-93															
			4/26/2017	8/1/2017	11/15/2017	2/6/2018	5/11/2018	8/7/2018	10/29/2018	3/5/2019	6/13/2019	9/27/2019	11/22/2019	2/21/2020	8/21/2020	11/17/2020	2/26/2021	5/17/2021	4/26/2017	8/1/2017	11/15/2017	2/6/2018	5/15/2018	8/7/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	0.27 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	0.33 J	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	< 1.0	0.28 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																		
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-18																	MW-19																
			13-18																	15-20																
			4/21/2017	7/28/2017	11/10/2017	2/14/2018	5/8/2018	8/7/2018	10/29/2018	2/26/2019	6/10/2019	9/25/2019	11/12/2019	2/10/2020	8/24/2020	11/11/2020	2/19/2021	5/10/2021	8/9/2021	11/14/2017	2/14/2018	5/14/2018	8/10/2018	10/26/2018	2/28/2019	6/12/2019	9/24/2019	11/20/2019	2/20/2020	8/18/2020	11/13/2020	2/9/2021	5/20/2021	8/11/2021		
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	1.0	0.91 J	1.0	0.97 J	0.66 J	0.60 J	0.54 J	0.70 J	0.62 J	0.84 J	0.80 J	0.85 J	0.57 J	0.62 J	0.62 J	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.8	1.5	1.3	< 1.0	1.6	1.9	0.73 J	1.2	1.4	1.1	1.2	1.7	0.99 J	1.1	0.61 J	0.61 J	
Gases																																				
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																				
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																				
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-20 13.5-18.5														MW-21 13.5-18.5													
			7/31/2017	11/10/2017	2/12/2018	5/11/2018	8/9/2018	10/29/2018	2/26/2019	6/12/2019	9/26/2019	11/12/2019	11/10/2020	2/18/2021	5/10/2021	8/9/2021	2/13/2018	5/15/2018	8/14/2018	10/26/2018	2/26/2019	6/13/2019	9/25/2019	11/13/2019	2/14/2020	11/11/2020	2/18/2021	5/7/2021	8/11/2021	
Methyl-tert-butyl ether	µg/L	40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	<1,000	<1,000 J	<1,000	<1,700	<2,500 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	<1,000	<1,000	<1,000	<1,700	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1,000	<1,000	<1,000	<1,700	<2,500	<710	<500	<100	<500	<500	<500	<100	<200	
Toluene	µg/L	790	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	<1,000	<1,000	<1,000	<1,700	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	NA	NA	NA	NA	NA	NA	NA	<2,000	<2,000	<2,000	<3,300	<5,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1,000	<1,000	190 J	<1,700	<2,500	<710	<500	120	<500	130 J	<500	20 J	<200	
trans-1,3-Dichloropropene	µg/L	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	<1,000	<1,000	<1,000	<1,700	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	460 J	<1,000	<1,000	1,900	570 J	<710	190 J	62 J	250 J	180 J	110 J	59 J	<200	
Vinyl chloride	µg/L	2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5,400	3,700	3,400	7,800	5,600	2,400	3,000	6,600	2,500	5,500	5,400	2,500	1,400	
Gases																														
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																														
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																														
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-24																	MW-25																
			19-24																	16-21																
			4/26/2017	8/2/2017	11/10/2017	2/14/2018	5/14/2018	8/14/2018	10/29/2018	3/1/2019	6/11/2019	9/23/2019	11/22/2019	2/10/2020	8/13/2020	11/16/2020	2/11/2021	5/19/2021	8/5/2021	4/21/2017	8/2/2017	11/14/2017	2/13/2018	5/9/2018	8/13/2018	10/29/2018	2/27/2019	6/10/2019	9/25/2019	11/15/2019	2/6/2020	8/13/2020	11/9/2020	3/1/2021	5/10/2021	8/11/2021
Semi-volatile Organic Compounds (SVOCs)																																				
1,4-Dioxane	µg/L	350	<2.0	<2.0 UB	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	0.75 J	<2.0 UB	0.86 J	0.68 J	0.99 J	1.9 J	3.2	4.5	4.3	4.9	6.6	5.7	6.7	5.9	4.2	3.0	1.9 J
Volatile Organic Compounds (VOCs)																																				
1,1,1-Trichloroethane	µg/L	200	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	µg/L	35	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	µg/L	2,500	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	µg/L	7.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
1,2,3-Trimethylbenzene	µg/L	NS	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	µg/L	70	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	µg/L	63	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	µg/L	0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	µg/L	0.05	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	µg/L	600	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	µg/L	72	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	µg/L	19	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.29 J	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	µg/L	75	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	µg/L	38,000	<10	<10	<10	<10	<10	<10	1.7 J	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	<10	<10	<10	<10	<10	0.77 J	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	µg/L	2,100	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	µg/L	29	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Disulfide	µg/L	2,300	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane (CFC-11)	µg/L	7,300	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorobenzene	µg/L																																			

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-26 4.5-14.5												MW-28 2-12													
			8/4/2017	11/14/2017	5/15/2018	8/9/2018	10/28/2018	2/28/2019	6/13/2019	9/25/2019	11/15/2019	2/18/2020	8/25/2020	11/12/2020	8/3/2017	11/8/2017	2/7/2018	5/15/2018	8/13/2018	10/31/2018	2/6/2019	6/11/2019	9/24/2019	11/14/2019	2/10/2020	8/20/2020	11/11/2020	
Semi-volatile Organic Compounds (SVOCs)																												
1,4-Dioxane	µg/L	350	< 2.0 UB	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 UB	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.93 J	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																												
1,1,1-Trichloroethane	µg/L	200	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	28	26	25	24	37	35	15	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	µg/L	35	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0 J	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.23 J	NA	NA	NA	NA	NA	NA	14	12	10	13	15	15	7.9	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.87 J	< 1.0	< 1.0	< 1.0	< 1.0	0.71 J	1.6	0.90 J	0.57 J	0.33 J	0.43 J	0.40 J	1.8	1.2	< 1.0	< 5.0	0.52 J	0.70 J	
1,2,3-Trimethylbenzene	µg/L	NS	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 10	< 5.0	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0 J	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0 J	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 20	< 10 J	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 20	< 10 J	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 20	< 10	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0 J	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 10	< 5.0	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Chlorodibromomethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0 J	NA	NA	NA	NA	NA	NA	
Chloroethane	µg/L	1,700	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Chloroform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Chloromethane	µg/L	1,100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	0.91 J	0.50 J	0.43 J	0.86 J	0.51 J	0.24 J	0.22 J	0.98 J	< 1.0	< 5.0	0.63 J	0.30 J	
cis-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Cyclohexane	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Dichloromethane	µg/L	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0 UB	< 5.0	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 10	< 5.0	NA	NA	NA	NA	NA	NA	
Diethyl ether	µg/L	10	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 4.0	< 2.0	NA	NA	NA	NA	NA	NA	
Ethylbenzene	µg/L	74	< 1.0	< 1.0	< 1.0</																							

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-26 4.5-14.5												MW-28 2-12													
			8/4/2017	11/14/2017	5/15/2018	8/9/2018	10/26/2018	2/28/2019	6/13/2019	9/25/2019	11/15/2019	2/18/2020	8/25/2020	11/12/2020	8/3/2017	11/8/2017	2/7/2018	5/15/2018	8/13/2018	10/31/2018	2/6/2019	6/11/2019	9/24/2019	11/14/2019	2/10/2020	8/20/2020	11/11/2020	
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.22 J	< 2.0	< 1.0	0.16 J	0.27 J	< 1.0	< 5.0	< 1.0	0.30 J	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 4.0	< 2.0	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.68 J	0.59 J	0.45 J	0.51 J	0.66 J	0.70 J	0.30 J	0.43 J	0.64 J	< 1.0	< 5.0	0.51 J	0.36 J
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	0.33 J	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	
Gases																												
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																												
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																												
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-29																	MW-30																			
			5-15																	19-24																			
			4/26/2017	8/4/2017	11/14/2017	2/14/2018	5/14/2018	8/9/2018	10/26/2018	2/28/2019	6/12/2019	9/25/2019	11/20/2019	2/21/2020	8/19/2020	11/12/2020	2/9/2021	5/11/2021	8/11/2021	4/25/2017	7/27/2017	11/9/2017	2/13/2018	5/8/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021	8/28/2021		
Semi-volatile Organic Compounds (SVOCs)			µg/L	350	1.4 J	3.8	9.0	0.90 J	0.47 J	< 2.0	4.3	< 2.0	< 2.0	0.92 J	0.60 J	< 2.0	5.6	18	16	12	12	10	11	13	12	14	15	15	15	13	14	9.2	12	11	13	13	14	14	12
Volatile Organic Compounds (VOCs)			µg/L																																				
1,1,1-Trichloroethane	µg/L	200	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2500	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
1,2,3-Trimethylbenzene	µg/L	NS	< 5.0	< 5.0	< 5.0	< 5.0	NA	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.27 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.18 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 10	< 10	< 10	< 10	< 10 UB	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA																					

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-29																	MW-30																			
			5-15																	19-24																			
			4/26/2017	8/4/2017	11/14/2017	2/14/2018	5/14/2018	8/9/2018	10/26/2018	2/28/2019	6/12/2019	9/25/2019	11/20/2019	2/21/2020	8/18/2020	11/12/2020	2/9/2021	5/11/2021	8/11/2021	4/25/2017	7/27/2017	11/9/2017	2/13/2018	5/8/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021	8/28/2021		
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.20 J	< 1.0	< 1.0	< 1.0	0.20 J	< 1.0	< 1.0	1.5	3.4	3.9	3.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Gases																																							
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.50	NA	0.31 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.50	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65	NA	360	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																							
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.6	NA	2.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	< 0.10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	52	NA	53	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.1	NA	2.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																							
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 100	NA	3,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	630	NA	3,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	77	NA	150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	70	NA	150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-33																	MW-34																	
			14-19																	16.5-21.5																	
			7/28/2017	11/8/2017	2/14/2018	5/8/2018	8/9/2018	11/2/2018	2/27/2019	6/11/2019	9/25/2019	11/8/2019	2/7/2020	8/14/2020	11/18/2020	2/17/2021	5/18/2021	8/2/2021	4/24/2017	7/27/2017	11/9/2017	2/13/2018	5/8/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021	8/28/2021	
Semi-volatile Organic Compounds (SVOCs)																																					
1,4-Dioxane	µg/L	350	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	8.3	6.1	6.6	7.4	4.9	7.6	6.7	6.9	5.6	7.2	5.5	5.7	4.2	6.2	6.1	4.8	4.6	4.1	
Volatile Organic Compounds (VOCs)																																					
1,1,1-Trichloroethane	µg/L	200	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
1,2,3-Trimethylbenzene	µg/L	NS	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	<1.0	<1.0	<1.0	<1.0	<1.0	0.17 J	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.32 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	<10	<10	<10	<10 UB	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA																											

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-35																	MW-36																
			19.5-24.5																	20-25																
			7/27/2017	11/7/2017	2/14/2018	5/9/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021	8/21/2021	7/28/2017	11/10/2017	2/15/2018	5/14/2018	8/14/2018	10/29/2018	3/1/2019	6/11/2019	9/25/2019	11/21/2019	2/7/2020	8/13/2020	11/16/2020	2/12/2021	5/19/2021	8/12/2021	
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.14 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.19 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.11 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Vinyl chloride	µg/L	2.0	3.5	2.4	4.5	7.2	3.0	1.8	4.1	6.7	2.6	3.2	4.0	9.1	4.9	1.9	1.2	4.3	3.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Gases																																				
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Other																																				
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																				
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-37																MW-38															
			18-23																15-20															
			8/1/2017	11/10/2017	2/12/2018	5/10/2018	8/9/2018	10/31/2018	2/27/2019	6/12/2019	9/25/2019	11/14/2019	2/6/2020	8/14/2020	11/16/2020	2/17/2021	5/19/2021	8/3/2021	4/26/2017	7/28/2017	11/8/2017	2/15/2018	5/8/2018	8/9/2018	11/1/2018	2/27/2019	6/11/2019	9/25/2019	11/8/2019	2/6/2020	8/14/2020	11/12/2020	2/17/2021	5/20/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																		
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-39																	MW-40																
			20-25																	20-25																
			4/26/2017	7/28/2017	11/7/2017	2/15/2018	5/8/2018	8/7/2018	11/1/2018	2/28/2019	6/11/2019	9/24/2019	11/8/2019	2/10/2020	8/24/2020	11/11/2020	2/18/2021	5/18/2021	8/2/2021	7/28/2017	11/15/2017	5/8/2018	8/10/2018	11/1/2018	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/15/2020	11/14/2020	2/13/2021	5/15/2021	8/28/2021		
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.41 J	0.48 J	0.34 J	0.37 J	0.39 J	0.37 J	0.43 J	0.46 J	0.30 J	0.36 J	0.49 J	0.30 J	0.35 J	0.33 J	< 1.0			
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.77 J	1.8	1.3 J	0.54 J	1.4	0.26 J	0.90 J	0.70 J	0.28 J	0.31 J	0.52 J	1.6	< 1.0	0.38 J	1.1			
Gases																																				
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Other																																				
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Metals																																				
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

See Notes on Last Page.

See Notes on Last Page.

[illegible]

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-43																	MW-44																			
			17-22																	16-21																			
			4/27/2017	7/27/2017	11/9/2017	2/13/2018	5/9/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/22/2020	11/14/2020	2/13/2021	5/15/2021	8/21/2021	4/25/2017	8/2/2017	11/7/2017	2/6/2018	5/14/2018	8/13/2018	10/30/2018	2/25/2019	6/11/2019	9/19/2019	11/12/2019	2/6/2020	5/27/2020	8/4/2020	11/2/2020	2/9/2021	5/12/2021	8/6/2021	
Semi-volatile Organic Compounds (SVOCs)			µg/L	350	3.6	3.5	2.2 J	2.8	3.3	4.0	3.3	2.7	4.4	3.6	3.5	3.3	4.5	3.2	2.6	2.2	2.3	12	7.1	12	9.0	11	9.5	2.7	5.7	14	14	12	10	11	12	11	8.4	8.6	15
Volatile Organic Compounds (VOCs)																																							
1,1,1-Trichloroethane	µg/L	200	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	< 20	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 6.7	
1,2,3-Trimethylbenzene	µg/L	NS	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 31	< 50	< 100	< 33	< 67	< 100	< 100	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 63	< 100	< 200	< 67	< 130	< 200	< 200	< 200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 63	< 100	< 200	< 67	< 130	< 200	< 200	< 200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 63	< 100	< 200	< 67	< 130	< 200	< 200	< 200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 31	< 50	< 100	< 33	< 67	< 100	< 100	< 100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA</						

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-43																		MW-44																	
			17-22																		16-21																	
			4/27/2017	7/27/2017	11/9/2017	2/13/2018	5/9/2018	8/10/2018	11/1/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/22/2020	11/14/2020	2/13/2021	5/15/2021	8/21/2021	4/25/2017	8/2/2017	11/7/2017	2/6/2018	5/14/2018	8/13/2018	10/30/2018	2/25/2019	6/11/2019	9/19/2019	11/12/2019	2/6/2020	5/27/2020	8/4/2020	11/2/2020	2/9/2021	5/12/2021	8/6/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 20	NA	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	< 20	< 1.0	< 1.0	< 10	< 10	< 10	< 1.0	< 10	< 5.0	< 6.7	
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 13	< 20	< 40	< 13	< 27	< 40	< 40	< 40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	< 20	< 1.0	< 1.0	< 10	< 10	< 10	< 1.0	< 10	< 5.0	< 6.7	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 6.3	< 10	< 20	< 6.7	< 13	< 20	< 20	< 20	< 20	< 1.0	< 1.0	< 10	< 10	< 10	< 1.0	< 10	< 5.0	< 6.7	
Vinyl chloride	µg/L	2.0	8.4	3.0	2.2	8.0	6.4 J	1.0	0.71 J	3.4	1.5	< 1.0	0.33 J	< 1.0	0.28 J	< 5.0	< 1.0	< 1.0	0.24 J	< 1.0	230	380	520	210	270	240	240	180	180	270	340	260 J	290	160	190	200	200	180 F1
Gases																																						
Ethane	µg/L	NS	0.48 J	NA	0.74 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	< 0.50	NA	0.27 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	190	NA	210	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																						
Carbon	mg/L	NS	4.4	NA	4.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	< 0.50	NA	< 0.20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	220	NA	260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	4.0	NA	4.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																						
Iron, Dissolved	µg/L	300	1,700	NA	2,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	2,500	NA	3,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	210	NA	190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	210	NA	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-45																		MW-46																		
			15-20																		16-21																		
			4/24/2017	8/1/2017	11/13/2017	2/12/2018	5/8/2018	8/9/2018	11/2/2018	2/26/2019	6/11/2019	9/27/2019	11/8/2019	2/12/2020	5/26/2020	8/7/2020	11/4/2020	2/12/2021	5/11/2021	8/9/2021	4/24/2017	7/31/2017	11/13/2017	2/12/2018	5/14/2018	8/9/2018	11/2/2018	2/26/2019	6/11/2019	9/25/2019	11/7/2019	2/12/2020	5/22/2020	8/10/2020	11/3/2020	2/18/2021	5/7/2021	8/5/2021	
Semi-volatile Organic Compounds (SVOCs)			µg/L																																				
1,4-Dioxane		350	4.1	2.5	< 2.0	< 2.0	0.40 J	1.0 J	1.1 J	< 2.0	0.94 J	< 2.0	0.45 J	< 2.0	< 2.0	1.3 J	< 2.0	< 2.0	< 2.0	< 2.0	21	< 2.0 UB	3.7		11	13	8.5	7.0	3.0	11	4.8	7.7	2.7	3.4	4.1	1.7 J	< 2.0	2.2	2.9
Volatile Organic Compounds (VOCs)																																							
1,1,1-Trichloroethane	µg/L	200	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.9 J	2.8	3.6	2.4	1.0 J	1.3	0.80 J	0.32 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	< 25	< 25	0.37 J	< 25	< 25	< 100	< 10	< 50	< 17	0.81 J	< 5.0	0.78 J	0.90 J	0.46 J	< 1.7	< 1.0	< 1.0	< 1.0	< 3.3	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
1,2,3-Trimethylbenzene	µg/L	NS	< 2,500	< 2,500	< 330	< 500	< 330	< 170	< 50	< 83	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 25	< 5.0	< 13	< 5.0	< 8.4	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	0.55 J	< 1.7	0.57 J	0.21 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	0.21 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA		
1,4-Dichlorobenzene	µg/L	75	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 5,000	< 5,000	< 670	< 1,000	< 670	< 330	< 100	< 170 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 10	< 25	< 10	< 17	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA		
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 5,000	< 5,000	< 670	< 1,000	< 670	< 330	< 100	< 170 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 10	< 25	< 10	< 17	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Acetone	µg/L	2,100	< 5,000	< 5,000	< 670	< 1,000	< 670	< 330	< 100	< 170	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 50	< 10	< 25	< 10	< 17	< 10	< 10	< 10	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA		
Benzene	µg/L	5.0	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Bromomethane	µg/L	29	< 500	< 500	< 67	< 100	< 67	< 33	< 10	< 17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 2.5	< 1.0	< 1.7	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 2,500	< 2,500	< 330	< 500	< 330	< 170	< 50	< 83	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 25	< 5.0	< 13	< 5.0	< 8.4	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride																																							

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-47																	MW-48																			
			16-21																	17-22																			
			4/24/2017	7/31/2017	11/10/2017	5/10/2018	8/9/2018	10/25/2018	2/28/2019	6/12/2019	9/25/2019	11/6/2019	2/7/2020	5/21/2020	8/10/2020	11/3/2020	2/18/2021	5/5/2021	8/5/2021	4/21/2017	8/1/2017	11/14/2017	2/12/2018	5/15/2018	8/6/2018	8/6/2018	10/25/2018	3/4/2019	6/13/2019	9/20/2019	11/6/2019	2/11/2020	5/26/2020	8/6/2020	10/30/2020	2/15/2021	5/5/2021	8/10/2021	
Semi-volatile Organic Compounds (SVOCs)																																							
1,4-Dioxane	µg/L	350	0.72 J	< 2.0 UB	0.52 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.91 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	9.5	2.1	7.7	12	6.2	NA	6.5	1.6 J	< 2.0	5.3	2.5	< 2.0	6.7	9.6	4.4	2.6	3.6 J	1.8 J	
Volatile Organic Compounds (VOCs)																																							
1,1,1-Trichloroethane	µg/L	200	< 5.0	2.2 J	< 10	1.9 J	2.0	3.1 J	2.2 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	3.7 J	3.5 J	4.6 J	2.9 J	4.0	5.1	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 5.0	< 4.0	< 10	< 5.0 J	0.43 J	< 5.0	< 2.5	< 4.0	0.59 J	0.42 J	< 2.5	< 2.0	< 4.0	< 4.0	< 4.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
1,2,3-Trimethylbenzene	µg/L	NS	< 25	< 20	< 50	< 25 J	< 8.4	< 25	< 13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	0.27 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
1,4-Dichlorobenzene	µg/L	75	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 50	< 40	< 100	< 50 J	< 17	< 50	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	NA	< 10	15 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 50	< 40	< 100	< 50 J	< 17	< 50	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	NA	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 50	< 40	< 100	< 50 J	< 17	< 50	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	5.1 J	< 10	< 10 UB	< 10	NA	< 10	8.4 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 25	< 20	< 50	< 25 J	< 8.4	< 25	< 13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	< 5.0	< 5.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0																															

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-47																	MW-48																		
			16-21																	17-22																		
			4/24/2017	7/31/2017	11/10/2017	5/10/2018	8/9/2018	10/25/2018	2/28/2019	6/12/2019	9/25/2019	11/6/2019	2/7/2020	5/21/2020	8/10/2020	11/3/2020	2/18/2021	5/5/2021	8/5/2021	4/21/2017	8/1/2017	11/14/2017	2/12/2018	5/15/2018	8/6/2018	8/6/2018	10/25/2018	3/4/2019	6/13/2019	9/20/2019	11/6/2019	2/11/2020	5/26/2020	8/6/2020	10/30/2020	2/15/2021	5/5/2021	8/10/2021
Methyl-tert-butyl ether	µg/L	40	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	NA	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	< 4.0	< 1.0	< 1.0	< 2.5	< 2.0	< 4.0	< 4.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 10	< 8.0	< 20	< 10 J	< 3.3	< 10	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	7.1	8.6	9.3 J	6.5 J	7.2	7.1	5.4	5.3	5.6	5.2	4.5	3.7	3.4 J	2.6 J	2.3 J	1.7 J	1.6	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 5.0	< 4.0	< 10	< 5.0 J	< 1.7	< 5.0	< 2.5	< 4.0	< 1.0	< 1.0	< 2.5	< 2.0	< 4.0	< 4.0	< 4.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	120	110	220	88 J	59	100	44	120	94	96	74	85	100	130 J	110	120	29	0.85 J	11	5.2	3.8	7.4	5.3	NA	6.6	0.24 J	< 1.0	1.6	0.57 J	< 1.0	1.8	2.8	0.27 J	1.7	0.22 J	1.8
Gases																																						
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																						
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																						
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-51																	MW-52																	
			15-20																	15-20																	
			4/25/2017	8/3/2017	11/9/2017	2/8/2018	5/14/2018	8/6/2018	10/30/2018	3/1/2019	6/12/2019	9/24/2019	11/15/2019	2/4/2020	8/5/2020	11/5/2020	2/9/2021	5/6/2021	8/12/2021	7/27/2017	11/10/2017	2/13/2018	5/9/2018	8/10/2018	10/31/2018	3/2/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	5/30/2020	8/22/2020	11/14/2020	2/13/2021	5/15/2021	8/21/2021	
Semi-volatile Organic Compounds (SVOCs)																																					
1,4-Dioxane	µg/L	350	0.75 J	< 2.0 UB	1.1 J	1.1 J	0.49 J	1.6 J	2.5	1.5 J	2.2	3.2	2.1	1.9 J	1.6 J	2.6	1.5 J	1.9 J	1.1 J	1.3 J	0.68 J	1.2 J	0.30 J	1.8 J	2.7	1.9 J	1.2 J	1.1 J	0.64 J	1.5 J	< 2.0	1.4 J	< 2.0	< 2.0	< 2.0	< 2.0	1.6 J
Volatile Organic Compounds (VOCs)																																					
1,1,1-Trichloroethane	µg/L	200	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	µg/L	35	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	µg/L	2,500	0.41 J	0.72 J	0.70 J	0.84 J	0.45 J	0.77 J	1.0	0.57 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
1,2,3-Trimethylbenzene	µg/L	NS	< 5.0	< 5.0	< 5.0	< 5.0	NA	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	µg/L	63	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	µg/L	0.05	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	µg/L	600	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.28 J	0.24 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	µg/L	72	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	µg/L	19	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.40 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.18 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	µg/L	75	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	µg/L	38,000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	µg/L	2,100	< 10	< 10	< 10	< 10	< 10 UB	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.2 J	< 10	< 10	< 10 UB	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	µg/L	29	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Disulfide	µg/L	2,300	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichlorofluoromethane (CFC-11)	µg/L																																				

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-53																	MW-54																		
			16-21																	16-21																		
			4/24/2017	7/27/2017	11/8/2017	2/7/2018	5/9/2018	8/13/2018	10/31/2018	2/28/2019	6/10/2019	9/28/2019	11/20/2019	2/12/2020	5/21/2020	8/11/2020	11/4/2020	2/24/2021	5/6/2021	8/4/2021	7/27/2017	11/8/2017	2/7/2018	5/9/2018	8/13/2018	10/31/2018	6/10/2019	9/27/2019	11/19/2019	2/12/2020	5/21/2020	8/11/2020	11/5/2020	2/24/2021	5/6/2021	8/4/2021		
Semi-volatile Organic Compounds (SVOCs)			µg/L	350	1.1 J	2.0	0.61 J	1.1 J	1.4 J	1.6 J	1.8 J	1.7 J	2.5	1.5 J	1.3 J	1.5 J	NA	1.5 J	1.5 J	<2.0	1.8 J	0.99 J	1.5 J	2.0	2.7	1.7 J	1.4 J	2.6	3.0	2.2	2.4	2.5	1.9 J	1.8 J	1.9 J	<2.0	2.2	1.6 J
Volatile Organic Compounds (VOCs)																																						
1,1,1-Trichloroethane	µg/L	200	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 F	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
1,2,3-Trimethylbenzene	µg/L	NS	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0 J	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.26 J	NA	NA	NA	NA	NA	NA	NA	NA	NA		
1,4-Dichlorobenzene	µg/L	75	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	0.18 J	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	<10	<10	<10	<10	<10	<10 J	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	<10	<10	<10	<10	<10	<10 J	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	<10	<10	<10	<10	<10	<10 J	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	<10	<10	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0 J	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1																														

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-53																		MW-54																	
			16-21																		16-21																	
			4/24/2017	7/27/2017	11/8/2017	2/7/2018	5/9/2018	8/13/2018	10/31/2018	2/28/2019	6/10/2019	9/28/2019	11/20/2019	2/12/2020	5/21/2020	8/11/2020	11/4/2020	2/24/2021	5/6/2021	8/4/2021	7/27/2017	11/8/2017	2/7/2018	5/9/2018	8/13/2018	10/31/2018	6/10/2019	9/27/2019	11/19/2019	2/12/2020	5/21/2020	8/11/2020	11/5/2020	2/24/2021	5/6/2021	8/4/2021		
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 J	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 F	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Vinyl chloride	µg/L	2.0	< 1.0	0.63 J	< 1.0	< 1.0	< 1.0	0.45 J	0.60 J	< 1.0	< 1.0	0.84 J	0.80 J	0.20 J	< 1.0	< 1.0	0.68 J	0.22 J	0.65 J	< 2.0	0.88 J	1.5	1.2	0.98 J	0.34 J	0.85 J	0.87 J	0.84 J	1.2	1.2	0.91 J	1.1	0.99 J	0.74 J	1.2	1.0		
Gases																																						
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Other																																						
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Metals																																						
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA</							

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-54S												MW-55														MW-55D									
			4.5-9.5												15-20														19-24									
			4/29/2019	6/10/2019	9/27/2019	11/19/2019	2/12/2020	5/21/2020	8/11/2020	11/5/2020	2/24/2021	5/6/2021	8/4/2021	7/27/2017	11/8/2017	2/7/2018	5/10/2018	8/13/2018	10/31/2018	2/27/2019	6/11/2019	9/25/2019	11/20/2019	2/11/2020	8/11/2020	11/6/2020	2/25/2021	5/21/2021	6/11/2019	9/25/2019	11/20/2019	2/12/2020	8/11/2020	11/6/2020	2/25/2021	5/21/2021		
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0		
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0		
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0		
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.84 J	0.65 J	< 1.0	0.48 J	0.39 J	0.57 J	0.54 J	0.48 J	0.58 J	0.50 J	< 5.0	< 1.0	0.31 J	< 5.0	< 5.0	0.34 J	< 1.0	< 1.0	0.35 J	< 1.0	< 1.0	< 5.0	< 5.0		
Gases																																						
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Other																																						
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Metals																																						
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																								

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-56																MW-57																	
			16-21																17-22																	
			4/24/2017	7/28/2017	11/8/2017	2/14/2018	5/9/2018	8/13/2018	10/31/2018	2/27/2019	6/11/2019	9/25/2019	11/20/2019	2/11/2020	8/12/2020	11/6/2020	2/25/2021	5/21/2021	7/27/2017	11/7/2017	2/9/2018	5/9/2018	8/6/2018	10/25/2018	2/28/2019	6/11/2019	9/27/2019	11/19/2019	2/12/2020	5/20/2020	8/12/2020	11/5/2020	2/25/2021	5/6/2021	8/4/2021	
Semi-volatile Organic Compounds (SVOCs)																																				
1,4-Dioxane	µg/L	350	3.8	2.7	2.2	1.6 J	2.7	2.3	2.7	2.9	3.7	2.4	0.49 J	< 2.0	1.1 J	1.1 J	< 2.0	< 2.0	4.6	4.9	4.9	3.9	4.5	4.6	3.1	3.6	3.3	1.8 J	1.2 J	1.4 J	1.8 J	1.8 J	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																				
1,1,1-Trichloroethane	µg/L	200	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 3.3	< 2.5	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
1,2,3-Trimethylbenzene	µg/L	NS	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.16 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA		
1,4-Dichlorobenzene	µg/L	75	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	2.7 J	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	NA	NA	NA	NA	NA	NA	NA	NA	1.8 J	< 10	< 10	< 10	< 10	< 10	< 10	12	NA	NA	NA	NA	NA	NA	NA	NA		
Benzene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA																					

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-56																MW-57																
			16-21																17-22																
			4/24/2017	7/28/2017	11/8/2017	2/14/2018	5/9/2018	8/13/2018	10/31/2018	2/27/2019	6/11/2019	9/25/2019	11/20/2019	2/11/2020	8/12/2020	11/6/2020	2/25/2021	5/21/2021	7/27/2017	11/7/2017	2/9/2018	5/9/2018	8/6/2018	10/25/2018	2/28/2019	6/11/2019	9/27/2019	11/19/2019	2/12/2020	5/20/2020	8/12/2020	11/5/2020	2/25/2021	5/6/2021	8/4/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.11 J	0.12 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 5.0	< 3.3	< 2.5	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 3.3	< 2.5	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 5.0	< 3.3	< 2.5	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.31 J	0.38 J	< 1.0	< 1.0	0.21 J	< 5.0	< 3.3	< 2.5	< 5.0	< 5.0	< 1.0	< 1.0	0.59 J	0.56 J	0.39 J	0.64 J	0.88 J	0.77 J	0.90 J	0.96 J	0.60 J	0.67 J	1.3	< 1.0	0.57 J	1.6	1.2
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																			
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	EGLE Non-Residential Drinking Water Criteria	MW-58																MW-62																	
			15-20																16.3-21.3																	
			7/28/2017	11/8/2017	2/7/2018	5/14/2018	8/13/2018	10/31/2018	3/1/2019	6/11/2019	9/25/2019	11/14/2019	2/11/2020	8/12/2020	11/6/2020	2/25/2021	5/12/2021	8/6/2021	4/21/2017	7/31/2017	11/13/2017	2/6/2018	5/9/2018	8/6/2018	10/24/2018	2/27/2019	6/12/2019	9/27/2019	11/5/2019	2/11/2020	5/26/2020	8/6/2020	11/2/2020	2/11/2021	5/7/2021	8/10/2021
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 2.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	µg/L	790	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 2.0	< 2.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 2.0	< 2.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 2.0	< 2.0	< 2.0	< 1.0	< 1.0	1.3	< 1.0	1.0	1.3	1.2	0.66 J	1.0	0.73 J	0.62 J	0.65 J	1.5	1.0	1.1	0.98 J	0.77 J	0.44 J	0.41 J	0.72 J	
Gases																																				
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																				
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																				
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-63																		MW-64																			
			7-12																		15-20																			
			4/21/2017	5/25/2017	7/31/2017	11/13/2017	2/7/2018	5/9/2018	8/6/2018	10/24/2018	2/28/2019	6/12/2019	9/20/2019	11/5/2019	2/11/2020	5/26/2020	8/6/2020	11/2/2020	2/11/2021	5/5/2021	8/9/2021	4/24/2017	7/27/2017	11/7/2017	2/9/2018	5/10/2018	8/13/2018	11/5/2018	2/28/2019	6/11/2019	9/27/2019	11/15/2019	2/3/2020	5/26/2020	8/5/2020	11/10/2020	2/17/2021	5/12/2021	8/9/2021	
Methyl-tert-butyl ether	µg/L	40	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	NA	< 10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	13,000	13,000	3,900	320	0.23 J	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 2,000	< 2,000	< 200	< 20	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	0.30 J	0.29 J	< 1.0	0.42 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	< 1,000	< 1,000	< 100	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.24 J	< 1.0	< 1.0	0.67 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.4	4.8	7.0	6.7	1.3	5.9	3.0	3.4	1.7	9.9	7.3	0.69 J	1.3	3.4	4.3	2.6	2.3	2.3	
Gases																																								
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																								
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																								
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-65																		MW-66																		
			16-21																		15-20																		
			4/25/2017	8/2/2017	11/8/2017	2/6/2018	5/10/2018	8/8/2018	10/30/2018	2/28/2019	6/12/2019	9/18/2019	11/5/2019	2/4/2020	5/26/2020	8/3/2020	11/2/2020	2/9/2021	5/11/2021	8/6/2021	4/25/2017	8/2/2017	11/13/2017	2/12/2018	5/10/2018	8/8/2018	11/2/2018	3/4/2019	6/10/2019	9/19/2019	11/5/2019	2/10/2020	5/26/2020	8/3/2020	11/2/2020	2/10/2021	5/7/2021	8/6/2021	
Methyl-tert-butyl ether	µg/L	40	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	< 2.0	NA	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 4.0	< 8.0	< 4.0	< 4.0	< 4.0	< 2.0	< 4.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 2.0	< 4.0	trans < 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 2.0	< 4.0	< 2.0	< 2.0	< 2.0	< 1.0	< 2.0	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	61	49	48	36	41	35	48	34	41	25	45	20	34	20	17	14	14	9.0	5.6	5.4	3.0	2.7	2.4	3.2	1.2	3.2	1.5	< 1.0 UB	0.81 J	2.4	3.5	3.5	2.5	2.9	6.0	3.4	
Gases																																							
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																							
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																							
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-67																		MW-68																			
			9-14																		15-20																			
			4/21/2017	7/31/2017	11/14/2017	2/12/2018	5/14/2018	8/13/2018	10/25/2018	2/28/2019	6/13/2019	9/20/2019	11/6/2019	2/13/2020	5/26/2020	8/7/2020	11/2/2020	2/15/2021	5/5/2021	8/12/2021	4/24/2017	8/1/2017	11/10/2017	2/12/2018	5/15/2018	8/9/2018	10/25/2018	2/27/2019	6/12/2019	9/25/2019	11/7/2019	2/12/2020	5/26/2020	8/10/2020	11/3/2020	2/18/2021	5/5/2021	8/5/2021		
Semi-volatile Organic Compounds (SVOCs)			µg/L	350	1.8 J	< 2.0 UB	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.40 J	< 2.0 UB	0.73 J	0.54 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.57 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)			µg/L	200	2.3 J	2.0 J	2.1 J	< 3.3	0.94 J	0.80 J	1.3 J	0.78 J	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	µg/L	35	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	µg/L	5.0	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	µg/L	2,500	< 10	1.0 J	< 5.0	< 3.3	0.25 J	< 2.5	< 3.3	0.49 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.6	1.7	3.7	2.0	1.4	1.9	2.1	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	µg/L	7.0	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	< 3.3	< 1.0	0.34 J	< 3.3	< 3.3	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	0.39 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
1,2,3-Trimethylbenzene	µg/L	NS	< 50	< 20	< 25	< 17	NA	< 13	< 17	< 13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	µg/L	70	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	µg/L	63	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	µg/L	0.05	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	µg/L	600	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	µg/L	5.0	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	µg/L	5.0	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	µg/L	72	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	µg/L	19	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.25 J	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	µg/L	75	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (MEK)	µg/L	38,000	< 100	< 40	< 50	< 33	< 10	< 25	< 33	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 100	< 40	< 50	< 33	< 10	< 25	< 33	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acetone	µg/L	2,100	< 100	< 40	< 50	< 33	< 10 UB	< 25	< 33	< 25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	µg/L	5.0	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	µg/L	80	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	µg/L	80	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromomethane	µg/L	29	< 10	< 4.0	< 5.0	< 3.3	< 1.0	< 2.5	< 3.3	< 2.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Disulfide	µg/L	2,300	< 50	< 20	< 25	< 17	< 5.0	< 13	< 17	< 13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0 J	NA	NA	NA	NA	NA	NA						

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-69																	MW-70																	
			15-20																	15-20																	
			4/25/2017	11/10/2017	2/14/2018	5/10/2018	8/13/2018	11/6/2018	2/28/2019	6/12/2019	9/23/2019	11/21/2019	2/3/2020	5/26/2020	8/5/2020	11/10/2020	2/12/2021	5/12/2021	8/9/2021	4/24/2017	8/1/2017	11/13/2017	2/12/2018	5/14/2018	8/9/2018	11/2/2018	2/26/2019	6/11/2019	9/26/2019	11/7/2019	2/7/2020	5/21/2020	8/10/2020	11/4/2020	2/12/2021	5/11/2021	8/5/2021
Methyl-tert-butyl ether	µg/L	40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10	<10	<5.0	<1.0	<13	<10	<10	<6.3	<25	<8.3	<20
Toluene	µg/L	790	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<13	<20	<20	<27	<6.7	<25	<8.0	<20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.8 J	4.2 J	5.1 J	4.4 J	3.0 J	3.3 J	4.4	3.8 J	2.4 J	2.1 J	3.2	<13	<10	<10	1.8 J	<25	<8.3	<20	
trans-1,3-Dichloropropene	µg/L	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<6.7	<10	<10	<13	<3.3	<13	<4.0	<10	<10	<5.0	<1.0	<13	<10	<10	1.2 J	<25	<8.3	<20
Vinyl chloride	µg/L	2.0	2.8	<1.0	<1.0	3.3	2.7	1.4	4.1	3.6	3.5	4.2	3.5	5.0	3.2	3.8	3.3	3.5	3.4	120	100	140	160	210	190	210	350	230	340	440	370	400	330	550	470	560	470
Gases																																					
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																					
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																					
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-71																		MW-113										MW-114				
			15-20																		5-10										5-10				
			4/24/2017	8/1/2017	11/13/2017	2/12/2018	5/8/2018	8/9/2018	11/6/2018	2/27/2019	6/11/2019	9/27/2019	11/7/2019	2/12/2020	5/22/2020	8/7/2020	11/4/2020	2/12/2021	5/11/2021	8/9/2021	4/23/2019	6/12/2019	9/25/2019	11/15/2019	2/18/2020	8/18/2020	11/12/2020	2/9/2021	5/21/2021	4/23/2019	6/13/2019	9/25/2019	11/15/2019	2/18/2020	
Methyl-tert-butyl ether	µg/L	40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
Toluene	µg/L	790	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	
trans-1,3-Dichloropropene	µg/L	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Vinyl chloride	µg/L	2.0	<1.0	0.68 J	0.83 J	0.59 J	0.59 J	<1.0	0.31 J	0.40 J	0.77 J	0.41 J	0.83 J	0.29 J	0.32 J	<1.0	0.32 J	<1.0	0.29 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																			
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

[illegible]

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-120										MW-122								MW-124								MW-194						MW-194S					
			7-12										16-21								5-10								12-17						2-7					
			4/23/2019	6/15/2019	9/28/2019	11/23/2019	2/8/2020	8/22/2020	11/14/2020	2/13/2021	5/15/2021	9/25/2019	11/20/2019	2/13/2020	8/12/2020	11/5/2020	2/24/2021	5/21/2021	4/23/2019	6/13/2019	9/30/2019	11/15/2019	2/20/2020	8/27/2020	11/17/2020	2/11/2021	5/21/2021	11/20/2019	2/10/2020	8/12/2020	11/13/2020	2/17/2021	5/17/2021	11/20/2019	2/10/2020	8/13/2020	11/13/2020	2/17/2021	5/17/2021	
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.19 J	0.26 J	0.24 J	0.27 J	0.20 J	0.30 J	0.27 J	0.25 J	0.24 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	3.7	4.3	5.9	4.8	2.8	4.5	4.2	3.6	3.3	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.4	2.6	2.1	1.4	2.6	2.0	2.2	0.32 J	0.40 J	< 1.0	0.19 J	0.27 J	0.41 J	0.29 J	0.27 J	0.28 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Gases																																								
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																								
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																								
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-195S							MW-196							MW-196S							MW-197S							MW-198							MW-198S								
			2-7							12-17							2-7							3-8							12-17							2.5-7.5								
			11/20/2019	2/10/2020	8/13/2020	11/18/2020	2/18/2021	5/18/2021	8/2/2021	11/20/2019	2/11/2020	8/13/2020	11/16/2020	2/17/2021	5/17/2021	8/2/2021	11/20/2019	2/11/2020	8/14/2020	11/16/2020	2/17/2021	5/17/2021	8/2/2021	11/25/2019	2/11/2020	8/19/2020	11/18/2020	3/1/2021	5/11/2021	8/2/2021	11/25/2019	2/12/2020	8/19/2020	11/17/2020	2/19/2021	5/11/2021	11/20/2019	2/12/2020	8/19/2020	11/17/2020	2/19/2021	5/11/2021				
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 10	< 100	< 100	< 100	< 100	< 50	< 100	< 2.0	< 25	< 25	< 25	< 25	< 13	< 25	< 1.0	< 1.0	< 4.0	< 4.0	< 4.0	< 2.0	< 4.0	< 1.0	< 1.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	150	100	170	140	160	170	200	55	65	94	94	120	92	82	1.7	1.3	2.1 J	1.9 J	1.3 J	1.8 J	< 4.0	0.43 J	0.89 J	< 5.0	1.6 J	0.97 J	1.1 J	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	3,400	2,300	3,900	2,400	3,500	3,200	3,700	490	520	490	610	470	400	460	78	39	170	34	88	90	130	14	31	92	93	58	66	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.43 J	0.27 J	0.69 J	0.67 J	0.46 J	0.33 J				
Vinyl chloride	µg/L	2.0	16	< 100	< 100	< 100	< 100	13 J	< 100	< 2.0	< 25	< 25	< 25	< 25	< 13	< 25	< 1.0	< 1.0	< 4.0	< 4.0	< 4.0	< 2.0	< 4.0	2.1	2.2	< 5.0	2.5 J	1.6 J	3.6 J	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Gases																																														
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																														
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																														
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	MW-218S 9-14							MW-219S 7-12						MW-220S 6-11						MW-221S 6.5-11.5						MW-222S 5.5-10.5						MW-224S 7-12					
			2/20/2020	8/11/2020	11/11/2020	2/18/2021	5/19/2021	8/2/2021	2/6/2020	8/11/2020	11/18/2020	2/17/2021	5/20/2021	8/3/2021	2/4/2020	8/11/2020	11/11/2020	2/19/2021	5/17/2021	8/9/2021	2/4/2020	8/12/2020	11/16/2020	2/25/2021	5/18/2021	8/13/2021	2/6/2020	8/12/2020	11/12/2020	2/12/2021	5/19/2021	8/5/2021	2/4/2020	8/12/2020	11/9/2020	3/1/2021	5/10/2021	8/11/2021	
Methyl-tert-butyl ether	µg/L	40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,3-Dichloropropene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.12 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.11 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 F	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Gases																																							
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																							
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																							
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	PW-16-01																PW-16-02																		
			9.7-19.7																6-21																		
			8/2/2017	11/7/2017	2/7/2018	5/15/2018	8/6/2018	10/30/2018	2/26/2019	6/10/2019	9/24/2019	11/11/2019	2/7/2020	5/27/2020	8/4/2020	11/9/2020	2/10/2021	5/18/2021	8/6/2021	8/3/2017	11/8/2017	2/14/2018	5/11/2018	8/8/2018	10/30/2018	2/25/2019	6/11/2019	9/27/2019	11/14/2019	2/4/2020	5/27/2020	8/4/2020	11/5/2020	2/9/2021	5/20/2021	8/12/2021	
Methyl-tert-butyl ether	µg/L	40	< 1.0	< 200	< 14	< 14 J	< 40	< 40	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
o-Xylene	µg/L	NS	NA	< 200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Styrene (Monomer)	µg/L	100	0.35 J	< 200	< 14	< 14	< 40	< 40	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	µg/L	5.0	< 1.0	< 200	< 14	< 14	< 40	< 40	< 1.0	< 100	< 100	< 1.0	< 1.0	< 1.0	< 13	< 1.0	< 2.0	< 1.0	< 170	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 3.3	< 2.5	< 1.0	< 1.0	< 1.0	
Toluene	µg/L	790	< 1.0	< 200	< 14	< 14	< 40	< 40	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Xylenes	µg/L	280	< 2.0	< 400	< 29	< 29	< 80	< 80	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 10	< 2.0	< 2.0	< 2.0	< 2.0	< 4.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 200	5.4 J	< 14	< 40	10 J	< 1.0	< 100	< 100	3.7	< 1.0	0.39 J	< 13	< 1.0	< 2.0	7.6	< 170	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 3.3	0.51 J	< 1.0	< 1.0	< 1.0	
trans-1,3-Dichloropropene	µg/L	NS	< 1.0	< 200	< 14	< 14	< 40	< 40	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Trichloroethene	µg/L	5.0	< 1.0	< 200	< 14	< 14	< 40	< 40	< 1.0	< 100	< 100	< 1.0	< 1.0	< 1.0	< 13	< 1.0	< 2.0	< 1.0	< 170	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 3.3	< 2.5	< 1.0	< 1.0	< 1.0		
Vinyl chloride	µg/L	2.0	24	5,300	160	37 J	870	1,400	0.92 J	2,100	2,000	450	1.8	360	160	35	34	180	1,500	160	2.0	18	< 1.0	71	62	0.94 J	< 1.0	59	0.40 J	< 1.0	0.54 J	85	120	14	41 J	0.45 J	
Gases																																					
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Other																																					
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals																																					
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																		

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	TW-16-01															TW-16-02																
			12-17															12-17																
			8/2/2017	11/7/2017	2/7/2018	5/15/2018	8/6/2018	10/30/2018	2/26/2019	6/10/2019	9/24/2019	11/11/2019	2/7/2020	8/18/2020	11/9/2020	3/2/2021	5/18/2021	4/25/2017	8/2/2017	11/7/2017	2/14/2018	5/11/2018	8/6/2018	10/30/2018	2/26/2019	6/10/2019	9/24/2019	11/11/2019	2/3/2020	8/18/2020	11/5/2020	3/2/2021	5/17/2021	
Semi-volatile Organic Compounds (SVOCs)																																		
1,4-Dioxane	µg/L	350	< 2.0 UB	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 UB	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	7.2	3.9	5.8	3.9	5.0	2.7	5.3	4.6	2.8	2.2		2.0	1.8 J	1.2 J	1.0 J	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																																		
1,1,1-Trichloroethane	µg/L	200	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 10	< 13	< 33	< 33	< 25	< 25	< 100 J	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330 J	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	< 33	< 20	0.57 J	< 13	< 13	< 10	< 13	< 2.5	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	< 250	< 330	15 J	< 330	< 330	< 250	< 330	< 330	
1,2,3-Trimethylbenzene	µg/L	NS	< 50	< 63	< 170	< 170	< 130	< 130	< 500	NA	NA	NA	NA	NA	NA	NA	NA	< 3,100	< 2,500	< 2,000	< 5,000	< 2,500	< 1,300	< 2,500	< 1,700	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 10	< 13	< 33	< 33	< 25	< 25	< 100 J	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330 J	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 100	< 130	< 330	< 330	< 250	< 250	< 1,000 J	NA	NA	NA	NA	NA	NA	NA	NA	< 6,300	< 5,000	< 4,000	< 10,000	< 5,000	< 2,500	< 5,000	< 3,300 J	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 100	< 130	< 330	< 330	< 250	< 250	< 1,000 J	NA	NA	NA	NA	NA	NA	NA	NA	< 6,300	< 5,000	< 4,000	< 10,000	< 5,000	< 2,500	< 5,000	< 3,300 J	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 100	< 130	< 330	68 J	< 250	< 250	< 1,000	NA	NA	NA	NA	NA	NA	NA	NA	< 6,300	< 5,000	< 4,000	< 10,000	< 5,000	< 2,500	< 5,000	< 3,300	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 10	< 13	< 33	< 33	< 25	< 25	< 100 J	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330 J	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 50	< 63	< 170	< 170	< 130	< 130	< 500	NA	NA	NA	NA	NA	NA	NA	NA	< 3,100	< 2,500	< 2,000	< 5,000	< 2,500	< 1,300	< 2,500	< 1,700	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorodibromomethane	µg/L	80	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroethane	µg/L	1,700	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroform	µg/L	80	< 10	< 13	< 33	< 3																												

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	TW-16-01															TW-16-02																
			12-17															12-17																
			8/2/2017	11/7/2017	2/7/2018	5/15/2018	8/6/2018	10/30/2018	2/26/2019	6/10/2019	9/24/2019	11/11/2019	2/7/2020	8/18/2020	11/9/2020	3/2/2021	5/18/2021	4/25/2017	8/2/2017	11/7/2017	2/14/2018	5/11/2018	8/6/2018	10/30/2018	2/26/2019	6/10/2019	9/24/2019	11/11/2019	2/3/2020	8/18/2020	11/5/2020	3/2/2021	5/17/2021	
Methyl-tert-butyl ether	µg/L	40	< 10	< 13	< 33	< 33 J	< 25	< 25	< 100 J	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 13	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	< 100	< 33	< 20	< 1.0	< 13	< 10	< 13	< 2.5	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	< 250	< 330	< 25	< 330	< 330	< 250	< 330	< 330	< 330	< 330
Toluene	µg/L	790	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 20	< 25	< 67	< 67	< 50	< 50	< 200	NA	NA	NA	NA	NA	NA	NA	NA	< 1,300	< 1,000	< 800	< 2,000	< 1,000	< 500	< 1,000	< 670	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 10	< 13	< 33	11 J	7.5 J	14 J	22 J	8.0 J	< 20	4.9	< 13	< 13	< 10	< 13	< 2.5	< 630	< 500	< 400	< 1,000	< 500	56 J	< 500	130 J	< 250	< 330	48	< 330	< 330	< 250	< 330	< 330	< 330
trans-1,3-Dichloropropene	µg/L	NS	< 10	< 13	< 33	< 33	< 25	< 25	< 100	NA	NA	NA	NA	NA	NA	NA	NA	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	< 10	< 13	< 33	< 33	< 25	< 25	15 J	< 33	< 20	< 1.0	< 13	< 13	< 10	< 13	< 2.5	< 630	< 500	< 400	< 1,000	< 500	< 250	< 500	< 330	< 250	< 330	< 25	< 330	< 330	< 250	< 330	< 330	< 330
Vinyl chloride	µg/L	2.0	210	320	380	720	680	830	750	550	420	480	370	190	300	120	150	15,000	12,000	13,000	9,100	8,500	7,300	12,000	8,900	5,800	7,600	5,700	7,000	3,700	5,100	4,100	5,100	
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																		
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Table 2
On-Site Groundwater Analytical Results
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	TW-16-03																TW-16-04															
			9-19																9-19															
			8/3/2017	11/8/2017	2/14/2018	5/11/2018	8/8/2018	10/30/2018	2/25/2019	6/11/2019	9/27/2019	11/14/2019	2/11/2020	8/18/2020	11/9/2020	3/1/2021	5/20/2021	4/25/2017	8/3/2017	11/8/2017	2/14/2018	5/11/2018	8/8/2018	10/30/2018	2/25/2019	6/11/2019	9/27/2019	11/14/2019	2/4/2020	8/18/2020	11/5/2020	3/1/2021	5/20/2021	
Semi-volatile Organic Compounds (SVOCs)																																		
1,4-Dioxane	µg/L	350	< 2.0 UB	< 2.0	< 2.0	< 2.0	1.0 J	1.1 J	< 2.0	< 2.0	0.93 J	0.43 J	< 2.0	< 2.0	< 2.0	< 2.0	< 4.0	1.7 J	< 2.0 UB	0.89 J	< 2.0	< 2.0	1.2 J	1.5 J	1.2 J	1.1 J	< 2.0	0.86 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																																		
1,1,1-Trichloroethane	µg/L	200	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	µg/L	35	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7 J	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-trichloro-1,2,2-trifluoroethane	µg/L	170,000	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	µg/L	2,500	< 4.0	< 3.3	< 10	< 2.5	0.44 J	< 6.7	0.43 J	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	0.50 J	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	µg/L	7.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 2.5	< 2.5	< 2.5	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	< 2.5	< 2.5	< 1.0	< 2.5	< 1.0	< 2.0	< 2.0		
1,2,3-Trimethylbenzene	µg/L	NS	< 20	< 17	< 50	< 13	< 10	< 33	< 8.4	NA	NA	NA	NA	NA	NA	NA	NA	< 20	< 20	< 33	< 33	< 13	< 5.0	< 17	< 17	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	µg/L	70	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	µg/L	63	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	µg/L	0.2	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	µg/L	0.05	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	µg/L	600	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	µg/L	72	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	µg/L	19	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	µg/L	75	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	µg/L	38,000	< 40	< 33	< 100	< 25	< 20	< 67	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	< 40	< 40	< 67	< 67	< 25	< 10	< 33	< 33	NA	NA	NA	NA	NA	NA	NA	NA	
2-Methylnaphthalene	µg/L	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-Pentanone (MIBK)	µg/L	5,200	< 40	< 33	< 100	< 25	< 20	< 67	< 17 J	NA	NA	NA	NA	NA	NA	NA	NA	< 40	< 40	< 67	< 67	< 25	< 10	< 33	< 33	NA	NA	NA	NA	NA	NA	NA	NA	
Acetone	µg/L	2,100	< 40	< 33	< 100	< 25	< 20	< 67	< 17	NA	NA	NA	NA	NA	NA	NA	NA	< 40	< 40	< 67	< 67	< 25	5.5 J	< 33	< 33	NA	NA	NA	NA	NA	NA	NA	NA	
Benzene	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	µg/L	80	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Bromoform	µg/L	80	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7 J	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Bromomethane	µg/L	29	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Disulfide	µg/L	2,300	< 20	< 17	< 50	< 13	< 10	< 33	< 8.4	NA	NA	NA	NA	NA	NA	NA	NA	< 20	< 20	< 33	< 33	< 13	< 5.0	< 17	< 17	NA	NA	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane (CFC-11)	µg/L	7,300	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane (CFC-12)	µg/L	4,800	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorobenzene	µg/L	100	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorodibromomethane	µg/L	80	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroethane	µg/L	1,700	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chloroform	µg/L	80	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	
Chloromethane	µg/L	1,100	< 4.0	< 3.3 J	< 10.																													

Location: Screen Interval (ft. bgs): Date:	Unit	EGLE Non-Residential Drinking Water Criteria	TW-16-03															TW-16-04															
			9-19															9-19															
			8/3/2017	11/8/2017	2/14/2018	5/11/2018	8/8/2018	10/30/2018	2/25/2019	6/11/2019	9/27/2019	11/14/2019	2/11/2020	8/18/2020	11/9/2020	3/1/2021	5/20/2021	4/25/2017	8/3/2017	11/8/2017	2/14/2018	5/11/2018	8/8/2018	10/30/2018	2/25/2019	6/11/2019	9/27/2019	11/14/2019	2/4/2020	8/18/2020	11/5/2020	3/1/2021	5/20/2021
Methyl-tert-butyl ether	µg/L	40	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA
o-Xylene	µg/L	NS	NA	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	µg/L	1,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene (Monomer)	µg/L	100	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 2.5	< 2.5	< 2.5	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 1.0	< 2.0	< 2.0
Toluene	µg/L	790	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	µg/L	280	< 8.0	< 6.7	< 20	< 5.0	< 4.0	< 13	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA	< 8.0	< 8.0	< 13	< 13	< 5.0	< 2.0	< 6.7	< 6.7	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 2.5	< 2.5	< 2.5	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 1.0	< 2.0	< 2.0
trans-1,3-Dichloropropene	µg/L	NS	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	NA	NA	NA	NA	NA	NA	NA	NA	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene	µg/L	5.0	< 4.0	< 3.3	< 10	< 2.5	< 2.0	< 6.7	< 1.7	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 2.5	0.35 J	< 2.5	< 4.0	< 4.0	< 6.7	< 6.7	< 2.5	< 1.0	< 3.3	< 3.3	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 1.0	< 2.0	< 2.0
Vinyl chloride	µg/L	2.0	100	77	95	78	76	97	48	20	53	87	82	84	89	69	46	150	120	100	77	65	63	90	65	51	49	46	22	20	30	30	20
Gases																																	
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Other																																	
Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals																																	
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Notes:

Table includes routine data collected from onsite monitoring wells. Lack of a date indicates that it was not sampled during that quarter.
Results are compared to EGLE Part 201 Generic Cleanup Criteria, June 2018.
* The sample collected on 8/18/2020 from MW-200S was collected from an incorrect depth interval and is considered not representative. This data is not shown on the associated analytical figures.
** The sample collected on 8/9/2021 from MW-50 was collected from an incorrect depth interval and is considered not representative. This data is not shown on the associated analytical figures.
Bold Result denotes exceedance of EGLE Non-Residential Drinking Water Criteria.
< Denotes not detected above reporting limit.

Abbreviations:

µg/L	micrograms per liter
D	deep interval
EGLE	Michigan Department of Environment, Great Lakes, and Energy
F/F1	matrix spike (MS) and/or matrix spike duplicate (MSD) recovery exceeds control limits
ft. bgs	feet below ground surface
J	estimated result
LMW	light non-aqueous phase liquid monitoring well
mg/L	milligrams per liter
MW	monitoring well
NA	not analyzed/not available
NA*	result not reported due to laboratory instrument calibration
NS	no standard / not sampled
PW	pumping well
S	shallow interval
TW	test well
UB	analyte considered non-detect at the value listed due to associated blank contamination

Analytical Methods:

8260B SIM for Semi-volatile Organic Compounds (SVOCs)
8260B for Volatile Organic Compounds (VOCs)
RSK-175 for Dissolved Gases
6020 for Metals
5310C-2000 for Dissolved Organic Carbon (DOC)/Total Organic Carbon/Persulfate
9056A for Anions

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)			
MW-72	668.81	15.0-20.0	05/22/17	NP	6.98	19.31	NA	NA	661.83	661.83			
			07/24/17	NP	8.60	19.60	NA	NA	660.21	660.21			
			11/06/17	NP	9.20	19.54	NA	NA	659.61	659.61			
			02/05/18	NP	8.58	19.86	NA	NA	660.23	660.23			
			05/07/18	NP	6.83	19.63	NA	NA	661.98	661.98			
			08/16/18	NP	8.68	NM	NA	NA	660.13	660.13			
			11/19/18	NP	7.72	19.64	NA	NA	661.09	661.09			
			02/22/19	NP	7.48	19.61	NA	NA	661.33	661.33			
			06/14/19	NP	6.86	19.65	NA	NA	661.95	661.95			
			09/26/19	NP	9.98	19.63	NA	NA	658.83	658.83			
			11/04/19	NP	8.57	19.62	NA	NA	660.24	660.24			
			02/05/20	NP	7.23	NM	NA	NA	661.58	661.58			
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾			
			08/17/20	NP	8.76	NM	NA	NA	660.05	660.05			
			11/20/20	NP	9.25	NM ⁽⁵⁾	NA	NA	659.56	659.56			
			02/08/21	NP	9.02	19.63	NA	NA	659.79	659.79			
			05/03/21	NP	8.45	19.61	NA	NA	660.36	660.36			
MW-72S	668.96	3.0-13.0	08/17/21	NP	7.38	19.61	NA	NA	661.43	661.43			
			03/05/19	NP	7.56	13.05	NA	NA	661.40	661.40			
			06/14/19	NP	7.00	13.03	NA	NA	661.96	661.96			
			09/26/19	NP	9.32	13.03	NA	NA	659.64	659.64			
			11/04/19	NP	8.76	13.03	NA	NA	660.20	660.20			
			02/05/20	NP	7.42	NM	NA	NA	661.54	661.54			
			05/18/20	NP	7.29	13.02	NA	NA	661.67	661.67			
			08/17/20	NP	8.93	NM	NA	NA	660.03	660.03			
			11/20/20	NP	9.44	NM ⁽⁵⁾	NA	NA	659.52	659.52			
			02/08/21	Could Not Access Well, covered by ice/snow									
			05/03/21	NP	8.63	13.02	NA	NA	660.33	660.33			
			08/17/21	NP	7.56	13.00	NA	NA	661.40	661.40			
			MW-73S	666.89	7.0-12.0	05/22/17	NP	4.72	11.31	NA	NA	662.17	662.17
						07/24/17	NP	6.38	11.48	NA	NA	660.51	660.51
						11/06/17	NP	6.94	11.42	NA	NA	659.95	659.95
						02/05/18	NP	6.30	11.62	NA	NA	660.59	660.59
						05/07/18	NP	4.77	11.55	NA	NA	662.12	662.12
08/16/18	NP	6.25				NM	NA	NA	660.64	660.64			
11/19/18	NP	5.45				11.54	NA	NA	661.44	661.44			
12/10/18	Monitoring Well Abandoned												
MW-73SR	667.00	2.5-12.5	02/22/19	NP	5.56	12.38	NA	NA	661.44	661.44			
			06/14/19	NP	4.80	12.40	NA	NA	662.20	662.20			
			09/26/19	NP	6.82	12.49	NA	NA	660.18	660.18			
			11/04/19	NP	6.43	12.40	NA	NA	660.57	660.57			
			02/05/20	NP	5.36	NM	NA	NA	661.64	661.64			
			05/18/20	NP	5.14	12.38	NA	NA	661.86	661.86			
			08/17/20	NP	6.57	NM	NA	NA	660.43	660.43			
			11/20/20	NP	7.13	NM ⁽⁵⁾	NA	NA	659.87	659.87			
			02/08/21	NP	6.96	12.40	NA	NA	660.04	660.04			
			05/03/21	NP	6.34	12.38	NA	NA	660.66	660.66			
MW-73D	667.03	13.5-18.5	08/17/21	NP	5.58	12.39	NA	NA	661.42	661.42			
			05/22/17	NP	4.98	17.21	NA	NA	662.05	662.05			
			07/24/17	NP	6.64	17.47	NA	NA	660.39	660.39			
			11/06/17	NP	7.22	17.38	NA	NA	659.81	659.81			
			02/05/18	NP	6.54	17.52	NA	NA	660.49	660.49			
			05/07/18	NP	5.02	17.36	NA	NA	662.01	662.01			
			08/16/18	NP	6.49	NM	NA	NA	660.54	660.54			
			11/19/18	NP	5.73	17.35	NA	NA	661.30	661.30			
			02/22/19	NP	5.54	17.37	NA	NA	661.49	661.49			
			06/14/19	NP	4.79	17.37	NA	NA	662.24	662.24			
			09/26/19	NP	7.84	17.39	NA	NA	659.19	659.19			
			11/04/19	NP	6.39	17.38	NA	NA	660.64	660.64			
			02/05/20	NP	5.34	NM	NA	NA	661.69	661.69			
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾			
			08/17/20	NP	6.53	NM	NA	NA	660.50	660.50			
			11/20/20	NP	7.09	NM ⁽⁵⁾	NA	NA	659.94	659.94			
			02/08/21	NP	6.96	17.36	NA	NA	660.07	660.07			
			05/03/21	NP	6.34	17.36	NA	NA	660.69	660.69			
			08/17/21	NP	5.55	17.35	NA	NA	661.48	661.48			
MW-74	667.90	14.0-19.0	05/22/17	NP	5.94	18.52	NA	NA	661.96	661.96			
			07/24/17	NP	7.47	18.81	NA	NA	660.43	660.43			
			11/06/17	NP	8.12	18.76	NA	NA	659.78	659.78			
			02/05/18	NP	7.49	18.85	NA	NA	660.41	660.41			
			05/07/18	NP	5.95	18.77	NA	NA	661.95	661.95			
			08/16/18	NP	7.38	NM	NA	NA	660.52	660.52			
			11/19/18	NP	6.25	18.77	NA	NA	661.65	661.65			
			02/22/19	NP	6.45	18.76	NA	NA	661.45	661.45			
			06/14/19	NP	5.63	18.76	NA	NA	662.27	662.27			
			09/26/19	NP	7.48	18.78	NA	NA	660.42	660.42			
			11/04/19	NP	7.31	18.78	NA	NA	660.59	660.59			
			02/05/20	NP	6.29	NM	NA	NA	661.61	661.61			
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾			
			08/17/20	NP	7.36	NM	NA	NA	660.54	660.54			
			11/20/20	NP	7.94	NM ⁽⁵⁾	NA	NA	659.96	659.96			
			02/08/21	NP	7.81	18.78	NA	NA	660.09	660.09			
			05/03/21	NP	7.25	18.76	NA	NA	660.65	660.65			
08/17/21	NP	6.38	18.76	NA	NA	661.52	661.52						
MW-74S	667.93	3.0-13.0	02/22/19	NP	6.44	12.78	NA	NA	661.49	661.49			
			06/14/19	NP	5.65	12.77	NA	NA	662.28	662.28			
			09/26/19	NP	7.49	12.76	NA	NA	660.44	660.44			
			11/04/19	NP	7.31	12.79	NA	NA	660.62	660.62			
			02/05/20	NP	6.27	NM	NA	NA	661.66	661.66			
			05/18/20	NP	6.28	12.78	NA	NA	661.65	661.65			
			08/17/20	NP	7.36	NM	NA	NA	660.57	660.57			
			11/20/20	NP	7.94	NM ⁽⁵⁾	NA	NA	659.99	659.99			
			02/08/21	NP	7.82	12.79	NA	NA	660.11	660.11			
			05/03/21	NP	7.26	12.78	NA	NA	660.67	660.67			
			08/17/21	NP	6.40	12.63	NA	NA	661.53	661.53			
MW-75S	666.86	5.0-10.0	05/22/17	NP	5.16	9.23	NA	NA	661.70	661.70			
			07/24/17	NP	6.15	9.48	NA	NA	660.71	660.71			
			11/06/17	NP	6.83	9.43	NA	NA	660.03	660.03			
			02/05/18	NP	6.56	9.82	NA	NA	660.30	660.30			
			05/07/18	NP	5.08	9.67	NA	NA	661.78	661.78			
			08/16/18	NP	5.81	NM	NA	NA	661.05	661.05			
			11/19/18	NP	5.47	9.62	NA	NA	661.39	661.39			
12/10/18	Monitoring Well Abandoned												
See Notes on Last Page.													

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-75SR	666.96	2.5-12.5	02/22/19	NP	5.60	12.38	NA	NA	661.36	661.36
			06/14/19	NP	4.63	12.36	NA	NA	662.33	662.33
			09/26/19	NP	6.26	12.38	NA	NA	660.70	660.70
			11/04/19	NP	5.98	12.37	NA	NA	660.98	660.98
			02/05/20	NP	5.34	NM	NA	NA	661.62	661.62
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	6.10	NM	NA	NA	660.86	660.86
			11/20/20	NP	6.72	NM ⁽⁵⁾	NA	NA	660.24	660.24
			02/08/21	NP	6.86	12.37	NA	NA	660.10	660.10
MW-75D	666.89	12.0-17.0	05/03/21	NP	6.52	12.37	NA	NA	660.44	660.44
			08/17/21	NP	5.25	12.35	NA	NA	661.71	661.71
			05/22/17	NP	5.20	16.59	NA	NA	661.69	661.69
			07/24/17	NP	6.19	16.78	NA	NA	660.70	660.70
			11/06/17	NP	6.81	17.80	NA	NA	660.08	660.08
			02/05/18	NP	6.59	16.83	NA	NA	660.30	660.30
			05/07/18	NP	5.04	16.77	NA	NA	661.85	661.85
			08/16/18	NP	6.09	NM	NA	NA	660.80	660.80
			11/19/18	NP	5.51	17.74	NA	NA	661.38	661.38
			02/22/19	NP	5.72	16.78	NA	NA	661.17	661.17
			06/14/19	NP	4.57	16.74	NA	NA	662.32	662.32
			09/26/19	NP	6.26	16.70	NA	NA	660.63	660.63
			11/04/19	NP	5.89	16.66	NA	NA	661.00	661.00
			02/05/20	NP	5.35	NM	NA	NA	661.54	661.54
			05/18/20	NP	5.55	16.66	NA	NA	661.34	661.34
			08/17/20	NP	6.00	NM	NA	NA	660.89	660.89
			11/20/20	NP	6.81	NM ⁽⁵⁾	NA	NA	660.08	660.08
MW-76	670.10	15.0-20.0	02/08/21	NP	6.88	16.78	NA	NA	660.01	660.01
			05/03/21	NP	6.76	16.72	NA	NA	660.13	660.13
			08/17/21	NP	5.50	16.65	NA	NA	661.39	661.39
			05/22/17	NP	9.43	19.44	NA	NA	660.67	660.67
			07/24/17	NP	10.05	19.73	NA	NA	660.05	660.05
			11/06/17	NP	10.73	19.66	NA	NA	659.37	659.37
			02/05/18	NP	10.89	19.71	NA	NA	659.21	659.21
			05/07/18	NP	9.34	19.64	NA	NA	660.76	660.76
			08/16/18	NP	9.59	NM	NA	NA	660.51	660.51
			11/19/18	NP	9.25	19.60	NA	NA	660.85	660.85
			02/22/19	NP	9.75	19.62	NA	NA	660.35	660.35
			06/14/19	NP	8.56	19.61	NA	NA	661.54	661.54
			09/26/19	NP	9.78	19.63	NA	NA	660.32	660.32
			11/04/19	NP	9.74	19.62	NA	NA	660.36	660.36
			02/05/20	NP	9.36	NM	NA	NA	660.74	660.74
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
MW-76S	669.98	4.5-14.5	08/17/20	NP	9.50	NM	NA	NA	660.60	660.60
			11/20/20	NP	10.28	NM ⁽⁵⁾	NA	NA	659.82	659.82
			02/08/21	NP	10.66	19.63	NA	NA	659.44	659.44
			05/03/21	NP	10.53	19.62	NA	NA	659.57	659.57
			08/17/21	NP	9.45	19.61	NA	NA	660.65	660.65
			02/22/19	NP	9.64	14.15	NA	NA	660.34	660.34
			06/14/19	NP	8.55	14.50	NA	NA	661.43	661.43
			09/26/19	NP	9.65	14.17	NA	NA	660.33	660.33
			11/04/19	NP	9.63	14.15	NA	NA	660.35	660.35
MW-77	660.56	9.0-14.0	02/05/20	NP	9.24	NM	NA	NA	660.74	660.74
			05/18/20	NP	9.33	14.19	NA	NA	660.65	660.65
			08/17/20	NP	9.40	NM	NA	NA	660.58	660.58
			11/20/20	NP	10.17	NM ⁽⁵⁾	NA	NA	659.81	659.81
			02/08/21	NP	10.56	14.16	NA	NA	659.42	659.42
			05/03/21	NP	10.42	14.50	NA	NA	659.56	659.56
			08/17/21	NP	9.35	14.14	NA	NA	660.63	660.63
			05/22/17	NP	4.59	13.45	NA	NA	655.97	655.97
			07/24/17	NP	5.90	13.75	NA	NA	654.66	654.66
			11/06/17	NP	6.30	13.67	NA	NA	654.26	654.26
			02/05/18	NP	5.43	13.75	NA	NA	655.13	655.13
			05/07/18	NP	4.28	13.70	NA	NA	656.28	656.28
			08/16/18	NP	5.88	NM	NA	NA	654.68	654.68
			11/19/18	NP	4.59	13.69	NA	NA	655.97	655.97
			02/22/19	NP	4.64	13.72	NA	NA	655.92	655.92
			06/14/19	NP	4.23	13.71	NA	NA	656.33	656.33
MW-77S	660.55	2.5-12.5	09/26/19	NP	5.97	13.72	NA	NA	654.59	654.59
			11/04/19	NP	5.21	13.70	NA	NA	655.35	655.35
			02/05/20	NP	4.29	NM	NA	NA	656.27	656.27
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.68	NM	NA	NA	654.88	654.88
			11/20/20	NP	5.85	13.74 ⁽⁵⁾	NA	NA	654.71	654.71
			02/08/21	NP	5.52	13.72	NA	NA	655.04	655.04
			05/03/21	NP	5.32	13.71	NA	NA	655.24	655.24
			08/17/21	NP	4.36	13.69	NA	NA	656.20	656.20
			02/22/19	NP	4.53	12.16	NA	NA	656.02	656.02
			06/14/19	NP	4.12	12.14	NA	NA	656.43	656.43
			09/26/19	NP	5.89	12.17	NA	NA	654.66	654.66
			11/04/19	NP	5.15	12.15	NA	NA	655.40	655.40
			02/05/20	NP	5.03	NM	NA	NA	655.52	655.52
			05/18/20	NP	4.19	12.17	NA	NA	656.36	656.36
			08/17/20	NP	5.58	NM	NA	NA	654.97	654.97
			11/20/20	NP	5.74	12.19 ⁽⁵⁾	NA	NA	654.81	654.81
MW-78	657.23	7.0-12.0	02/08/21	NP	5.43	12.14	NA	NA	655.12	655.12
			05/03/21	NP	5.24	12.16	NA	NA	655.31	655.31
			08/17/21	NP	4.26	12.12	NA	NA	656.29	656.29
			05/22/17	NP	1.78	11.47	NA	NA	655.45	655.45
			07/24/17	NP	3.55	11.79	NA	NA	653.68	653.68
			11/06/17	NP	3.50	11.72	NA	NA	653.73	653.73
			02/05/18	NP	3.09	11.80	NA	NA	654.14	654.14
			05/07/18	NP	1.54	11.75	NA	NA	655.69	655.69
			08/16/18	NP	3.53	NM	NA	NA	653.70	653.70
			11/19/18	NP	1.68	11.71	NA	NA	655.55	655.55
			02/22/19	NP	2.02	11.75	NA	NA	655.21	655.21
			06/14/19	NP	1.19	11.75	NA	NA	656.04	656.04
			09/26/19	NP	3.71	11.77	NA	NA	653.52	653.52
			11/04/19	NP	2.70	11.76	NA	NA	654.53	654.53
			02/05/20	NP	1.66	NM	NA	NA	655.57	655.57
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	3.37	NM	NA	NA	653.86	653.86
			11/20/20	NP	3.32	11.79 ⁽⁵⁾	NA	NA	653.91	653.91
			02/08/21	NP	3.28	11.76	NA	NA	653.95	653.95
			05/03/21	NP	2.97	11.75	NA	NA	654.26	654.26
			08/17/21	NP	1.88	11.74	NA	NA	655.35	655.35

See Notes on Last Page.

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-78S	657.61	2.5-12.5	02/22/19	NP	2.37	12.40	NA	NA	655.24	655.24
			06/14/19	NP	1.51	12.38	NA	NA	656.10	656.10
			09/26/19	NP	3.45	12.41	NA	NA	654.16	654.16
			11/04/19	NP	3.05	12.40	NA	NA	654.56	654.56
			02/05/20	NP	1.98	NM	NA	NA	655.63	655.63
			05/18/20	NP	1.55	12.40	NA	NA	656.06	656.06
			08/17/20	NP	3.70	NM	NA	NA	653.91	653.91
			11/20/20	NP	3.56	12.33 ⁽⁵⁾	NA	NA	654.05	654.05
			02/08/21	NP	3.50	12.30	NA	NA	654.11	654.11
MW-79S	663.10	5.0-10.0	05/03/21	NP	3.20	12.31	NA	NA	654.41	654.41
			08/17/21	NP	2.11	12.29	NA	NA	655.50	655.50
			05/22/17	NP	4.15	9.49	NA	NA	658.95	658.95
			07/24/17	NP	6.37	9.76	NA	NA	656.73	656.73
			11/06/17	NP	6.56	9.71	NA	NA	656.54	656.54
			02/05/18	NP	5.46	9.78	NA	NA	657.64	657.64
			05/07/18	NP	3.49	9.73	NA	NA	659.61	659.61
			08/16/18	NP	6.40	NM	NA	NA	656.70	656.70
			11/19/18	NP	4.50	9.71	NA	NA	658.60	658.60
MW-79SR	663.06	2.5-12.5	12/10/18	Monitoring Well Abandoned						
			02/22/19	NP	4.19	12.28	NA	NA	658.87	658.87
			06/14/19	NP	3.50	12.50	NA	NA	659.56	659.56
			09/26/19	NP	6.52	12.26	NA	NA	656.54	656.54
			11/04/19	NP	5.65	12.25	NA	NA	657.41	657.41
			02/05/20	NP	3.59	NM	NA	NA	659.47	659.47
			05/18/20	NP	3.37	12.26	NA	NA	659.69	659.69
			08/17/20	NP	6.22	NM	NA	NA	656.84	656.84
			11/20/20	NP	6.19	12.29 ⁽⁵⁾	NA	NA	656.87	656.87
MW-79D	663.35	10.0-15.0	02/08/21	NP	5.71	12.27	NA	NA	657.35	657.35
			05/03/21	NP	5.37	12.27	NA	NA	657.69	657.69
			08/17/21	NP	4.35	12.25	NA	NA	658.71	658.71
			05/22/17	NP	4.20	14.38	NA	NA	659.15	659.15
			07/24/17	NP	6.45	14.66	NA	NA	656.90	656.90
			11/06/17	NP	6.62	14.60	NA	NA	656.73	656.73
			02/05/18	NP	5.51	14.69	NA	NA	657.84	657.84
			05/07/18	NP	3.55	14.62	NA	NA	659.80	659.80
			08/16/18	NP	6.49	NM	NA	NA	656.86	656.86
MW-80S	656.08	7.0-12.0	11/19/18	NP	4.58	14.60	NA	NA	658.77	658.77
			02/22/19	NP	4.33	14.64	NA	NA	659.02	659.02
			06/14/19	NP	3.63	14.62	NA	NA	659.72	659.72
			09/26/19	NP	6.66	14.64	NA	NA	656.69	656.69
			11/04/19	NP	5.80	14.63	NA	NA	657.55	657.55
			02/05/20	NP	3.69	NM	NA	NA	659.66	659.66
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	6.37	NM	NA	NA	656.98	656.98
			11/20/20	NP	6.31	14.67 ⁽⁵⁾	NA	NA	657.04	657.04
MW-80SR	656.23	2.5-12.5	02/08/21	NP	5.84	14.62	NA	NA	657.51	657.51
			05/03/21	NP	5.50	14.63	NA	NA	657.85	657.85
			08/17/21	NP	4.50	14.63	NA	NA	658.85	658.85
			05/22/17	NP	2.41	11.29	NA	NA	653.67	653.67
			07/24/17	NP	4.19	11.50	NA	NA	651.89	651.89
			11/06/17	NP	3.41	11.53	NA	NA	652.67	652.67
			02/05/18	NP	2.86	11.81	NA	NA	653.22	653.22
			05/07/18	NP	1.23	11.56	NA	NA	654.85	654.85
			08/16/18	NP	4.14	NM	NA	NA	651.94	651.94
MW-81 ⁽¹⁾	657.32	8.0-13.0	11/19/18	NP	2.17	11.53	NA	NA	653.91	653.91
			12/10/18	Monitoring Well Abandoned						
			03/06/19	NP	2.43	12.21	NA	NA	653.80	653.80
			06/14/19	NP	1.39	12.24	NA	NA	654.84	654.84
			09/26/19	NP	4.41	12.24	NA	NA	651.82	651.82
			11/04/19	NP	2.80	12.22	NA	NA	653.43	653.43
			02/05/20	NP	1.35	NM	NA	NA	654.88	654.88
			05/18/20	NP	1.13	12.24	NA	NA	655.10	655.10
			08/17/20	NP	4.15	NM	NA	NA	652.08	652.08
MW-81 ⁽¹⁾	657.32	8.0-13.0	11/20/20	NP	3.51	NM ⁽⁵⁾	NA	NA	652.72	652.72
			02/08/21	NP	3.48	12.24	NA	NA	652.75	652.75
			05/03/21	NP	3.05	12.23	NA	NA	653.18	653.18
			08/17/21	NP	2.50	12.21	NA	NA	653.73	653.73
			05/22/17	NP	6.05	12.40	NA	NA	651.27	651.27
			07/24/17	NP	7.24	12.70	NA	NA	650.08	650.08
			11/06/17	NP	8.27	12.63	NA	NA	649.05	649.05
			02/05/18	NP	7.29	12.71	NA	NA	650.03	650.03
			05/07/18	NP	5.98	12.66	NA	NA	651.34	651.34
MW-81S	657.67	2.5-12.5	08/16/18	NP	7.40	NM	NA	NA	649.92	649.92
			11/19/18	NP	6.62	12.64	NA	NA	650.70	650.70
			02/22/19	NP	6.19	12.67	NA	NA	651.13	651.13
			06/14/19	NP	5.85	12.65	NA	NA	651.47	651.47
			09/26/19	NP	7.62	12.68	NA	NA	649.70	649.70
			11/04/19	NP	7.31	12.68	NA	NA	650.01	650.01
			02/05/20	NP	6.23	NM	NA	NA	651.09	651.09
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	
			08/17/20	NP	7.35	NM	NA	NA	649.97	649.97
MW-82S	658.63	9.0-14.0	11/20/20	NP	7.67	NM ⁽⁵⁾	NA	NA	649.65	649.65
			02/08/21	NP	7.30	12.65	NA	NA	650.02	650.02
			05/03/21	NP	6.82	12.66	NA	NA	650.50	650.50
			08/17/21	NP	6.89	12.68	NA	NA	650.43	650.43
			02/22/19	NP	6.49	12.52	NA	NA	651.18	651.18
			06/14/19	NP	5.18	12.51	NA	NA	652.49	652.49
			09/26/19	NP	7.83	12.52	NA	NA	649.84	649.84
			11/04/19	NP	7.60	12.54	NA	NA	650.07	650.07
			02/05/20	NP	6.26	NM	NA	NA	651.41	651.41
MW-82S	658.63	9.0-14.0	05/18/20	NP	6.21	12.54	NA	NA	651.46	651.46
			08/17/20	NP	7.65	NM	NA	NA	650.02	650.02
			11/20/20	NP	8.01	NM ⁽⁵⁾	NA	NA	649.66	649.66
			02/08/21	NP	7.50	12.51	NA	NA	650.17	650.17
			05/03/21	NP	7.08	12.50	NA	NA	650.59	650.59
			08/17/21	NP	6.50	12.52	NA	NA	651.17	651.17
			05/22/17	NP	6.93	13.12	NA	NA	651.70	651.70
			07/24/17	NP	8.24	11.50	NA	NA	650.39	650.39
			11/06/17	NP	9.08	13.34	NA	NA	649.55	649.55
MW-82S	658.63	9.0-14.0	02/05/18	NP	8.32	13.44	NA	NA	650.31	650.31
			05/07/18	NP	7.10	13.36	NA	NA	651.53	651.53
			08/16/18	NP	8.38	NM	NA	NA	650.25	650.25
			11/19/18	NP	7.62	13.37	NA	NA	651.01	651.01
			12/10/18	Monitoring Well Abandoned						
See Notes on Last Page.										

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-82SR	658.92	5.0-15.0	02/22/19	NP	7.47	16.12	NA	NA	651.45	651.45
			06/14/19	NP	6.85	15.10	NA	NA	652.07	652.07
			09/26/19	NP	8.65	16.12	NA	NA	650.27	650.27
			11/04/19	NP	8.27	16.12	NA	NA	650.65	650.65
			02/05/20	NP	6.94	NM	NA	NA	651.98	651.98
			05/18/20	NP	6.92	16.15	NA	NA	652.00	652.00
			08/17/20	NP	8.42	NM	NA	NA	650.50	650.50
			11/20/20	NP	8.76	NM ⁽⁵⁾	NA	NA	650.16	650.16
			02/08/21	NP	8.37	16.10	NA	NA	650.55	650.55
MW-82D	658.45	18.0-23.0	05/03/21	NP	7.98	16.11	NA	NA	650.94	650.94
			08/17/21	NP	7.20	16.10	NA	NA	651.72	651.72
			05/22/17	NP	7.34	22.45	NA	NA	651.11	651.11
			07/24/17	NP	8.50	22.80	NA	NA	649.95	649.95
			11/06/17	NP	9.41	22.72	NA	NA	649.04	649.04
			02/05/18	NP	8.65	22.81	NA	NA	649.80	649.80
			05/07/18	NP	7.33	22.74	NA	NA	651.12	651.12
			08/16/18	NP	8.49	NM	NA	NA	649.96	649.96
			11/19/18	NP	7.59	22.70	NA	NA	650.86	650.86
			03/06/19	NP	7.65	23.00	NA	NA	650.80	650.80
			06/14/19	NP	7.10	22.70	NA	NA	651.35	651.35
			09/26/19	NP	8.65	22.75	NA	NA	649.80	649.80
			11/04/19	NP	8.38	22.73	NA	NA	650.07	650.07
			02/05/20	NP	7.16	NM	NA	NA	651.29	651.29
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	8.45	NM	NA	NA	650.00	650.00
			11/20/20	NP	8.81	NM ⁽⁵⁾	NA	NA	649.64	649.64
MW-83 ⁽¹⁾	660.09	8.0-13.0	02/08/21	NP	8.46	22.72	NA	NA	649.99	649.99
			05/03/21	NP	8.09	22.72	NA	NA	650.36	650.36
			08/17/21	NP	7.36	22.70	NA	NA	651.09	651.09
			05/22/17	NP	6.46	12.11	NA	NA	653.63	653.63
			07/24/17	NP	7.61	12.44	NA	NA	652.48	652.48
			11/06/17	NP	8.08	12.46	NA	NA	652.01	652.01
			02/05/18	NP	7.53	12.48	NA	NA	652.56	652.56
			05/07/18	NP	6.28	12.43	NA	NA	653.81	653.81
			08/16/18	NP	7.71	NM	NA	NA	652.38	652.38
			11/19/18	NP	6.78	12.38	NA	NA	653.31	653.31
			02/22/19	NP	6.71	12.40	NA	NA	653.38	653.38
			06/14/19	NP	6.25	12.40	NA	NA	653.84	653.84
			09/26/19	NP	7.95	12.41	NA	NA	652.14	652.14
			11/04/19	NP	7.36	12.43	NA	NA	652.73	652.73
			02/05/20	NP	6.35	NM	NA	NA	653.74	653.74
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
MW-83S	660.26	3.0-13.0	08/17/20	NP	7.78	NM	NA	NA	652.31	652.31
			11/20/20	NP	7.98	NM ⁽⁵⁾	NA	NA	652.11	652.11
			02/08/21	NP	7.82	12.76	NA	NA	652.27	652.27
			05/03/21	NP	7.42	12.41	NA	NA	652.67	652.67
			08/17/21	NP	6.75	12.80	NA	NA	653.34	653.34
			02/22/19	NP	6.87	12.80	NA	NA	653.39	653.39
			06/14/19	NP	6.41	12.80	NA	NA	653.85	653.85
			09/26/19	NP	8.12	12.79	NA	NA	652.14	652.14
			11/04/19	NP	7.49	12.79	NA	NA	652.77	652.77
MW-84	662.50	8.0-13.0	02/05/20	NP	6.43	NM	NA	NA	653.83	653.83
			05/18/20	NP	6.62	12.80	NA	NA	653.64	653.64
			08/17/20	NP	7.93	NM	NA	NA	652.33	652.33
			11/20/20	NP	8.13	NM ⁽⁵⁾	NA	NA	652.13	652.13
			02/08/21	NP	7.66	12.42	NA	NA	652.60	652.60
			05/03/21	NP	7.56	12.79	NA	NA	652.70	652.70
			08/17/21	NP	6.60	12.42	NA	NA	653.66	653.66
			05/22/17	NP	3.26	12.28	NA	NA	659.24	659.24
			07/24/17	NP	5.19	12.59	NA	NA	657.31	657.31
			11/06/17	NP	5.54	12.52	NA	NA	656.96	656.96
			02/05/18	NP	4.60	12.60	NA	NA	657.90	657.90
			05/07/18	NP	2.90	12.55	NA	NA	659.60	659.60
			08/16/18	NP	5.22	NM	NA	NA	657.28	657.28
			11/19/18	NP	3.56	12.54	NA	NA	658.94	658.94
			02/22/19	NP	3.50	12.56	NA	NA	659.00	659.00
			06/14/19	NP	2.71	12.50	NA	NA	659.79	659.79
MW-84S	662.69	2.5-12.5	09/26/19	NP	5.38	12.55	NA	NA	657.12	657.12
			11/04/19	NP	4.58	12.57	NA	NA	657.92	657.92
			02/05/20	NP	2.94	NM	NA	NA	659.56	659.56
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.04	NM	NA	NA	657.46	657.46
			11/20/20	NP	5.22	12.60 ⁽⁵⁾	NA	NA	657.28	657.28
			02/08/21	NP	4.33	12.55	NA	NA	658.17	658.17
			05/03/21	NP	4.53	12.56	NA	NA	657.97	657.97
			08/17/21	NP	3.40	12.53	NA	NA	659.10	659.10
			02/22/19	NP	3.67	12.71	NA	NA	659.02	659.02
			06/14/19	NP	2.85	12.72	NA	NA	659.84	659.84
			09/26/19	NP	5.54	12.72	NA	NA	657.15	657.15
			11/04/19	NP	4.74	12.71	NA	NA	657.95	657.95
			02/05/20	NP	3.36	NM	NA	NA	659.33	659.33
			05/18/20	NP	2.96	12.72	NA	NA	659.73	659.73
			08/17/20	NP	5.20	NM	NA	NA	657.49	657.49
			11/20/20	NP	5.39	12.72 ⁽⁵⁾	NA	NA	657.30	657.30
MW-85	658.85	8.0-13.0	02/08/21	NP	4.50	12.70	NA	NA	658.19	658.19
			05/03/21	NP	4.69	12.70	NA	NA	658.00	658.00
			08/17/21	NP	3.58	12.68	NA	NA	659.11	659.11
			05/22/17	NP	4.71	12.43	NA	NA	654.14	654.14
			07/24/17	NP	6.12	12.75	NA	NA	652.73	652.73
			11/06/17	NP	6.34	12.70	NA	NA	652.51	652.51
			02/05/18	NP	5.53	12.76	NA	NA	653.32	653.32
			05/07/18	NP	4.16	12.69	NA	NA	654.69	654.69
			08/16/18	NP	6.12	NM	NA	NA	652.73	652.73
			11/19/18	NP	5.33	12.66	NA	NA	653.52	653.52
			02/22/19	NP	4.75	12.70	NA	NA	654.10	654.10
			06/14/19	NP	4.50	12.70	NA	NA	654.35	654.35
			09/26/19	NP	6.32	12.69	NA	NA	652.53	652.53
			11/04/19	NP	5.97	12.69	NA	NA	652.88	652.88
			02/05/20	NP	4.40	NM	NA	NA	654.45	654.45
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	6.06	NM	NA	NA	652.79	652.79
MW-82SR	658.92	5.0-15.0	11/20/20	NP	6.23	NM ⁽⁵⁾	NA	NA	652.62	652.62
			02/08/21	NP	5.73	12.69	NA	NA	653.12	653.12
			05/03/21	NP	5.46	12.68	NA	NA	653.39	653.39
			08/17/21	NP	5.50	12.68	NA	NA	653.35	653.35

See Notes on Last Page.

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-85S	NS	2.5-12.5	12/07/18	NP	5.42	12.35	NA	NA	NA	NA
			03/01/19	Monitoring Well Abandoned						
MW-85SR	658.99	4.5-9.5	06/14/19	NP	4.70	8.45	NA	NA	654.29	654.29
			09/26/19	NP	6.45	8.45	NA	NA	652.54	652.54
			11/04/19	NP	6.08	8.45	NA	NA	652.91	652.91
			02/05/20	NP	4.57	NM	NA	NA	654.42	654.42
			05/18/20	NP	4.50	8.48	NA	NA	654.49	654.49
			08/17/20	NP	6.18	NM	NA	NA	652.81	652.81
			11/20/20	NP	6.13	NM ⁽⁵⁾	NA	NA	652.86	652.86
			02/08/21	Could Not Access Well, covered by ice/snow						
			05/03/21	NP	5.57	8.45	NA	NA	653.42	653.42
			08/17/21	NP	5.59	8.45	NA	NA	653.40	653.40
MW-86	666.11	12.0-17.0	05/22/17	NP	6.25	16.35	NA	NA	652.74	652.74
			07/24/17	NP	8.07	16.66	NA	NA	650.92	650.92
			11/06/17	NP	8.70	16.58	NA	NA	657.41	657.41
			02/05/18	NP	7.87	16.72	NA	NA	658.24	658.24
			05/07/18	NP	6.03	16.60	NA	NA	660.08	660.08
			08/16/18	NP	8.06	NM	NA	NA	658.05	658.05
			11/19/18	NP	6.66	16.59	NA	NA	659.45	659.45
			02/22/19	NP	6.67	16.61	NA	NA	659.44	659.44
			06/14/19	NP	5.78	16.64	NA	NA	660.33	660.33
			09/26/19	NP	8.15	16.61	NA	NA	657.96	657.96
			11/04/19	NP	7.60	16.62	NA	NA	658.51	658.51
			02/05/20	NP	5.92	NM	NA	NA	660.19	660.19
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	7.83	NM	NA	NA	658.28	658.28
			11/20/20	NP	8.22	16.66 ⁽⁵⁾	NA	NA	657.89	657.89
			02/08/21	NP	7.85	16.61	NA	NA	658.26	658.26
			05/03/21	NP	7.51	16.62	NA	NA	658.60	658.60
			08/17/21	NP	6.43	16.60	NA	NA	659.68	659.68
			02/22/19	NP	6.83	12.33	NA	NA	659.31	659.31
			06/14/19	NP	5.93	12.33	NA	NA	660.21	660.21
MW-86S	666.14	2.5-12.5	09/26/19	NP	8.33	12.36	NA	NA	657.81	657.81
			11/04/19	NP	7.80	12.34	NA	NA	658.34	658.34
			02/05/20	NP	6.09	NM	NA	NA	660.05	660.05
			05/18/20	NP	6.43	12.34	NA	NA	659.71	659.71
			08/17/20	NP	8.00	NM	NA	NA	658.14	658.14
			11/20/20	NP	8.40	12.38 ⁽⁵⁾	NA	NA	657.74	657.74
			02/08/21	NP	8.02	12.32	NA	NA	658.12	658.12
			05/03/21	NP	7.75	12.33	NA	NA	658.39	658.39
			08/17/21	NP	6.60	12.33	NA	NA	659.54	659.54
			05/22/17	NP	9.41	18.55	NA	NA	659.40	659.40
MW-87	668.81	14.0-19.0	07/24/17	NP	10.65	18.85	NA	NA	658.16	658.16
			11/06/17	NP	11.42	18.79	NA	NA	657.39	657.39
			02/05/18	NP	11.06	18.86	NA	NA	657.75	657.75
			05/07/18	NP	9.39	18.80	NA	NA	659.42	659.42
			08/16/18	NP	10.61	NM	NA	NA	658.20	658.20
			11/19/18	NP	9.68	18.79	NA	NA	659.13	659.13
			02/22/19	NP	9.79	18.82	NA	NA	659.02	659.02
			06/14/19	NP	8.75	18.81	NA	NA	660.06	660.06
			09/26/19	NP	10.45	18.83	NA	NA	658.36	658.36
			11/04/19	NP	10.15	18.82	NA	NA	658.66	658.66
			02/05/20	NP	9.05	NM	NA	NA	659.76	659.76
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	10.08	NM	NA	NA	658.73	658.73
			11/20/20	NP	10.30	18.85 ⁽⁵⁾	NA	NA	658.51	658.51
			02/08/21	NP	9.92	18.83	NA	NA	658.89	658.89
			05/03/21	NP	9.65	18.83	NA	NA	659.16	659.16
			08/17/21	NP	8.84	18.80	NA	NA	659.97	659.97
			02/22/19	NP	9.95	14.14	NA	NA	658.70	658.70
			06/14/19	NP	8.55	14.12	NA	NA	660.10	660.10
			09/26/19	NP	10.28	14.10	NA	NA	658.37	658.37
MW-87S	668.65	4.5-14.5	11/04/19	NP	9.98	13.82 ⁽²⁾	NA	NA	658.67	658.67
			02/05/20	NP	9.83	NM	NA	NA	658.82	658.82
			05/18/20	NP	8.98	14.13	NA	NA	659.67	659.67
			08/17/20	NP	9.88	NM	NA	NA	658.77	658.77
			11/20/20	NP	10.05	14.15 ⁽⁵⁾	NA	NA	658.60	658.60
			02/08/21	NP	9.65	14.12	NA	NA	659.00	659.00
			05/03/21	NP	9.38	14.13	NA	NA	659.27	659.27
			08/17/21	NP	8.56	14.10	NA	NA	660.09	660.09
			02/22/19	NP	5.13	12.10	NA	NA	657.08	657.08
			06/14/19	NP	4.57	12.08	NA	NA	657.64	657.64
MW-96S	662.21	2.5-12.5	09/26/19	NP	6.74	12.09	NA	NA	655.47	655.47
			11/04/19	NP	6.01	12.10	NA	NA	656.20	656.20
			02/05/20	NP	4.58	NM	NA	NA	657.63	657.63
			05/18/20	NP	4.64	12.99	NA	NA	657.57	657.57
			08/17/20	NP	6.43	NM	NA	NA	655.78	655.78
			11/20/20	NP	6.54	12.10 ⁽⁵⁾	NA	NA	655.67	655.67
			02/08/21	NP	6.19	12.10	NA	NA	656.02	656.02
			05/03/21	NP	5.96	12.08	NA	NA	656.25	656.25
			08/17/21	NP	4.98	12.08	NA	NA	657.23	657.23
			03/06/19	NP	4.47	11.96	NA	NA	655.60	655.60
MW-97S	660.07	2.5-12.5	06/14/19	NP	3.96	12.01	NA	NA	656.11	656.11
			09/26/19	NP	5.72	12.01	NA	NA	654.35	654.35
			11/04/19	NP	4.98	12.01	NA	NA	655.09	655.09
			02/05/20	NP	4.43	NM	NA	NA	655.64	655.64
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.37	NM	NA	NA	654.70	654.70
			11/20/20	NP	5.60	12.01 ⁽⁵⁾	NA	NA	654.47	654.47
			02/08/21	NP	5.30	12.00	NA	NA	654.77	654.77
			05/03/21	NP	5.08	12.00	NA	NA	654.99	654.99
			08/17/21	NP	4.10	12.00	NA	NA	655.97	655.97
MW-98S	656.10	2.5-12.5	02/22/19	NP	1.60	12.09	NA	NA	654.50	654.50
			06/14/19	NP	0.79	12.10	NA	NA	655.31	655.31
			09/26/19	NP	3.23	12.09	NA	NA	652.87	652.87
			11/04/19	NP	2.10	12.09	NA	NA	654.00	654.00
			02/05/20	NP	1.21	NM	NA	NA	654.89	654.89
			05/18/20	NP	0.85	12.09	NA	NA	655.25	655.25
			08/17/20	NP	2.84	NM	NA	NA	653.26	653.26
			11/20/20	NP	2.80	12.10 ⁽⁵⁾	NA	NA	653.30	653.30
			02/08/21	NP	2.81	12.10	NA	NA	653.29	653.29
			05/03/21	NP	2.46	12.10	NA	NA	653.64	653.64
			08/17/21	NP	1.46	12.10	NA	NA	654.64	654.64
See Notes on Last Page.										

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-99S	667.38	3.0-13.0	02/22/19	NP	6.00	12.84	NA	NA	661.38	661.38
			06/14/19	NP	5.20	12.86	NA	NA	662.18	662.18
			09/26/19	NP	6.89	12.85	NA	NA	660.49	660.49
			11/04/19	NP	6.71	12.87	NA	NA	660.67	660.67
			02/05/20	NP	5.83	NM	NA	NA	661.55	661.55
			05/18/20	NP	5.81	12.88	NA	NA	661.57	661.57
			08/17/20	NP	6.75	NM	NA	NA	660.63	660.63
			11/20/20	NP	7.32	NM ⁽⁵⁾	NA	NA	660.06	660.06
			02/08/21	NP	7.31	12.87	NA	NA	660.07	660.07
MW-100S	667.64	3.0-13.0	05/03/21	NP	6.89	12.84	NA	NA	660.49	660.49
			08/17/21	NP	5.86	12.86	NA	NA	661.52	661.52
			02/22/19	NP	6.64	12.90	NA	NA	661.00	661.00
			06/14/19	NP	5.53	12.88	NA	NA	662.11	662.11
			09/26/19	NP	6.98	12.89	NA	NA	660.66	660.66
			11/04/19	NP	6.76	12.90	NA	NA	660.88	660.88
			02/05/20	NP	6.33	NM	NA	NA	661.31	661.31
			05/18/20	NP	6.38	12.90	NA	NA	661.26	661.26
			08/17/20	NP	6.80	NM	NA	NA	660.84	660.84
MW-101S	668.82	4.5-14.5	11/20/20	NP	7.52	NM ⁽⁵⁾	NA	NA	660.12	660.12
			02/08/21	NP	7.75	12.90	NA	NA	659.89	659.89
			05/03/21	Could Not Open						
			08/17/21	NP	6.20	12.89	NA	NA	661.44	661.44
			03/06/19	NP	8.21	14.01	NA	NA	660.61	660.61
			06/14/19	NP	7.78	14.07	NA	NA	661.04	661.04
			09/26/19	NP	8.33	14.06	NA	NA	660.49	660.49
			11/04/19	NP	8.26	14.06	NA	NA	660.56	660.56
			02/05/20	NP	7.91	NM	NA	NA	660.91	660.91
MW-102	660.87	10.0-15.0	05/18/20	NP	7.95	14.07	NA	NA	660.87	660.87
			08/17/20	NP	8.05	NM	NA	NA	660.77	660.77
			11/20/20	NP	8.84	NM ⁽⁵⁾	NA	NA	659.98	659.98
			02/08/21	NP	9.21	14.06	NA	NA	659.61	659.61
			05/03/21	NP	9.06	14.06	NA	NA	659.76	659.76
			08/17/21	NP	7.98	14.05	NA	NA	660.84	660.84
			02/22/19	NP	1.17	14.65	NA	NA	659.70	659.70
			06/14/19	NP	0.70	14.65	NA	NA	660.17	660.17
			09/26/19	NP	3.20	13.64	NA	NA	657.67	657.67
MW-102S	661.01	2.5-12.5	11/04/19	NP	2.34	14.63	NA	NA	658.53	658.53
			02/05/20	NP	1.03	NM	NA	NA	659.84	659.84
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	2.96	NM	NA	NA	657.91	657.91
			11/20/20	NP	3.04	NM ⁽⁵⁾	NA	NA	657.83	657.83
			02/08/21	NP	2.83	14.62	NA	NA	658.04	658.04
			05/03/21	NP	2.27	14.64	NA	NA	658.60	658.60
			08/17/21	NP	1.33	14.64	NA	NA	659.54	659.54
			02/22/19	NP	1.33	12.35	NA	NA	659.68	659.68
MW-105S	661.45	2.5-12.5	06/14/19	NP	0.80	12.35	NA	NA	660.21	660.21
			09/26/19	NP	3.50	12.36	NA	NA	657.51	657.51
			11/04/19	NP	2.53	12.37	NA	NA	658.48	658.48
			02/05/20	NP	1.21	NM	NA	NA	659.80	659.80
			05/18/20	NP	0.30	12.36	NA	NA	660.71	660.71
			08/17/20	NP	3.13	NM	NA	NA	657.88	657.88
			11/20/20	NP	3.20	NM ⁽⁵⁾	NA	NA	657.81	657.81
			02/08/21	NP	2.30	12.36	NA	NA	658.71	658.71
			05/03/21	NP	2.44	12.36	NA	NA	658.57	658.57
MW-106S	655.03	2.5-12.5	08/17/21	NP	1.50	12.34	NA	NA	659.51	659.51
			02/22/19	NP	2.88	11.80	NA	NA	658.57	658.57
			06/14/19	NP	2.25	11.80	NA	NA	659.20	659.20
			09/26/19	NP	4.70	11.72	NA	NA	656.75	656.75
			11/04/19	NP	3.85	11.79	NA	NA	657.60	657.60
			02/05/20	NP	2.59	NM	NA	NA	658.86	658.86
			05/18/20	NP	1.69	11.75	NA	NA	659.76	659.76
			08/17/20	NP	4.52	NM	NA	NA	656.93	656.93
			11/20/20	NP	4.51	NM ⁽⁵⁾	NA	NA	656.94	656.94
MW-107S	657.86	2.5-12.5	02/08/21	NP	4.31	11.65	NA	NA	657.14	657.14
			05/03/21	NP	3.73	11.75	NA	NA	657.72	657.72
			08/17/21	NP	2.80	11.75	NA	NA	658.65	658.65
			02/22/19	NP	2.76	11.70	NA	NA	652.27	652.27
			06/14/19	NP	2.18	11.65	NA	NA	652.85	652.85
			09/26/19	NP	4.49	11.64	NA	NA	650.54	650.54
			11/04/19	NP	3.40	11.62	NA	NA	651.63	651.63
			02/05/20	NP	2.54	NM	NA	NA	652.49	652.49
			05/18/20	NP	2.20	11.67	NA	NA	652.83	652.83
MW-108S	656.95	2.5-12.5	08/17/20	NP	4.13	NM	NA	NA	650.90	650.90
			11/20/20	NP	4.05	NM ⁽⁵⁾	NA	NA	650.98	650.98
			02/08/21	NP	4.00	11.62	NA	NA	651.03	651.03
			05/03/21	NP	3.61	11.64	NA	NA	651.42	651.42
			08/17/21	NP	2.78	11.61	NA	NA	652.25	652.25
			02/22/19	NP	5.52	12.20	NA	NA	652.34	652.34
			06/14/19	NP	5.11	12.50	NA	NA	652.75	652.75
			09/26/19	NP	6.55	12.16	NA	NA	651.31	651.31
			11/04/19	NP	5.93	12.15	NA	NA	651.93	651.93
MW-131S	660.96	2.5-12.5	02/05/20	NP	5.86	NM	NA	NA	652.00	652.00
			05/18/20	NP	5.18	12.15	NA	NA	652.68	652.68
			08/17/20	NP	6.43	NM	NA	NA	651.43	651.43
			11/20/20	NP	6.46	NM ⁽⁵⁾	NA	NA	651.40	651.40
			02/08/21	NP	6.22	12.15	NA	NA	651.64	651.64
			05/03/21	NP	6.00	12.13	NA	NA	651.86	651.86
			08/17/21	NP	5.34	12.12	NA	NA	652.52	652.52
			02/22/19	Could Not Locate						
			06/14/19	NP	3.05	12.25	NA	NA	653.90	653.90
MW-108S	656.95	2.5-12.5	09/26/19	NP	5.09	12.26	NA	NA	651.86	651.86
			11/04/19	NP	4.03	12.27	NA	NA	652.92	652.92
			02/05/20	NP	2.93	NM	NA	NA	654.02	654.02
			05/18/20	NP	3.49	12.62	NA	NA	653.46	653.46
			08/17/20	NP	4.79	NM	NA	NA	652.16	652.16
			11/20/20	NP	6.67	NM ⁽⁵⁾	NA	NA	650.28	650.28
			02/08/21	NP	4.35	12.24	NA	NA	652.60	652.60
			05/03/21	Could Not Open						
			08/17/21	NP	3.60	12.22	NA	NA	653.35	653.35
MW-131S	660.96	2.5-12.5	02/22/19	NP	4.13	12.70	NA	NA	656.83	656.83
			06/14/19	NP	6.70	12.65	NA	NA	654.26	654.26
			09/26/19	NP	5.88	12.69	NA	NA	655.08	655.08
			11/04/19	NP	5.32	12.68	NA	NA	655.64	655.64
			02/05/20	NP	3.78	NM	NA	NA	657.18	657.18
			05/18/20	NP	3.51	12.71	NA	NA	657.45	657.45
			08/17/20	NP	5.65	NM	NA	NA	655.31	655.31
			11/20/20	NP	5.70	NM ⁽⁵⁾	NA	NA	655.26	655.26
02/08/21	NP	5.40	12.73	NA	NA	655.56	655.56			
See Notes on Last Page.										

Table 3
Off-Site Groundwater Elevations
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan



Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-131S	660.96	2.5-12.5	05/03/21	NP	5.02	12.66	NA	NA	655.94	655.94
			08/17/21	NP	4.14	12.65	NA	NA	656.82	656.82
MW-132S	659.86	2.5-12.5	02/22/19	NP	5.28	12.38	NA	NA	654.58	654.58
			06/14/19	NP	5.25	12.40	NA	NA	654.61	654.61
			09/26/19	NP	6.31	12.39	NA	NA	653.55	653.55
			11/04/19	NP	5.91	12.39	NA	NA	653.95	653.95
			02/05/20	NP	5.06	NM	NA	NA	654.80	654.80
			05/18/20	NP	5.20	12.40	NA	NA	654.66	654.66
			08/17/20	NP	6.10	NM	NA	NA	653.76	653.76
			11/20/20	NP	6.16	NM ⁽⁵⁾	NA	NA	653.70	653.70
			02/08/21	NP	5.91	12.37	NA	NA	653.95	653.95
			05/03/21	NP	5.75	12.36	NA	NA	654.11	654.11
			08/17/21	NP	5.43	12.35	NA	NA	654.43	654.43
MW-133S	657.91	4.0-9.0	06/14/19	NP	5.35	8.55	NA	NA	652.56	652.56
			09/26/19	NP	7.25	8.55	NA	NA	650.66	650.66
			11/04/19	NP	6.73	8.56	NA	NA	651.18	651.18
			02/05/20	NP	5.34	NM	NA	NA	652.57	652.57
			05/18/20	NP	5.51	8.57	NA	NA	652.40	652.40
			08/17/20	NP	7.06	NM	NA	NA	650.85	650.85
			11/20/20	NP	7.27	NM ⁽⁵⁾	NA	NA	650.64	650.64
			02/08/21	NP	6.85	8.50	NA	NA	651.06	651.06
MW-134S	658.75	5.0-10.0	05/03/21	NP	6.55	8.49	NA	NA	651.36	651.36
			08/17/21	NP	5.68	8.48	NA	NA	652.23	652.23
			06/14/19	NP	6.30	9.40	NA	NA	652.45	652.45
			09/26/19	NP	8.19	9.46	NA	NA	650.56	650.56
			11/04/19	NP	7.71	9.45	NA	NA	651.04	651.04
			02/05/20	NP	5.23	NM	NA	NA	653.52	653.52
			05/18/20	NP	6.42	9.48	NA	NA	652.33	652.33
			08/17/20	NP	8.05	NM	NA	NA	650.70	650.70
			11/20/20	NP	8.25	NM ⁽⁵⁾	NA	NA	650.50	650.50
			02/08/21	NP	7.80	9.44	NA	NA	650.95	650.95
MW-135S ⁽¹⁾	657.67	5.0-10.0	05/03/21	NP	7.46	9.42	NA	NA	651.29	651.29
			08/17/21	NP	6.63	9.42	NA	NA	652.12	652.12
	657.44		06/14/19	NP	5.30	9.70	NA	NA	652.37	652.37
			09/26/19	NP	7.14	9.68	NA	NA	650.53	650.53
			11/04/19	NP	6.74	9.70	NA	NA	650.70	650.70
			02/05/20	NP	5.21	NM	NA	NA	652.23	652.23
			05/18/20	NP	5.41	9.71	NA	NA	652.03	652.03
			08/17/20	NP	7.02	NM	NA	NA	650.42	650.42
			11/20/20	NP	7.20	NM ⁽⁵⁾	NA	NA	650.24	650.24
			02/08/21	NP	6.75	9.65	NA	NA	650.69	650.69
MW-136S	655.53	2.0-7.0	05/03/21	NP	6.41	9.66	NA	NA	651.03	651.03
			08/17/21	NP	5.62	9.68	NA	NA	651.82	651.82
			06/14/19	NP	2.16	7.50	NA	NA	653.37	653.37
			09/26/19	NP	4.66	7.15	NA	NA	650.87	650.87
			11/04/19	NP	3.23	7.14	NA	NA	652.30	652.30
			02/05/20	NP	2.38	NM	NA	NA	653.15	653.15
			05/18/20	NP	2.11	7.17	NA	NA	653.42	653.42
			08/17/20	NP	4.47	NM	NA	NA	651.06	651.06
MW-137S ⁽¹⁾	656.10	2.0-7.0	11/20/20	NP	3.91	NM ⁽⁵⁾	NA	NA	651.62	651.62
			02/08/21	Could Not Access Well, covered by ice/snow						
	656.10		05/03/21	NP	3.64	7.15	NA	NA	651.89	651.89
			08/17/21	NP	2.79	7.13	NA	NA	652.74	652.74
			06/14/19	NP	1.60	7.20	NA	NA	654.50	654.50
			09/26/19	NP	4.43	7.10	NA	NA	651.67	651.67
			11/04/19	NP	3.05	7.03	NA	NA	653.05	653.05
			02/05/20	NP	1.69	NM	NA	NA	654.41	654.41
			05/18/20	NP	1.14	7.05	NA	NA	654.96	654.96
			08/17/20	NP	4.21	NM	NA	NA	651.89	651.89
MW-138S	653.92	2.0-7.0	11/20/20	NP	3.69	NM ⁽⁵⁾	NA	NA	652.41	652.41
			02/08/21	NP	3.60	7.02	NA	NA	652.50	652.50
			05/03/21	NP	3.25	7.03	NA	NA	652.85	652.85
			08/17/21	NP	2.50	7.00	NA	NA	653.60	653.60
			06/14/19	NP	0.20	5.95	NA	NA	653.72	653.72
			09/26/19	NP	2.68	5.97	NA	NA	651.24	651.24
			11/04/19	NP	1.16	5.94	NA	NA	652.76	652.76
			02/05/20	NP	0.67	NM	NA	NA	653.25	653.25
MW-139S	660.14	2.0-7.0	05/18/20	NP	0.50	5.98	NA	NA	653.42	653.42
			08/17/20	NP	2.28	NM	NA	NA	651.64	651.64
			11/20/20	NP	1.93	5.98 ⁽⁵⁾	NA	NA	651.99	651.99
			02/08/21	NP	2.00	5.98	NA	NA	651.92	651.92
			05/03/21	NP	1.58	5.97	NA	NA	652.34	652.34
			08/17/21	NP	1.10	5.95	NA	NA	652.82	652.82
			06/14/19	NP	1.17	6.90	NA	NA	658.97	658.97
			09/26/19	NP	4.10	6.90	NA	NA	656.04	656.04
MW-140S	662.23	2.0-7.0	11/04/19	NP	3.14	6.90	NA	NA	657.00	657.00
			02/05/20	NP	1.85	NM	NA	NA	658.29	658.29
			05/18/20	NP	0.95	6.92	NA	NA	659.19	659.19
			08/17/20	NP	3.75	NM	NA	NA	656.39	656.39
			11/20/20	NP	3.79	6.93 ⁽⁵⁾	NA	NA	656.35	656.35
			02/08/21	NP	3.19	6.90	NA	NA	656.95	656.95
			05/03/21	NP	3.15	6.89	NA	NA	656.99	656.99
			08/17/21	NP	2.01	6.89	NA	NA	658.13	658.13
MW-141S	663.67	3.0-8.0	06/14/19	NP	2.46	6.48	NA	NA	659.77	659.77
			09/26/19	NP	5.29	6.46	NA	NA	656.94	656.94
			11/04/19	NP	4.40	6.46	NA	NA	657.83	657.83
			02/05/20	NP	2.61	NM	NA	NA	659.62	659.62
			05/18/20	NP	2.40	6.48	NA	NA	659.83	659.83
			08/17/20	NP	4.95	NM	NA	NA	657.28	657.28
			11/20/20	NP	5.05	6.49 ⁽⁵⁾	NA	NA	657.18	657.18
			02/08/21	NP	4.31	6.48	NA	NA	657.92	657.92
MW-142S	657.49	2.5-7.5	05/03/21	NP	4.35	6.48	NA	NA	657.88	657.88
			08/17/21	NP	3.23	6.45	NA	NA	659.00	659.00
			06/14/19	NP	4.00	7.60	NA	NA	659.67	659.67
			09/26/19	NP	7.18	7.68	NA	NA	656.49	656.49
			11/04/19	NP	6.30	7.69	NA	NA	657.37	657.37
			02/05/20	NP	4.45	NM	NA	NA	659.22	659.22
			05/18/20	NP	4.10	7.69	NA	NA	659.57	659.57
			08/17/20	NP	6.92	NM	NA	NA	656.75	656.75
MW-143S	654.17	2.5-7.5	11/20/20	NP	6.80	7.70 ⁽⁵⁾	NA	NA	656.87	656.87
			02/08/21	NP	6.30	7.68	NA	NA	657.37	657.37
			05/03/21	NP	5.91	7.61	NA	NA	657.76	657.76
			08/17/21	NP	4.94	7.67	NA	NA	658.73	658.73
			06/14/19	NP	3.55	6.75	NA	NA	653.94	653.94
MW-144S	653.94	2.5-7.5	09/26/19	NP	5.34	6.75	NA	NA	652.15	652.15
			11/04/19	NP	4.51	6.86	NA	NA	652.98	652.98
			02/05/20	NP	3.49	NM	NA	NA	654.00	654.00
			05/18/20	NP	3.32	6.75	NA	NA	654.17	654.17
See Notes on Last Page.										

Well ID	TOC Elevation (ft. amsl)	Screen Interval (ft. bgs)	Gauging Date	Depth to LNAPL (ft. btoc)	Depth to Water (ft. btoc)	Total Depth (ft. btoc)	LNAPL Elevation (ft. amsl)	LNAPL Thickness (ft.)	Groundwater Elevation (ft. amsl)	Corrected Groundwater Elevation (ft. amsl)
MW-142S	657.49	2.5-7.5	08/17/20	NP	5.02	NM	NA	NA	652.47	652.47
			11/20/20	NP	5.01	NM ⁽⁵⁾	NA	NA	652.48	652.48
			02/08/21	Could Not Access Well, covered by ice/snow						
			05/03/21	NP	4.43	6.75	NA	NA	653.06	653.06
			08/17/21	NP	4.03	6.76	NA	NA	653.46	653.46
MW-192S	654.62	2.5-7.5	06/14/19	NP	1.45	7.70	NA	NA	653.17	653.17
			09/26/19	NP	3.10	7.68	NA	NA	651.52	651.52
			11/04/19	NP	2.04	7.63	NA	NA	652.58	652.58
			02/05/20	NP	1.80	NM	NA	NA	652.82	652.82
			05/18/20	NP	1.47	7.72	NA	NA	653.15	653.15
			08/17/20	NP	2.62	NM	NA	NA	652.00	652.00
			11/20/20	NP	2.64	7.70 ⁽⁵⁾	NA	NA	651.98	651.98
			02/08/21	NP	2.56	7.64	NA	NA	652.06	652.06
			05/03/21	NP	2.28	7.65	NA	NA	652.34	652.34
			08/17/21	NP	1.70	7.64	NA	NA	652.92	652.92
			MW-202S	675.53	3.5-8.5	02/05/20	NP	4.57	8.50 ⁽³⁾	NA
05/18/20	NP	4.76				8.43	NA	NA	670.77	670.77
08/17/20	NP	5.00				NM	NA	NA	670.53	670.53
11/20/20	Could Not Access Well									
02/08/21										
05/03/21										
08/17/21										
MW-203S	675.15	3.0-8.0	02/05/20	NP	4.10	8.00 ⁽³⁾	NA	NA	671.05	671.05
			05/18/20	NP	4.30	8.22	NA	NA	670.85	670.85
			08/17/20	NP	4.50	NM	NA	NA	670.65	670.65
			11/20/20	Could Not Access Well						
			02/08/21							
			05/03/21							
			08/17/21							
MW-204	676.96	12.0-17.0	02/05/20	NP	5.20	17.00 ⁽³⁾	NA	NA	671.76	671.76
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	5.82	NM	NA	NA	671.14	671.14
			11/20/20	NP	6.50	NM ⁽⁵⁾	NA	NA	670.46	670.46
			02/08/21	Could Not Access Well						
			05/03/21	NP	6.60	16.55	NA	NA	670.36	670.36
			08/17/21	NP	5.10	16.53	NA	NA	671.86	671.86
MW-204S	677.00	4.0-9.0	02/05/20	NP	5.24	9.00 ⁽³⁾	NA	NA	671.76	671.76
			05/18/20	NP	5.47	8.63	NA	NA	671.53	671.53
			08/17/20	NP	5.85	NM	NA	NA	671.15	671.15
			11/20/20	NP	6.53	NM ⁽⁵⁾	NA	NA	670.47	670.47
			02/08/21	Could Not Access Well						
			05/03/21	NP	6.64	8.62	NA	NA	670.36	670.36
			08/17/21	NP	5.14	8.62	NA	NA	671.86	671.86
MW-205	679.00	12.0-17.0	02/05/20	NP	6.74	17.00 ⁽³⁾	NA	NA	672.26	672.26
			05/18/20	NM ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾	NA ⁽⁴⁾	NA ⁽⁴⁾	NM ⁽⁴⁾	NM ⁽⁴⁾
			08/17/20	NP	7.23	NM	NA	NA	671.77	671.77
			11/20/20	NP	8.04	NM ⁽⁵⁾	NA	NA	670.96	670.96
			02/08/21	Could Not Access Well						
			05/03/21	NP	8.28	15.74	NA	NA	670.72	670.72
			08/17/21	NP	6.80	15.73	NA	NA	672.20	672.20
MW-205S	678.95	4.5-9.5	02/05/20	NP	6.69	9.50 ⁽³⁾	NA	NA	672.26	672.26
			05/18/20	NP	7.03	9.01	NA	NA	671.92	671.92
			08/17/20	NP	7.18	NM	NA	NA	671.77	671.77
			11/20/20	NP	7.96	NM ⁽⁵⁾	NA	NA	670.99	670.99
			02/08/21	Could Not Access Well						
			05/03/21	NP	8.23	8.98	NA	NA	670.72	670.72
			08/17/21	NP	6.73	8.95	NA	NA	672.22	672.22
MW-206S	680.07	6.5-11.5	02/05/20	NP	8.20	11.50 ⁽³⁾	NA	NA	671.87	671.87
			05/18/20	NP	8.51	11.45	NA	NA	671.56	671.56
			08/17/20	NP	8.65	NM	NA	NA	671.42	671.42
			11/20/20	Could Not Access Well						
			02/08/21							
			05/03/21							
			08/17/21							
MW-214S	667.97	5.5-10.5	02/05/20	NP	5.67	8.00 ⁽³⁾	NA	NA	662.30	662.30
			05/18/20	NP	6.34	10.96	NA	NA	661.63	661.63
			08/17/20	Could Not Access Well						
			11/20/20							
			02/08/21							
			05/03/21		NP	8.42	10.89	NA	NA	659.55
			MW-215S	665.74	3.0-8.0	05/03/21	NP	7.83	10.89	NA
08/17/21	NP	6.60				10.87	NA	NA	661.37	661.37
02/05/20	NP	4.78				7.50 ⁽³⁾	NA	NA	660.96	660.96
05/18/20	NP	4.65				7.62	NA	NA	661.09	661.09
08/17/20	Could Not Locate									
11/20/20										
02/08/21										
MW-223S	670.85	8.5-13.5	05/03/21	NP	6.22	7.59	NA	NA	659.52	659.52
			08/17/21	NP	4.60	7.59	NA	NA	661.14	661.14
			02/05/20	NP	10.68	13.50 ⁽³⁾	NA	NA	660.17	660.17
			05/18/20	NP	10.67	13.22	NA	NA	660.18	660.18
			08/17/20	Could Not Access Well						
			11/20/20							
			02/08/21		NP	11.91	13.23	NA	NA	658.94
05/03/21	NP	11.74	13.22		NA	NA	659.11	659.11		
08/17/21	NP	10.75	13.22	NA	NA	660.10	660.10			

Notes:

Water level measurements collected from top of well casing.

Table includes data collected from right-of-way monitoring wells and select residential/commercial monitoring.

⁽¹⁾ MW-81 and MW-83 were re-surveyed on November 20, 2017 by Geodetic Designs Inc. MW-135S and MW-137S were re-surveyed after repairs on 11/12/2019.

⁽²⁾ Monitoring well total depth incorrect due to field measurement error. Confirmed during sampling of the monitoring well.

⁽³⁾ Monitoring well total depth not measured. Measurement shown is based on the recorded well screen depth from the well construction log.

⁽⁴⁾ Monitoring well not measured during the second quarter of 2020.

⁽⁵⁾ Monitoring well total depth only listed for wells collected during fourth-quarter site-wide gauging date. Refer to fourth quarter 2020 Groundwater Sampling Log for any wells with 'NM'

Abbreviations:

EGLE	Michigan Department of Environment, Great Lakes, and Energy
ft.	feet
ft. amsl	feet above mean sea level
ft. bgs	feet below ground surface
ft. btoc	feet below top of casing
ID	Identification
LNAPL	light non-aqueous phase liquid
NA	not applicable
NM	not measured
NP	no product detected
NS	not surveyed
TOC	top of casing

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-73D 13.5-18.5																		MW-73SR 2.5-12.5													
			5/22/2017	7/26/2017	11/7/2017	2/6/2018	5/9/2018	8/10/2018	10/22/2018	3/4/2019	5/8/2019	9/24/2019	11/11/2019	2/10/2020	5/22/2020	8/12/2020	11/17/2020	2/11/2021	5/12/2021	8/16/2021	12/17/2018	3/4/2019	5/8/2019	9/24/2019	11/11/2019	2/10/2020	5/22/2020	8/12/2020	11/17/2020	2/11/2021	5/12/2021	8/16/2021		
Sample Date:																																		
Semi-volatile Organic Compounds (SVOCs)																																		
1,4-Dioxane	µg/L	7.2*	3.2	3.1	2.8	1.5 J	3.0	1.9 J	3.8	1.6 J	2.3	3.8	2.8	< 2.0	3.4	2.5	2.5	1.5 J	2.4	2.7	0.87 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0		
Volatile Organic Compounds (VOCs)																																		
1,1-Dichloroethene	µg/L	7.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
cis-1,2-Dichloroethene	µg/L	70	NA	0.45 J	0.50 J	0.43 J	0.35 J	0.56 J	0.19 J	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	2.3	2.1	1.8	3.0	2.4	1.3	1.6	1.3	2.3	1.5	1.7	1.9		
Tetrachloroethene	µg/L	5.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
trans-1,2-Dichloroethene	µg/L	100	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.43 J	0.25 J	< 1.0	0.35 J	< 1.0	< 1.0	< 1.0	< 1.0	0.23 J	< 1.0	< 1.0	< 1.0		
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.29 J	< 1.0 UB	< 1.0	0.34 J	< 1.0	0.15 J	< 1.0	< 1.0	0.16 J	0.17 J	0.22 J	< 1.0		
Vinyl chloride	µg/L	1.0**	1.1	0.85 J	1.3	0.79 J	0.80 J	0.75 J	< 1.0	0.71 J	< 1.0	0.48 J	< 1.0	< 1.0	0.28 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.7	1.5	< 1.0	1.3	1.0	0.87 J	1.4	< 1.0	0.85 J	0.55 J	0.43 J	0.57 J		
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Anions																																		
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon (TOC)																																		
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-74 14-19																		MW-74S 3-13													
			5/23/2017	7/26/2017	11/7/2017	2/6/2018	5/9/2018	8/9/2018	10/22/2018	3/8/2019	5/17/2019	9/18/2019	11/11/2019	2/7/2020	5/21/2020	8/12/2020	11/16/2020	2/11/2021	5/13/2021	8/16/2021	12/21/2018	3/8/2019	5/8/2019	9/18/2019	11/6/2019	2/7/2020	5/21/2020	8/12/2020	11/16/2020	2/11/2021	5/13/2021	8/16/2021		
Semi-volatile Organic Compounds (SVOCs)																																		
1,4-Dioxane	µg/L	7.2*	< 2.0	1.5 J	1.3 J	0.66 J	0.34 J	1.6 J	2.0	< 2.0	< 2.0	1.4 J	1.4 J	< 2.0	< 2.0	1.7 J	1.7 J	2.1	1.3 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0		
Volatile Organic Compounds (VOCs)																																		
1,1-Dichloroethene	µg/L	7.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
cis-1,2-Dichloroethene	µg/L	70	NA	< 1.0	< 1.0	0.42 J	0.96 J	0.41 J	0.45 J	0.84 J	1.3	0.62 J	0.62 J	1.5	1.5	0.59 J	< 1.0 UB	0.33 J	0.38 J	0.94 J	1.3	0.82 J	0.97 J	1.0	1.5	0.56 J	0.96 J	0.43 J	1.2 UB	0.84 J	0.73 J	1.0		
Tetrachloroethene	µg/L	5.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.21 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
trans-1,2-Dichloroethene	µg/L	100	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.19 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.25 J	< 1.0	< 1.0	< 1.0		
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Vinyl chloride	µg/L	1.0**	< 1.0	2.7	2.4	2.0	0.70 J	2.8	2.2	1.1	< 1.0	1.7	1.8	< 1.0	< 1.0	2.9	4.1	3.1	3.4	2.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Anions																																		
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon (TOC)																																		
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-75D 12-17																		MW-75S 5-10							
			5/23/2017	7/26/2017	11/8/2017	2/6/2018	5/9/2018	8/9/2018	10/22/2018	3/7/2019	5/15/2019	9/18/2019	11/26/2019	2/4/2020	5/20/2020	8/11/2020	11/13/2020	2/10/2021	5/19/2021	8/16/2021	5/23/2017	7/26/2017	11/8/2017	2/6/2018	5/9/2018	8/9/2018	10/22/2018	
Semi-volatile Organic Compounds (SVOCs)																												
1,4-Dioxane	µg/L	7.2*	1.9 J	1.8 J	1.8 J	0.91 J	0.65 J	2.0	2.3	1.5 J	1.5 J	3.3	1.9 J	3.2	1.6 J	2.2	2.7	2.5	1.3 J	1.2 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																												
1,1-Dichloroethene	µg/L	7.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	6.4	3.7	4.9 J	1.9	2.4	1.8	1.7	1.6	1.7	1.6	2.2	1.0	1.3	2.2	2.2 J	1.1	1.9	2.6	0.45 J	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	
Metals																												
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 100	NA	330	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	210	NA	350	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63	NA	42	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	70	NA	42	NA	NA	NA	NA	
Anions																												
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21 J	NA	8.0 J	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	89	NA	110	NA	NA	NA	NA	
Total Organic Carbon (TOC)																												
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.6	NA	13	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.6	NA	13	NA	NA	NA	NA	
Gases																												
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.95 J	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3,200	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-75SR 2.5-12.5												MW-76 15-20																	
			12/18/2018	3/7/2019	5/9/2019	9/18/2019	11/26/2019	2/4/2020	5/20/2020	8/11/2020	11/13/2020	2/10/2021	5/19/2021	8/13/2021	5/23/2017	7/26/2017	11/8/2017	2/6/2018	5/10/2018	8/9/2018	10/22/2018	3/1/2019	5/17/2019	9/17/2019	11/20/2019	2/3/2020	5/19/2020	8/10/2020	11/12/2020	2/12/2021	5/13/2021	8/13/2021
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.0 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 J	
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	3.9	4.0	2.2	2.6	2.2	1.8	1.3	1.2	1.4	1.4	1.2	0.36 J	1.0	0.93 J	0.52 J	0.52 J	0.59 J
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	0.54 J	0.49 J	< 1.0	0.35 J	0.35 J	0.25 J	0.22 J	< 1.0	< 1.0	0.26 J	0.24 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	0.51 J	0.33 J	< 1.0	0.59 J	< 1.0	1.1	0.36 J	0.64 J	0.50 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	340	NA	270	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	480	NA	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	760	NA	760	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	800	NA	770	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.2 J	NA	3.3 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	120	NA	160	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.1	NA	4.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.90 J	NA	1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-76S 4.5-14.5												MW-77 9-14																	
			12/21/2018	3/1/2019	5/8/2019	9/17/2019	11/5/2019	2/3/2020	5/19/2020	8/10/2020	11/12/2020	2/12/2021	5/13/2021	8/19/2021	5/25/2017	7/26/2017	11/10/2017	2/8/2018	5/11/2018	8/6/2018	10/23/2018	3/4/2019	5/16/2019	9/17/2019	11/22/2019	2/13/2020	8/6/2020	11/19/2020	2/11/2021	5/19/2021	8/19/2021	
Sample Date:																																
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	0.32 J	< 2.0	< 2.0	0.27 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.1 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	0.67 J	0.73 J	0.66 J	0.54 J	0.61 J	0.74 J	< 1.0 UB	0.39 J	0.66 J	0.72 J	0.49 J	0.74 J	0.93 J	0.56 J	0.48 J	1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.87 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.51 J	0.45 J	< 1.0	< 1.0	< 1.0	0.24 J	< 1.0	0.48 J	0.24 J	0.35 J	< 1.0	0.33 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):		Residential Drinking Water Criteria	MW-77S 2.5-12.5											MW-78 7-12																		
			12/27/2018	3/4/2019	5/16/2019	9/17/2019	11/22/2019	2/13/2020	8/6/2020	11/19/2020	2/11/2021	5/19/2021	8/19/2021	5/25/2017	7/25/2017	11/9/2017	2/8/2018	5/8/2018	8/6/2018	10/22/2018	2/26/2019	5/13/2019	9/19/2019	11/14/2019	2/12/2020	5/19/2020	8/5/2020	11/11/2020	2/24/2021	5/20/2021	8/20/2021	
Sample Date:	Unit																															
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.90 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0		
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.19 J	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.28 J	0.26 J	0.22 J	0.19 J	0.22 J	0.41 J	< 1.0	< 1.0	< 1.0	0.23 J	0.21 J	< 1.0	0.46 J
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Vinyl chloride	µg/L	1.0**	< 1.0	0.20 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):		Residential Drinking Water Criteria	MW-78S 2.5-12.5												MW-79D 10-15																		
			12/19/2018	2/26/2019	5/13/2019	9/19/2019	11/14/2019	2/12/2020	5/19/2020	8/5/2020	11/11/2020	2/18/2021	5/20/2021	8/20/2021	5/24/2017	7/25/2017	11/9/2017	2/8/2018	5/8/2018	8/6/2018	10/24/2018	3/7/2019	5/15/2019	9/19/2019	11/12/2019	2/11/2020	5/20/2020	8/6/2020	11/11/2020	2/12/2021	5/17/2021	8/10/2021	
Sample Date:	Unit																																
Semi-volatile Organic Compounds (SVOCs)																																	
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	0.49 J	0.87 J	0.95 J	< 2.0	0.99 J	< 2.0	0.35 J	< 2.0	< 2.0	1.3 J	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																																	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.16 J	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.11 J	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.2	4.1	3.6	1.9	3.5	2.8	1.3	1.6 J	2.6	1.5	2.6	2.1	1.8	1.4	1.3	1.4	2.0	1.5	
Metals																																	
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																	
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																	
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-79S 5-10							MW-79SR 2.5-12.5											MW-80S 7-12							
			5/24/2017	7/25/2017	11/9/2017	2/8/2018	5/8/2018	8/6/2018	10/30/2018	12/19/2018	3/1/2019	5/15/2019	9/18/2019	11/13/2019	2/11/2020	5/20/2020	8/6/2020	11/11/2020	2/12/2021	5/17/2021	8/10/2021	5/24/2017	7/25/2017	11/8/2017	2/8/2018	5/8/2018	8/6/2018	10/22/2018
Semi-volatile Organic Compounds (SVOCs)																												
1,4-Dioxane	µg/L	7.2*	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	0.52 J	0.55 J	0.33 J	0.46 J	< 2.0	1.2 J	
Volatile Organic Compounds (VOCs)																												
1,1-Dichloroethene	µg/L	7.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.56 J	0.53 J	0.36 J	0.40 J	0.30 J	0.23 J	< 1.0	< 1.0	0.44 J	0.83 J	0.86 J	0.58 J	4.6	7.1	7.6	2.9	6.3	6.2	4.1
Metals																												
Iron, Dissolved	µg/L	300	990	NA	2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	600	NA	3,600	NA	NA	NA	NA
Iron, Total	µg/L	300	1,100	NA	2,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	530	NA	3,600	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	110	NA	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	200	NA	230	NA	NA	NA	NA
Manganese, Total	µg/L	50	120	NA	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	190	NA	230	NA	NA	NA	NA
Anions																												
Nitrate-N	mg/L	10	0.063 J	NA	< 0.10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 0.10	NA	< 0.10	NA	NA	NA	NA
Sulfate	mg/L	250	41	NA	69	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97	NA	110	NA	NA	NA	NA
Total Organic Carbon (TOC)																												
Carbon, Dissolved	mg/L	NS	4.1	NA	4.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.6	NA	5.7	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	3.1	NA	4.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.5	NA	5.2	NA	NA	NA	NA
Gases																												
Ethane	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	< 1.0	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	6.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs):		Residential Drinking Water Criteria	MW-80SR 2.5-12.5												MW-81 8-13																
			12/27/2018	3/6/2019	5/10/2019	9/23/2019	11/5/2019	2/4/2020	5/19/2020	8/4/2020	11/6/2020	2/10/2021	5/20/2021	8/12/2021	5/26/2017	7/25/2017	11/9/2017	2/6/2018	5/10/2018	8/9/2018	10/23/2018	3/6/2019	5/17/2019	9/19/2019	11/7/2019	2/11/2020	8/18/2020	11/3/2020	2/17/2021	5/11/2021	8/18/2021
Sample Date:	Unit																														
Semi-volatile Organic Compounds (SVOCs)																															
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	0.84 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																															
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	0.18 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	1.4	2.1	3.2	3.4	3.6	1.8	2.2	4.3	4.3	1.6	3.4	1.4	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Metals																															
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																															
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																															
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																															
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-81S 2.5-12.5											MW-82D 18-23																
			12/26/2018	3/6/2019	5/17/2019	9/19/2019	11/7/2019	2/11/2020	8/18/2020	11/3/2020	2/17/2021	5/11/2021	8/18/2021	5/24/2017	7/25/2017	11/8/2017	2/6/2018	5/10/2018	8/8/2018	10/23/2018	3/6/2019	5/17/2019	9/23/2019	11/7/2019	2/11/2020	8/11/2020	11/3/2020	2/18/2021	5/7/2021	8/18/2021
Semi-volatile Organic Compounds (SVOCs)																														
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																														
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																														
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																														
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																														
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																														
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-82S 9-14							MW-82SR 5-15										MW-83 8-13									
			5/24/2017	7/25/2017	11/8/2017	2/6/2018	5/10/2018	8/8/2018	10/23/2018	12/26/2018	3/5/2019	5/17/2019	9/23/2019	11/7/2019	2/11/2020	8/11/2020	11/3/2020	2/18/2021	5/7/2021	8/18/2021	5/26/2017	7/25/2017	11/9/2017	2/8/2018	5/11/2018	8/8/2018	10/22/2018	3/5/2019	5/22/2019
Semi-volatile Organic Compounds (SVOCs)																													
1,4-Dioxane	µg/L	7.2*	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.92 J	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																													
1,1-Dichloroethene	µg/L	7.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-Dichloroethene	µg/L	70	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0
trans-1,2-Dichloroethene	µg/L	100	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	<1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	<1.0 UB	< 1.0
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.27 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																													
Iron, Dissolved	µg/L	300	180	NA	710	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	380	NA	720	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	510	NA	390	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	550	NA	380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																													
Nitrate-N	mg/L	10	< 0.10	NA	< 0.10 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	470	NA	270	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																													
Carbon, Dissolved	mg/L	NS	2.7	NA	4.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	2.1	NA	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																													
Ethane	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-83 8-13								MW-83S 3-13										MW-84 8-13												
			9/18/2019	11/5/2019	2/11/2020	8/11/2020	11/4/2020	2/22/2021	5/6/2021	8/13/2021	12/26/2018	3/5/2019	5/22/2019	9/18/2019	11/5/2019	2/11/2020	8/11/2020	11/4/2020	2/22/2021	5/6/2021	8/13/2021	5/25/2017	7/25/2017	11/9/2017	2/8/2018	5/8/2018	8/6/2018	10/23/2018	2/28/2019	5/21/2019	9/24/2019	11/25/2019	
Semi-volatile Organic Compounds (SVOCs)																																	
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.86 J	< 2.0 J	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.19 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.23 J	<1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.14 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.27 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																																	
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																																	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																																	
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																																	
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs):		Residential Drinking Water Criteria	MW-84 8-13							MW-84S 2.5-12.5											MW-85 8-13											
			2/12/2020	5/19/2020	8/5/2020	11/12/2020	2/18/2021	5/6/2021	8/5/2021	12/21/2018	2/28/2019	5/9/2019	9/24/2019	11/25/2019	2/12/2020	5/19/2020	8/5/2020	11/12/2020	2/18/2021	5/6/2021	8/5/2021	5/25/2017	7/25/2017	11/7/2017	2/8/2018	5/8/2018	8/8/2018	10/22/2018	2/26/2019	5/17/2019	9/17/2019	11/13/2019
Sample Date:	Unit																															
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	0.29 J	< 2.0	0.41 J	0.45 J	< 2.0	1.0 J	< 2.0	1.3 J	< 2.0	0.49 J
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
Trichloroethene	µg/L	1.0**	0.10 J	< 1.0	< 1.0	< 1.0	< 1.0	0.11 J	< 1.0	< 1.0	< 1.0	< 1.0	0.17 J	< 1.0	0.12 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.14 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	8.6	7.3	7.3	5.5	7.5	7.2	5.5	5.5	5.4	6.5	5.1 J
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-85 8-13								MW-85S 2.5-12.5	MW-85SR 4.5-9.5										MW-86 12-17													
			2/3/2020	5/19/2020	8/14/2020	11/11/2020	2/19/2021	5/14/2021	8/11/2021	12/21/2018	4/12/2019	9/17/2019	11/13/2019	2/3/2020	5/19/2020	8/14/2020	11/11/2020	2/19/2021	5/14/2021	8/11/2021	5/25/2017	7/26/2017	11/10/2017	2/8/2018	5/10/2018	8/6/2018	10/24/2018	2/28/2019	5/21/2019	9/19/2019	11/25/2019	2/11/2020			
Sample Date:																																			
Semi-volatile Organic Compounds (SVOCs)																																			
1,4-Dioxane	µg/L	7.2*	1.2 J	< 2.0	0.93 J	< 2.0	< 2.0	< 2.0	< 2.0	1.1 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	0.99 J	0.87 J	< 2.0	1.2 J	< 2.0	1.4 J	< 2.0 J	< 2.0	< 2.0	< 2.0	< 2.0			
Volatile Organic Compounds (VOCs)																																			
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0				
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0				
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0				
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0				
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0				
Vinyl chloride	µg/L	1.0**	4.9	3.9	5.4	5.4	5.8	6.0	3.8	7.8	2.2	2.1	1.4	1.4	0.33 J	2.2	2.0	1.6	1.9	1.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0				
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Anions																																			
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Total Organic Carbon (TOC)																																			
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				

See Notes on Last Page.

[illegible]

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-87S 4.5-14.5											MW-96S 2.5-12.5										MW-97S 2.5-12.5										
			12/21/2018	3/1/2019	5/13/2019	9/20/2019	11/22/2019	2/12/2020	8/6/2020	11/10/2020	2/15/2021	5/13/2021	8/2/2021	12/18/2018	2/27/2019	5/16/2019	9/20/2019	11/26/2019	2/13/2020	8/3/2020	11/13/2020	2/11/2021	5/19/2021	8/9/2021	12/27/2018	3/6/2019	5/10/2019	9/19/2019	11/22/2019	2/13/2020	8/5/2020	11/19/2020	2/11/2021	5/19/2021
Semi-volatile Organic Compounds (SVOCs)																																		
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																		
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.47 J	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																																		
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																																		
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																																		
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																																		
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs):		Residential Drinking Water Criteria	MW-98S 2.5-12.5												MW-99S 3-13												MW-100S 3-13					
			12/19/2018	3/6/2019	5/10/2019	9/20/2019	11/13/2019	2/10/2020	5/19/2020	8/5/2020	11/13/2020	2/19/2021	5/6/2021	8/19/2021	12/21/2018	3/7/2019	5/9/2019	9/16/2019	11/6/2019	2/4/2020	5/21/2020	8/11/2020	11/16/2020	2/15/2021	5/19/2021	8/16/2021	12/18/2018	2/27/2019	5/9/2019	9/16/2019	11/26/2019	2/4/2020
Sample Date:	Unit																															
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.0 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	0.21 J	< 1.0	< 1.0	< 1.0	< 1.0	0.25 J	< 1.0	0.18 J	< 1.0	0.94 J	0.57 J	0.89 J	0.30 J	0.41 J	0.20 J	0.45 J	< 1.0	< 1.0 UB	0.43 J	0.40 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.22 J	< 1.0	< 1.0	< 1.0	< 1.0	
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-100S 3-13						MW-101S 4.5-14.5											MW-102 10-15												
			5/21/2020	8/11/2020	11/16/2020	2/12/2021	5/20/2021	8/13/2021	12/21/2018	3/6/2019	5/8/2019	9/16/2019	11/13/2019	2/3/2020	5/20/2020	8/10/2020	11/12/2020	2/12/2021	5/20/2021	8/13/2021	12/19/2018	2/25/2019	5/17/2019	9/18/2019	11/18/2019	2/14/2020	5/22/2020	8/14/2020	11/12/2020	2/18/2021	5/18/2021	8/18/2021
Sample Date:																																
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	1.7 J	1.3 J	1.1 J	1.0 J	1.0 J	1.4 J	1.4 J	< 2.0	0.88 J	0.90 J	0.89 J	< 2.0
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.6	1.7	1.8	1.0	1.4	1.3	1.5	< 1.0	1.2	2.2	1.5	2.4
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-102S 2.5-12.5												MW-105S 2.5-12.5												MW-106S 2.5-12.5					
			12/19/2018	2/25/2019	5/14/2019	9/18/2019	11/18/2019	2/14/2020	5/22/2020	8/14/2020	11/12/2020	2/18/2021	5/18/2021	8/16/2021	12/26/2018	2/25/2019	5/14/2019	9/16/2019	11/13/2019	2/12/2020	5/20/2020	8/14/2020	11/12/2020	3/1/2021	5/18/2021	8/18/2021	12/19/2018	2/27/2019	5/16/2019	9/23/2019	11/15/2019	2/10/2020
Semi-volatile Organic Compounds (SVOCs)																																
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.55 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Metals																																
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-106S 2.5-12.5						MW-107S 2.5-12.5											MW-108S 2.5-12.5											MW-131S 2.5-12.5				
			5/19/2020	8/5/2020	11/12/2020	2/11/2021	5/18/2021	8/11/2021	12/26/2018	2/27/2019	5/10/2019	9/24/2019	11/12/2019	2/10/2020	5/19/2020	8/4/2020	11/6/2020	2/15/2021	5/6/2021	8/13/2021	12/26/2018	5/14/2019	9/19/2019	11/12/2019	2/3/2020	5/19/2020	8/14/2020	11/11/2020	2/18/2021	5/13/2021	8/11/2021	12/26/2018	2/26/2019	5/14/2019	9/16/2019
Sample Date:																																			
Semi-volatile Organic Compounds (SVOCs)																																			
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	0.90 J	0.93 J	< 2.0	< 2.0	< 2.0	< 2.0	1.2 J	< 2.0	< 2.0	< 2.0	< 2.0	1.0 J	< 2.0	1.3 J	1.3 J
Volatile Organic Compounds (VOCs)																																			
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 BJ	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 BJ	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.98 J	0.69 J	0.85 J	0.87 J
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																			
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																			
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-131S 2.5-12.5								MW-132S 2.5-12.5										MW-133S 4-9									
			11/12/2019	2/4/2020	5/19/2020	8/17/2020	11/12/2020	2/26/2021	5/18/2021	8/18/2021	12/26/2018	2/26/2019	5/14/2019	9/16/2019	11/12/2019	2/4/2020	5/19/2020	8/13/2020	11/18/2020	2/26/2021	5/18/2021	2/14/2019	5/23/2019	9/17/2019	11/7/2019	2/10/2020	8/10/2020	11/4/2020	2/22/2021	5/10/2021
Sample Date:																														
Semi-volatile Organic Compounds (SVOCs)																														
1,4-Dioxane	µg/L	7.2*	0.52 J	< 2.0	1.1 J	1.1 J	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Volatile Organic Compounds (VOCs)																														
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	1.0**	1.2	0.52 J	1.2	1.0	0.59 J	1.1	0.99 J	0.82 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																														
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																														
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																														
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																														
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs):	Unit	Residential Drinking Water Criteria	MW-134S 5-10										MW-135S 5-10										MW-136S 2-7										
			2/14/2019	5/20/2019	9/17/2019	11/5/2019	2/11/2020	8/7/2020	11/4/2020	2/19/2021	5/10/2021	8/19/2021	2/14/2019	5/20/2019	9/16/2019	11/5/2019	2/12/2020	8/5/2020	11/11/2020	2/18/2021	5/13/2021	8/19/2021	2/19/2019	5/22/2019	9/18/2019	11/13/2019	2/10/2020	5/19/2020	8/4/2020	11/6/2020	2/15/2021	5/5/2021	8/18/2021
Sample Date:																																	
Semi-volatile Organic Compounds (SVOCs)																																	
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	
Volatile Organic Compounds (VOCs)																																	
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	µg/L	1.0**	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	0.38 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.96 J	< 1.0	< 1.0	< 1.0	< 1.0	1.4	< 1.0	< 1.0	< 1.0
Metals																																	
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																																	
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																																	
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																																	
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-140S 2-7											MW-141S 3-8											MW-142S 2.5-7.5										
			2/26/2019	5/16/2019	9/18/2019	11/12/2019	2/5/2020	5/20/2020	8/6/2020	11/16/2020	2/15/2021	5/13/2021	8/9/2021	2/27/2019	5/15/2019	9/18/2019	11/13/2019	2/11/2020	5/20/2020	8/6/2020	11/11/2020	2/15/2021	5/17/2021	8/10/2021	2/25/2019	5/23/2019	9/16/2019	11/13/2019	2/3/2020	5/19/2020	8/14/2020	11/11/2020	2/18/2021	5/14/2021	
Semi-volatile Organic Compounds (SVOCs)																																			
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0		
Volatile Organic Compounds (VOCs)																																			
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
cis-1,2-Dichloroethene	µg/L	70	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 UB	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		
Metals																																			
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Anions																																			
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon (TOC)																																			
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Gases																																			
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

See Notes on Last Page.

Location: Screen Interval (ft. bgs): Sample Date:	Unit	Residential Drinking Water Criteria	MW-192S 2.5-7.5										MW-204 12-17				MW-204S 4-9				MW-205 12-17				MW-205S 4.5-9.5			
			4/11/2019	9/20/2019	11/15/2019	2/12/2020	5/19/2020	8/5/2020	11/13/2020	2/9/2021	5/6/2021	8/19/2021	1/3/2020	2/7/2020	8/3/2020	11/2/2020	12/27/2019	2/7/2020	8/3/2020	11/2/2020	1/3/2020	2/7/2020	8/3/2020	11/2/2020	12/30/2019	2/7/2020	8/3/2020	11/2/2020
Semi-volatile Organic Compounds (SVOCs)																												
1,4-Dioxane	µg/L	7.2*	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Volatile Organic Compounds (VOCs)																												
1,1-Dichloroethene	µg/L	7.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	µg/L	70	< 1.0	0.34 J	0.53 J	< 1.0	< 1.0	0.49	0.31 J	0.20 J	0.32 J	< 1.0	< 2.5 UB	< 2.5	1.3 J	1.6 J	17	7.5	14	25	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	µg/L	5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	µg/L	100	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.7 J	< 2.5	< 2.5	< 2.5	1.8	0.70 J	< 6.7	2.9	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	61	67	62	70	37	21	130	95	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	µg/L	1.0**	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	<2.5	<2.5	< 2.5	< 2.5	<1.7	<1.7	< 6.7	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Metals																												
Iron, Dissolved	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron, Total	µg/L	300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Dissolved	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese, Total	µg/L	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anions																												
Nitrate-N	mg/L	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sulfate	mg/L	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon (TOC)																												
Carbon, Dissolved	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Organic Carbon	mg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gases																												
Ethane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	µg/L	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

See Notes on Last Page.

Notes:

Table includes routine data collected from off-site monitoring wells. Lack of a date indicates that it was not sampled during that quarter.

Results are compared to EGLE Part 201 Generic Cleanup Criteria, June 2018.

* Residential Drinking Water Criteria for 1,4-dioxane is derived from EGLE Proposed Rule Changes (September 2016) and Emergency Rules (October 27, 2016).

** Groundwater results for Trichloroethene and Vinyl Chloride are compared to the published EGLE Remediation and Redevelopment Division Target Detection Limit of 1.0 µg/l.

Bolded Result exceeds Residential Drinking Water Criteria

< Result not detected above reporting limit.

Abbreviations:

EGLE	Michigan Department of Environment, Great Lakes, and Energy
µg/L	micrograms per liter
D	deep interval
ft. bgs	feet below ground surface
J	estimated result
mg/L	milligrams per liter
MW	monitoring well
NA	not analyzed
NS	no standard / not sampled
S	shallow interval
SR	shallow interval replacement
UB	analyte considered non-detect at the value listed due to associated blank contamination
B	Compound found in the blank and sample

Analytical Methods:

Method 8260B SIM used for Semi-Volatile Organic Compounds (SVOCs)

Method 8260B used for Volatile Organic Compounds (VOCs)

Method RSK-175 used for Dissolved Gases

Method 6020 used for Metals

Method 5310C-2000 used for Dissolved Organic Carbon (DOC)/Total Organic Carbon/Persulfate

Method 9056A used for Anions

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

Table 5
Hydraulic Control System Monthly Discharge Volumes
Ford Livonia Transmission Plant
36200 Plymouth Road
Livonia, Michigan

Date	Approximate Volume of Treated Water Discharged [□] (Gallons)	Date	Approximate Volume of Treated Water Discharged [□] (Gallons)	Date	Approximate Volume of Treated Water Discharged [□] (Gallons)
7/1/2021 [□]	40,520	8/1/2021	49,141	9/1/2021	43,102
7/2/2021	40,514	8/2/2021	49,080	9/2/2021	42,989
7/3/2021	40,519	8/3/2021 ^{□S}	38,158	9/3/2021	42,943
7/4/2021	40,423	8/4/2021 ^S	25,352	9/4/2021	42,893
7/5/2021	40,389	8/5/2021 [□]	55,660	9/5/2021	42,619
7/6/2021 [□]	40,334	8/6/2021	60,700	9/6/2021	42,328
7/7/2021 [□]	40,249	8/7/2021	59,708	9/7/2021 [□]	42,280
7/8/2021	40,252	8/8/2021	56,851	9/8/2021 [*]	42,030
7/9/2021	40,231	8/9/2021 [□]	54,471	9/9/2021	41,739
7/10/2021	40,231	8/10/2021 [□]	55,238	9/10/2021 ^{□S}	45,121
7/11/2021	40,135	8/11/2021	56,341	9/11/2021	45,717
7/12/2021 [□]	40,169	8/12/2021	56,632	9/12/2021	42,905
7/13/2021	40,143	8/13/2021	54,512	9/13/2021 [□]	41,578
7/14/2021	40,138	8/14/2021	49,442	9/14/2021	41,308
7/15/2021	40,307	8/15/2021	47,479	9/15/2021 [□]	40,997
7/16/2021 [□]	41,120	8/16/2021 [□]	45,975	9/16/2021	40,793
7/17/2021	42,558	8/17/2021	45,106	9/17/2021	40,698
7/18/2021	42,826	8/18/2021	44,699	9/18/2021	40,499
7/19/2021 [□]	42,752	8/19/2021	44,610	9/19/2021	40,378
7/20/2021	42,824	8/20/2021	44,424	9/20/2021 [□]	40,231
7/21/2021	42,849	8/21/2021	44,198	9/21/2021	37,191
7/22/2021 ^{□S}	22,625	8/22/2021	43,890	9/22/2021	34,001
7/23/2021 [□]	54,114	8/23/2021 ^{□S}	44,521	9/23/2021	35,832
7/24/2021	53,048	8/24/2021	54,807	9/24/2021	40,906
7/25/2021 ^S	23,306	8/25/2021	54,351	9/25/2021	46,125
7/26/2021 ^{□S}	20,220	8/26/2021	53,102	9/26/2021	45,378
7/27/2021	37,462	8/27/2021 [□]	47,203	9/27/2021 [□]	45,240
7/28/2021 ^{□S}	40,732	8/28/2021	44,804	9/28/2021	45,055
7/29/2021	19,390	8/29/2021	43,627	9/29/2021	45,024
7/30/2021 ^{□S}	34,628	8/30/2021 [□]	43,317	9/30/2021	44,927
7/31/2021 ^{□S}	42,683	8/31/2021	43,230		
Total volume discharged during July 2021	1,207,691	Total volume discharged during August 2021	1,510,629	Total volume discharged during September 2021	1,262,827

Notes:

Treated groundwater discharge volume readings are recorded daily.

Footnotes:

[□] Volume of treated groundwater discharged from the hydraulic control system is based on a sum of the totalizer flow meters installed on each well inside the system building.

^{*} Monthly treated groundwater discharge compliance sample collected as required by the Wastewater Discharge Permit Addendum #1 (Permit No.: 006-27510-IU).

[□] Hydraulic control system inspection visit.

^S System shut down.

This document is a DRAFT document that has not received approval from the Michigan Department of Environment, Great Lakes, and Energy (EGLE). This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

FIGURES



This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.



SITE LOCATION



Copyright: © 2013 National Geographic Society, i-cubed



0 2,000 4,000
SCALE IN FEET

NOTES:

EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

SOURCE:

USGS 7.5 MINUTE TOPOGRAPHIC MAP
NORTHVILLE AND WAYNE QUADRANGLES

FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN

SITE LOCATION MAP



FIGURE

1

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.



ON-SITE AREA

OFF-SITE AREA

TEST TRACK

ATNPC BUILDING

LIVONIA TRANSMISSION PLANT

SSDS Building

HCS Building

EDC

COMMERCE ST

LEVAN RD

GLENDAL ST

ROSATI AVE

CONCORD ST

CAPITOL ST

STARK RD

WADSWORTH ST

STANDISH ST

BOSTON POST ST

BREWSTER ST

PRISCILLA LN

PLYMOUTH RD

VALE ST

LEGEND

- | | | | | | |
|--|-----------------|--|--|--|---------------------|
| | MONITORING WELL | | HYDRAULIC CONTROL SYSTEM WELL SCREEN | | ESD-4 CARRIER PIPE |
| | TEST WELL | | WELL BLANK CASING | | HCS ELECTRICAL LINE |
| | VAULT | | SSDS CONVEYANCE PIPING | | EDC DISCHARGE LINE |
| | SUCTION PITS | | FORD PROPERTY BOUNDARY | | |
| | PIEZOMETER | | COMMERCIAL/RESIDENTIAL PROPERTY BOUNDARY | | |
| | | | AREA OF CONCERN | | |

NOTES:

- EDC = EASTERN DIVERSION CHAMBER
- ATNPC = AUTOMATIC TRANSMISSION NEW PRODUCT CENTER
- EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
- SSDS = SUB-SLAB DEPRESSURIZATION SYSTEM
- HCS = HYDRAULIC CONTROL SYSTEM
- ESD = EASTERN STORM DRAIN



FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN

SITE LAYOUT



FIGURE

2

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.



ON-SITE AREA

OFF-SITE AREA

TEST TRACK

LIVONIA TRANSMISSION PLANT

ATNPC BUILDING

SSDS Building

HCS Building

EDC BUILDING

COMMERCE ST

GLENDALE ST

FAIRLANE ST

ROSATI AVE

CONCORD ST

BEACON ST

BREWSTER ST

WADSWORTH ST

STANDISH ST

BOSTON POST ST

PRISCILLA LN

PLYMOUTH RD

LEVAN RD

LEGEND

- | | | | | | |
|--|-------------------------|--|--|--|---|
| | ONSITE MONITORING WELL | | HYDRAULIC CONTROL SYSTEM WELL SCREEN | | ESD-4 CARRIER PIPE |
| | OFFSITE MONITORING WELL | | WELL BLANK CASING | | HCS ELECTRICAL LINE |
| | PIEZOMETER | | SSDS CONVEYANCE PIPING | | EDC DISCHARGE LINE |
| | SUCTION PITS | | FORD PROPERTY BOUNDARY | | GROUNDWATER ELEVATION CONTOUR (DASH WHERE INFERRED) |
| | VAULT | | COMMERCIAL/RESIDENTIAL PROPERTY BOUNDARY | | APPROXIMATE FLOW DIRECTION |
| | | | AREA OF CONCERN | | |

- NOTES:
1. ALL ELEVATIONS COLLECTED ON AUGUST 17, 2021 AND MEASURED FROM TOP OF WELL CASING.
 2. ALL ELEVATIONS ARE REFERENCED TO A MEAN SEA LEVEL DATUM AND ARE IN UNITS OF FEET ABOVE SEA LEVEL.
 3. WHERE NESTED WELLS ARE PRESENT, THE SHALLOW WELL IS USED FOR CONTOURING PURPOSES.
 4. EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
 5. SSDS = SUB-SLAB DEPRESSURIZATION SYSTEM
 6. ESD = EASTERN STORM DRAIN
 7. HCS = HYDRAULIC CONTROL SYSTEM
 8. EDC = EASTERN DIVERSION CHAMBER
 9. ATNPC = AUTOMATIC TRANSMISSION NEW PRODUCT CENTER
 11. NM = NOT MEASURED - WELL COULD NOT BE ACCESSED OR LOCATED
 12. * = MONITORING WELL NOT USED TO CREATE CONTOURS




FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN


**SITE-WIDE GROUNDWATER ELEVATION
CONTOUR MAP UNDER PUMPING CONDITIONS
AUGUST 2021**




FIGURE


3






This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.





This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.



NOTES:
FIGURE ONLY SHOWS THE FOUR MOST RECENT QUARTERS OF DATA (OCTOBER/NOVEMBER 2020, FEBRUARY/MARCH 2021, MAY 2021, AND AUGUST 2021). FULL SET OF DATA CAN BE FOUND IN THE CORRESPONDING TABLES.

µg/L - MICROGRAMS PER LITER (PARTS PER BILLION)

≤ - LESS THAN OR EQUAL TO

> - GREATER THAN

THE EGLE NONRESIDENTIAL DRINKING WATER CRITERIA FOR 1,4-DIOXANE IS 350 µg/L. ANALYTICAL METHOD: 8260B SIM FOR VOLATILE ORGANIC COMPOUNDS.

FT = SCREENED INTERVAL IN FEET BELOW GROUND SURFACE

"ND", "<" INDICATES VALUE IS BELOW THE LABORATORY REPORTING LIMIT FOR 1,4-DIOXANE.

J = ESTIMATED RESULT

MW = MONITORING WELL, TW = TEST WELL, PW = PUMPING WELL

LMW = LIGHT NON-AQUEOUS PHASE LIQUID MONITORING WELL

EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

HDPE = HIGH-DENSITY POLYETHYLENE,

SSDS = SUB-SLAB DEPRESSURIZATION SYSTEM

HCS = HYDRAULIC CONTROL SYSTEM

ESD = EASTERN STORM DRAIN

BLUE BOX INDICATES EXCEEDANCE OF THE NONRESIDENTIAL DRINKING WATER CRITERIA ASSOCIATED WITH THE MOST RECENT SAMPLING EVENT



FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN

ON-SITE MONITORING WELLS 1,4-DIOXANE IN GROUNDWATER





This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.




LEGEND

- PROPERTY BOUNDARY
- FORD PROPERTY BOUNDARY
- OFF-SITE MONITORING WELL
- TRICHLOROETHENE ≤ 1.0 $\mu\text{g/L}$

NOTES:
FIGURE ONLY SHOWS THE FOUR MOST RECENT QUARTERS OF DATA (NOVEMBER 2020, FEBRUARY/MARCH 2021, MAY 2021, AND AUGUST 2021). FULL SET OF DATA CAN BE FOUND IN THE CORRESPONDING TABLES.

$\mu\text{g/L}$ - MICROGRAMS PER LITER (PARTS PER BILLION)
 $\leq$ - LESS THAN OR EQUAL TO
THE PUBLISHED EGLE REMEDIATION AND REDEVELOPMENT DIVISION TARGET DETECTION LIMIT FOR TRICHLOROETHENE IS 1.0 $\mu\text{g/L}$.
ANALYTICAL METHOD: 8260B FOR VOLATILE ORGANIC COMPOUNDS.
FT = SCREENED INTERVAL IN FEET BELOW GROUND SURFACE
J = ESTIMATED CONCENTRATION ABOVE THE METHOD DETECTION LIMIT AND BELOW THE REPORTING LIMIT.
"ND", "<" INDICATES VALUE IS BELOW THE LABORATORY REPORTING LIMIT FOR TRICHLOROETHENE.
EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
MW = MONITORING WELL



FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN

**OFF-SITE MONITORING WELLS
TRICHLOROETHENE IN GROUNDWATER**

FIGURE
10



This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.




LEGEND

- PROPERTY BOUNDARY
- FORD PROPERTY BOUNDARY
- OFF-SITE MONITORING WELL VINYL CHLORIDE ≤ 1.0 µg/L
- OFF-SITE MONITORING WELL VINYL CHLORIDE > 1.0 µg/L
- EXCEEDANCE OF THE TDL FROM PAST AND PRESENT SAMPLING EVENTS

NOTES:
FIGURE ONLY SHOWS THE FOUR MOST RECENT QUARTERS OF DATA (NOVEMBER 2020, FEBRUARY/MARCH 2021, MAY 2021, AND AUGUST 2021). FULL SET OF DATA CAN BE FOUND IN THE CORRESPONDING TABLES.


µg/L - MICROGRAMS PER LITER (PARTS PER BILLION)
≤ - LESS THAN OR EQUAL TO
> - GREATER THAN
TDL - TARGET DETECTION LIMIT
THE PUBLISHED EGLE REMEDIATION AND REDEVELOPMENT DIVISION TARGET DETECTION LIMIT FOR VINYL CHLORIDE IS 1.0 µg/L.
ANALYTICAL METHOD: 8260B FOR VOLATILE ORGANIC COMPOUNDS.
FT = SCREENED INTERVAL IN FEET BELOW GROUND SURFACE
J = ESTIMATED CONCENTRATION ABOVE THE METHOD DETECTION LIMIT AND BELOW THE REPORTING LIMIT.
"ND", "<" INDICATES VALUE IS BELOW THE LABORATORY REPORTING LIMIT FOR VINYL CHLORIDE.
MW = MONITORING WELL
EGLE = MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

BLUE BOX INDICATES EXCEEDANCE OF THE TARGET DETECTION LIMIT FOR VINYL CHLORIDE ASSOCIATED WITH THE MOST RECENT SAMPLING EVENT



FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN


**OFF-SITE MONITORING WELLS
VINYL CHLORIDE IN GROUNDWATER**





LEGEND:

- MW-32** LOCATION ID
 MONITORING WELL
 PIEZOMETER
661.63 GROUNDWATER ELEVATION (ft amsl)

 WELL TRIPLET PLANE WITH
HYDRAULIC GRADIENT DIRECTION

-  WELL SCREEN (4-INCH SDR-11 HDPE,
CUSTOM SLOTTED)
 WELL BLANK CASING (4-INCH HDPE)
 WELL BLANK CASING (6-INCH HDPE)

- Notes:
1. All elevations collected on August 17, 2021 and measured from top of well casing.
2. All elevations are referenced to a mean sea level datum and are in units of feet above sea level (ft amsl).
3. EGLE - Michigan Department of Environment, Great Lakes, and Energy
4. HDPE - high density polyethylene
5. NM - well not measured

FORD MOTOR COMPANY
LIVONIA TRANSMISSION PLANT
LIVONIA, MICHIGAN

HYDRAULIC GRADIENT MAP
AUGUST 2021



FIGURE

12

APPENDICES



APPENDIX A

On-Site Groundwater Field Sampling Logs





SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-01 Date 8-11-21
Project Name/Location Ford LTP Weather 82.0 degrees F and Cloudy. The wind is blowing SW at 16.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 14-19 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.25 Total Depth (ft-bmp) 16.00 Water Column (ft.) 12.75 Gallons in Well 2.07
Pump Intake (ft-bmp) 15.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.61

Sample Time: Label 14:11 Volume Purged 1.26 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 13:33

Purge End 14:18

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:35	0	140	3.80	0.00	7.51	45.40	58.40	5.21	23.1	-147.2	Clear, Small Black Particulates	No Odor
13:40	5	140	3.70	0.18	7.40	43.90	47.10	0.03	21.9	-185.9	Clear, Small Black Particulates	No Odor
13:45	5	140	3.60	0.36	7.42	42.43	21.70	0.00	21.8	-214.3	Clear, Small Black Particulates	No Odor
13:50	5	140	3.60	0.54	7.42	41.86	18.90	0.00	21.6	-218.6	Clear, Small Black Particulates	No Odor
13:55	5	140	3.60	0.72	7.42	41.76	11.50	0.00	21.4	-215.2	Clear, Small Black Particulates	No Odor
14:00	5	140	3.50	0.90	7.42	41.70	4.86	0.00	21.4	-215.5	Clear, Small Black Particulates	No Odor
14:05	5	140	3.60	1.08	7.42	41.90	0.80	0.00	21.4	-215.5	Clear	No Odor
14:10	5	140	3.60	1.26	7.42	42.04	0.02	0.00	21.3	-215.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Poor, Vault broken	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-02 Date 8-10-21
Project Name/Location Ford LTP Weather 80.0 degrees F and Cloudy.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 15.5-20.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.92 Total Depth (ft-bmp) 19.51 Water Column (ft.) 12.59 Gallons in Well 2.05
Pump Intake (ft-bmp) 18.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.70

Sample Time: Label 12:15 Volume Purged 1.43 gallons Replicate/Code No. -- Sampled by Seth Turner

Purge Start 11:10
Purge End 12:20

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	100	6.92	0.00	7.20	14.32	53.00	0.76	20.6	-67.5	Clear, Cloudy	No Odor
11:20	5	100	6.92	0.13	7.19	14.32	39.50	0.53	20.6	-80.4	Clear, Cloudy	No Odor
11:25	5	100	6.92	0.26	7.19	14.36	30.30	0.36	20.6	-95.1	Clear, Cloudy	No Odor
11:30	5	100	6.92	0.39	7.22	14.40	32.30	0.45	20.6	-109.1	Clear, Cloudy	No Odor
11:35	5	100	6.92	0.52	7.22	14.40	26.70	0.30	20.5	-116.5	Clear, Cloudy	No Odor
11:40	5	100	6.92	0.65	7.23	14.42	22.50	0.26	20.6	-122.1	Clear, Cloudy	No Odor
11:45	5	100	6.92	0.78	7.24	14.44	18.90	0.21	20.6	-1256.9	Clear	No Odor
11:50	5	100	6.92	0.91	7.20	14.45	14.10	0.18	20.6	-129.8	Clear	No Odor
11:55	5	100	6.92	1.04	7.25	14.45	9.06	0.18	20.6	-131.6	Clear	No Odor
12:00	5	100	6.92	1.17	7.25	14.47	1.61	0.16	20.6	-134.3	Clear	No Odor
12:05	5	100	6.92	1.30	7.25	14.47	0.02	0.15	20.6	-135.4	Clear	No Odor
12:10	5	100	6.92	1.43	7.25	14.47	0.02	0.15	20.6	-135.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, S Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-03	Date	8-11-21
Project Name/Location	Ford LTP	Weather	80.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	14-19	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	7.13	Total Depth (ft-bmp)	18.76	Water Column (ft.)	11.63
		Pump Intake (ft-bmp)	16.50	Purge Method	Low-Flow
		Well Volumes Purged	0.41	Gallons in Well	1.89
				Sample Method	Grab

Sample Time:	Label	9:25	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	8:45
-------------	------

Purge End	9:30
-----------	------

ST

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, W	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-04			Date	8-10-21
Project Name/Location	Ford LTP		Weather		80.0 degrees F and Cloudy.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15.5-20.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.74	Total Depth (ft-bmp)	20.13	Water Column (ft.)	12.39	Gallons in Well	2.01
		Pump Intake (ft-bmp)	18.00	Purge Method	Low-Flow	Sample Method	Grab

Sample Time:	Label	10:50	Volume Purged	1.04 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	10:00
-------------	-------

Purge End	11:00
-----------	-------

ST

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Onsite, S
Condition of Well:	Good
Well Completion:	Flush mount

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-05		Date	8-10-21	
Project Name/Location	Ford LTP		Weather	80.0 degrees F and Cloudy.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15.5-20.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	7.24	Total Depth (ft-bmp)	19.43	Water Column (ft.)	12.19	Gallons in Well	1.98	
		Pump Intake (ft-bmp)	18.00	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.39					
Sample Time:	Label	13:05	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
	Purge Start	12:30						
	Purge End	13:10						

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-07 Date 8-5-21
Project Name/Location Ford LTP Weather 64.0 degrees F and Haze. The wind is blowing S at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 18-23 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.60 Total Depth (ft-bmp) 22.24 Water Column (ft.) 17.64 Gallons in Well 2.87
Pump Intake (ft-bmp) 20.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.50

Sample Time: Label 9:11 Volume Purged 1.44 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 8:20
Purge End 9:17

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:25	0	120	4.82	0.00	7.36	7.73	26.90	0.66	19.3	-85.7	Clear, Small Orange Particulates	Faint Odor
8:30	5	120	4.84	0.16	7.42	7.13	8.19	0.28	19.0	-96.7	Clear, Small Orange Particulates	Faint Odor
8:35	5	120	4.84	0.32	7.37	6.82	6.80	0.20	18.8	-96.8	Clear, Small Orange Particulates	Faint Odor
8:40	5	120	4.80	0.48	7.34	6.89	4.79	0.19	18.9	-95.6	Clear, Small Orange Particulates	Faint Odor
8:45	5	120	4.80	0.64	7.30	7.25	2.46	0.15	18.6	-94.7	Clear, Small Orange Particulates	No Odor
8:50	5	120	4.80	0.80	7.29	7.53	4.29	0.11	18.7	-94.2	Clear, Small Orange Particulates	No Odor
8:55	5	120	4.80	0.96	7.28	7.72	0.47	0.08	18.6	-93.8	Clear, Small Orange Particulates	No Odor
9:00	5	120	4.80	1.12	7.27	7.91	0.02	0.05	18.7	-93.3	Clear, Small Orange Particulates	No Odor
9:05	5	120	4.80	1.28	7.27	7.98	0.59	0.04	18.6	-93.4	Clear, Small Orange Particulates	No Odor
9:10	5	120	4.80	1.44	7.27	8.02	0.02	0.03	18.7	-93.5	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south	Well Locked at Arrival:	n/a
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-09 Date 8-4-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Mostly Clear. The wind is blowing N at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 19.5-24.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.35 Total Depth (ft-bmp) 24.25 Water Column (ft.) 17.90 Gallons in Well 2.91
Pump Intake (ft-bmp) 22.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.40

Sample Time: Label 9:25 Volume Purged 1.16 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 8:45
Purge End 9:33

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:45	0	100	6.25	0.00	7.24	7.46	0.02	0.79	19.2	-100.7	Clear, Small Orange Particulates	No Odor
8:50	5	100	6.25	0.13	7.26	7.55	0.32	0.53	19.3	-104.7	Clear, Small Orange Particulates	Faint Odor
8:55	5	110	7.10	0.26	7.28	7.43	5.99	0.32	19.2	-108.5	Clear, Small Orange Particulates	Faint Odor
9:00	5	110	7.10	0.41	7.26	7.03	4.00	0.30	19.0	-98.1	Clear, Small Orange Particulates	Faint Odor
9:05	5	110	7.15	0.56	7.26	6.90	4.05	0.84	18.8	-97.9	Clear, Small Orange Particulates	Faint Odor
9:10	5	110	7.15	0.71	7.27	7.09	0.02	0.89	18.8	-100.7	Clear, Small Orange Particulates	Faint Odor
9:15	5	110	7.15	0.86	7.28	7.20	0.90	0.82	18.8	-103.5	Clear, Small Orange Particulates	No Odor
9:20	5	110	7.15	1.01	7.29	7.33	0.02	0.82	18.7	-105.8	Clear, Small Orange Particulates	No Odor
9:25	5	110	7.15	1.16	7.29	7.38	0.02	0.83	18.7	-107.3	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: On-site; south Well Locked at Arrival: n/a
Condition of Well: Fair, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-10		Date	8-10-21	
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Cloudy.		Well Material	PVC	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16.5-21.5	Casing Diameter (in.)	2	Gallons in Well	1.95	
Static Water Level (ft-bmp)	8.75	Total Depth (ft-bmp)	20.76	Water Column (ft.)	12.01	Purge Method	Low-Flow	
		Pump Intake (ft-bmp)	19.00			Sample Method	Grab	
		Well Volumes Purged	0.47					
Sample Time:	Label	9:45	Volume Purged	0.91 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	9:00						
	Purge End	9:50						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:05	0	100	8.75	0.00	7.11	8.98	55.50	0.59	22.1	-9.0	Clear	No Odor
9:10	5	100	8.75	0.13	7.17	8.96	22.30	0.54	22.1	-28.9	Clear, Small Orange Particulates	No Odor
9:15	5	100	8.75	0.26	7.23	8.94	23.10	0.52	22.2	-55.4	Clear, Small Orange Particulates	No Odor
9:20	5	100	8.75	0.39	7.29	8.94	22.50	0.53	22.2	-79.9	Clear	No Odor
9:25	5	100	8.75	0.52	7.31	8.95	22.90	0.43	22.2	-93.5	Clear, Small Orange Particulates	No Odor
9:30	5	100	8.75	0.65	7.32	8.99	23.30	0.43	22.2	-117.4	Clear, Small Red Particulates	No Odor
9:35	5	100	8.75	0.78	7.33	9.01	23.10	0.27	22.2	-122.7	Clear, Small Red Particulates	No Odor
9:40	5	100	8.75	0.91	7.33	9.02	22.70	0.27	22.2	-125.1	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	Onsite, S	Well Locked at Arrival:	n/a		
Condition of Well:	Good	Well Locked at Departure:	n/a		
Well Completion:	Flush mount	Lock Functioning:	n/a		



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-14 Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 15-20 Weather 79.0 degrees F and Mostly Clear. The wind is blowing N at 3.4 mph.
Measuring Pt. Description 6.90 Total Depth (ft-bmp) 18.95 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 17.50 Pump Intake (ft-bmp) 12.05 Water Column (ft.) 12.05 Gallons in Well 1.96
Well Volumes Purged 1.20 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:30 Volume Purged 2.36 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 10:25

Purge End 11:42

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:30	0	140	6.90	0.00	7.92	2.07	20.20	1.07	19.2	-63.8	Clear, Small Orange Particulates	No Odor
10:35	5	140	6.90	0.18	7.53	1.13	15.70	0.50	18.9	-22.0	Clear, Small Orange Particulates	No Odor
10:40	5	150	7.10	0.36	7.41	1.29	11.60	0.37	19.0	-24.2	Clear, Small Orange Particulates	No Odor
10:45	5	150	7.10	0.56	7.35	1.52	8.38	0.33	18.6	-22.4	Clear, Small Orange Particulates	No Odor
10:50	5	150	7.10	0.76	7.31	1.79	4.78	0.29	18.8	-20.8	Clear, Small Orange Particulates	No Odor
10:55	5	150	7.10	0.96	7.28	2.04	2.17	0.27	18.9	-19.7	Clear, Small Orange Particulates	No Odor
11:00	5	150	7.10	1.16	7.26	2.22	1.98	0.30	18.6	-19.0	Clear, Small Orange Particulates	No Odor
11:05	5	150	7.10	1.36	7.25	2.35	2.28	0.15	18.6	-16.5	Clear, Small Orange Particulates	No Odor
11:10	5	150	7.10	1.56	7.24	2.44	2.23	0.10	18.7	-15.6	Clear, Small Orange Particulates	No Odor
11:15	5	150	7.10	1.76	7.23	2.49	0.72	0.05	18.8	-15.1	Clear, Small Orange Particulates	No Odor
11:20	5	150	7.10	1.96	7.23	2.55	1.96	0.05	18.6	-15.1	Clear, Small Orange Particulates	No Odor
11:25	5	150	7.10	2.16	7.22	2.60	1.08	0.05	18.7	-14.2	Clear, Small Orange Particulates	No Odor
11:30	5	150	7.10	2.36	7.22	2.60	0.02	0.05	18.7	-13.0	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south	Well Locked at Arrival:	n/a
Condition of Well:	Good, Missing bolts	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-18 Date 8-9-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Haze. The wind is blowing at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 13-18 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.13 Total Depth (ft-bmp) 18.80 Water Column (ft.) 11.67 Gallons in Well 1.90
Pump Intake (ft-bmp) 15.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.65

Sample Time: Label 10:21 Volume Purged 1.23 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 9:42
Purge End 10:29

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:45	0	130	7.13	0.00	6.86	1.33	0.38	3.35	19.7	-97.1	Clear, Small Orange Particulates	Slight Odor
9:50	5	130	7.13	0.17	6.89	1.66	0.02	0.24	19.2	-110.1	Clear, Small Black Particulates	Slight Odor
9:55	5	130	7.13	0.34	6.93	1.87	0.02	0.07	19.0	-118.1	Clear, Small Black Particulates	Faint Odor
10:00	5	140	7.32	0.51	6.94	1.96	0.27	0.06	19.1	-121.5	Clear, Small Black Particulates	Faint Odor
10:05	5	140	7.32	0.69	6.95	2.08	0.02	0.00	19.3	-124.2	Clear, Small Black Particulates	Faint Odor
10:10	5	140	7.37	0.87	6.95	2.13	0.02	0.00	19.4	-125.8	Clear, Small Black Particulates	Faint Odor
10:15	5	140	7.35	1.05	6.95	2.15	0.02	0.00	19.2	-127.0	Clear, Small Black Particulates	Faint Odor
10:20	5	140	7.35	1.23	6.95	2.18	0.02	0.00	19.2	-127.8	Clear, Small Black Particulates	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, S Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-19		Date	8-11-21	
Project Name/Location	Ford LTP		Weather		80.0 degrees F and Sunny.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.73	Total Depth (ft-bmp)	19.87	Water Column (ft.)	14.14	Gallons in Well	2.30	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.40					

Sample Time:	Label	10:55	Volume Purged	0.91 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	10:10
Purge End	11:00

ST

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Onsite, E
Condition of Well:	Good
Well Completion:	Flush mount



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-20 Date 8-9-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing S/SE at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 13.5-18.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.58 Total Depth (ft-bmp) 15.10 Water Column (ft.) 8.52 Gallons in Well 1.38
Pump Intake (ft-bmp) 14.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.65

Sample Time: Label 9:11 Volume Purged 0.9 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 8:35

Purge End 9:18

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:40	0	110	6.83	0.00	7.15	4.31	18.10	4.47	21.0	-124.2	Clear, Small Orange Particulates	Faint Odor
8:45	5	110	6.85	0.15	7.17	4.30	12.60	0.28	20.2	-126.8	Clear, Small Orange Particulates	Faint Odor
8:50	5	110	6.85	0.30	7.18	4.27	4.27	0.16	20.1	-127.8	Clear, Small Orange Particulates	Faint Odor
8:55	5	110	6.85	0.45	7.19	4.26	2.61	0.11	20.1	-128.0	Clear, Small Orange Particulates	Faint Odor
9:00	5	110	6.85	0.60	7.19	4.24	0.95	0.09	20.0	-128.6	Clear, Small Orange Particulates	Faint Odor
9:05	5	110	6.85	0.75	7.20	4.23	0.02	0.08	19.9	-128.7	Clear, Small Orange Particulates	No Odor
9:10	5	110	6.85	0.90	7.20	4.22	0.02	0.07	19.9	-129.1	Clear, Small Orange Particulates	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-21			Date	8-11-21
Project Name/Location	Ford LTP		Weather			80.0 degrees F and Sunny.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	13.5-18.5	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	7.25	Total Depth (ft-bmp)	17.39	Water Column (ft.)	10.14	Gallons in Well	
		Pump Intake (ft-bmp)	16.00	Purge Method	Low-Flow	Sample Method	
		Well Volumes Purged	0.55			Grab	
Sample Time:	Label	13:55	Volume Purged	0.91 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	13:10					Seth Turner
	Purge End	14:00					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MV-22			Date	8-6-21
Project Name/Location	Ford LTP		Weather		74.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16.5-21.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.23	Total Depth (ft-bmp)	20.48	Water Column (ft.)	13.25	Gallons in Well	2.15
		Pump Intake (ft-bmp)	19.00	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.48				
Sample Time:	Label	13:45	Volume Purged	1.04 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	12:55					Seth Turner
	Purge End	13:55					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-23 Date 8-6-21
Project Name/Location Ford LTP Weather 75.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 15-20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.21 Total Depth (ft-bmp) 19.49 Water Column (ft.) 13.28 Gallons in Well 2.16
Pump Intake (ft-bmp) 17.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.66

Sample Time: Label 11:15 Volume Purged 1.43 gallons Replicate/Code No. -- Sampled by Seth Turner

Purge Start 10:10

Purge End 11:20

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:15	0	100	6.21	0.00	7.05	8.58	54.40	0.80	18.6	-14.9	Clear, Cloudy	No Odor
10:20	5	100	6.21	0.13	7.06	8.64	37.30	0.32	18.3	-35.6	Clear, Small Brown Particulates	No Odor
10:25	5	100	6.21	0.26	7.07	8.40	31.10	0.28	18.1	-37.0	Clear, Small Brown Particulates	No Odor
10:30	5	100	6.21	0.39	7.09	8.19	25.30	0.25	18.1	-35.2	Clear	No Odor
10:35	5	100	6.21	0.52	7.09	8.22	17.80	0.23	18.0	-32.1	Clear	No Odor
10:40	5	100	6.21	0.65	7.09	8.34	16.10	0.23	18.0	-31.0	Clear	No Odor
10:45	5	100	6.21	0.78	7.08	8.66	36.40	0.22	17.8	-34.6	Clear	No Odor
10:50	5	100	6.21	0.91	7.09	8.60	30.60	0.20	17.8	-39.6	Clear	No Odor
10:55	5	100	6.21	1.04	7.09	8.60	18.00	0.21	17.8	-34.5	Clear	No Odor
11:00	5	100	6.21	1.17	7.10	8.69	10.40	0.20	17.9	-31.5	Clear	No Odor
11:05	5	100	6.21	1.30	7.10	8.71	11.40	0.21	18.0	-31.6	Clear	No Odor
11:10	5	100	6.21	1.43	7.10	8.73	10.50	0.20	18.0	-31.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Broken thread tabs,Fair,Missing bolts	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-24 Date 8-5-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 19-24 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 10.02 Total Depth (ft-bmp) 23.74 Water Column (ft.) 13.72 Gallons in Well 2.23
Pump Intake (ft-bmp) 21.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.63

Sample Time: Label 11:57 Volume Purged 1.4 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 11:12
Purge End 12:03

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	120	10.02	0.00	7.07	2.38	12.60	0.87	17.5	-91.4	Clear	No Odor
11:20	5	120	10.02	0.16	7.06	2.39	10.90	0.76	17.0	-86.0	Clear, Small Orange Particulates	No Odor
11:25	5	140	10.31	0.32	7.05	2.38	22.20	0.83	17.2	-83.5	Clear, Small Orange Particulates	No Odor
11:30	5	140	10.31	0.50	7.06	2.38	8.59	0.79	17.1	-84.0	Clear, Small Orange Particulates	No Odor
11:35	5	140	10.31	0.68	7.06	2.38	9.32	0.78	16.8	-84.9	Clear, Small Orange Particulates	No Odor
11:40	5	140	10.31	0.86	7.06	2.37	6.26	0.71	17.1	-84.8	Clear, Small Orange Particulates	No Odor
11:45	5	140	10.31	1.04	7.06	2.38	4.60	0.18	17.2	-85.1	Clear	No Odor
11:50	5	140	10.31	1.22	7.06	2.38	3.17	0.20	16.9	-84.6	Clear	No Odor
11:55	5	140	10.31	1.40	7.06	2.38	4.12	0.19	17.1	-85.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information
Well Location: On-site; south Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-25	Date	8-11-21
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Cloudy. The wind is blowing S/SW at 8.1 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.83	Total Depth (ft-bmp)	20.50	Water Column (ft.)	14.67
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow
		Well Volumes Purged	0.39	Gallons in Well	2.38
				Sample Method	Grab

Sample Time:	Label	11:56	Volume Purged	0.93 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
	Purge Start	11:21						
	Purge End	12:03						

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:25	0	120	5.83	0.00	7.21	10.61	12.50	1.28	21.7	-125.4	Clear, Small Orange Particulates	No Odor
11:30	5	120	5.83	0.10	7.20	10.78	6.84	0.98	21.9	-122.2	Clear, Small Orange Particulates	No Odor
11:35	5	120	5.83	0.26	7.21	10.93	9.37	0.78	22.2	-122.4	Clear, Small Orange Particulates	No Odor
11:40	5	130	5.83	0.42	7.24	10.84	4.82	0.45	22.3	-124.0	Clear, Small Orange Particulates	No Odor
11:45	5	130	5.83	0.59	7.24	10.91	1.46	0.39	22.2	-124.7	Clear	No Odor
11:50	5	130	6.21	0.76	7.24	10.89	2.88	0.41	22.0	-125.3	Clear	No Odor
11:55	5	130	6.21	0.93	7.22	10.85	0.02	0.38	22.0	-126.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	Onsite, W	Well Locked at Arrival:	n/a	
Condition of Well:	Good	Well Locked at Departure:	n/a	
Well Completion:	Flush mount	Lock Functioning:	n/a	



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-29 Date 8-11-21
Project Name/Location Ford LTP Weather 85.0 degrees F and Overcast.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5-15 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.87 Total Depth (ft-bmp) 14.85 Water Column (ft.) 9.98 Gallons in Well 1.62
Pump Intake (ft-bmp) 10.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.72

Sample Time: Label 12:20 Volume Purged 1.17 gallons Replicate/Code No. DUP-01 Sampled by Seth Turner
Purge Start 11:25
Purge End 12:25

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:30	0	100	4.87	0.00	7.02	15.85	13.40	0.97	20.1	3.3	Clear	No Odor
11:35	5	100	4.87	0.13	7.01	15.81	10.60	0.70	20.5	-3.8	Clear	No Odor
11:40	5	100	4.87	0.26	7.00	15.84	10.50	0.60	20.7	-8.1	Clear	No Odor
11:45	5	100	4.87	0.39	7.00	15.85	10.00	0.51	20.9	-11.1	Clear	No Odor
11:50	5	100	4.87	0.52	7.00	15.89	9.02	0.40	21.0	-14.6	Clear	No Odor
11:55	5	100	4.87	0.65	7.01	15.93	7.24	0.30	20.7	-19.8	Clear	No Odor
12:00	5	100	4.87	0.78	7.01	15.88	5.04	0.22	20.6	-26.9	Clear	No Odor
12:05	5	100	4.87	0.91	7.02	15.84	4.28	0.16	20.5	-36.9	Clear	No Odor
12:10	5	100	4.87	1.04	7.02	15.81	4.41	0.14	20.4	-42.9	Clear	No Odor
12:15	5	100	4.87	1.17	7.02	15.80	4.38	0.14	20.3	-44.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 6 Preservative HCL
1,4-dioxane 40 mL Glass 6 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, N Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-30		Date	8-28-21	
Project Name/Location	Ford LTP		Weather		73.0 degrees F and Fog/Mist. The wind is blowing SW at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	19.24	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	9.45	Total Depth (ft-bmp)	24.70	Water Column (ft.)	15.25	Gallons in Well	2.48	
		Pump Intake (ft-bmp)	21.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.50					

Sample Time:	Label	9:15	Volume Purged	1.23 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	8:39
-------------	------

Purge End	9:20
-----------	------

Health Dept

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information		Well Location		Well Completion	
Well ID:	W-001	Well Name:	W-001	Well Type:	W-001
Well Location:	On-site, east of property	Well Locked at Arrival:	n/a	Well Locked at Departure:	n/a
Condition of Well:	Good	Lock Functioning:	n/a		
Well Completion:	Flush mount				

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-31		Date	8-28-21
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Partly Cloudy. The wind is blowing SW at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	17-22	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	9.60	Total Depth (ft-bmp)	21.70	Water Column (ft.)	12.10	Gallons in Well	1.97
		Pump Intake (ft-bmp)	19.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.61				

Sample Time:	Label	11:20	Volume Purged	1.2 gallons	Replicate/Code No.	--	Sampled by	Ellen Redner
--------------	-------	-------	---------------	-------------	--------------------	----	------------	--------------

Purge Start	10:45
-------------	-------

Purge End	11:25
-----------	-------



* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

Bolts don't thread into tabs

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Onsite; East

Well Locked at Arrival:

n/a

Condition of Well:

Fair

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-32 Date 8-4-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Mostly Clear. The wind is blowing N at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 18-23 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.97 Total Depth (ft-bmp) 22.81 Water Column (ft.) 13.84 Gallons in Well 2.25
Pump Intake (ft-bmp) 20.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.60

Sample Time: Label 13:00 Volume Purged 1.34 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 12:15

Purge End 13:08

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:20	0	120	8.97	0.00	7.24	3.33	20.80	0.27	15.8	-130.8	Clear, Small Orange Particulates	Faint Odor
12:25	5	120	8.45	0.16	7.22	3.33	15.60	0.11	15.5	-116.0	Clear, Small Orange Particulates	Faint Odor
12:30	5	130	8.45	0.32	7.21	3.33	14.20	0.05	15.5	-112.0	Clear, Small Orange Particulates	Faint Odor
12:35	5	130	8.45	0.49	7.21	3.37	10.40	0.36	15.9	-107.9	Clear, Small Orange Particulates	No Odor
12:40	5	130	8.45	0.66	7.21	3.41	6.09	0.10	16.2	-110.2	Clear, Small Orange Particulates	No Odor
12:45	5	130	8.45	0.83	7.21	3.45	7.65	0.05	16.0	-108.2	Clear, Small Orange Particulates	No Odor
12:50	5	130	8.45	1.00	7.21	3.50	4.98	0.01	16.1	-108.3	Clear, Small Orange Particulates	No Odor
12:55	5	130	8.45	1.17	7.21	3.53	4.59	0.00	16.2	-107.3	Clear, Small Orange Particulates	No Odor
13:00	5	130	8.45	1.34	7.21	3.55	3.38	0.00	15.8	-107.2	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-33 Date 8-2-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Clear. The wind is blowing N at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 14-19 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.86 Total Depth (ft-bmp) 18.66 Water Column (ft.) 10.80 Gallons in Well 1.75
Pump Intake (ft-bmp) 16.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.90

Sample Time: Label 11:10 Volume Purged 1.57 gallons Replicate/Code No. Sampled by Christian Garrido
Purge Start 10:08
Purge End 11:20

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:10	0	100	8.06	0.00	6.92	3.47	15.10	5.55	16.2	102.3	Clear, Small Orange Particulates	No Odor
10:15	5	100	8.01	0.13	6.94	3.44	139.00	4.24	16.1	52.7	Clear, Small Orange Particulates	No Odor
10:20	5	100	8.01	0.26	6.95	3.43	9.75	3.99	16.0	28.4	Clear, Small Orange Particulates	No Odor
10:25	5	100	8.01	0.39	6.95	3.48	4.39	3.41	16.0	17.7	Clear, Small Orange Particulates	No Odor
10:30	5	100	8.01	0.55	6.95	3.54	4.23	2.83	16.2	10.5	Clear, Small Orange Particulates	No Odor
10:35	5	100	8.01	0.68	6.95	3.64	4.70	2.93	15.8	0.0	Clear, Small Orange Particulates	No Odor
10:40	5	100	8.01	0.81	6.97	3.69	3.48	2.43	16.0	-13.6	Clear, Small Orange Particulates	No Odor
10:45	5	100	8.01	0.94	6.96	3.85	2.58	2.13	16.2	-25.6	Clear, Small Orange Particulates	No Odor
10:50	5	100	8.01	1.07	6.96	3.84	3.24	1.84	16.1	-29.9	Clear, Small Orange Particulates	No Odor
10:55	5	100	8.01	1.18	6.96	3.91	2.35	1.67	16.2	-37.6	Clear, Small Orange Particulates	No Odor
11:00	5	100	8.01	1.31	6.98	3.89	1.96	1.47	16.1	-45.6	Clear, Small Orange Particulates	No Odor
11:05	5	100	8.01	1.44	6.98	3.90	2.25	1.36	16.0	-54.4	Clear, Small Orange Particulates	No Odor
11:10	5	100	8.01	1.57	6.98	3.99	1.14	1.50	16.1	-58.9	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane Container 40 mL Glass Number 3 Preservative HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: On-site; south of property Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-34		Date	8-28-21	
Project Name/Location	Ford LTP		Weather		78.1 degrees F and Partly Cloudy. The wind is blowing SW at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16.5-21.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	8.78	Total Depth (ft-bmp)	21.25	Water Column (ft.)	12.47	Gallons in Well	2.03	
		Pump Intake (ft-bmp)	19.00	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.38					

Sample Time:	Label	11:16	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	10:43
-------------	-------

Purge End	11:22
-----------	-------

Gang
Schief

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Onsite: East

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-35 Date 8-21-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing S at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 19.5-24.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.17 Total Depth (ft-bmp) 19.50 Water Column (ft.) 11.33 Gallons in Well 1.84
Pump Intake (ft-bmp) 18.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.09

Sample Time: Label 10:48 Volume Purged 2 gallons Replicate/Code No. Sampled by Allyson Hartz
Purge Start 9:54
Purge End 10:51

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:55	0	150	8.23	0.00	7.96	6.04	25.70	1.07	19.3	-47.4	Clear	No Odor
10:00	5	150	8.23	0.20	7.76	5.82	9.83	0.37	18.8	-103.7	Clear	No Odor
10:05	5	150	8.23	0.40	7.74	5.81	10.50	0.26	18.6	-130.8	Clear	No Odor
10:10	5	150	8.23	0.60	7.75	5.82	14.00	0.18	18.3	-141.0	Clear	No Odor
10:15	5	150	8.23	0.80	7.74	5.81	16.00	0.20	18.4	-145.1	Clear	No Odor
10:20	5	150	8.23	1.00	7.73	5.78	18.80	0.16	18.1	-148.0	Clear	No Odor
10:25	5	150	8.23	1.20	7.71	5.75	16.90	0.14	18.0	-150.4	Clear	No Odor
10:30	5	150	8.23	1.40	7.70	5.63	20.20	0.15	18.1	-153.2	Clear	No Odor
10:35	5	150	8.23	1.60	7.69	5.59	16.50	0.11	17.9	-155.2	Clear	No Odor
10:40	5	150	8.23	1.80	7.69	5.54	16.50	0.09	17.9	-156.4	Clear	No Odor
10:45	5	150	8.23	2.00	7.68	5.47	15.60	0.08	17.8	-157.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, E Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-36	Date	8-12-21			
Project Name/Location	Ford LTP		Weather	70.0 degrees F and Rainy.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	20-25	Casing Diameter (in.)	2			
Static Water Level (ft-bmp)	8.94	Total Depth (ft-bmp)	24.77	Water Column (ft.)	15.83			
		Pump Intake (ft-bmp)	22.50	Purge Method	Low-Flow			
		Well Volumes Purged	0.46	Gallons in Well	2.57			
				Sample Method	Grab			
Sample Time:	Label	9:55	Volume Purged	1.17 gallons	Replicate/Code No.	MW-36-MS_081221, MW-36-MSD_081221	Sampled by	Seth Turner
	Purge Start	9:00						
	Purge End	10:15						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:05	0	100	8.94	0.00	7.42	7.97	389.00	0.30	16.1	-136.3	Brown, Cloudy	No Odor
9:10	5	100	8.94	0.13	7.40	7.81	393.00	0.39	15.7	-114.9	Brown, Cloudy	No Odor
9:15	5	100	8.94	0.26	7.39	7.78	458.00	0.44	15.8	-123.8	Brown, Cloudy	No Odor
9:20	5	100	8.94	0.39	7.39	7.87	261.00	0.27	16.8	-131.3	Brown, Clear	No Odor
9:25	5	100	8.94	0.52	7.40	7.86	118.00	0.25	16.8	-135.2	Brown, Clear	No Odor
9:30	5	100	8.94	0.65	7.40	7.85	52.90	0.25	16.8	-138.6	Brown, Clear	No Odor
9:35	5	100	8.94	0.78	7.40	7.85	17.80	0.25	16.8	-142.1	Brown, Clear	No Odor
9:40	5	100	8.94	0.91	7.40	7.84	0.02	0.25	16.8	-143.1	Clear	No Odor
9:45	5	100	8.94	1.04	7.40	7.84	0.02	0.25	16.8	-143.6	Clear	No Odor
9:50	5	100	8.94	1.17	7.40	7.84	0.02	0.25	16.8	-144.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 9	Preservative HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04 1.25" = 0.06	1.5" = 0.09 2" = 0.16	2.5" = 0.26 3" = 0.37
			3.5" = 0.50 4" = 0.65
			6" = 1.47
Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-37 Date 8-3-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Mostly Cloudy. The wind is blowing NW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 18-23 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.47 Total Depth (ft-bmp) 23.80 Water Column (ft.) 16.33 Gallons in Well 2.65
Pump Intake (ft-bmp) 20.52 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.67

Sample Time: Label 10:16 Volume Purged 1.78 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 9:20

Purge End 10:22

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:25	0	130	7.47	0.00	7.50	2.60	30.50	0.60	15.4	-129.3	Clear, Small Orange Particulates	No Odor
9:30	5	130	7.47	0.17	7.51	2.57	27.20	0.37	15.4	-133.5	Clear, Small Orange Particulates	No Odor
9:35	5	140	7.74	0.34	7.50	2.48	26.80	0.22	15.3	-134.2	Clear, Small Orange Particulates	No Odor
9:40	5	140	7.75	0.52	7.49	2.44	22.40	0.16	15.2	-133.7	Clear, Small Orange Particulates	No Odor
9:45	5	140	7.71	0.70	7.47	2.37	13.00	0.13	15.2	-132.9	Clear, Small Orange Particulates	No Odor
9:50	5	140	7.71	0.88	7.49	2.32	14.00	0.10	15.2	-131.5	Clear, Small Orange Particulates	No Odor
9:55	5	140	7.71	1.06	7.46	2.28	11.50	0.08	15.2	-131.2	Clear, Small Orange Particulates	No Odor
10:00	5	140	7.71	1.24	7.45	2.24	7.37	0.06	15.1	-129.9	Clear, Small Orange Particulates	No Odor
10:05	5	140	7.71	1.42	7.43	2.20	3.23	0.07	15.3	-129.0	Clear, Small Orange Particulates	No Odor
10:10	5	140	7.71	1.60	7.43	2.16	3.47	0.08	15.3	-127.2	Clear, Small Orange Particulates	No Odor
10:15	5	140	7.71	1.78	7.40	2.15	2.97	0.08	15.3	-125.5	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south of property	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-38 Date 8-3-21
Project Name/Location Ford LTP Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing NW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 15-20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.91 Total Depth (ft-bmp) 19.48 Water Column (ft.) 11.57 Gallons in Well 1.88
Pump Intake (ft-bmp) 17.40 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.07

Sample Time: Label 12:16 Volume Purged 2.02 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:14

Purge End 12:24

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	120	7.90	0.00	7.37	3.17	16.10	3.14	16.3	-110.3	Clear, Small Black Particulates	No Odor
11:20	5	120	7.90	0.16	7.35	3.20	16.10	0.62	15.8	-114.2	Clear, Small Black Particulates	No Odor
11:25	5	130	8.21	0.32	7.37	3.14	11.50	0.26	15.9	-123.6	Clear, Small Black Particulates	No Odor
11:30	5	130	8.21	0.49	7.36	3.19	11.70	0.20	15.7	-127.8	Clear, Small Black Particulates	No Odor
11:35	5	130	8.18	0.66	7.36	3.19	10.20	0.13	15.6	-131.4	Clear, Small Black Particulates	No Odor
11:40	5	130	8.18	0.83	7.35	3.24	10.60	0.12	15.6	-133.1	Clear, Small Black Particulates	No Odor
11:45	5	130	8.18	1.00	7.34	3.24	12.40	0.11	15.8	-127.1	Clear, Small Black Particulates	No Odor
11:50	5	130	8.18	1.17	7.34	3.22	11.20	0.11	15.7	-126.5	Clear, Small Black Particulates	No Odor
11:55	5	130	8.18	1.34	7.34	3.20	9.80	0.07	15.7	-129.5	Clear, Small Black Particulates	No Odor
12:00	5	130	8.18	1.51	7.34	3.19	9.07	0.06	15.6	-133.0	Clear, Small Black Particulates	No Odor
12:05	5	130	8.18	1.68	7.34	3.20	12.10	0.04	15.8	-133.0	Clear, Small Black Particulates	No Odor
12:10	5	130	8.18	1.85	7.34	3.20	12.00	0.04	16.0	-134.9	Clear, Small Black Particulates	No Odor
12:15	5	130	8.18	2.02	7.34	3.18	12.50	0.03	15.7	-136.0	Clear, Small Black Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south of property	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID		MW-39	Date	8-2-21
Project Name/Location		Ford LTP		Weather	71.1 degrees F and Mostly Clear. The wind is blowing at 3.4 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	19.5-24.5	Casing Diameter (in.)	2	Well Material
Static Water Level (ft-bmp)	10.55	Total Depth (ft-bmp)	24.14	Water Column (ft.)	13.59	Gallons in Well
		Pump Intake (ft-bmp)	22.00	Purge Method	Low-Flow	Sample Method
		Well Volumes Purged	0.76			Grab
Sample Time:	Label	12:40	Volume Purged	1.68 gallons	Replicate/Code No.	MW-39-MS_080221.
					Sampled by	

Sample Time:	Label	12:40	Volume Purged	1.68 gallons	Replicate/Code No.	MW-39-MS_080221, MW-39-MSD_080221	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	--------------------------------------	------------	-------------------

Purge Start	11:50
-------------	-------

Purge End	12:53
-----------	-------

Unruh Short

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-40		Date	8-28-21	
Project Name/Location	Ford LTP		Weather	73.0 degrees F and Fog/Mist. The wind is blowing SW at 5.8 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	9.48	Total Depth (ft-bmp)	19.62	Water Column (ft.)	10.14	Gallons in Well	1.65	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.73					

Sample Time:	Label	10:00	Volume Purged	1.2 gallons	Replicate/Code No.	--	Sampled by	Ellen Redner
--------------	-------	-------	---------------	-------------	--------------------	----	------------	--------------

Purge Start	9:25
-------------	------

Purge End	10:05
-----------	-------



* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Onsite; East

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-41		Date	8-28-21	
Project Name/Location	Ford LTP		Weather		78.1 degrees F and Partly Cloudy. The wind is blowing SW at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	8.75	Total Depth (ft-bmp)	20.93	Water Column (ft.)	12.18	Gallons in Well	1.98	
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.45					

Sample Time:	Label	11:10	Volume Purged	0.9 gallons	Replicate/Code No.	DUP-04	Sampled by	Christian Garrido
--------------	-------	-------	---------------	-------------	--------------------	--------	------------	-------------------

Purge Start	10:38
-------------	-------

Purge End	11:18
-----------	-------

Health Sheet

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information		Well Location		Well Completion	
Well ID:	W-001	Well Name:	W-001	Well Type:	W-001
Well Location:	On-site, east of property	Well Locked at Arrival:	n/a	Well Locked at Departure:	n/a
Condition of Well:	Good	Lock Functioning:	n/a		
Well Completion:	Flush mount				



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-42 Date 8-28-21
Project Name/Location Ford LTP Weather 81.0 degrees F and Partly Cloudy. The wind is blowing S/SW at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 16-21 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.38 Total Depth (ft-bmp) 20.43 Water Column (ft.) 12.05 Gallons in Well 1.96
Pump Intake (ft-bmp) 18.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.80

Sample Time: Label 12:46 Volume Purged 1.56 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 11:43
Purge End 12:55

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:45	0	100	8.52	0.00	7.09	26.15	5.80	0.48	20.5	-58.4	Clear	No Odor
11:50	5	100	8.50	0.13	7.16	27.30	5.54	0.18	20.6	-111.0	Clear	No Odor
11:55	5	100	8.52	0.26	7.17	26.28	5.08	0.06	20.1	-120.0	Clear	No Odor
12:00	5	100	8.52	0.39	7.18	25.77	6.00	0.04	19.7	-128.7	Clear	No Odor
12:05	5	100	8.52	0.52	7.18	25.55	4.98	0.03	19.7	-132.8	Clear	No Odor
12:10	5	100	8.52	0.65	7.19	25.48	5.26	0.02	19.7	-133.6	Clear	No Odor
12:15	5	100	8.52	0.78	7.19	25.54	6.38	0.03	19.7	-136.0	Clear	No Odor
12:20	5	100	8.52	0.91	7.20	25.52	5.89	0.03	19.7	-138.1	Clear	No Odor
12:25	5	100	8.52	1.04	7.20	25.59	13.40	0.03	19.7	-139.6	Clear	No Odor
12:30	5	100	8.52	1.17	7.20	25.67	12.70	0.02	19.6	-140.7	Clear	No Odor
12:35	5	100	8.52	1.30	7.21	25.76	19.40	0.03	19.5	-142.1	Clear	No Odor
12:40	5	100	8.52	1.43	7.20	25.54	9.11	0.02	19.8	-142.4	Clear	No Odor
12:45	5	100	8.52	1.56	7.21	25.55	7.36	0.04	19.7	-142.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, East Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-43	Date	8-21-21
Project Name/Location	Ford LTP			Weather	73.9 degrees F and Haze. The wind is blowing S at 3.4 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	17-22	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	7.27	Total Depth (ft-bmp)	21.75	Water Column (ft.)	14.48
		Pump Intake (ft-bmp)	19.50	Gallons in Well	2.35
		Well Volumes Purged	0.66	Purge Method	Low-Flow
				Sample Method	Grab

Sample Time: Label 11:26 Volume Purged 1.56 gallons Replicate/Code No. MW-43-MS_082121, MW-43-MSD_082121 Sampled by Gary Schafer

Purge Start 10:22
Purge End 11:42

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:25	0	100	7.40	0.00	7.36	13.72	78.10	0.54	19.2	-91.3	Brown, Turbid	Faint Odor
10:30	5	100	7.38	0.13	7.38	13.90	46.60	0.35	19.8	-111.7	Brown, Turbid	Faint Odor
10:35	5	100	7.40	0.26	7.39	13.66	36.30	0.15	18.8	-120.8	Brown, Turbid	Faint Odor
10:40	5	100	7.40	0.39	7.40	13.62	21.10	0.09	18.3	-126.2	Brown, Turbid	Faint Odor
10:45	5	100	7.40	0.52	7.41	13.66	20.60	0.07	18.5	-129.0	Brown, Turbid	Faint Odor
10:50	5	100	7.40	0.65	7.40	13.73	31.00	0.09	18.6	-131.1	Brown, Turbid	Faint Odor
10:55	5	100	7.40	0.78	7.40	13.72	14.80	0.10	19.0	-132.3	Brown, Clear	Faint Odor
11:00	5	100	7.40	0.91	7.40	13.87	13.70	0.08	19.0	-133.8	Brown, Clear	Faint Odor
11:05	5	100	7.40	1.04	7.40	13.94	16.50	0.09	19.7	-134.7	Brown, Clear	Faint Odor
11:10	5	100	7.40	1.17	7.40	13.92	14.70	0.05	19.0	-135.2	Brown, Clear	Faint Odor
11:15	5	100	7.40	1.30	7.40	13.93	8.47	0.06	19.0	-134.8	Clear	Faint Odor
11:20	5	100	7.40	1.43	7.40	13.95	8.10	0.07	19.0	-137.1	Clear	Faint Odor
11:25	5	100	7.40	1.56	7.40	13.96	7.72	0.09	19.0	-136.7	Clear	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 9	Preservative HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04 1.25" = 0.06	1.5" = 0.09 2" = 0.16	2.5" = 0.26 3" = 0.37
			3.5" = 0.50 4" = 0.65
			6" = 1.47
Well Information			
Well Location:	Onsite, E	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-44			Date	8-6-21
Project Name/Location	Ford LTP		Weather	69.1 degrees F and Mostly Cloudy. The wind is blowing S at 3.4 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.87	Total Depth (ft-bmp)	21.00	Water Column (ft.)	13.13	Gallons in Well	2.13
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.51				

Sample Time:	Label	8:57	Volume Purged	1.08 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	8:22
Purge End	9:02

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite, N	Well Locked at Arrival:	n/a
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-45 Date 8-9-21
Project Name/Location Ford LTP Weather 76.0 degrees F and Sunny
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 15-20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 10.29 Total Depth (ft-bmp) 19.88 Water Column (ft.) 9.59 Gallons in Well 1.56
Pump Intake (ft-bmp) 17.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.83

Sample Time: Label 9:10 Volume Purged 1.3 gallons Replicate/Code No. Sampled by Seth Turner

Purge Start 8:15
Purge End 9:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:15	0	100	10.29	0.00	7.49	0.38	46.00	3.32	17.5	198.3	Clear, Small Orange Particulates	No Odor
8:20	5	100	10.29	0.13	7.00	5.90	9.84	0.33	16.7	-44.9	Clear, Small Orange Particulates	No Odor
8:25	5	100	10.29	0.26	7.02	5.95	7.22	0.32	16.7	-53.9	Clear, Small Orange Particulates	No Odor
8:30	5	100	10.29	0.39	7.30	5.96	6.29	0.25	16.7	-60.5	Clear	No Odor
8:35	5	100	10.29	0.52	7.03	5.97	5.85	0.20	16.7	-63.9	Clear	No Odor
8:40	5	100	10.29	0.65	7.01	5.98	4.74	0.16	16.7	-68.9	Clear	No Odor
8:45	5	100	10.29	0.78	7.05	5.98	4.67	0.14	16.6	-73.6	Clear	No Odor
8:50	5	100	10.29	0.91	7.08	6.02	5.24	0.11	16.6	-87.5	Clear	No Odor
8:55	5	100	10.29	1.04	7.09	6.03	3.99	0.10	16.6	-86.9	Clear	No Odor
9:00	5	100	10.29	1.17	7.09	6.03	4.71	0.08	16.6	-93.2	Clear	No Odor
9:05	5	100	10.29	1.30	7.10	6.03	4.25	0.08	16.7	-94.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Onsite, S Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-46 Date 8-5-21
Project Name/Location Ford LTP Weather 85.0 degrees F and Sunny
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 16-21 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.55 Total Depth (ft-bmp) 19.71 Water Column (ft.) 10.16 Gallons in Well 1.65
Pump Intake (ft-bmp) 18.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.55

Sample Time: Label 14:10 Volume Purged 0.91 gallons Replicate/Code No. Sampled by Seth Turner
Purge Start 13:25
Purge End 14:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:30	0	100	9.55	0.00	7.49	7.78	35.10	0.74	19.3	-144.3	Clear, Small Black Particulates	Slight Odor
13:35	5	100	9.55	0.13	7.53	7.29	53.20	0.26	19.2	-160.3	Small Black Particulates	Faint Odor
13:40	5	100	9.55	0.26	7.54	7.59	36.00	0.23	18.9	-163.5	Clear, Small Black Particulates	Faint Odor
13:45	5	100	9.55	0.39	7.50	8.05	16.70	0.22	19.0	-162.4	Clear, Small Black Particulates	Faint Odor
13:50	5	100	9.55	0.52	7.50	8.13	6.13	0.20	18.7	-162.0	Clear	Faint Odor
13:55	5	100	9.55	0.65	7.49	8.12	0.02	0.20	18.8	-161.1	Clear	Faint Odor
14:00	5	100	9.55	0.78	7.49	8.20	0.02	0.20	18.8	-160.8	Clear	Faint Odor
14:05	5	100	9.55	0.91	7.48	8.25	0.02	0.19	18.9	-160.2	Clear	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, Southwest Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-47 Date 8-5-21
Project Name/Location Ford LTP Weather 85.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 16-21 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.27 Total Depth (ft-bmp) 20.10 Water Column (ft.) 10.83 Gallons in Well 1.76
Pump Intake (ft-bmp) 18.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.89

Sample Time: Label 13:00 Volume Purged 1.56 gallons Replicate/Code No. DUP-03 Sampled by Seth Turner

Purge Start 12:00

Purge End 13:05

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:00	0	100	9.45	0.00	7.19	10.82	363.00	1.20	19.4	7.2	Brown, Cloudy	No Odor
12:05	5	100	9.45	0.13	7.16	10.82	135.00	0.28	19.4	-103.8	Brown, Cloudy	No Odor
12:10	5	100	9.46	0.26	7.17	10.68	1.59	0.05	19.8	-120.2	Brown	No Odor
12:15	5	100	9.45	0.39	7.18	10.78	332.00	0.18	19.3	-121.1	Brown	No Odor
12:20	5	100	9.59	0.52	7.18	10.32	507.00	0.18	17.8	-120.2	Brown, Cloudy, Turbid	No Odor
12:25	5	100	9.45	0.65	7.21	9.47	88.00	0.31	18.0	-116.2	Cloudy, Turbid	No Odor
12:30	5	100	9.45	0.78	7.21	9.71	69.00	0.29	19.0	-117.2	Turbid	No Odor
12:35	5	100	9.45	0.91	7.21	9.87	33.70	0.30	19.1	-115.2	Cloudy	No Odor
12:40	5	100	9.45	1.04	7.21	9.88	27.90	0.30	19.0	-114.0	Cloudy	No Odor
12:45	5	100	9.45	1.17	7.20	9.81	26.00	0.29	19.2	-112.8	Clear, Cloudy	No Odor
12:50	5	100	9.45	1.30	7.21	9.87	20.30	0.30	19.0	-112.8	Clear, Cloudy	No Odor
12:55	5	100	9.45	1.43	7.21	9.95	15.60	0.30	18.9	-112.8	Clear	No Odor
13:00	5	100	9.45	1.56	7.20	9.96	9.85	0.30	18.9	-112.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 6	Preservative HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, West Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-48 Date 8-10-21
Project Name/Location Top of Casing Weather 75.0 degrees F and Cloudy.
Measuring Pt. Description Screen Setting (ft-bmp) 17-22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.70 Total Depth (ft-bmp) 20.27 Water Column (ft.) 11.57 Gallons in Well 1.88
Pump Intake (ft-bmp) 19.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.05

Sample Time: Label 10:42 Volume Purged 1.97 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:39
Purge End 10:48

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:40	0	120	8.70	0.00	8.50	0.40	98.30	5.15	20.1	68.1	Cloudy, Small Black Particulates	No Odor
9:45	5	120	8.70	0.16	8.39	0.38	104.00	1.81	20.7	60.5	Cloudy, Small Black Particulates	No Odor
9:50	5	120	9.25	0.32	8.30	0.36	89.10	1.48	20.2	51.0	Cloudy, Small Orange Particulates	No Odor
9:55	5	120	9.25	0.48	8.14	0.43	61.10	1.07	19.8	32.3	Cloudy, Small Orange Particulates	No Odor
10:00	5	120	9.25	0.64	8.06	0.51	44.90	0.80	19.7	8.8	Clear, Small Orange Particulates	No Odor
10:05	5	120	9.50	0.80	8.01	0.75	138.00	0.30	18.5	-149.6	Clear, Small Orange Particulates	No Odor
10:10	5	120	9.25	0.96	8.00	0.69	106.00	0.34	19.7	-135.2	Clear, Small Orange Particulates	No Odor
10:15	5	130	9.20	1.12	7.98	0.83	62.00	0.26	20.2	-109.5	Clear, Small Orange Particulates	No Odor
10:20	5	130	9.25	1.29	7.94	1.03	37.50	0.21	20.3	-94.8	Clear, Small Orange Particulates	No Odor
10:25	5	130	9.25	1.46	7.91	1.27	23.40	0.14	20.5	-92.4	Clear, Small Orange Particulates	No Odor
10:30	5	130	9.25	1.63	7.90	1.42	18.20	0.07	20.0	-102.6	Clear, Small Orange Particulates	No Odor
10:35	5	130	9.25	1.80	7.88	1.57	13.80	0.04	19.8	-108.3	Clear, Small Orange Particulates	No Odor
10:40	5	130	9.25	1.97	7.86	1.71	14.00	0.00	19.9	-111.2	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, E Well Locked at Arrival: n/a
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-49			Date	8-10-21
Project Name/Location	Ford LTP		Weather	73.9 degrees F and Cloudy. The wind is blowing SW at 12.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	12.5-17.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.40	Total Depth (ft-bmp)	17.20	Water Column (ft.)	10.80	Gallons in Well	1.75
		Pump Intake (ft-bmp)	15.00	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.54				

Sample Time:	Label	9:01	Volume Purged	0.94 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	8:28
-------------	------

Purge End	9:07
-----------	------

Unruh Short

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
 $2.5'' = 0.26$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Onsite, S

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-50	Date	8-9-21		
Project Name/Location	Ford LTP	Weather	84.9 degrees F and Mostly Cloudy.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.87	Total Depth (ft-bmp)	14.50	Water Column (ft.)	7.63	Gallons in Well	1.24
		Pump Intake (ft-bmp)	13.80	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.13				

Sample Time:	Label	14:06	Volume Purged	1.4 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	-------------	--------------------	----	------------	-------------------

Purge Start	13:27
-------------	-------

Purge Start	13:27
Purge End	14:10

Purge End 14:10

Health Dept

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, E	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-51			Date	8-12-21
Project Name/Location	Ford LTP		Weather		80.0 degrees F and Humid.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.18	Total Depth (ft-bmp)	18.90	Water Column (ft.)	12.72	Gallons in Well	2.07
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.38				
Sample Time:	Label	13:40	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	13:00					Seth Turner
	Purge End	13:45					

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite, N	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-52 Date 8-21-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing S at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 15-20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.18 Total Depth (ft-bmp) 19.75 Water Column (ft.) 12.57 Gallons in Well 2.04
Pump Intake (ft-bmp) 17.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.45

Sample Time: Label 9:51 Volume Purged 0.91 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 9:13

Purge End 9:58

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:15	0	100	7.24	0.00	7.33	6.13	44.40	1.04	18.8	-88.8	Brown, Turbid	No Odor
9:20	5	100	7.25	0.13	7.38	6.23	30.50	0.24	18.0	-112.1	Brown, Turbid	No Odor
9:25	5	100	7.25	0.26	7.39	6.34	25.40	0.23	18.9	-120.3	Brown, Turbid	No Odor
9:30	5	100	7.25	0.39	7.39	6.43	26.80	0.15	18.5	-123.2	Brown, Turbid	No Odor
9:35	5	100	7.25	0.52	7.40	6.51	23.10	0.12	18.6	-125.6	Brown, Turbid	No Odor
9:40	5	100	7.25	0.65	7.40	6.65	24.30	0.09	18.5	-126.2	Brown, Turbid	No Odor
9:45	5	100	7.25	0.78	7.40	6.74	22.40	0.09	18.6	-126.6	Brown, Turbid	No Odor
9:50	5	100	7.25	0.91	7.40	6.81	23.80	0.08	18.9	-126.3	Brown, Turbid	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, E Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-53	Date	8-4-21
Project Name/Location	Ford LTP			Weather	83.0 degrees F and Sunny.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.51	Total Depth (ft-bmp)	20.64	Water Column (ft.)	14.13
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow
		Well Volumes Purged	0.51	Sample Method	Grab

Sample Time:	Label	12:20	Volume Purged	1.17 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	11:30						
	Purge End	12:30						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:30	0	100	6.51	0.00	7.45	6.48	122.00	3.44	18.0	-25.0	Clear, Cloudy, Gray	No Odor
11:35	5	100	6.51	0.13	7.30	7.02	21.60	0.37	18.1	-127.8	Clear	No Odor
11:40	5	100	6.51	0.26	7.31	7.02	11.70	0.34	18.2	-130.2	Clear	No Odor
11:45	5	100	6.51	0.39	7.31	6.93	3.44	0.25	17.0	-128.7	Clear	No Odor
11:50	5	100	6.51	0.52	7.32	6.88	3.19	0.23	17.1	-128.6	Clear	No Odor
11:55	5	100	6.51	0.65	7.33	8.82	0.02	0.23	16.9	-129.5	Clear	No Odor
12:00	5	100	6.51	0.78	7.34	8.82	0.02	0.23	16.7	-129.0	Clear	No Odor
12:05	5	100	6.51	0.91	7.34	6.79	0.02	0.23	16.7	-128.2	Clear	No Odor
12:10	5	100	6.51	1.04	7.34	6.77	0.02	0.24	16.7	-127.8	Clear	No Odor
12:15	5	100	6.51	1.17	7.34	6.79	0.02	0.24	16.5	-126.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26
	1.25" = 0.06	2" = 0.16	3" = 0.37
			3.5" = 0.50
			4" = 0.65
			6" = 1.47
Well Information			
Well Location:	Onsite; Northeast	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-54		Date	8-4-21	
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Sunny.		Well Material	PVC	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Gallons in Well	2.33	
Static Water Level (ft-bmp)	6.54	Total Depth (ft-bmp)	20.85	Water Column (ft.)	14.31	Sample Method	Grab	
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow			
		Well Volumes Purged	0.50					

Sample Time:	Label	11:00	Volume Purged	1.17 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
	Purge Start	10:10						
	Purge End	11:10						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:10	0	100	6.54	0.00	7.41	11.21	111.10	1.32	20.3	-70.0	Black, Gray	No Odor
10:15	5	100	6.54	0.13	7.39	11.74	86.20	0.26	17.3	-139.1	Clear, Gray	No Odor
10:20	5	100	6.54	0.26	7.39	11.45	18.30	0.22	17.9	-145.4	Clear	No Odor
10:25	5	100	6.54	0.39	7.39	11.26	11.40	0.17	17.9	-153.7	Clear	No Odor
10:30	5	100	6.54	0.52	7.40	11.24	12.70	0.17	18.1	-156.7	Clear	No Odor
10:35	5	100	6.54	0.65	7.40	11.21	7.44	0.14	18.2	-160.0	Clear	No Odor
10:40	5	100	6.54	0.78	7.40	11.24	6.32	0.17	18.4	-161.5	Clear	No Odor
10:45	5	100	6.54	0.91	7.38	11.22	4.00	0.16	18.6	-162.2	Clear	No Odor
10:50	5	100	6.54	1.04	7.39	11.29	1.45	0.16	18.4	-163.7	Clear	No Odor
10:55	5	100	6.54	1.17	7.39	11.30	0.10	0.17	18.6	-163.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04 1.25" = 0.06	1.5" = 0.09 2" = 0.16	2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47
Well Information			
Well Location:	Onsite; North	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-54S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Weather 70.0 degrees F and Sunny.
Measuring Pt. Description 5.63 Total Depth (ft-bmp) 9.25 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.63 Pump Intake (ft-bmp) 7.13 Water Column (ft.) 3.62 Gallons in Well 0.59
Well Volumes Purged 1.98 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:50 Volume Purged 1.17 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 9:00
Purge End 9:58

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:00	0	100	5.63	0.00	6.82	0.56	29.90	2.01	17.9	264.8	Clear	No Odor
9:05	5	100	5.71	0.13	6.87	0.52	20.90	1.79	18.4	266.9	Clear	No Odor
9:10	5	100	5.85	0.26	7.31	0.51	9.81	2.01	19.1	258.1	Clear	No Odor
9:15	5	100	6.02	0.39	7.36	0.52	2.14	2.10	19.1	260.3	Clear	No Odor
9:20	5	100	6.19	0.52	7.39	0.52	1.56	2.15	18.8	261.6	Clear	No Odor
9:25	5	100	6.32	0.65	7.43	0.52	1.23	1.95	18.9	255.3	Clear	No Odor
9:30	5	100	6.58	0.78	7.40	0.55	0.02	1.23	20.3	233.2	Clear	No Odor
9:35	5	100	6.85	0.91	7.44	0.55	0.02	1.06	20.4	228.5	Clear	No Odor
9:40	5	100	6.97	1.04	7.45	0.55	0.02	1.08	20.0	227.0	Clear	No Odor
9:45	5	100	7.06	1.17	7.40	0.55	0.02	1.00	20.0	228.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite; North Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-57 Date 8-4-21
Project Name/Location Ford LTP Weather 82.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 17-22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.99 Total Depth (ft-bmp) 21.68 Water Column (ft.) 15.69 Gallons in Well 2.55
Pump Intake (ft-bmp) 19.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.56

Sample Time: Label 13:45 Volume Purged 1.43 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 12:45
Purge End 13:50

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:45	0	100	5.99	0.00	7.76	11.80	42.60	1.25	18.7	-43.9	Clear	No Odor
12:50	5	100	5.99	0.13	7.49	12.25	29.10	0.41	20.0	-128.8	Clear, Cloudy	No Odor
12:55	5	100	5.99	0.26	7.38	13.02	19.50	0.20	19.9	-138.4	Clear	No Odor
13:00	5	100	5.99	0.39	7.34	13.36	12.80	0.25	19.3	-141.5	Clear	No Odor
13:05	5	100	5.99	0.52	7.33	13.42	8.19	0.25	19.1	-141.9	Clear	No Odor
13:10	5	100	5.99	0.65	7.32	13.48	5.32	0.25	19.1	-142.2	Clear	No Odor
13:15	5	100	5.99	0.78	7.33	13.45	3.29	0.25	18.9	-142.3	Clear	No Odor
13:20	5	100	5.99	0.91	7.33	13.42	2.78	0.24	19.0	143.1	Clear	No Odor
13:25	5	100	5.99	1.04	7.33	13.35	1.68	0.24	19.0	-143.4	Clear	No Odor
13:30	5	100	5.99	1.17	7.33	13.34	0.02	0.24	19.0	-144.2	Clear	No Odor
13:35	5	100	5.99	1.30	7.33	13.34	0.02	0.24	19.0	-144.2	Clear	No Odor
13:40	5	100	5.99	1.43	7.33	13.34	0.02	0.24	19.0	-144.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Onsite; North Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-58		Date	8-6-21	
Project Name/Location	Ford LTP		Weather	72.0 degrees F and Sunny.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	4.09	Total Depth (ft-bmp)	19.61	Water Column (ft.)	15.52	Gallons in Well	2.52	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.36					

Sample Time:	Label	9:40	Volume Purged	0.91 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	8:50						
	Purge End	9:50						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:55	0	100	4.09	0.00	7.14	7.83	21.40	1.11	20.3	-92.3	Clear	No Odor
9:00	5	100	4.09	0.13	7.16	7.90	4.62	0.50	20.1	-111.6	Clear	No Odor
9:05	5	100	4.09	0.26	7.15	7.78	2.04	0.34	19.4	-120.9	Clear	No Odor
9:10	5	100	4.09	0.39	7.14	9.62	2.37	0.28	19.4	-126.1	Clear	No Odor
9:15	5	100	4.09	0.52	7.16	8.22	1.83	0.25	19.5	-131.7	Clear	No Odor
9:20	5	100	4.09	0.65	7.16	8.12	0.59	0.24	19.4	-132.8	Clear	No Odor
9:25	5	100	4.09	0.78	7.17	8.09	0.49	0.23	19.5	-133.9	Clear	No Odor
9:30	5	100	4.09	0.91	7.17	8.08	0.08	0.22	19.4	-135.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	Onsite, N	Well Locked at Arrival:	n/a		
Condition of Well:	Good	Well Locked at Departure:	n/a		
Well Completion:	Flush mount	Lock Functioning:	n/a		

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-62			Date	8-10-21
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Cloudy. The wind is blowing SW at 13.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.20	Total Depth (ft-bmp)	21.15	Water Column (ft.)	12.95	Gallons in Well	2.10
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow	Sample Method	Grab

Sample Time:	Label	11:51	Volume Purged	1.02 gallons	Replicate/Code No.	MW-62-MS_081021, MW-62-MSD_081021	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	--------------------------------------	------------	-------------------

Purge Start	11:16
-------------	-------

Purge End	12:04
-----------	-------

Unruh Short

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

9

Preservative

HCL

1,4-dioxane

40 mL Glass

9

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Onsite, E

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-63			Date	8-9-21
Project Name/Location	Ford LTP		Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing S at 10.3 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	7-12	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.20	Total Depth (ft-bmp)	11.79	Water Column (ft.)	4.59	Gallons in Well	0.75
		Pump Intake (ft-bmp)	9.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.44				

Sample Time:	Label	12:46	Volume Purged	1.08 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	12:10
Purge End	12:53

Unruh Short

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite, E	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MV-64			Date	8-9-21
Project Name/Location	Ford LTP		Weather		85.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	8.84	Total Depth (ft-bmp)	20.04	Water Column (ft.)	11.20	Gallons in Well	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	
		Well Volumes Purged	0.43			Grab	
Sample Time:	Label	12:25	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	11:45					Seth Turner
	Purge End	12:30					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Onsite, E	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-65			Date	8-6-21
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	16-21	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.35	Total Depth (ft-bmp)	21.16	Water Column (ft.)	12.81	Gallons in Well	2.08
		Pump Intake (ft-bmp)	18.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.42				

Sample Time:	Label	11:33	Volume Purged	0.87 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:56
-------------	-------

Purge End	11:39
-----------	-------

Unruh Short

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Onsite, N

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-66			Date	8-6-21
Project Name/Location	Ford LTP		Weather	72.0 degrees F and Mostly Cloudy. The wind is blowing S at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.64	Total Depth (ft-bmp)	18.90	Water Column (ft.)	12.26	Gallons in Well	1.99
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.54				

Sample Time:	Label	10:07	Volume Purged	1.08 gallons	Replicate/Code No.	DUP-02	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	--------	------------	-------------------

Purge Start	9:34
-------------	------

Purge End	10:16
-----------	-------

Page 210

Unruh Short

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:

Onsite, N

Well Locked at Arrival:

n/a

Condition of Well:

Broken thread tabs.Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-67 Date 8-12-21
Project Name/Location Ford LTP Weather 70.0 degrees F and Cloudy
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 9-14 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.84 Total Depth (ft-bmp) 14.03 Water Column (ft.) 5.19 Gallons in Well 0.84
Pump Intake (ft-bmp) 11.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.81

Sample Time: Label 11:35 Volume Purged 2.36 gallons Replicate/Code No. Sampled by Seth Turner

Purge Start 10:40

Purge End 11:40

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:45	0	100	8.84	0.00	7.13	6.33	27.00	0.28	19.9	-18.9	Clear	No Odor
10:50	5	100	8.84	1.32	7.10	6.32	26.70	0.18	19.8	-13.2	Clear	No Odor
10:55	5	100	8.84	1.45	7.10	6.33	22.80	0.16	19.8	-12.2	Clear	No Odor
11:00	5	100	8.84	1.58	7.08	6.33	15.30	0.11	19.9	-9.5	Clear	No Odor
11:05	5	100	8.84	1.71	7.09	6.32	11.00	0.10	19.9	-10.1	Clear	No Odor
11:10	5	100	8.84	1.84	7.09	6.31	9.38	0.09	19.9	-9.4	Clear	No Odor
11:15	5	100	8.84	1.97	7.09	6.32	7.60	0.07	19.9	-9.1	Clear	No Odor
11:20	5	100	8.84	2.10	7.09	6.32	0.02	0.07	19.9	-9.8	Clear	No Odor
11:25	5	100	8.84	2.23	7.09	6.32	0.02	0.07	19.9	-9.8	Clear	No Odor
11:30	5	100	8.84	2.36	7.09	6.32	0.02	0.07	19.9	-10.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, E Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-68			Date	8-5-21
Project Name/Location	Ford LTP		Weather		80.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	8.67	Total Depth (ft-bmp)	19.86	Water Column (ft.)	11.19	Gallons in Well	1.82
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.50				

Sample Time:	Label	11:45	Volume Purged	0.91 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	11:05
-------------	-------

Purge End	11:50
-----------	-------

ST

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite; West	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-69	Date	8-11-21
Project Name/Location	Ford LTP			Weather	81.0 degrees F and Sunny.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	9.21	Total Depth (ft-bmp)	19.91	Water Column (ft.)	10.70
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow
		Well Volumes Purged	0.82	Sample Method	Grab

Sample Time:	Label	11:30	Volume Purged	1.43 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	10:25						
	Purge End	11:35						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:30	0	100	9.21	0.00	7.17	15.38	386.00	0.37	18.6	-123.7	Brown, Cloudy	No Odor
10:35	5	100	9.21	0.13	7.15	15.22	180.00	0.29	19.2	-125.6	Brown, Clear, Cloudy	No Odor
10:40	5	100	9.21	0.26	7.15	15.31	71.90	0.22	19.2	-128.8	Clear, Cloudy	No Odor
10:45	5	100	9.21	0.39	7.15	15.29	44.40	0.17	19.5	-131.4	Clear, Cloudy	No Odor
10:50	5	100	9.21	0.52	7.16	15.28	47.40	0.13	19.5	-132.5	Clear, Cloudy	No Odor
10:55	5	100	9.21	0.65	7.18	15.23	20.90	0.02	19.5	-141.2	Clear, Cloudy	No Odor
11:00	5	100	9.21	0.78	7.12	15.13	26.80	0.15	19.3	-123.1	Clear, Cloudy	No Odor
11:05	5	100	9.21	0.91	7.17	15.13	15.90	0.11	19.5	-128.1	Clear, Cloudy	No Odor
11:10	5	100	9.21	1.04	7.17	15.07	10.70	0.07	19.5	-132.4	Clear	No Odor
11:15	5	100	9.21	1.17	7.14	15.04	8.65	0.06	19.3	-134.8	Clear	No Odor
11:20	5	100	9.21	1.30	7.17	14.93	8.28	0.06	19.4	-135.7	Clear	No Odor
11:25	5	100	9.21	1.43	7.17	14.89	7.98	0.05	19.5	-136.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	Onsite, E	Well Locked at Arrival:	n/a		
Condition of Well:	Good, Missing bolts	Well Locked at Departure:	n/a		
Well Completion:	Flush mount	Lock Functioning:	n/a		

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-70			Date	8-5-21
Project Name/Location	Ford LTP		Weather		80.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	10.54	Total Depth (ft-bmp)	20.10	Water Column (ft.)	9.56	Gallons in Well	1.55
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.54				

Sample Time:	Label	10:00	Volume Purged	0.83 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	9:15
-------------	------

Purge End	10:10
-----------	-------

ST

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite; Southwest	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01		Well ID	MW-71		Date	8-9-21	
Project Name/Location	Ford LTP		Weather	80.0 degrees F and Sunny.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	11.44	Total Depth (ft-bmp)	19.65	Water Column (ft.)	8.21	Gallons in Well	1.33	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.68					
Sample Time:	Label	10:10	Volume Purged	0.91 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	9:25						
	Purge End	10:15						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:30	0	100	11.44	0.00	7.12	19.63	13.70	0.59	18.6	-103.5	Clear	No Odor
9:35	5	100	11.44	0.13	7.12	19.75	11.00	0.39	18.6	-109.6	Clear	No Odor
9:40	5	100	11.44	0.26	7.13	19.73	17.70	0.26	18.5	-115.7	Clear	No Odor
9:45	5	100	11.44	0.39	7.13	19.70	18.10	0.25	18.5	-118.6	Clear	No Odor
9:50	5	100	11.44	0.52	7.14	19.56	9.89	0.17	18.4	-120.1	Clear	No Odor
9:55	5	100	11.44	0.65	7.14	19.19	4.61	0.18	18.5	-120.0	Clear	No Odor
10:00	5	100	11.44	0.78	7.14	19.23	3.09	0.18	18.4	-119.6	Clear	No Odor
10:05	5	100	11.44	0.91	7.14	19.31	2.48	0.16	18.4	-119.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26
	1.25" = 0.06	2" = 0.16	3" = 0.37
Well Information			
Well Location:	Onsite, S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-195S Date 8-2-21
Project Name/Location Ford LTP Weather 70.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.74 Total Depth (ft-bmp) 5.98 Water Column (ft.) 4.24 Gallons in Well 0.69
Pump Intake (ft-bmp) 3.24 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.26

Sample Time: Label 11:00 Volume Purged 1.56 gallons Replicate/Code No. -- Sampled by Seth Turner

Purge Start 9:50
Purge End 11:05

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:55	0	100	1.74	0.00	7.31	5.71	74.00	0.16	18.6	200.1	Clear, Cloudy	No Odor
10:00	5	100	1.74	0.13	7.26	5.63	156.00	0.17	18.3	147.0	Cloudy	No Odor
10:05	5	100	1.74	0.26	7.29	5.63	88.10	0.21	18.5	129.7	Cloudy	No Odor
10:10	5	100	1.74	0.39	7.29	5.60	44.00	0.23	18.5	104.2	Cloudy	No Odor
10:15	5	100	1.74	0.52	7.29	5.60	41.50	0.23	18.5	101.6	Cloudy	No Odor
10:20	5	100	1.74	0.65	7.29	5.60	19.80	0.24	18.4	86.1	Clear	No Odor
10:25	5	100	1.74	0.78	7.29	5.60	13.80	0.26	18.4	67.6	Clear	No Odor
10:30	5	100	1.74	0.91	7.28	5.59	11.20	0.26	18.4	64.0	Clear	No Odor
10:35	5	100	1.74	1.04	7.28	5.59	10.00	0.31	18.4	59.0	Clear	No Odor
10:40	5	100	1.74	1.17	7.28	5.58	7.98	0.31	18.4	55.6	Clear	No Odor
10:45	5	100	1.74	1.30	7.28	5.58	6.15	0.35	18.4	52.0	Clear	No Odor
10:50	5	100	1.74	1.43	7.28	5.58	5.95	0.36	18.3	48.4	Clear	No Odor
10:55	5	100	1.74	1.56	7.28	5.58	4.26	0.37	18.3	47.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Onsite, west Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-196 Date 8-2-21
Project Name/Location Ford LTP Weather 80.0 degrees F and Sunny
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 12-17 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.86 Total Depth (ft-bmp) 17.13 Water Column (ft.) 15.27 Gallons in Well 2.48
Pump Intake (ft-bmp) 14.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.42

Sample Time: Label 13:10 Volume Purged 1.04 gallons Replicate/Code No. Sampled by Seth Turner

Purge Start 12:20

Purge End 13:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:20	0	100	1.86	0.00	7.47	2.87	9.77	1.17	17.2	91.0	Clear	No Odor
12:25	5	100	1.86	0.13	7.31	2.83	4.95	0.73	16.8	83.2	Clear	No Odor
12:30	5	100	1.86	0.26	7.29	2.81	7.36	0.25	16.3	67.0	Clear	No Odor
12:35	5	100	1.86	0.39	7.27	2.80	5.45	0.17	16.4	55.7	Clear	No Odor
12:40	5	100	1.86	0.52	7.25	2.79	3.24	0.16	16.3	45.4	Clear	No Odor
12:45	5	100	1.86	0.65	7.25	2.78	0.67	0.18	16.3	37.5	Clear	No Odor
12:50	5	100	1.86	0.78	7.24	2.75	0.54	0.21	16.1	30.6	Clear	No Odor
12:55	5	100	1.86	0.91	7.24	2.72	0.08	0.17	16.2	26.3	Clear	No Odor
13:00	5	100	1.86	1.04	7.24	2.70	0.33	0.21	16.0	22.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, West Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-196S	Date	8-2-21
Project Name/Location	Ford LTP	Weather	75.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	2.13	Total Depth (ft-bmp)	6.54	Water Column (ft.)	4.41
		Pump Intake (ft-bmp)	3.63	Purge Method	Low-Flow
		Well Volumes Purged	1.08	Gallons in Well	0.72
				Sample Method	Grab

Sample Time:	Label	12:05	Volume Purged	0.78 gallons	Replicate/Code No.	DUP-05	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	--------	------------	-------------

Purge Start	11:25
-------------	-------

Purge End	12:10
-----------	-------

ST

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

6

Preservative

HCL

1,4-dioxane

40 mL Glass

6

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Onsite, W

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a
n/a

Well Completion:

Flush mount

Lock Functioning:

n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-197S Date 8-2-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-8 Weather 85.0 degrees F and Sunny.
Measuring Pt. Description 4.71 Total Depth (ft-bmp) 7.37 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.71 Pump Intake (ft-bmp) 6.21 Water Column (ft.) 2.66 Gallons in Well 0.43
Well Volumes Purged 3.63 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:50 Volume Purged 1.56 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 13:45
Purge End 15:00

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:45	0	100	4.71	0.00	7.13	3.59	29.60	0.79	20.6	35.8	Clear, Small Orange Particulates	No Odor
13:50	5	100	4.71	0.13	7.06	3.64	18.60	0.76	20.6	-17.5	Clear	No Odor
13:55	5	100	4.71	0.26	7.05	3.66	16.00	1.19	20.5	-36.1	Clear	No Odor
14:00	5	100	4.71	0.39	7.09	3.66	7.14	1.04	21.0	-58.3	Clear	No Odor
14:05	5	100	4.71	0.52	7.12	3.64	2.66	0.46	21.0	-63.6	Clear	No Odor
14:10	5	100	4.71	0.65	7.12	3.59	2.09	0.52	21.0	-65.0	Clear	No Odor
14:15	5	100	4.71	0.78	7.12	3.56	0.70	1.46	21.0	-65.9	Clear	No Odor
14:20	5	100	4.71	0.91	7.13	3.53	1.70	0.47	21.0	-69.6	Clear	No Odor
14:25	5	100	4.71	1.04	7.13	3.50	0.34	0.27	20.9	-69.9	Clear	No Odor
14:30	5	100	4.71	1.17	7.14	3.49	2.68	0.58	21.0	-72.2	Clear	No Odor
14:35	5	100	4.71	1.30	7.14	3.47	0.02	0.25	21.1	-72.1	Clear	No Odor
14:40	5	100	4.71	1.43	7.14	3.46	0.02	1.21	20.9	-72.0	Clear	No Odor
14:45	5	100	4.71	1.56	7.13	3.45	0.02	0.95	21.0	-72.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, N Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-200			Date	8-10-21
Project Name/Location	Ford LTP		Weather	82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.38	Total Depth (ft-bmp)	18.70	Water Column (ft.)	12.32	Gallons in Well	2.00
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.48				

Sample Time:	Label	13:17	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	12:41
-------------	-------

Purge End	13:21
-----------	-------

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Onsite, W

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-200S	Date	8-10-21
Project Name/Location	Ford LTP	Weather	84.9 degrees F and Mostly Cloudy. The wind is blowing W at 15.0 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-10	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.30	Total Depth (ft-bmp)	9.55	Water Column (ft.)	3.25
		Pump Intake (ft-bmp)	7.80	Purge Method	Low-Flow
		Well Volumes Purged	1.89	Gallons in Well	0.53
				Sample Method	Grab

Sample Time:	Label	14:16	Volume Purged	1 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	-----------	--------------------	----	------------	-------------------

Purge Start	13:41
-------------	-------

Purge End	14:24
-----------	-------

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$

Well Information

Well Location:

Onsite, W

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-201			Date	8-11-21
Project Name/Location	Ford LTP		Weather	75.9 degrees F and Mostly Cloudy. The wind is blowing SW at 12.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	17-22	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.20	Total Depth (ft-bmp)	21.45	Water Column (ft.)	16.25	Gallons in Well	2.64
		Pump Intake (ft-bmp)	19.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.36				

Sample Time:	Label	10:45	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:10
Purge End	10:52

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-201S Date 8-11-21
Project Name/Location Top of Casing Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing SW at 9.2 mph.
Measuring Pt. Description 5.10 Screen Setting (ft-bmp) 3.5-8.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.10 Total Depth (ft-bmp) 8.70 Water Column (ft.) 3.60 Gallons in Well 0.58
Pump Intake (ft-bmp) 6.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.53

Sample Time: Label 9:52 Volume Purged 2.05 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 8:49

Purge End 9:55

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:50	0	140	5.10	0.00	8.30	13.02	40.00	0.96	25.3	201.3	Cloudy	No Odor
8:55	5	130	5.10	0.18	8.26	13.20	40.00	0.23	25.2	65.9	Clear	No Odor
9:00	5	130	5.10	0.35	8.20	13.30	37.20	0.09	25.1	-138.7	Clear, Small White Particulates	No Odor
9:05	5	130	5.10	0.52	8.11	13.30	35.50	0.05	25.1	-191.0	Clear, Small White Particulates	No Odor
9:10	5	130	5.10	0.69	8.00	13.30	26.50	0.04	25.0	-199.0	Clear	No Odor
9:15	5	130	5.10	0.86	8.07	13.30	20.90	0.05	24.9	-200.1	Clear	No Odor
9:20	5	130	5.10	1.03	8.09	13.30	18.10	0.05	24.9	-199.2	Clear	No Odor
9:25	5	130	5.10	1.20	8.10	13.30	13.20	0.04	24.8	-199.7	Clear	No Odor
9:30	5	130	5.10	1.37	8.11	13.40	9.73	0.04	24.8	-198.4	Clear	No Odor
9:35	5	130	5.10	1.54	8.14	13.40	7.71	0.05	24.8	-190.5	Clear	No Odor
9:40	5	130	5.10	1.71	8.17	13.43	7.11	0.05	24.8	-189.9	Clear	No Odor
9:45	5	130	5.10	1.88	8.19	13.45	4.53	0.05	24.8	-188.6	Clear	No Odor
9:50	5	130	5.10	2.05	8.20	13.44	2.97	0.05	24.8	-188.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, W	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-208S			Date	8-28-21
Project Name/Location	Ford LTP		Weather	81.0 degrees F and Partly Cloudy. The wind is blowing S/SW at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	9-14	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	10.05	Total Depth (ft-bmp)	13.58	Water Column (ft.)	3.53	Gallons in Well	0.57
		Pump Intake (ft-bmp)	11.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.74				

Sample Time:	Label	12:30	Volume Purged	1.56 gallons	Replicate/Code No.	--	Sampled by	Ellen Redner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:50
-------------	-------

Purge End	12:35
-----------	-------

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-209S			Date	8-28-21
Project Name/Location	Ford LTP		Weather	75.9 degrees F and Haze. The wind is blowing SW at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	9.37	Total Depth (ft-bmp)	12.80	Water Column (ft.)	3.43	Gallons in Well	0.56
		Pump Intake (ft-bmp)	10.87	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.71				

Sample Time:	Label	10:10	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	9:38
-------------	------

Purge End	10:15
-----------	-------

Unruh Short

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; east of property	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP MW-210S Date 8-28-21
Project Name/Location Ford LTP Weather 73.0 degrees F and Fog/Mist. The wind is blowing SW at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.33 Total Depth (ft-bmp) 12.69 Water Column (ft.) 3.36 Gallons in Well 0.55
Pump Intake (ft-bmp) 10.83 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.84

Sample Time: Label 10:21 Volume Purged 1.56 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 9:17
Purge End 10:28

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:20	0	100	9.32	0.00	7.00	13.59	50.50	0.52	21.0	-88.7	Cloudy	No Odor
9:25	5	100	9.32	0.13	7.12	13.95	41.90	1.71	21.0	-98.3	Cloudy	No Odor
9:30	5	100	9.32	0.26	7.17	13.91	40.30	1.60	20.8	-101.5	Cloudy	No Odor
9:35	5	100	9.33	0.39	7.18	13.89	37.80	1.40	20.8	-101.8	Cloudy	No Odor
9:40	5	100	9.33	0.52	7.19	13.87	36.50	1.47	20.7	-100.6	Cloudy	No Odor
9:45	5	100	9.33	0.65	7.20	13.80	33.50	1.25	20.7	-100.4	Cloudy	No Odor
9:50	5	100	9.33	0.78	7.20	13.75	30.00	1.22	20.6	-99.0	Clear	No Odor
9:55	5	100	9.33	0.91	7.21	13.73	25.10	1.19	20.6	-97.9	Turbid	No Odor
10:00	5	100	9.33	1.04	7.21	13.74	22.00	1.19	20.6	-96.4	Turbid	No Odor
10:05	5	100	9.33	1.17	7.21	13.82	18.30	1.10	20.6	-94.4	Clear	No Odor
10:10	5	100	9.34	1.30	7.20	13.85	14.30	1.03	20.9	-93.6	Clear	No Odor
10:15	5	100	9.34	1.43	7.21	13.77	10.90	1.02	20.9	-93.1	Clear	No Odor
10:20	5	100	9.34	1.56	7.21	13.80	7.77	1.04	21.0	-92.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite; East Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-211S Date 8-21-21
Project Name/Location Ford LTP Weather 72.0 degrees F and Fog and Fog/Mist.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 7-12 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.90 Total Depth (ft-bmp) 11.86 Water Column (ft.) 3.96 Gallons in Well 0.64
Pump Intake (ft-bmp) 9.40 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.84

Sample Time: Label 9:41 Volume Purged 2.46 gallons Replicate/Code No. -- Sampled by Allyson Hartz

Purge Start 8:39
Purge End 9:45

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:40	0	200	7.94	0.00	7.25	11.96	16.40	0.72	21.3	216.9	Clear, Small Black Particulates	No Odor
8:45	5	150	7.94	0.26	7.22	12.10	15.20	0.41	21.0	171.9	Clear, Small Black Particulates	No Odor
8:50	5	150	7.94	0.46	7.23	12.69	27.90	0.30	21.0	91.0	Clear, Small Black Particulates	No Odor
8:55	5	150	7.94	0.66	7.24	13.18	27.20	0.21	20.9	20.2	Clear	No Odor
9:00	5	150	7.94	0.86	7.25	13.83	40.70	0.17	20.9	-7.3	Clear	No Odor
9:05	5	150	7.94	1.06	7.25	14.17	47.80	0.13	20.9	-24.8	Clear	No Odor
9:10	5	150	7.94	1.26	7.26	14.50	49.10	0.14	21.0	-23.6	Clear	No Odor
9:15	5	150	7.94	1.46	7.27	14.66	23.70	0.14	20.9	-13.4	Clear	No Odor
9:20	5	150	7.94	1.66	7.27	14.78	14.40	0.12	21.1	-4.2	Clear	No Odor
9:25	5	150	7.94	1.86	7.28	14.81	12.00	0.10	21.1	4.3	Clear	No Odor
9:30	5	150	7.94	2.06	7.28	14.86	9.33	0.09	21.1	11.2	Clear	No Odor
9:35	5	150	7.94	2.26	7.28	14.95	6.63	0.08	21.2	16.2	Clear	No Odor
9:40	5	150	7.94	2.46	7.29	14.97	6.47	0.08	21.2	18.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, E Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-212S Date 8-21-21
Project Name/Location Ford LTP Weather 75.9 degrees F and Partly Cloudy. The wind is blowing S at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 6.5-11.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.42 Total Depth (ft-bmp) 11.17 Water Column (ft.) 3.75 Gallons in Well 0.61
Pump Intake (ft-bmp) 8.92 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.30

Sample Time: Label 11:42 Volume Purged 1.4 gallons Replicate/Code No. -- Sampled by Allyson Hartz

Purge Start 11:04
Purge End 11:46

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:05	0	150	7.44	0.00	7.19	7.83	30.40	0.73	22.1	1.9	Clear	No Odor
11:10	5	150	7.44	0.20	7.14	9.05	20.70	0.50	21.6	1.8	Clear	No Odor
11:15	5	150	7.44	0.40	7.13	9.23	12.10	0.20	21.2	-25.4	Clear	No Odor
11:20	5	150	7.44	0.60	7.14	9.14	10.30	0.15	21.0	-28.2	Clear	No Odor
11:25	5	150	7.44	0.80	7.16	9.09	6.91	0.12	21.2	-31.1	Clear	No Odor
11:30	5	150	7.44	1.00	7.17	8.98	5.58	0.10	21.3	-33.6	Clear	No Odor
11:35	5	150	7.44	1.20	7.17	8.95	5.14	0.09	21.3	-35.8	Clear	No Odor
11:40	5	150	7.44	1.40	7.17	8.83	5.53	0.08	21.1	-37.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Onsite, E	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-213S	Date	8-21-21
Project Name/Location	Ford LTP			Weather	80.1 degrees F and Mostly Clear. The wind is blowing S at 5.8 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6-11	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	7.10	Total Depth (ft-bmp)	10.80	Water Column (ft.)	3.70
		Pump Intake (ft-bmp)	8.60	Purge Method	Low-Flow
		Well Volumes Purged	2.60	Sample Method	Grab

Sample Time:	Label	13:11	Volume Purged	1.56 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
	Purge Start	12:07						
	Purge End	13:20						

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:10	0	100	7.13	0.00	7.08	13.60	5.06	0.43	22.6	73.4	Clear	No Odor
12:15	5	100	7.13	0.13	7.10	13.45	15.00	0.26	22.4	28.7	Clear	No Odor
12:20	5	100	7.13	0.26	7.11	13.17	16.20	0.21	22.4	-5.3	Clear	No Odor
12:25	5	100	7.13	0.39	7.11	12.88	12.30	0.14	22.4	-26.4	Clear	No Odor
12:30	5	100	7.13	0.52	7.11	12.87	12.10	0.14	22.3	-27.7	Clear	No Odor
12:35	5	100	7.13	0.65	7.12	12.73	11.60	0.19	22.3	-36.2	Clear	No Odor
12:40	5	100	7.13	0.78	7.13	12.68	9.35	0.20	22.4	-38.6	Clear	No Odor
12:45	5	100	7.13	0.91	7.14	12.59	6.36	0.19	22.6	-44.4	Clear	No Odor
12:50	5	100	7.13	1.04	7.14	12.47	6.78	0.21	22.6	-47.4	Clear	No Odor
12:55	5	100	7.13	1.17	7.15	12.39	5.26	0.18	22.2	-50.1	Clear	No Odor
13:00	5	100	7.13	1.30	7.15	12.35	4.61	0.23	22.3	-53.2	Clear	No Odor
13:05	5	100	7.13	1.43	7.16	12.30	3.91	0.23	22.2	-56.0	Clear	No Odor
13:10	5	100	7.13	1.56	7.16	12.30	3.51	0.22	22.3	-57.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	Onsite, E	Well Locked at Arrival:	n/a	
Condition of Well:	Good	Well Locked at Departure:	n/a	
Well Completion:	Flush mount	Lock Functioning:	n/a	



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-218S Date 8-2-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Mostly Cloudy. The wind is blowing at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 9-14 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 10.19 Total Depth (ft-bmp) 13.15 Water Column (ft.) 2.96 Gallons in Well 0.48
Pump Intake (ft-bmp) 11.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.17

Sample Time: Label 14:10 Volume Purged 1.52 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 13:28

Purge End 14:25

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:30	0	145	10.18	0.00	6.98	1.85	0.02	3.15	16.8	125.1	Clear, Small White Particulates	No Odor
13:35	5	145	10.20	0.19	6.99	2.36	0.02	0.73	16.9	73.6	Clear, Small White Particulates	No Odor
13:40	5	145	10.18	0.38	7.04	3.12	0.02	0.36	16.6	42.1	Clear	No Odor
13:45	5	145	10.18	0.57	7.04	3.23	0.02	0.70	17.0	38.3	Clear	No Odor
13:50	5	145	10.18	0.76	7.05	3.15	0.02	0.70	16.4	29.1	Clear	No Odor
13:55	5	145	10.18	0.95	7.05	3.20	0.02	0.73	15.9	20.3	Clear	No Odor
14:00	5	145	10.18	1.14	7.05	3.20	0.02	0.71	16.5	16.8	Clear	No Odor
14:05	5	145	10.18	1.33	7.05	3.19	0.02	0.71	16.5	14.0	Clear	No Odor
14:10	5	145	10.18	1.52	7.05	3.23	0.02	0.68	16.5	9.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	On-site; south of property	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-219S			Date	8-3-21
Project Name/Location		Ford LTP	Weather	75.9 degrees F and Partly Cloudy.	The wind is blowing W at 8.1 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	7-12	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.24	Total Depth (ft-bmp)	11.28	Water Column (ft.)	4.04	Gallons in Well	0.66
		Pump Intake (ft-bmp)	8.75	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.70				
Sample Time:	Label	13:42	Volume Purged	1.12 gallons	Replicate/Code No.	MW-219S-MS_080321,	Sampled by

Sample Time:	Label	13:42
	Purge Start	13:00
	Purge End	14:00

MW-219S-MS_080321, Sampled by
MW-219S-MSD_080321 Christian Garrido

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-220S		Date	8-9-21
Project Name/Location	Ford LTP		Weather	80.1 degrees F and Partly Cloudy. The wind is blowing S at 9.2 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6-11	Casing Diameter (in.)	2	Well Material
Static Water Level (ft-bmp)	8.70	Total Depth (ft-bmp)	10.40	Water Column (ft.)	1.70	Gallons in Well
		Pump Intake (ft-bmp)	10.20	Purge Method	Low-Flow	Sample Method
		Well Volumes Purged	3.36			Grab

Sample Time:	Label	11:31	Volume Purged	0.94 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:56
-------------	-------

Purge End	11:38
-----------	-------

Uneth Sheet

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Onsite, S

Well Locked at Arrival:

n/a

Condition of Well:

Good

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-221S Date 8-13-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Light Rain. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 6.5-11.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.40 Total Depth (ft-bmp) 10.95 Water Column (ft.) 4.55 Gallons in Well 0.74
Pump Intake (ft-bmp) 7.90 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.61

Sample Time: Label 14:46 Volume Purged 1.19 gallons Replicate/Code No. -- Sampled by Christian Garrido
Purge Start 14:06
Purge End 14:52

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:10	0	130	6.40	0.00	7.81	15.30	42.70	1.90	23.3	120.8	Clear, Small Orange Particulates	No Odor
14:15	5	130	6.40	0.17	7.79	15.29	28.60	1.67	22.9	103.0	Clear, Small Orange Particulates	No Odor
14:20	5	130	6.84	0.34	7.77	15.34	9.41	1.61	22.9	81.2	Clear, Small Orange Particulates	No Odor
14:25	5	130	6.84	0.51	7.74	15.32	0.94	1.57	22.8	-26.0	Clear	No Odor
14:30	5	130	6.84	0.68	7.73	15.32	0.47	1.46	22.6	-62.2	Clear	No Odor
14:35	5	130	6.60	0.85	7.73	15.32	0.14	1.33	22.6	-62.9	Clear	No Odor
14:40	5	130	6.60	1.02	7.73	15.32	0.02	1.30	22.6	-64.1	Clear	No Odor
14:45	5	130	6.60	1.19	7.73	15.32	0.02	1.29	22.5	-65.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: On-site; W Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID MW-222S Date 8-5-21
Project Name/Location Ford LTP Weather 68.0 degrees F and Mostly Cloudy. The wind is blowing S at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.40 Total Depth (ft-bmp) 9.42 Water Column (ft.) 3.02 Gallons in Well 0.49
Pump Intake (ft-bmp) 7.90 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.57

Sample Time: Label 10:26 Volume Purged 1.26 gallons Replicate/Code No. -- Sampled by Christian Garrido
Purge Start 9:47
Purge End 10:32

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:50	0	140	6.40	0.00	7.07	3.04	2.41	2.79	21.3	-18.8	Clear, Small Orange Particulates	Faint Odor
9:55	5	140	6.47	0.18	7.08	3.08	2.73	1.00	21.2	-14.3	Clear, Small Orange Particulates	No Odor
10:00	5	140	6.47	0.36	7.11	3.19	1.78	0.93	21.2	-9.4	Clear, Small Orange Particulates	No Odor
10:05	5	140	6.47	0.54	7.11	3.19	0.40	0.90	21.1	-7.6	Clear, Small Orange Particulates	No Odor
10:10	5	140	6.45	0.72	7.11	3.20	1.73	0.89	21.2	-5.3	Clear, Small Orange Particulates	No Odor
10:15	5	140	6.45	0.90	7.11	3.21	2.08	0.81	21.1	-6.9	Clear	No Odor
10:20	5	140	6.45	1.08	7.11	3.22	0.88	0.78	21.1	-7.0	Clear	No Odor
10:25	5	140	6.45	1.26	7.12	3.23	0.37	0.75	21.2	-6.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: On-site; south Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	MW-224S			Date	8-11-21
Project Name/Location	Ford LTP		Weather	79.0 degrees F and Cloudy. The wind is blowing S/SW at 11.4 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	7-12	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.50	Total Depth (ft-bmp)	11.50	Water Column (ft.)	3.00	Gallons in Well	0.49
		Pump Intake (ft-bmp)	10.00	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.96				

Sample Time:	Label	13:06	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	12:33
-------------	-------

Purge End	13:12
-----------	-------

Unruh Short

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Onsite: S	Well Locked at Arrival:	n/a
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.401.01 Well ID Ford LTP PW-16-01 Date 8-6-21
Project Name/Location Weather 80.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 9.7-19.7 Casing Diameter (in.) 6 Well Material PVC
Static Water Level (ft-bmp) 8.32 Total Depth (ft-bmp) 21.49 Water Column (ft.) 13.17 Gallons in Well 19.26
Pump Intake (ft-bmp) 14.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.06

Sample Time: Label 12:30 Volume Purged 1.17 gallons Replicate/Code No. - Sampled by Seth Turner

Purge Start 11:35
Purge End 12:35

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:40	0	100	8.32	0.00	7.26	6.18	21.50	1.41	19.0	-113.5	Clear, Small Brown Particulates	No Odor
11:45	5	100	7.26	0.13	7.25	6.19	11.80	0.34	18.7	-131.5	Clear	No Odor
11:50	5	100	7.26	0.26	7.26	6.17	9.06	0.24	18.4	-139.8	Clear, Small Orange Particulates	No Odor
11:55	5	100	7.26	0.39	7.27	6.16	6.96	0.19	18.4	-145.1	Clear, Small Orange Particulates	No Odor
12:00	5	100	7.26	0.52	7.28	6.16	8.69	0.22	18.2	-146.6	Clear, Small Orange Particulates	No Odor
12:05	5	100	7.26	0.65	7.29	6.15	5.18	0.19	18.2	-148.6	Clear, Small Orange Particulates	No Odor
12:10	5	100	7.26	0.78	7.29	6.13	5.23	0.17	18.2	-149.2	Clear, Small Orange Particulates	No Odor
12:15	5	100	7.26	0.91	7.30	6.12	4.63	0.17	18.2	-149.5	Clear, Small Orange Particulates	No Odor
12:20	5	100	7.26	1.04	7.30	6.10	2.34	0.15	18.3	-149.8	Clear, Small Orange Particulates	No Odor
12:25	5	100	7.26	1.17	7.30	6.09	0.02	0.16	18.1	-149.5	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Onsite, S Well Locked at Arrival: n/a
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.401.01	Well ID	PW-16-02	Date	8-12-21
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Humid.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	12-17	Casing Diameter (in.)	6
Static Water Level (ft-bmp)	4.77	Total Depth (ft-bmp)	23.81	Water Column (ft.)	19.04
		Pump Intake (ft-bmp)	14.50	Purge Method	Low-Flow
		Well Volumes Purged	0.03	Gallons in Well	27.84
				Sample Method	Grab

Sample Time:	Label	12:45	Volume Purged	0.91 gallons	Replicate/Code No.	-	Sampled by	Seth Turner
	Purge Start	12:00						
	Purge End	12:50						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:05	0	100	4.77	0.00	6.58	1.07	74.20	0.61	15.6	-24.6	Clear, Turbid	No Odor
12:10	5	100	4.77	0.13	6.58	1.07	53.60	0.53	15.6	-23.7	Clear, Turbid	No Odor
12:15	5	100	4.77	0.26	6.59	1.07	37.10	0.44	15.6	-23.5	Clear, Turbid	No Odor
12:20	5	100	4.77	0.39	6.59	1.07	22.20	0.37	15.5	-23.5	Clear	No Odor
12:25	5	100	4.77	0.52	6.60	1.07	8.72	0.33	15.5	-23.8	Clear	No Odor
12:30	5	100	4.77	0.65	6.61	1.07	0.02	0.29	15.7	-24.3	Clear	No Odor
12:35	5	100	4.77	0.78	6.62	1.07	0.02	0.26	15.8	-25.0	Clear	No Odor
12:40	5	100	4.77	0.91	6.65	1.07	0.02	0.24	15.7	-26.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		


Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	Onsite, N	Well Locked at Arrival:	n/a		
Condition of Well:	Good	Well Locked at Departure:	n/a		
Well Completion:	Flush mount	Lock Functioning:	n/a		

APPENDIX B

Off-Site Residential Monitoring Wells



CITY: Novi DIV: ENV DB: MG PIC: R. ELLIS PM: K. HINSKEY PROJECT NUMBER: 30080642 COORDINATE SYSTEM: GCS North American 1983
T:\ENVI\Novi\Brighton_MW\FordLivonia\GIS\docs\GEC\3Q_2021\Appendix B - Off-Site GW Analytical Figure_3Q2021_Results.mxd PLOTTED: 10/13/2021 7:23:25 PM BY: PS01045



Appendix B
Summary of Off-Site Groundwater Sampling Results - 3Q 2021
Ford Livonia Transmission Plant



Location: Date: Screen Interval (ft. bgs):				MW-191S NS 2.5-7.5	MW-192S 8/19/2021 2.5-7.5	MW-193S 8/5/2021 3-8	MW-207S 8/13/2021 4.5-9.5
Analytical Method	Chemical Name	Ford LTP Offsite Residential DW Criteria	Non Residential DW Criteria				
SW-846 Method 8260B SIM	1,4-Dioxane	7.2*	350	NS	< 2.0	< 2.0	< 2.0
SW-846 Method 8260B	1,1-Dichloroethene	7.0	7.0	NS	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	cis-1,2-Dichloroethene	70	70	NS	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Tetrachloroethene	5.0	5.0	NS	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	trans-1,2-Dichloroethene	100	100	NS	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Trichloroethene	1.0**	5.0	NS	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Vinyl chloride	1.0**	2.0	NS	< 1.0	< 1.0	< 1.0

Location: Date: Screen Interval (ft. bgs):				MW-214S 8/19/2021 5.5-10.5	MW-215S 8/20/2021 3-8	MW-216S 8/3/2021 6-11
Analytical Method	Chemical Name	Ford LTP Offsite Residential DW Criteria	Non Residential DW Criteria			
SW-846 Method 8260B SIM	1,4-Dioxane	7.2*	350	< 2.0	< 2.0	< 2.0
SW-846 Method 8260B	1,1-Dichloroethene	7.0	7.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	cis-1,2-Dichloroethene	70	70	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Tetrachloroethene	5.0	5.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	trans-1,2-Dichloroethene	100	100	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Trichloroethene	1.0**	5.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Vinyl chloride	1.0**	2.0	< 1.0	< 1.0	< 1.0

Location: Date: Screen Interval (ft. bgs):				MW-217S 8/4/2021 6-11	MW-223S 8/20/2021 8.5-13.5	MW-225S 8/2/2021 5.5-10.5
Analytical Method	Chemical Name	Ford LTP Offsite Residential DW Criteria	Non Residential DW Criteria			
SW-846 Method 8260B SIM	1,4-Dioxane	7.2*	350	< 2.0	< 2.0	< 2.0
SW-846 Method 8260B	1,1-Dichloroethene	7.0	7.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	cis-1,2-Dichloroethene	70	70	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Tetrachloroethene	5.0	5.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	trans-1,2-Dichloroethene	100	100	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Trichloroethene	1.0**	5.0	< 1.0	< 1.0	< 1.0
SW-846 Method 8260B	Vinyl chloride	1.0**	2.0	< 1.0	< 1.0	< 1.0

Notes:
All units are measured in micrograms per liter (µg/l).
All results are compared to the EGLE Part 201 Generic Cleanup Criteria, June 2018.
* Residential Drinking Water Criteria for 1,4-dioxane is derived from EGLE Proposed Rule Changes (September 2016) and Emergency Rules (October 27, 2016).
** Groundwater results for Trichloroethene and Vinyl Chloride are compared to the published EGLE Remediation and Redevelopment Division Target Detection Limit of 1.0 µg/l.
Bold Result exceeds residential Drinking Water criteria
< Result not detected above reporting limit.

Abbreviations:
DW drinking water
EGLE Michigan Department of Environment, Great Lakes, and Energy
ft. bgs feet below ground surface
J estimated result
LTP Livonia Transmission Plant
NS Not Sampled
B The analyte / compound was detected in the associated blank.

This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

APPENDIX C

Off-Site Groundwater Field Sampling Logs





SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-88S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.25 Total Depth (ft-bmp) 12.88 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.25 Pump Intake (ft-bmp) 7.75 Water Column (ft.) 6.63 Gallons in Well 1.08
Well Volumes Purged 1.89 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:06 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 11:03

Purge End 12:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:05	0	125	6.28	0.00	9.42	0.16	1.81	0.97	17.8	38.6	Clear	No Odor
11:10	5	125	6.28	0.17	9.44	0.16	0.63	0.45	17.4	32.0	Clear	No Odor
11:15	5	125	6.28	0.34	9.47	0.16	1.25	0.31	17.2	21.4	Clear	No Odor
11:20	5	125	6.28	0.51	9.48	0.16	1.00	0.32	16.7	13.6	Clear	No Odor
11:25	5	125	6.28	0.68	9.46	0.17	0.72	0.26	16.6	2.7	Clear	No Odor
11:30	5	125	6.28	0.85	9.47	0.17	0.66	0.25	17.0	-11.6	Clear	No Odor
11:35	5	125	6.28	1.02	9.45	0.17	0.44	0.20	16.8	-25.7	Clear	No Odor
11:40	5	125	6.28	1.19	9.43	0.18	0.60	0.21	17.0	-42.6	Clear	No Odor
11:45	5	125	6.28	1.36	9.41	0.18	1.36	0.19	16.9	-62.7	Clear	No Odor
11:50	5	125	6.28	1.53	9.40	0.19	0.52	0.17	16.8	-81.0	Clear	No Odor
11:55	5	125	6.28	1.70	9.40	0.19	0.11	0.17	16.6	-96.1	Clear	No Odor
12:00	5	125	6.28	1.87	9.38	0.19	0.25	0.17	16.5	-111.1	Clear	No Odor
12:05	5	125	6.28	2.04	9.37	0.19	0.02	0.16	16.5	-121.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34965 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-89S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description 4.50 Total Depth (ft-bmp) 12.62 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.00 Pump Intake (ft-bmp) 1.52 Water Column (ft.) 8.12 Gallons in Well 1.32
Well Volumes Purged 1.52 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:30 Volume Purged 2 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 10:34
Purge End 11:32

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:35	0	150	4.52	0.00	7.52	1.46	12.40	0.68	17.2	106.3	Clear, Small Orange Particulates	No Odor
10:40	5	150	4.51	0.20	7.32	1.79	6.95	0.32	16.6	72.8	Clear, Small Orange Particulates	No Odor
10:45	5	150	4.51	0.40	7.24	1.97	3.87	0.24	16.4	52.6	Clear, Small Orange Particulates	No Odor
10:50	5	150	4.51	0.60	7.06	2.91	3.77	0.33	16.2	48.0	Clear, Small Orange Particulates	No Odor
10:55	5	150	4.51	0.80	7.01	3.52	2.25	0.35	16.1	29.5	Clear, Small Orange Particulates	No Odor
11:00	5	150	4.51	1.00	7.02	3.76	1.06	0.34	16.1	-2.8	Clear, Small Orange Particulates	No Odor
11:05	5	150	4.51	1.20	7.05	3.91	1.44	0.32	16.1	-41.5	Clear, Small Orange Particulates	No Odor
11:10	5	150	4.51	1.40	7.07	3.97	1.23	0.32	16.0	-62.7	Clear, Small Orange Particulates	No Odor
11:15	5	150	4.51	1.60	7.09	3.98	1.30	0.30	16.1	-79.7	Clear	No Odor
11:20	5	150	4.51	1.80	7.10	3.97	0.82	0.30	16.2	-81.1	Clear	No Odor
11:25	5	150	4.51	2.00	7.12	3.96	1.42	0.30	16.3	-84.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot
1" = 0.04
1.25" = 0.06
1.5" = 0.09
2" = 0.16
2.5" = 0.26
3" = 0.37
3.5" = 0.50
4" = 0.65
6" = 1.47

Well Information
Well Location: 34940 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-90S		Date	8-18-21	
Project Name/Location	Ford LTP		Weather		73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	3.88	Total Depth (ft-bmp)	12.20	Water Column (ft.)	8.32	Gallons in Well	1.35	
		Pump Intake (ft-bmp)	5.38	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.71					

Sample Time:	Label	11:01	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:27
-------------	-------

Purge End	11:05
-----------	-------

Health Dept

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	34380 Capitol; side yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-91S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 72.0 degrees F and Mostly Cloudy. The wind is blowing S at 5.8 mph.
Measuring Pt. Description 5.33 Total Depth (ft-bmp) 11.98 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.83 Pump Intake (ft-bmp) 1.91 Water Column (ft.) 6.65 Gallons in Well 1.08
Well Volumes Purged 2.06 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:27 Volume Purged 2.06 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:24

Purge End 10:32

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:26	0	135	5.36	0.00	6.36	0.82	0.02	1.11	17.3	179.8	Clear	No Odor
9:31	5	125	5.36	0.18	7.13	0.79	0.02	0.26	17.3	132.4	Clear	No Odor
9:36	5	125	5.36	0.35	7.20	0.85	0.02	0.17	17.3	110.9	Clear	No Odor
9:41	5	140	5.37	0.52	7.20	0.91	0.02	0.10	17.2	91.8	Clear	No Odor
9:46	5	125	5.37	0.70	7.20	0.95	0.02	0.13	17.2	76.4	Clear	No Odor
9:51	5	125	5.37	0.87	7.20	0.96	0.02	0.10	17.2	62.6	Clear	No Odor
9:56	5	125	5.37	1.04	7.19	0.98	0.02	0.08	17.1	48.8	Clear	No Odor
10:01	5	125	5.37	1.21	7.20	0.99	0.02	0.05	17.1	36.3	Clear	No Odor
10:06	5	125	5.37	1.38	7.20	0.99	0.02	0.09	17.2	24.5	Clear	No Odor
10:11	5	125	5.37	1.55	7.20	1.00	0.02	0.04	17.3	14.4	Clear	No Odor
10:16	5	125	5.37	1.72	7.21	1.00	0.02	0.07	17.1	5.1	Clear	No Odor
10:21	5	125	5.37	1.89	7.21	1.00	0.02	0.04	17.2	-2.6	Clear	No Odor
10:26	5	125	5.37	2.06	7.21	1.00	0.02	0.09	17.1	-8.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12034 Brewster; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-92S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 75.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 8.1 mph.
Measuring Pt. Description 5.52 Total Depth (ft-bmp) 12.09 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.02 Pump Intake (ft-bmp) 2.02 Water Column (ft.) 6.57 Gallons in Well 1.07
Well Volumes Purged 2.02 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:59 Volume Purged 2.16 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 10:57
Purge End 12:03

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:58	0	140	5.54	0.00	6.99	0.52	0.02	2.06	20.4	132.8	Clear	No Odor
11:03	5	140	5.54	0.18	7.29	0.48	0.02	0.91	19.9	80.4	Clear	No Odor
11:08	5	140	5.54	0.36	7.30	0.47	0.02	0.88	19.8	66.6	Clear	No Odor
11:13	5	140	5.54	0.54	7.31	0.47	0.02	0.81	19.8	60.6	Clear	No Odor
11:18	5	140	5.54	0.72	7.31	0.51	0.02	0.76	19.7	57.5	Clear	No Odor
11:23	5	140	5.54	0.90	7.31	0.54	0.02	0.79	19.8	54.4	Clear	No Odor
11:28	5	140	5.54	1.08	7.30	0.58	0.02	0.74	19.8	49.5	Clear	No Odor
11:33	5	140	5.54	1.26	7.30	0.61	0.02	0.72	19.9	42.9	Clear	No Odor
11:38	5	140	5.54	1.44	7.30	0.63	0.02	0.75	19.8	37.4	Clear	No Odor
11:43	5	140	5.54	1.62	7.30	0.64	0.02	0.74	19.8	30.3	Clear	No Odor
11:48	5	140	5.54	1.80	7.30	0.65	6.09	0.75	20.0	23.6	Clear	No Odor
11:53	5	140	5.54	1.98	7.30	0.66	3.98	0.76	20.0	18.2	Clear	No Odor
11:58	5	140	5.54	2.16	7.30	0.66	2.68	0.74	20.0	14.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12036 Brewster; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12036 Brewster; front yard

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-93S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 64.0 degrees F and Partly Cloudy. The wind is blowing W at 0.0 mph.
Measuring Pt. Description 5.51 Total Depth (ft-bmp) 12.03 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.01 Pump Intake (ft-bmp) 1.96 Water Column (ft.) 6.52 Gallons in Well 1.06
Well Volumes Purged 1.96 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:25 Volume Purged 2.08 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:23
Purge End 10:31

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:24	0	160	5.52	0.00	6.24	0.43	0.02	1.96	17.9	127.1	Clear	No Odor
9:29	5	130	5.52	0.21	7.17	0.41	0.02	1.42	17.4	99.0	Clear	No Odor
9:34	5	130	5.52	0.38	7.20	0.42	0.02	0.84	17.2	93.9	Clear	No Odor
9:39	5	125	5.52	0.55	7.23	0.43	0.02	0.75	16.9	87.0	Clear	No Odor
9:44	5	125	5.52	0.72	7.25	0.46	0.02	0.82	16.8	81.9	Clear	No Odor
9:49	5	125	5.52	0.89	7.26	0.53	0.02	0.88	16.8	76.7	Clear	No Odor
9:54	5	125	5.52	1.06	7.28	0.61	0.02	1.08	16.8	67.8	Clear	No Odor
9:59	5	125	5.52	1.23	7.28	0.63	0.02	0.88	16.7	59.1	Clear	No Odor
10:04	5	125	5.52	1.40	7.29	0.64	0.02	0.34	16.8	52.9	Clear	No Odor
10:09	5	125	5.53	1.57	7.31	0.65	0.02	0.35	16.8	45.5	Clear	No Odor
10:14	5	125	5.53	1.74	7.31	0.65	0.02	0.31	16.7	38.3	Clear	No Odor
10:19	5	125	5.53	1.91	7.31	0.65	0.02	0.32	16.7	28.9	Clear	No Odor
10:24	5	125	5.53	2.08	7.33	0.66	0.02	0.33	16.9	24.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11775 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-94S Date 8-2-21
Project Name/Location Weather 69.1 degrees F and Clear. The wind is blowing at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.52 Total Depth (ft-bmp) 12.21 Water Column (ft.) 6.69 Gallons in Well 1.09
Pump Intake (ft-bmp) 7.02 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.05

Sample Time: Label 10:59 Volume Purged 1.14 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 10:25
Purge End 11:04

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:27	0	150	5.54	0.00	7.09	0.37	0.57	3.75	17.5	142.7	Clear	No Odor
10:32	5	150	5.54	0.20	7.18	0.41	0.02	1.16	16.6	134.6	Clear	No Odor
10:37	5	135	5.54	0.40	7.19	0.42	0.02	0.78	16.5	132.1	Clear	No Odor
10:42	5	150	5.54	0.58	7.20	0.43	0.02	0.79	16.4	129.5	Clear	No Odor
10:47	5	135	5.54	0.78	7.21	0.43	0.02	0.79	16.4	127.7	Clear	No Odor
10:52	5	140	5.55	0.96	7.22	0.44	0.02	0.79	16.5	125.7	Clear	No Odor
10:57	5	140	5.54	1.14	7.24	0.44	0.02	0.75	16.4	124.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11680 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 11680 Boston Post; side yard

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-95S		Date	8-19-21	
Project Name/Location	Ford LTP		Weather		81.0 degrees F and Mostly Clear. The wind is blowing N at 5mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	3.75	Total Depth (ft-bmp)	12.00	Water Column (ft.)	8.25	Gallons in Well	1.34	
		Pump Intake (ft-bmp)	5.25	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.76					

Sample Time:	Label	11:15	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	10:36
-------------	-------

Purge End	11:18
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	12131 Boston Post; back yard		Well Locked at Arrival: yes
Condition of Well:	Good		Well Locked at Departure: yes
Well Completion:	Flush mount		Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12131 Boston Post; back yard

Prepared By: Emma Witherspoon

Date	Time	Description of Activities
8/19/2021	10:15	Arrive onsite
8/19/2021	10:34	Record static depth to water
8/19/2021	10:36	Begin purging well
8/19/2021	11:15	Collect sample MW-95S_081921
8/19/2021	11:18	End purge and turn off pump, begin decon of equipment
8/19/2021	11:40	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____ 
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-103S			Date	8-18-21
Project Name/Location	Ford LTP		Weather	73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	3.52	Total Depth (ft-bmp)	6.75	Water Column (ft.)	3.23	Gallons in Well	0.52
		Pump Intake (ft-bmp)	5.02	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.73				

Sample Time:	Label	11:52	Volume Purged	0.9 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	-------------	--------------------	----	------------	-------------------

Purge Start	11:18
Purge End	11:56

Unruh Short

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
34424 Capitol; back yard	yes
Condition of Well:	Well Locked at Departure:
Good	yes
Well Completion:	Lock Functioning:
Flush mount	yes



Page 1 of 1

Prepared By: Christian Garrido

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-104S			Date	8-18-21
Project Name/Location	Ford LTP		Weather	81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	9-14	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	9.97	Total Depth (ft-bmp)	14.19	Water Column (ft.)	4.22	Gallons in Well	0.69
		Pump Intake (ft-bmp)	11.47	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.59				

Sample Time:	Label	13:50	Volume Purged	1.1 gallons	Replicate/Code No.	Sampled by	Andrew Benitt
--------------	-------	-------	---------------	-------------	--------------------	------------	---------------

Purge Start	13:17
-------------	-------

Purge End	13:55
-----------	-------

Page End	10:00
----------	-------

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-109S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.20 Total Depth (ft-bmp) 12.32 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.20 Pump Intake (ft-bmp) 7.70 Water Column (ft.) 6.12 Gallons in Well 0.99
Well Volumes Purged 2.06 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:20 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 13:17
Purge End 14:23

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	6.22	0.00	7.14	0.31	3.97	0.97	17.4	29.7	Clear	No Odor
13:25	5	125	6.22	0.17	7.41	0.43	1.36	1.64	17.6	29.3	Clear	No Odor
13:30	5	128	6.22	0.34	7.47	0.84	1.20	0.74	17.1	22.9	Clear	No Odor
13:35	5	125	6.22	0.51	7.45	0.96	4.16	0.64	17.0	16.7	Clear	No Odor
13:40	5	125	6.22	0.68	7.44	1.10	1.40	0.64	16.9	9.2	Clear	No Odor
13:45	5	125	6.22	0.85	7.44	1.29	0.93	0.60	17.2	4.9	Clear	No Odor
13:50	5	125	6.22	1.02	7.42	1.50	2.07	0.65	17.0	1.1	Clear	No Odor
13:55	5	125	6.22	1.19	7.41	1.60	1.82	0.68	16.9	-5.2	Clear	No Odor
14:00	5	125	6.22	1.36	7.45	1.71	1.11	0.68	16.9	-12.9	Clear	No Odor
14:05	5	125	6.22	1.53	7.44	1.81	2.13	0.69	16.7	-17.7	Clear	No Odor
14:10	5	125	6.22	1.70	7.41	1.89	1.96	0.73	16.3	-21.2	Clear	No Odor
14:15	5	128	6.22	1.87	7.42	1.93	0.91	0.71	16.3	-25.4	Clear	No Odor
14:20	5	125	6.22	2.04	7.43	2.00	1.69	0.95	16.3	-29.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34990 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-110S Date 8-18-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Mostly Cloudy. The wind is blowing N/NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.44 Total Depth (ft-bmp) 12.66 Water Column (ft.) 4.22 Gallons in Well 0.69
Pump Intake (ft-bmp) 9.94 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.91

Sample Time: Label 12:10 Volume Purged 1.32 gallons Replicate/Code No. Sampled by Andrew Banitt

Purge Start 11:32

Purge End 12:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:33	0	160	8.48	0.00	7.08	0.40	0.02	3.95	16.8	162.0	Clear	No Odor
11:38	5	150	8.48	0.21	7.22	0.38	0.02	3.26	16.9	132.5	Clear	No Odor
11:43	5	150	8.48	0.41	7.26	0.36	0.02	2.83	17.0	113.9	Clear	No Odor
11:48	5	150	8.48	0.61	7.31	0.36	0.02	2.74	17.2	103.5	Clear	No Odor
11:53	5	130	8.47	0.81	7.37	0.36	0.02	2.53	17.8	93.7	Clear	No Odor
11:58	5	130	8.48	0.98	7.39	0.35	0.02	2.68	17.1	90.0	Clear	No Odor
12:03	5	125	8.48	1.15	7.35	0.35	0.02	2.71	17.1	91.1	Clear	No Odor
12:08	5	125	8.48	1.32	7.36	0.36	0.02	2.61	17.2	88.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34850 Standish; side yard Well Locked at Arrival: yes
Condition of Well: Fair, Missing bolts Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-111S		Date	8-19-21	
Project Name/Location	Ford LTP		Weather		72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	8.00	Total Depth (ft-bmp)	12.70	Water Column (ft.)	4.70	Gallons in Well	0.76	
		Pump Intake (ft-bmp)	9.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.26					

Sample Time:	Label	9:55	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	9:23
Purge End	9:58

Health Dept

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	12051 Stark	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12051 Stark

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-112S Date 8-5-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.65 Total Depth (ft-bmp) 11.64 Water Column (ft.) 4.99 Gallons in Well 0.81
Pump Intake (ft-bmp) 8.15 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.12

Sample Time: Label 15:01 Volume Purged 0.91 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 14:23

Purge End 15:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:25	0	100	6.65	0.00	6.65	0.20	11.10	1.22	18.6	17.5	Clear	No Odor
14:30	5	100	6.65	0.13	6.63	0.21	9.87	0.52	18.6	10.5	Clear	No Odor
14:35	5	100	6.65	0.26	6.65	0.22	10.30	0.44	18.6	4.5	Clear	No Odor
14:40	5	100	6.65	0.39	6.67	0.22	8.17	0.60	18.6	1.2	Clear	No Odor
14:45	5	100	6.65	0.52	6.68	0.22	5.20	0.64	18.6	-2.1	Clear	No Odor
14:50	5	100	6.65	0.65	6.68	0.22	3.18	0.58	18.4	-4.7	Clear	No Odor
14:55	5	100	6.65	0.78	6.69	0.22	1.39	0.57	18.5	-7.3	Clear	No Odor
15:00	5	100	6.65	0.91	6.69	0.22	2.37	0.59	18.4	-11.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL

1,4-dioxane 40 mL Glass 3 HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34935 Wadsworth; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-115S Date 8-10-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.82 Total Depth (ft-bmp) 12.48 Water Column (ft.) 7.66 Gallons in Well 1.24
Pump Intake (ft-bmp) 6.32 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.15

Sample Time: Label 10:21 Volume Purged 1.43 gallons Replicate/Code No. DUP-09 Sampled by Gary Schafer

Purge Start 9:22
Purge End 10:38

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:25	0	100	4.82	0.00	7.20	1.62	93.40	1.61	19.9	144.3	Brown, Turbid	No Odor
9:30	5	100	4.83	0.13	7.25	1.68	42.20	0.48	19.6	77.8	Brown, Turbid	No Odor
9:35	5	100	4.83	0.26	7.26	1.73	24.70	0.27	19.6	39.6	Brown, Clear	No Odor
9:40	5	100	4.83	0.39	7.26	1.77	19.70	0.33	19.5	12.2	Clear	No Odor
9:45	5	100	4.83	0.52	7.27	1.80	16.80	0.47	19.6	-4.3	Clear	No Odor
9:50	5	100	4.83	0.65	7.27	1.82	14.50	0.45	19.7	-13.5	Clear	No Odor
9:55	5	100	4.83	0.78	7.28	1.83	12.80	0.45	19.8	-20.2	Clear	No Odor
10:00	5	100	4.83	0.91	7.28	1.84	13.90	0.44	19.7	-24.8	Clear	No Odor
10:05	5	100	4.83	1.04	7.27	1.88	9.82	0.54	19.8	-30.0	Clear	No Odor
10:10	5	100	4.83	1.17	7.27	1.88	8.71	0.53	19.6	-33.2	Clear	No Odor
10:15	5	100	4.83	1.30	7.27	1.90	9.08	0.52	19.7	-36.2	Clear	No Odor
10:20	5	100	4.83	1.43	7.27	1.91	8.70	0.53	19.7	-37.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 6 Preservative HCL
1,4-dioxane 40 mL Glass 6 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12070 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-116S Date 8-9-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Haze. The wind is blowing at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.01 Total Depth (ft-bmp) 12.78 Water Column (ft.) 4.77 Gallons in Well 0.78
Pump Intake (ft-bmp) 9.51 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.18

Sample Time: Label 11:06 Volume Purged 1.7 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 10:13

Purge End 11:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:15	0	125	8.05	0.00	6.95	0.18	3.20	2.86	17.9	50.2	Clear	No Odor
10:20	5	125	8.05	0.17	6.90	0.19	5.90	2.44	17.7	49.7	Clear	No Odor
10:25	5	125	8.05	0.34	6.98	0.20	5.78	1.95	17.5	40.6	Clear	No Odor
10:30	5	125	8.05	0.51	7.05	0.21	5.95	2.37	17.6	35.2	Clear	No Odor
10:35	5	125	8.05	0.68	7.09	0.21	3.18	2.38	17.7	29.6	Clear	No Odor
10:40	5	125	8.05	0.85	7.11	0.21	4.15	2.36	17.6	25.8	Clear	No Odor
10:45	5	125	8.05	1.02	7.12	0.22	4.07	2.38	17.7	24.2	Clear	No Odor
10:50	5	125	8.05	1.19	7.12	0.22	0.21	2.41	17.6	23.8	Clear	No Odor
10:55	5	125	8.05	1.36	7.14	0.23	1.44	2.37	17.5	24.5	Clear	No Odor
11:00	5	125	8.05	1.53	7.15	0.23	2.70	2.35	17.8	23.0	Clear	No Odor
11:05	5	125	8.05	1.70	7.15	0.23	0.46	2.30	17.9	21.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34851 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-117S Date 8-10-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Cloudy. The wind is blowing SW at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.80 Total Depth (ft-bmp) 12.42 Water Column (ft.) 5.62 Gallons in Well 0.91
Pump Intake (ft-bmp) 8.30 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.64

Sample Time: Label 12:25 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 11:20

Purge End 12:28

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:25	0	150	6.84	0.00	7.08	0.44	9.94	2.01	17.5	173.0	Clear, Small Orange Particulates	No Odor
11:30	5	150	6.82	0.20	7.07	0.46	9.01	1.47	16.9	154.7	Clear, Small Orange Particulates	No Odor
11:35	5	150	6.82	0.40	7.12	0.61	6.40	1.02	17.0	135.2	Clear, Small Orange Particulates	No Odor
11:40	5	150	6.82	0.60	7.52	0.73	6.52	0.88	17.1	115.7	Clear, Small Orange Particulates	No Odor
11:45	5	150	6.82	0.80	7.20	0.85	3.90	0.73	16.8	79.1	Clear	No Odor
11:50	5	150	6.82	1.00	7.23	0.92	4.74	0.64	16.9	45.2	Clear	No Odor
11:55	5	150	6.82	1.20	7.26	0.99	3.30	0.55	16.9	19.0	Clear	No Odor
12:00	5	150	6.82	1.40	7.28	1.07	3.37	0.54	16.8	-4.3	Clear	No Odor
12:05	5	150	6.82	1.60	7.29	1.08	13.30	0.52	16.7	-18.1	Clear, Small Orange Particulates	No Odor
12:10	5	150	6.82	1.80	7.27	1.09	1.83	0.50	16.9	-25.4	Clear	No Odor
12:15	5	150	6.82	2.00	7.33	1.12	1.91	0.48	16.9	-34.3	Clear	No Odor
12:20	5	150	6.82	2.20	7.34	1.11	6.97	0.48	17.6	-41.3	Clear	No Odor
12:25	5	150	6.82	2.40	7.37	1.11	3.68	0.49	17.4	-45.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 12089 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-118S Date 8-10-21
Project Name/Location Ford LTP Weather 82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.71 Total Depth (ft-bmp) 12.39 Water Column (ft.) 6.68 Gallons in Well 1.09
Pump Intake (ft-bmp) 7.21 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.44

Sample Time: Label 13:56 Volume Purged 1.57 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 12:52
Purge End 14:10

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:55	0	100	5.74	0.00	7.21	0.55	20.90	1.73	19.0	154.0	Turbid	No Odor
13:00	5	100	5.74	0.13	7.18	0.56	13.60	1.11	18.8	145.8	Clear	No Odor
13:05	5	100	5.74	0.26	7.19	0.62	6.28	1.12	18.4	138.1	Clear	No Odor
13:10	5	100	5.74	0.39	7.19	0.74	4.65	0.99	18.7	130.7	Clear	No Odor
13:15	5	100	5.74	0.52	7.19	0.86	3.04	0.84	18.4	118.8	Clear	No Odor
13:20	5	100	5.74	0.65	7.17	0.97	1.23	0.79	18.4	112.3	Clear	No Odor
13:25	5	109	5.74	0.78	7.17	1.16	0.30	0.60	18.4	90.4	Clear	No Odor
13:30	5	100	5.74	0.92	7.16	1.28	0.60	0.58	18.2	70.3	Clear	No Odor
13:35	5	100	5.74	1.05	7.18	1.36	1.61	0.43	18.6	47.0	Clear	No Odor
13:40	5	100	5.74	1.18	7.19	1.39	1.30	0.43	18.6	31.3	Clear	No Odor
13:45	5	100	5.75	1.31	7.20	1.34	1.68	0.45	18.9	14.5	Clear	No Odor
13:50	5	100	5.75	1.44	7.20	1.30	1.01	0.43	18.9	7.0	Clear	No Odor
13:55	5	100	5.75	1.57	7.19	1.48	0.49	0.40	18.7	6.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12124 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/10/2021	12:30	Arrive onsite
8/10/2021	12:37	Record static depth to water
8/10/2021	12:52	Begin purging well
8/10/2021	13:56	Collect sample MW-118S_081021
8/10/2021	14:10	End purge and turn off pump, begin decon of equipment
8/10/2021	14:15	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-119S Date 8-5-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.62 Total Depth (ft-bmp) 12.30 Water Column (ft.) 7.68 Gallons in Well 1.25
Pump Intake (ft-bmp) 6.12 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.64

Sample Time: Label 12:41 Volume Purged 2.05 gallons Replicate/Code No. Sampled by

Purge Start 11:38

Purge End 12:47

Andrew Banitt

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:40	0	140	4.64	0.00	6.73	0.64	5.73	2.19	17.8	115.1	Clear	No Odor
11:45	5	130	4.63	0.18	7.13	0.62	0.02	0.93	17.5	62.1	Clear	No Odor
11:50	5	125	4.64	0.35	7.18	0.62	0.02	0.84	17.7	59.6	Clear	No Odor
11:55	5	125	4.64	0.52	7.18	0.71	0.02	0.53	17.7	61.4	Clear	No Odor
12:00	5	125	4.64	0.69	7.18	0.80	0.02	0.45	17.6	60.0	Clear	No Odor
12:05	5	125	4.64	0.86	7.19	0.87	0.02	0.48	17.7	57.4	Clear	No Odor
12:10	5	125	4.64	1.03	7.18	0.90	0.50	0.55	17.8	54.5	Clear	No Odor
12:15	5	125	4.64	1.20	7.18	0.93	1.12	0.55	17.8	51.3	Clear	No Odor
12:20	5	125	4.64	1.37	7.18	0.97	0.65	0.54	17.9	47.9	Clear	No Odor
12:25	5	125	4.64	1.54	7.18	1.02	0.02	0.54	18.1	43.2	Clear	No Odor
12:30	5	125	4.64	1.71	7.17	1.06	1.65	0.51	18.0	39.8	Clear	No Odor
12:35	5	125	4.64	1.88	7.18	1.06	0.02	0.50	18.1	33.8	Clear	No Odor
12:40	5	125	4.64	2.05	7.18	1.09	0.02	0.51	17.9	29.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>12034 Boston Post; side yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-121S	Date	8-19-21		
Project Name/Location	Ford LTP	Weather	81.0 degrees F and Mostly Clear. The wind is blowing NW at 5 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.81	Total Depth (ft-bmp)	12.08	Water Column (ft.)	6.27	Gallons in Well	1.02
		Pump Intake (ft-bmp)	7.31	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.18				

Sample Time:	Label	12:20	Volume Purged	1.2 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	-------------	--------------------	----	------------	------------------

Purge Start	11:45
-------------	-------

Purge End	12:26
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	11710 Boston Post; side yard		Well Locked at Arrival:
Condition of Well:	Good		Well Locked at Departure:
Well Completion:	Flush mount		Lock Functioning:



Page 1 of 1

Prepared By: Emma Witherspoon



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-123S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 79.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 5.8 mph.
Measuring Pt. Description 0.78 Total Depth (ft-bmp) 10.95 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.28 Pump Intake (ft-bmp) 1.31 Water Column (ft.) 10.17 Gallons in Well 1.65
Well Volumes Purged 2.28 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:06 Volume Purged 2.16 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 13:04
Purge End 14:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:05	0	135	0.82	0.00	6.63	0.51	54.80	1.05	22.1	171.0	Cloudy	No Odor
13:10	5	150	0.84	0.18	6.63	0.47	28.50	0.22	21.5	124.8	Clear	No Odor
13:15	5	150	0.84	0.38	6.72	0.47	10.50	0.11	21.3	95.2	Clear	No Odor
13:20	5	170	0.85	0.58	6.79	0.50	5.27	0.04	20.9	70.5	Clear	No Odor
13:25	5	125	0.83	0.80	6.85	0.52	4.97	0.05	21.6	58.7	Clear	No Odor
13:30	5	125	0.83	0.97	6.89	0.55	3.99	0.07	21.5	48.3	Clear	No Odor
13:35	5	125	0.83	1.14	6.89	0.57	3.16	0.06	21.6	44.1	Clear	No Odor
13:40	5	125	0.83	1.31	6.89	0.59	2.62	0.05	21.5	40.6	Clear	No Odor
13:45	5	125	0.83	1.48	6.90	0.61	0.69	0.04	21.5	37.6	Clear	No Odor
13:50	5	125	0.83	1.65	6.90	0.66	0.17	0.04	21.4	34.9	Clear	No Odor
13:55	5	125	0.84	1.82	6.90	0.68	0.36	0.02	21.3	32.1	Clear	No Odor
14:00	5	125	0.83	1.99	6.91	0.74	0.54	0.02	21.5	30.1	Clear	No Odor
14:05	5	125	0.83	2.16	6.91	0.77	0.02	0.02	21.4	27.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12075 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-126S Date 8-18-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 70.0 degrees F and Fog/Mist. The wind is blowing N/NE at 5.8 mph.
Measuring Pt. Description 7.89 Total Depth (ft-bmp) 12.78 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.39 Pump Intake (ft-bmp) 2.05 Water Column (ft.) 4.89 Gallons in Well 0.79
Well Volumes Purged 2.05 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:54 Volume Purged 1.62 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:06
Purge End 10:01

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:07	0	140	7.90	0.00	5.76	0.32	0.02	3.65	16.7	188.8	Clear	No Odor
9:12	5	125	7.90	0.18	7.04	0.28	0.02	2.77	16.0	135.7	Clear	No Odor
9:17	5	160	7.91	0.35	7.36	0.22	0.02	3.06	15.7	113.3	Clear	No Odor
9:22	5	160	7.91	0.56	7.64	0.20	0.02	2.93	15.5	102.7	Clear	No Odor
9:27	5	125	7.91	0.77	7.77	0.19	0.02	2.94	15.9	97.0	Clear	No Odor
9:32	5	125	7.91	0.94	8.00	0.19	0.02	3.13	16.0	92.3	Clear	No Odor
9:37	5	125	7.91	1.11	8.07	0.18	0.02	3.13	16.0	89.6	Clear	No Odor
9:42	5	125	7.91	1.28	8.17	0.18	0.02	3.31	16.0	88.0	Clear	No Odor
9:47	5	125	7.91	1.45	8.23	0.18	0.02	3.37	16.0	87.6	Clear	No Odor
9:52	5	125	7.91	1.62	8.23	0.18	0.02	3.34	16.0	87.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34966 Standish; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34966 Standish; side yard

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-127S Date 8-11-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing SW at 9.2 mph.
Measuring Pt. Description 2.35 Total Depth (ft-bmp) 12.27 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.85 Pump Intake (ft-bmp) 1.27 Water Column (ft.) 9.92 Gallons in Well 1.61
Well Volumes Purged 1.27 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:12 Volume Purged 2.05 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:10
Purge End 10:17

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:11	0	140	2.40	0.00	6.46	0.62	0.50	0.98	20.5	172.5	Clear	No Odor
9:16	5	130	2.40	0.18	6.82	0.73	3.81	0.24	20.1	131.3	Clear	No Odor
9:21	5	125	2.40	0.35	6.84	1.17	2.43	0.13	20.0	108.4	Clear	No Odor
9:26	5	125	2.40	0.52	6.90	1.35	1.96	0.09	19.8	63.3	Clear	No Odor
9:31	5	125	2.40	0.69	6.95	1.38	2.38	0.05	19.8	38.0	Clear	No Odor
9:36	5	125	2.41	0.86	6.98	1.41	2.87	0.04	19.7	24.5	Clear	No Odor
9:41	5	125	2.41	1.03	7.01	1.43	1.52	0.05	19.6	15.8	Clear	No Odor
9:46	5	125	2.41	1.20	7.02	1.44	1.22	0.03	19.7	7.2	Clear	No Odor
9:51	5	125	2.41	1.37	7.03	1.46	3.65	0.05	19.8	-0.6	Clear	No Odor
9:56	5	125	2.41	1.54	7.04	1.47	0.95	0.05	19.8	-7.7	Clear	No Odor
10:01	5	125	2.41	1.71	7.05	1.48	0.08	0.03	19.8	-13.8	Clear	No Odor
10:06	5	125	2.41	1.88	7.06	1.49	0.38	0.02	19.8	-19.8	Clear	No Odor
10:11	5	125	2.42	2.05	7.07	1.49	0.10	0.02	19.8	-25.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>34424 Beacon; side yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34424 Beacon; side yard

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-128S	Date	8-13-21
Project Name/Location	Ford LTP	Weather	78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-14	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.61	Total Depth (ft-bmp)	13.06	Water Column (ft.)	6.45
		Pump Intake (ft-bmp)	8.11	Purge Method	Low-Flow
		Well Volumes Purged	1.08		
				Gallons in Well	1.05
				Sample Method	Grab

Sample Time:	Label	12:35	Volume Purged	1.13 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
--------------	-------	-------	---------------	--------------	--------------------	----	------------	---------------

Purge Start	12:02
Purge End	12:40

Andrew Banitt

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-130S	Date	8-6-21		
Project Name/Location	Ford LTP	Weather	75.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 8.1 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	4.30	Total Depth (ft-bmp)	13.17	Water Column (ft.)	8.87	Gallons in Well	1.44
		Pump Intake (ft-bmp)	5.80	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.71				

Sample Time:	Label	11:41	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:07
-------------	-------

Purge Start	11:57
Purge End	11:55

Purge End	11.55

Gary Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/6/2021	10:50	Arrive onsite
8/6/2021	10:53	Record static depth to water
8/6/2021	11:07	Begin purging well
8/6/2021	11:41	Collect sample MW-130S_080621
8/6/2021	11:55	End purge and turn off pump, begin decon of equipment
8/6/2021	12:01	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	Garry Schuler
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-143S	Date	8-18-21		
Project Name/Location	Ford LTP	Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing NE at 9.2 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5.5-10.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.30	Total Depth (ft-bmp)	10.10	Water Column (ft.)	2.80	Gallons in Well	0.45
		Pump Intake (ft-bmp)	8.80	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.27				

Sample Time:	Label	15:26	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	14:53
-------------	-------

Purge End	15:35
-----------	-------

Gary
Schul

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

12069 Stark; front yard

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

Well Completion:

Flush mount

Lock Functioning:

yes



Page 1 of 1

Prepared By: Gary Schafer



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-144S Date 8-19-21
Project Name/Location Ford LTP Weather 81.0 degrees F and Mostly Clear. The wind is blowing north at 3.5 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 7-12 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.20 Total Depth (ft-bmp) 11.68 Water Column (ft.) 3.48 Gallons in Well 0.57
Pump Intake (ft-bmp) 9.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.05

Sample Time: Label 11:51 Volume Purged 1.17 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:13
Purge End 11:55

Christian Garrido

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	120	8.20	0.00	7.72	0.59	20.50	5.72	20.4	77.5	Clear	No Odor
11:20	5	120	8.20	0.16	7.33	0.57	14.20	1.11	18.7	59.0	Clear	No Odor
11:25	5	130	8.40	0.32	7.24	0.59	8.41	0.59	18.0	44.3	Clear	No Odor
11:30	5	130	8.40	0.49	7.27	0.59	4.83	0.60	17.7	39.7	Clear	No Odor
11:35	5	130	8.40	0.66	7.27	0.58	3.97	0.57	17.7	36.6	Clear	No Odor
11:40	5	130	8.40	0.83	7.28	0.58	4.84	0.55	17.8	29.8	Clear	No Odor
11:45	5	130	8.40	1.00	7.29	0.58	4.53	0.51	18.0	28.7	Clear	No Odor
11:50	5	130	8.30	1.17	7.28	0.59	4.02	0.50	18.0	29.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12033 Stark; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Christian Garrido



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-145S Date 8-13-21
Project Name/Location Ford LTP Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 6-11 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.23 Total Depth (ft-bmp) 9.95 Water Column (ft.) 3.72 Gallons in Well 0.60
Pump Intake (ft-bmp) 7.73 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.33

Sample Time: Label 9:42 Volume Purged 1.4 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:05
Purge End 9:49

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:06	0	150	6.27	0.00	6.53	1.60	3.50	1.20	17.4	172.0	Clear	No Odor
9:11	5	150	6.28	0.20	6.94	1.53	4.07	0.30	17.0	28.0	Clear	No Odor
9:16	5	150	6.28	0.40	7.01	1.45	0.02	0.12	16.8	-3.7	Clear	No Odor
9:21	5	150	6.29	0.60	7.03	1.35	0.02	0.09	16.8	-12.6	Clear	No Odor
9:26	5	150	6.29	0.80	7.04	1.31	0.02	0.04	16.7	-18.1	Clear	No Odor
9:31	5	150	6.29	1.00	7.05	1.26	0.02	0.04	16.7	-21.4	Clear	No Odor
9:36	5	150	6.29	1.20	7.05	1.24	0.02	0.03	16.6	-22.7	Clear	No Odor
9:41	5	150	6.29	1.40	7.06	1.24	0.02	0.03	16.6	-24.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12087 Stark; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-146S Date 8-12-21
Project Name/Location Ford LTP Weather 82.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 6-11 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.06 Total Depth (ft-bmp) 9.83 Water Column (ft.) 4.77 Gallons in Well 0.78
Pump Intake (ft-bmp) 6.56 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.54

Sample Time: Label 14:54 Volume Purged 1.98 gallons Replicate/Code No. Sampled by
Purge Start 14:05
Purge End 14:59

Andrew Banitt

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:06	0	200	5.13	0.00	6.90	0.48	113.00	5.51	23.7	170.2	Cloudy	No Odor
14:11	5	200	5.14	0.26	6.87	0.93	59.50	2.92	21.1	115.9	Clear	No Odor
14:16	5	200	5.15	0.52	6.88	1.08	21.50	2.28	20.1	76.0	Clear	No Odor
14:21	5	200	5.15	0.78	6.90	1.23	18.20	1.99	19.7	68.8	Clear	No Odor
14:26	5	200	5.16	1.04	6.90	1.29	15.00	1.87	19.4	57.5	Clear	No Odor
14:31	5	125	5.13	1.30	6.90	1.34	8.65	1.45	19.8	53.2	Clear	No Odor
14:36	5	125	5.12	1.47	6.91	1.35	9.45	1.57	19.9	51.6	Clear	No Odor
14:41	5	125	5.12	1.64	6.92	1.35	3.99	1.58	19.7	51.7	Clear	No Odor
14:46	5	125	5.12	1.81	6.92	1.36	3.45	1.60	19.6	51.2	Clear	No Odor
14:51	5	125	5.12	1.98	6.92	1.37	3.75	1.54	19.7	51.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34367 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-147S Date 8-18-21
Project Name/Location Ford LTP Weather 70.0 degrees F and Fog/Mist. The wind is blowing N/NE at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.70 Total Depth (ft-bmp) 7.20 Water Column (ft.) 3.50 Gallons in Well 0.57
Pump Intake (ft-bmp) 5.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.14

Sample Time: Label 9:56 Volume Purged 1.22 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 9:19
Purge End 10:02

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:20	0	120	3.70	0.00	7.43	1.71	15.80	3.83	19.3	51.6	Clear, Small Orange Particulates	No Odor
9:25	5	130	3.70	0.16	7.03	1.56	10.80	0.94	19.2	-27.3	Clear, Small Orange Particulates	No Odor
9:30	5	130	3.90	0.33	7.02	1.51	8.42	1.04	19.3	3.7	Clear, Small Orange Particulates	No Odor
9:35	5	140	3.90	0.50	7.02	1.48	0.49	0.94	19.4	6.9	Clear, Small Orange Particulates	No Odor
9:40	5	140	3.90	0.68	7.01	1.45	0.02	0.78	19.5	0.0	Clear, Small Orange Particulates	No Odor
9:45	5	140	3.80	0.86	7.01	1.44	0.02	0.73	19.5	1.0	Clear, Small Orange Particulates	No Odor
9:50	5	140	3.80	1.04	7.01	1.43	0.02	0.70	19.5	1.0	Clear	No Odor
9:55	5	140	3.80	1.22	7.02	1.43	0.02	0.70	19.6	0.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information
Well Location: 34401 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Christian Garrido



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-148S Date 8-12-21
Project Name/Location Top of Casing Weather 80.1 degrees F and Mostly Cloudy. The wind is blowing SW at 10.3 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 0.70 Total Depth (ft-bmp) 6.32 Water Column (ft.) 5.62 Gallons in Well 0.91
Pump Intake (ft-bmp) 2.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.32

Sample Time: Label 13:35 Volume Purged 2.11 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 12:47

Purge End 13:41

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:48	0	135	0.74	0.00	6.72	1.51	25.30	3.09	19.9	178.0	Clear	No Odor
12:53	5	170	0.77	0.18	6.93	1.46	22.70	2.22	19.1	131.6	Clear	No Odor
12:58	5	225	0.78	0.40	6.95	1.46	16.90	1.51	18.8	111.1	Clear	No Odor
13:03	5	225	0.78	0.70	6.97	1.47	6.97	1.02	18.7	85.9	Clear	No Odor
13:08	5	225	0.79	1.00	6.98	1.46	5.66	0.83	18.4	65.8	Clear	No Odor
13:13	5	225	0.80	1.30	6.97	1.45	4.20	0.81	18.4	50.0	Clear	No Odor
13:18	5	125	0.78	1.60	6.99	1.45	4.43	0.85	19.2	45.4	Clear	No Odor
13:23	5	125	0.79	1.77	6.99	1.45	4.64	0.78	18.9	40.3	Clear	No Odor
13:28	5	125	0.78	1.94	6.99	1.45	1.79	0.71	19.1	38.2	Clear	No Odor
13:33	5	125	0.79	2.11	6.99	1.44	2.78	0.73	19.1	35.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12088 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-149S Date 8-11-21
Project Name/Location Ford LTP Weather 75.0 degrees F and Cloudy. The wind is blowing S/SW at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.95 Total Depth (ft-bmp) 6.48 Water Column (ft.) 4.53 Gallons in Well 0.74
Pump Intake (ft-bmp) 3.45 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.86

Sample Time: Label 11:21 Volume Purged 1.38 gallons Replicate/Code No. Sampled by

Purge Start 10:38
Purge End 11:26

Andrew Banitt

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:39	0	135	1.99	0.00	6.74	1.87	8.72	1.14	19.6	79.7	Clear	No Odor
10:44	5	125	1.99	0.18	6.87	1.80	10.70	0.25	19.5	12.2	Clear	No Odor
10:49	5	125	2.00	0.35	6.90	1.77	12.00	0.14	19.5	1.5	Clear	No Odor
10:54	5	140	2.01	0.52	6.94	1.73	14.40	0.08	19.4	-8.5	Clear	No Odor
10:59	5	125	2.01	0.70	6.97	1.67	13.50	0.04	19.5	-18.6	Clear	No Odor
11:04	5	125	2.01	0.87	6.98	1.63	10.30	0.03	19.5	-27.2	Clear	No Odor
11:09	5	125	2.01	1.04	6.98	1.61	9.85	0.04	19.5	-34.9	Clear	No Odor
11:14	5	125	2.01	1.21	6.99	1.62	10.20	0.02	19.5	-39.1	Clear	No Odor
11:19	5	125	2.01	1.38	6.99	1.62	9.30	0.00	19.5	-42.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34450 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-150S Date 8-11-21
Project Name/Location Top of Casing Weather 82.0 degrees F and Cloudy. The wind is blowing SW at 16.1 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.79 Total Depth (ft-bmp) 6.72 Water Column (ft.) 2.93 Gallons in Well 0.48
Pump Intake (ft-bmp) 5.29 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.63

Sample Time: Label 14:51 Volume Purged 2.22 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 13:49
Purge End 14:56

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:50	0	150	3.96	0.00	9.89	1.44	439.00	2.25	22.8	110.8	Cloudy	No Odor
13:55	5	150	3.98	0.20	9.69	1.32	288.00	1.46	21.3	74.8	Cloudy	No Odor
14:00	5	150	3.99	0.40	8.86	1.29	182.00	0.87	20.2	73.8	Cloudy	No Odor
14:05	5	150	3.99	0.60	7.57	1.48	129.00	0.47	19.5	83.5	Cloudy	No Odor
14:10	5	150	4.00	0.80	7.19	1.66	93.90	0.29	19.3	87.0	Clear	No Odor
14:15	5	150	4.00	1.00	7.12	1.73	79.00	0.19	19.2	82.7	Cloudy	No Odor
14:20	5	125	4.00	1.20	7.09	1.76	62.50	0.16	19.1	77.3	Cloudy	No Odor
14:25	5	125	4.00	1.37	7.03	1.79	48.50	0.10	19.0	72.4	Clear	No Odor
14:30	5	125	4.00	1.54	7.01	1.79	32.50	0.09	19.0	68.6	Cloudy	No Odor
14:35	5	125	4.00	1.71	6.97	1.81	28.20	0.03	20.0	66.4	Clear	No Odor
14:40	5	125	4.00	1.88	7.00	1.81	28.70	0.08	20.2	64.3	Clear	No Odor
14:45	5	125	4.00	2.05	6.99	1.80	23.60	0.05	20.1	62.7	Clear	No Odor
14:50	5	125	4.00	2.22	6.98	1.79	20.50	0.05	19.9	60.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34380 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34380 Beacon; back yard

Prepared By: Andrew Banitt

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-151S		Date	8-12-21	
Project Name/Location	Ford LTP		Weather	72.0 degrees F and Cloudy. The wind is blowing SW at 10.3 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-7.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	0.99	Total Depth (ft-bmp)	6.91	Water Column (ft.)	5.92	Gallons in Well	0.96	
		Pump Intake (ft-bmp)	2.49	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.79					

Sample Time:	Label	11:45	Volume Purged	1.72 gallons	Replicate/Code No.	Sampled by
--------------	-------	-------	---------------	--------------	--------------------	------------

Purge Start	10:52
-------------	-------

Purge End	11:50
-----------	-------

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12091 Brewster; back yard

Prepared By: Andrew Banitt

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-152S	Date	8-9-21
Project Name/Location	Ford LTP	Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing S at 10.3 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-7.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	4.62	Total Depth (ft-bmp)	6.68	Water Column (ft.)	2.06
		Pump Intake (ft-bmp)	6.12	Purge Method	Low-Flow
		Well Volumes Purged	3.09	Gallons in Well	0.33
				Sample Method	Grab

Sample Time:	Label	12:26	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:52
Purge End	12:35

Gang
Schief

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$ $1.5'' = 0.09$ $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$

Well Information

Well Location:

34550 Beacon; backyard

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

Well Completion:

Flush mount

Lock Functioning:

no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34550 Beacon; backyard

Prepared By: Gary Schafer



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-153S Date 8-12-21
Project Name/Location Ford LTP Weather 72.0 degrees F and Cloudy. The wind is blowing SW at 10.3 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.10 Total Depth (ft-bmp) 5.98 Water Column (ft.) 4.88 Gallons in Well 0.79
Pump Intake (ft-bmp) 2.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.15

Sample Time: Label 12:06 Volume Purged 1.7 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 11:13

Purge End 12:11

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	125	1.10	0.00	7.08	0.68	9.01	2.21	19.6	140.9	Clear	No Odor
11:20	5	125	1.10	0.17	7.06	0.68	8.54	1.70	19.4	134.1	Clear	No Odor
11:25	5	125	1.10	0.34	7.09	0.69	5.89	1.44	19.5	127.6	Clear	No Odor
11:30	5	125	1.10	0.51	7.10	0.68	7.05	1.27	19.2	122.3	Clear	No Odor
11:35	5	125	1.10	0.68	7.09	0.69	5.26	1.19	19.3	120.1	Clear	No Odor
11:40	5	125	1.10	0.85	7.10	0.69	4.72	1.09	19.2	115.9	Clear	No Odor
11:45	5	125	1.10	1.02	7.12	0.69	6.10	1.05	19.5	112.8	Clear	No Odor
11:50	5	125	1.10	1.19	7.11	0.69	3.82	1.04	19.4	109.6	Clear	No Odor
11:55	5	125	1.10	1.36	7.11	0.69	4.14	0.90	19.0	108.5	Clear	No Odor
12:00	5	125	1.10	1.53	7.12	0.70	1.91	0.89	18.9	107.3	Clear	No Odor
12:05	5	125	1.10	1.70	7.12	0.70	1.00	0.90	19.0	106.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Water and cresol in vault covering well casing, bailed out before opening j- plug

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>34644 Beacon; back yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>no</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34644 Beacon; back yard

Prepared By: Gary Schafer



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-154S Date 8-11-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Cloudy. The wind is blowing S/SW at 11.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.66 Total Depth (ft-bmp) 6.98 Water Column (ft.) 2.32 Gallons in Well 0.38
Pump Intake (ft-bmp) 6.16 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.58

Sample Time: Label 14:01 Volume Purged 1.36 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 13:17

Purge End 14:09

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	4.70	0.00	7.52	0.57	2.28	0.93	18.5	148.8	Clear	No Odor
13:25	5	125	4.70	0.17	7.53	0.58	1.33	0.70	18.5	144.2	Clear	No Odor
13:30	5	125	4.70	0.34	7.54	0.59	1.43	0.54	18.3	139.7	Clear	No Odor
13:35	5	125	4.70	0.51	7.54	0.59	0.83	0.57	18.2	136.4	Clear	No Odor
13:40	5	125	4.70	0.68	7.55	0.59	0.03	0.60	18.2	132.5	Clear	No Odor
13:45	5	125	4.70	0.85	7.55	0.60	0.86	0.60	18.3	129.7	Clear	No Odor
13:50	5	125	4.70	1.02	7.55	0.60	0.02	0.59	18.3	127.1	Clear	No Odor
13:55	5	125	4.70	1.19	7.56	0.60	0.71	0.54	18.5	123.5	Clear	No Odor
14:00	5	125	4.70	1.36	7.55	0.60	0.02	0.54	18.5	120.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Water and cersol in vault covering well casing, bailed out before opening j- plug

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34682 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/11/2021	13:00	Arrive onsite
8/11/2021	13:04	Record static depth to water
8/11/2021	13:17	Begin purging well
8/11/2021	14:01	Collect sample MW-154S_081121
8/11/2021	14:09	End purge and turn off pump, begin decon of equipment
8/11/2021	14:12	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-155S	Date	8-10-21		
Project Name/Location	Ford LTP	Weather	88.0 degrees F and Partly Cloudy.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	3.64	Total Depth (ft-bmp)	6.50	Water Column (ft.)	2.86	Gallons in Well	0.46
		Pump Intake (ft-bmp)	5.14	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.22				

Sample Time:	Label	15:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	14:47
-------------	-------

Purge End	15:36
-----------	-------

Gary Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

Water and grey sludge covering well casing, bailed water and sludge before opening i-plug

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

12066 Boston Post; front yard

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

Well Completion:

Flush mount

Lock Functioning:

yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/10/2021	14:15	Arrive onsite
8/10/2021	14:34	Record static depth to water
8/10/2021	14:47	Begin purging well
8/10/2021	15:21	Collect sample MW-155S_081021
8/10/2021	15:36	End purge and turn off pump, begin decon of equipment
8/10/2021	15:40	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	
--	--	



Project No.	30080642.402.01	Well ID	MW-156S			Date	8-10-21
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Cloudy. The wind is blowing SW at 13.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-8	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.24	Total Depth (ft-bmp)	7.64	Water Column (ft.)	2.40	Gallons in Well	0.39
		Pump Intake (ft-bmp)	6.74	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.00				

Sample Time:	Label	12:01	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:27
-------------	-------

Purge End 12:12

Gary Schafer

Gang
Schief

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Water and sludge covering well casing, dip out water and grey sludge

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	12100 Boston Post; backyard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/10/2021	11:00	Arrive onsite
8/10/2021	11:10	Record static depth to water
8/10/2021	11:27	Begin purging well
8/10/2021	12:01	Collect sample MW-156S_081021
8/10/2021	12:12	End purge and turn off pump, begin decon of equipment
8/10/2021	12:23	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____ 
--	--	_____
--	--	-----



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-157S Date 8-10-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing W at 15.0 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.07 Total Depth (ft-bmp) 7.15 Water Column (ft.) 2.08 Gallons in Well 0.34
Pump Intake (ft-bmp) 6.57 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.71

Sample Time: Label 14:50 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 14:09

Purge End 14:55

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:10	0	150	5.15	0.00	8.00	0.17	0.54	5.43	18.1	81.4	Clear	No Odor
14:15	5	150	5.15	0.20	7.75	0.18	2.12	4.39	18.0	106.2	Clear	No Odor
14:20	5	150	5.15	0.40	7.66	0.19	1.91	3.83	17.9	108.1	Clear	No Odor
14:25	5	150	5.15	0.60	7.69	0.20	1.80	3.52	17.9	104.5	Clear	No Odor
14:30	5	150	5.15	0.80	7.72	0.20	2.85	3.28	17.9	102.0	Clear, Cloudy, Small Brown Particulates,	No Odor
14:35	5	150	5.15	1.00	7.78	0.21	2.83	3.29	18.0	97.0	Clear	No Odor
14:40	5	150	5.15	1.20	7.76	0.21	1.47	3.20	18.0	98.5	Clear	No Odor
14:45	5	150	5.15	1.40	7.86	0.22	1.16	3.44	18.2	91.1	Clear	No Odor
14:50	5	150	5.15	1.60	7.84	0.22	1.97	3.12	18.0	96.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12067 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12067 Boston Post; front yard

Prepared By: Emma Witherspoon



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-158S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 5.07 Total Depth (ft-bmp) 7.34 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.57 Pump Intake (ft-bmp) 5.51 Water Column (ft.) 2.27 Gallons in Well 0.37
Well Volumes Purged 5.51 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:50 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 14:46
Purge End 15:53

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:50	0	125	5.12	0.00	6.25	0.09	4.42	6.73	19.0	107.8	Clear	No Odor
14:55	5	125	5.12	0.17	6.24	0.10	6.20	6.19	18.8	96.8	Clear	No Odor
15:00	5	125	5.12	0.34	6.35	0.12	5.40	4.84	18.4	95.3	Clear	No Odor
15:05	5	125	5.12	0.51	6.53	0.14	3.73	4.26	18.2	94.2	Clear	No Odor
15:10	5	125	5.12	0.68	6.61	0.15	3.02	4.25	18.0	95.4	Clear	No Odor
15:15	5	125	5.12	0.85	6.74	0.16	3.04	4.17	18.2	92.6	Clear	No Odor
15:20	5	125	5.12	1.02	6.74	0.16	2.31	4.08	18.1	96.2	Clear	No Odor
15:25	5	125	5.12	1.19	6.84	0.17	2.74	3.85	18.4	93.8	Clear	No Odor
15:30	5	128	5.12	1.36	6.82	0.17	2.58	3.87	18.3	96.6	Clear	No Odor
15:35	5	125	5.12	1.53	6.91	0.18	1.65	3.87	18.3	95.7	Clear	No Odor
15:40	5	125	5.12	1.70	6.92	0.18	2.10	3.78	18.4	98.1	Clear	No Odor
15:45	5	125	5.12	1.87	6.99	0.18	1.63	3.91	18.3	96.4	Clear	No Odor
15:50	5	125	5.12	2.04	7.10	0.18	1.44	3.85	18.5	95.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34950 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-159S Date 8-5-21
Project Name/Location Ford LTP Weather 82.9 degrees F and Partly Cloudy. The wind is blowing S/SE at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4-9 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.10 Total Depth (ft-bmp) 8.49 Water Column (ft.) 2.39 Gallons in Well 0.39
Pump Intake (ft-bmp) 7.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.49

Sample Time: Label 16:45 Volume Purged 1.36 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 16:00

Purge End 16:48

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
16:05	0	125	6.15	0.00	7.72	0.25	0.83	1.64	17.5	42.3	Clear	No Odor
16:10	5	125	6.14	0.17	7.56	0.25	1.28	1.27	17.5	58.1	Clear	No Odor
16:15	5	125	6.15	0.34	7.53	0.25	1.40	1.12	17.8	53.5	Clear	No Odor
16:20	5	125	6.15	0.51	7.47	0.25	0.94	1.08	16.8	54.7	Clear	No Odor
16:25	5	125	6.15	0.68	7.51	0.25	0.72	0.84	17.4	46.6	Clear	No Odor
16:30	5	125	6.15	0.85	7.60	0.26	1.48	0.75	17.9	34.1	Clear	No Odor
16:35	5	125	6.15	1.02	7.52	0.26	1.01	0.78	17.3	36.1	Clear	No Odor
16:40	5	125	6.15	1.19	7.54	0.26	1.15	0.78	16.9	31.8	Clear	No Odor
16:45	5	125	6.15	1.36	7.49	0.26	0.97	0.77	16.8	33.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34920 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-162S Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-8 Weather 88.0 degrees F and Partly Cloudy Wind W 14mph
Measuring Pt. Description 5.30 Total Depth (ft-bmp) 7.71 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.80 Pump Intake (ft-bmp) 5.56 Water Column (ft.) 2.41 Gallons in Well 0.39
Well Volumes Purged 5.56 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:27 Volume Purged 2.17 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 14:24
Purge End 15:31

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:25	0	135	5.32	0.00	5.96	0.21	136.00	8.63	19.6	120.2	Cloudy	No Odor
14:30	5	150	5.34	0.18	6.09	0.16	52.20	6.36	18.7	86.9	Cloudy	No Odor
14:35	5	150	5.35	0.38	6.39	0.15	10.70	7.06	18.5	78.1	Clear	No Odor
14:40	5	150	5.35	0.58	6.53	0.15	6.38	6.80	18.5	69.7	Clear	No Odor
14:45	5	150	5.35	0.78	6.56	0.15	6.49	6.82	18.7	60.1	Clear	No Odor
14:50	5	125	5.34	0.98	6.64	0.15	4.64	6.15	19.5	55.7	Clear	No Odor
14:55	5	125	5.34	1.15	6.65	0.16	4.89	5.71	19.9	49.9	Clear	No Odor
15:00	5	125	5.34	1.32	6.64	0.16	4.64	5.57	19.8	46.8	Clear	No Odor
15:05	5	125	5.34	1.49	6.65	0.17	3.12	5.46	19.9	43.8	Clear	No Odor
15:10	5	125	5.34	1.66	6.67	0.17	1.33	5.23	19.9	41.6	Clear	No Odor
15:15	5	125	5.34	1.83	6.70	0.18	0.10	5.58	19.7	39.6	Clear	No Odor
15:20	5	125	5.34	2.00	6.76	0.18	0.02	4.90	20.0	38.7	Clear	No Odor
15:25	5	125	5.34	2.17	6.79	0.19	0.02	5.58	19.8	38.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12017 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34591 Beacon front yard

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-165S Date 8-11-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.7 Weather 75.9 degrees F and Mostly Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description 4.13 Total Depth (ft-bmp) 6.29 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.63 Pump Intake (ft-bmp) 5.63 Water Column (ft.) 2.16 Gallons in Well 0.35
Well Volumes Purged 5.83 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:51 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 9:47
Purge End 11:00

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:50	0	125	4.18	0.00	7.22	0.57	16.00	1.41	18.4	199.1	Turbid	No Odor
9:55	5	125	4.18	0.17	7.30	0.57	4.73	0.24	18.4	174.9	Clear	No Odor
10:00	5	125	4.18	0.34	7.30	0.57	1.52	0.22	18.3	170.4	Clear	No Odor
10:05	5	125	4.18	0.51	7.31	0.57	2.08	0.21	18.4	159.4	Clear	No Odor
10:10	5	125	4.19	0.68	7.32	0.57	1.37	0.19	18.4	146.4	Clear	No Odor
10:15	5	125	4.19	0.85	7.33	0.57	1.97	0.18	18.4	136.7	Clear	No Odor
10:20	5	125	4.20	1.02	7.34	0.57	1.69	0.15	18.3	129.6	Clear	No Odor
10:25	5	125	4.20	1.19	7.34	0.57	0.59	0.12	18.4	122.1	Clear	No Odor
10:30	5	125	4.20	1.36	7.34	0.57	1.05	0.11	18.4	114.2	Clear	No Odor
10:35	5	125	4.20	1.53	7.35	0.57	0.70	0.20	18.5	107.9	Clear	No Odor
10:40	5	125	4.20	1.70	7.36	0.57	0.65	0.22	18.5	102.0	Clear	No Odor
10:45	5	125	4.20	1.87	7.35	0.57	0.62	0.20	18.5	97.6	Clear	No Odor
10:50	5	125	4.20	2.04	7.36	0.57	0.87	0.21	18.5	91.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments A little grey sludge around casing, removed about 1/2 inch before opening j-plug

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34669 Beacon; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: no



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01 Page 1 of 1

Site Location: Ford LTP 12147 Stark; Front yard

Prepared By: Seth Turner

Date	Time	Description of Activities
8/13/2021	8:45	Arrive onsite
8/13/2021	8:50	Record static depth to water
8/13/2021	9:00	Begin purging well
8/13/2021	9:40	Collect sample MW-166S_081321
8/13/2021	9:45	End purge and turn off pump, begin decon of equipment
8/13/2021	9:55	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	ST
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-167S Date 8-19-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 5-10 Weather 84.0 degrees F and Mostly Cloudy. The wind is blowing N at 3.4 mph.
Measuring Pt. Description 5.62 Total Depth (ft-bmp) 9.22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.12 Pump Intake (ft-bmp) 4.09 Water Column (ft.) 3.60 Gallons in Well 0.58
Well Volumes Purged 4.09 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:00 Volume Purged 2.37 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 12:58
Purge End 14:05

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:00	0	150	5.65	0.00	7.73	0.62	33.30	4.60	21.3	202.2	Clear, Small Orange Particulates	No Odor
13:05	5	150	5.65	0.20	7.52	0.62	33.00	3.80	21.0	210.0	Clear, Small Orange Particulates	No Odor
13:10	5	150	5.65	0.40	7.35	0.61	21.70	4.24	20.1	216.9	Clear, Small Orange Particulates	No Odor
13:15	5	150	5.65	0.60	7.37	0.62	21.20	4.25	20.4	218.7	Clear, Small Orange Particulates	No Odor
13:20	5	150	5.65	0.80	7.29	0.61	15.60	4.72	19.9	224.9	Clear, Small Orange Particulates	No Odor
13:25	5	150	5.65	1.00	7.31	0.61	12.80	4.68	19.6	228.0	Clear	No Odor
13:30	5	125	5.65	1.20	7.26	0.61	11.30	4.59	19.0	238.3	Clear, Small Orange Particulates	No Odor
13:35	5	150	5.65	1.37	7.25	0.62	10.70	4.70	18.9	244.1	Clear, Small Orange Particulates	No Odor
13:40	5	150	5.65	1.57	7.26	0.63	9.04	4.33	18.9	247.6	Clear, Small Orange Particulates	No Odor
13:45	5	150	5.65	1.77	7.25	0.64	7.27	4.26	18.7	251.0	Clear	No Odor
13:50	5	150	5.65	1.97	7.24	0.65	8.04	4.28	18.8	254.5	Clear, Small Orange Particulates	No Odor
13:55	5	150	5.65	2.17	7.28	0.66	6.41	4.03	19.2	252.9	Clear, Small Orange Particulates	No Odor
14:00	5	150	5.65	2.37	7.26	0.67	5.38	3.84	19.0	255.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12001 Stark; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Emma Witherspoon



Sample Time:	Label	13:21	Volume Purged	1.19 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	12:43
Purge End	13:35

Gang
Schuler

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	34480 Capitol; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-169S		Date	8-16-21	
Project Name/Location	Ford LTP		Weather		69.1 degrees F and Cloudy. The wind is blowing NE at 10.3 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	2.89	Total Depth (ft-bmp)	6.48	Water Column (ft.)	3.59	Gallons in Well	0.58	
		Pump Intake (ft-bmp)	4.39	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.76					

Sample Time:	Label	12:11	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:37
-------------	-------

Purge End	12:20
-----------	-------

Page 210

Gang
Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	34450 Capitol; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34450 Capitol; front yard

Prepared By: Gary Schafer



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-170S Date 8-9-21
Project Name/Location Ford LTP Weather 82.0 degrees F and Mostly Cloudy. The wind is blowing S at 10.3 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.34 Total Depth (ft-bmp) 9.52 Water Column (ft.) 3.18 Gallons in Well 0.52
Pump Intake (ft-bmp) 7.84 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.85

Sample Time: Label 12:40 Volume Purged 2 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 11:44
Purge End 12:42

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:45	0	150	6.37	0.00	7.41	1.27	2.25	1.09	18.1	139.0	Clear, Small Orange Particulates	No Odor
11:50	5	150	6.37	0.20	7.37	1.42	2.54	0.87	17.3	139.3	Clear, Small Orange Particulates	No Odor
11:55	5	150	6.37	0.40	7.32	1.61	1.01	0.61	17.1	142.1	Clear	No Odor
12:00	5	150	6.37	0.60	7.29	1.77	0.82	0.71	17.0	144.1	Clear	No Odor
12:05	5	150	6.37	0.80	7.23	1.89	1.20	0.70	16.8	110.2	Clear	No Odor
12:10	5	150	6.37	1.00	7.19	1.97	1.52	0.74	16.9	10.8	Clear	No Odor
12:15	5	150	6.37	1.20	7.16	2.04	0.02	0.67	16.9	-57.4	Clear	No Odor
12:20	5	150	6.37	1.40	7.18	2.05	1.60	0.52	16.9	-76.5	Clear	No Odor
12:25	5	150	6.37	1.60	7.20	2.11	0.28	0.52	16.9	-87.4	Clear	No Odor
12:30	5	150	6.37	1.80	7.20	2.14	0.97	0.56	16.8	-92.5	Clear	No Odor
12:35	5	150	6.37	2.00	7.22	2.15	1.81	0.53	17.0	-95.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34991 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34991 Beacon; back yard

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-171S Date 8-16-21
Project Name/Location Ford LTP Weather 63.0 degrees F and Cloudy. The wind is blowing N/NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.13 Total Depth (ft-bmp) 6.43 Water Column (ft.) 3.30 Gallons in Well 0.54
Pump Intake (ft-bmp) 4.63 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.20

Sample Time: Label 9:36 Volume Purged 1.19 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 8:58

Purge End 9:45

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:00	0	125	3.13	0.00	7.09	0.89	19.80	1.06	18.8	17.2	Clear	No Odor
9:05	5	125	3.15	0.17	7.17	1.15	21.40	1.18	18.6	-28.6	Small White Particulates, Turbid	No Odor
9:10	5	125	3.15	0.34	7.20	1.19	15.80	1.21	18.5	-52.6	Clear, Small White Particulates	No Odor
9:15	5	125	3.15	0.51	7.21	1.20	12.00	0.99	18.5	-60.1	Clear	No Odor
9:20	5	125	3.15	0.68	7.22	1.20	9.59	0.32	18.5	-63.8	Clear	No Odor
9:25	5	125	3.15	0.85	7.23	1.20	6.89	0.28	18.6	-65.6	Clear	No Odor
9:30	5	125	3.15	1.02	7.23	1.20	7.22	0.24	18.6	-65.9	Clear	No Odor
9:35	5	125	3.15	1.19	7.23	1.20	6.81	0.20	18.6	-66.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments About 3 inches of water in vault, bailed out water before opening j-plug

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12101 Brewster; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: no



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-172S	Date	8-2-21
Project Name/Location	Ford LTP			Weather	71.1 degrees F and Mostly Clear. The wind is blowing at 3.4 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4.5-9.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.11	Total Depth (ft-bmp)	8.91	Water Column (ft.)	3.80
		Pump Intake (ft-bmp)	6.61	Purge Method	Low-Flow
		Well Volumes Purged	3.23	Gallons in Well	0.62
				Sample Method	Grab

Sample Time:	Label	12:39	Volume Purged	2 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	11:41						
	Purge End	12:45						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:42	0	150	5.24	0.00	7.42	0.32	406.00	4.05	22.3	111.5	Cloudy	No Odor
11:47	5	140	5.25	0.20	7.30	0.30	337.00	3.35	21.3	123.5	Cloudy	No Odor
11:52	5	140	5.25	0.38	7.35	0.29	241.00	3.47	20.2	124.7	Cloudy	No Odor
11:57	5	140	5.25	0.56	7.37	0.29	185.00	3.49	19.9	123.9	Cloudy	No Odor
12:02	5	140	5.25	0.74	7.38	0.28	143.00	3.69	19.4	122.1	Cloudy	No Odor
12:07	5	140	5.25	0.92	7.36	0.28	78.40	3.97	19.1	121.4	Cloudy	No Odor
12:12	5	140	5.25	1.10	7.37	0.28	42.10	3.96	18.9	119.4	Cloudy	No Odor
12:17	5	140	5.25	1.28	7.37	0.28	31.30	3.96	18.8	118.0	Clear	No Odor
12:22	5	140	5.25	1.46	7.40	0.28	24.60	4.01	18.7	115.5	Clear	No Odor
12:27	5	140	5.25	1.64	7.41	0.28	22.20	4.04	18.5	114.5	Clear	No Odor
12:32	5	140	5.25	1.82	7.40	0.28	24.30	3.74	18.5	112.9	Clear	No Odor
12:37	5	140	5.25	2.00	7.39	0.28	23.00	3.77	18.2	111.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	Well Location:	11701 Boston Post; front yard	Well Locked at Arrival:	yes
	Condition of Well:	Good	Well Locked at Departure:	yes
	Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-173S			Date	8-20-21
Project Name/Location	Ford LTP		Weather	79.0 degrees F and Clear. The wind is blowing north at 3.3 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5.5-10.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.03	Total Depth (ft-bmp)	10.20	Water Column (ft.)	4.17	Gallons in Well	0.68
		Pump Intake (ft-bmp)	7.53	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.50				

Sample Time:	Label	11:15	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:43
-------------	-------

Purge End	11:19
-----------	-------

Page	Line
1	1
2	1
3	1
4	1
5	1
6	1
7	1
8	1
9	1
10	1
11	1
12	1
13	1
14	1
15	1
16	1
17	1
18	1
19	1
20	1
21	1
22	1
23	1
24	1
25	1
26	1
27	1
28	1
29	1
30	1
31	1
32	1
33	1
34	1
35	1
36	1
37	1
38	1
39	1
40	1
41	1
42	1
43	1
44	1
45	1
46	1
47	1
48	1
49	1
50	1
51	1
52	1
53	1
54	1
55	1
56	1
57	1
58	1
59	1
60	1
61	1
62	1
63	1
64	1
65	1
66	1
67	1
68	1
69	1
70	1
71	1
72	1
73	1
74	1
75	1
76	1
77	1
78	1
79	1
80	1
81	1
82	1
83	1
84	1
85	1
86	1
87	1
88	1
89	1
90	1
91	1
92	1
93	1
94	1
95	1
96	1
97	1
98	1
99	1
100	1

Unruh Short

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	11721 Boston Post	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-174S Date 8-4-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Partly Cloudy. The wind is blowing WSW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.29 Total Depth (ft-bmp) 10.20 Water Column (ft.) 2.91 Gallons in Well 0.47
Pump Intake (ft-bmp) 8.79 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.91

Sample Time: Label 14:30 Volume Purged 1.37 gallons Replicate/Code No. Sampled by
Purge Start 13:45
Purge End 14:35

Andrew Banitt

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:46	0	140	7.31	0.00	6.89	0.40	4.26	1.44	16.3	73.9	Clear	No Odor
13:51	5	125	7.31	0.18	7.12	0.39	4.49	0.90	16.1	35.7	Clear	No Odor
13:56	5	125	7.31	0.35	7.20	0.37	3.15	1.00	15.7	28.0	Clear	No Odor
14:01	5	125	7.31	0.52	7.25	0.36	0.61	0.95	15.9	22.5	Clear	No Odor
14:06	5	125	7.31	0.69	7.27	0.36	14.60	0.87	15.7	19.3	Clear	No Odor
14:11	5	125	7.31	0.86	7.27	0.36	4.12	0.58	15.3	17.3	Clear	No Odor
14:16	5	125	7.31	1.03	7.29	0.36	1.29	0.74	15.3	17.9	Clear	No Odor
14:21	5	125	7.31	1.20	7.30	0.36	0.69	0.71	15.3	18.2	Clear	No Odor
14:26	5	125	7.31	1.37	7.30	0.36	0.02	0.67	15.3	17.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11865 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 11865 Boston Post; front yard

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-176S	Date	8-4-21
Project Name/Location	Ford LTP	Weather	75.0 degrees F and Mostly Clear. The wind is blowing W at 2.0 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-10	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.18	Total Depth (ft-bmp)	9.28	Water Column (ft.)	3.10
		Pump Intake (ft-bmp)	7.68	Purge Method	Low-Flow
		Well Volumes Purged	2.10	Gallons in Well	0.50
				Sample Method	Grab

Sample Time:	Label	11:37	Volume Purged	1.05 gallons	Replicate/Code No.	Sampled by
--------------	-------	-------	---------------	--------------	--------------------	------------

Purge Start	11:04
-------------	-------

Purge End	11:42
-----------	-------

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 ml Glass

Number

3

Preservative

HCl

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$

Well Information

Well Location:

11845 Boston Post; front yard

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

Well Completion:

Elush mount

Lock Functioning:

yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



Project No.	30080642.402.01	Well ID	MW-177S			Date	8-5-21
Project Name/Location	Ford LTP		Weather	68.0 degrees F and Mostly Cloudy. The wind is blowing S at 3.4 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-9	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.22	Total Depth (ft-bmp)	7.99	Water Column (ft.)	2.77	Gallons in Well	0.45
		Pump Intake (ft-bmp)	6.72	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.67				

Purge Start	9:21
Purge End	10:04

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Location:	11866 Boston Post; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-178S Date 8-4-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Mostly Clear. The wind is blowing N at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.43 Total Depth (ft-bmp) 8.81 Water Column (ft.) 3.38 Gallons in Well 0.55
Pump Intake (ft-bmp) 6.93 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.49

Sample Time: Label 12:51 Volume Purged 1.37 gallons Replicate/Code No. Sampled by
Purge Start 12:08
Purge End 12:58

Andrew Banitt

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:09	0	140	5.46	0.00	6.39	0.36	39.80	1.63	16.4	122.5	Clear	No Odor
12:14	5	125	5.46	0.18	6.53	0.33	28.80	0.26	16.3	70.5	Clear	No Odor
12:19	5	125	5.48	0.35	6.66	0.32	17.20	0.25	16.2	42.9	Clear	No Odor
12:24	5	125	5.48	0.52	6.77	0.33	7.67	0.31	16.1	27.6	Clear	No Odor
12:29	5	125	5.48	0.69	6.83	0.34	5.47	0.39	16.3	17.7	Clear	No Odor
12:34	5	125	5.48	0.86	6.87	0.34	1.12	0.41	17.0	10.3	Clear	No Odor
12:39	5	125	5.49	1.03	6.91	0.35	1.34	0.45	17.1	3.4	Clear	No Odor
12:44	5	125	5.49	1.20	6.94	0.35	2.82	0.49	17.2	0.0	Clear	No Odor
12:49	5	125	5.49	1.37	6.97	0.36	1.02	0.49	17.1	-2.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11850 Boston Post; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 11850 Boston Post; backyard

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-179S			Date	8-3-21
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Partly Cloudy. The wind is blowing NW at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6-11	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.96	Total Depth (ft-bmp)	10.87	Water Column (ft.)	3.91	Gallons in Well	0.64
		Pump Intake (ft-bmp)	8.46	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.61				

Sample Time:	Label	12:35	Volume Purged	1.03 gallons	Replicate/Code No.	Sampled by
--------------	-------	-------	---------------	--------------	--------------------	------------

Purge Start	12:00
-------------	-------

Purge End	12:38
-----------	-------

Page No.	1233
----------	------

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC			

1:1 DOL, MS 1:1 DOL, trans 1:1 DOL, 1:1 DOL, 1:1 DOL, 1:1 DOL	40 mL Glass	3	HCL
---	-------------	---	-----

1,4-dioxane	40 mL Glass	3	HCL
-------------	-------------	---	-----

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

$1.62 = 0.05$	$2 = 0.15$	$3 = 0.37$	$4 = 0.65$
---------------	------------	------------	------------

Well Location: _____ Well Locked at Arrival: _____

Well Location:	34870 Wadsworth; side yard	Well Locked at Arrival:	yes
----------------	----------------------------	-------------------------	-----

Condition of Well:	Good	Well Locked at Departure:	yes
--------------------	------	---------------------------	-----

Well Completion:	Flush mount	Lock Functioning:	yes
------------------	-------------	-------------------	-----



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-180SR		Date	8-6-21	
Project Name/Location	Ford LTP		Weather	72.0 degrees F and Mostly Cloudy. The wind is blowing S at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6.5-11.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.04	Total Depth (ft-bmp)	10.99	Water Column (ft.)	3.95	Gallons in Well	0.64
		Pump Intake (ft-bmp)	8.54	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.59				

Sample Time:	Label	10:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	9:47
Purge End	10:30

Gang
Schief

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	34891 Wadsworth; front yard		Well Locked at Arrival: yes
Condition of Well:	Good		Well Locked at Departure: yes
Well Completion:	Flush mount		Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/6/2021	9:15	Arrive onsite
8/6/2021	9:20	Record static depth to water
8/6/2021	9:47	Begin purging well
8/6/2021	10:21	Collect sample MW-180SR_080621
8/6/2021	10:30	End purge and turn off pump, begin decon of equipment
8/6/2021	10:41	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____ Gary Schuler _____
--	--	_____
--	--	_____



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-181S Date 8-4-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3.5-8.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.45 Total Depth (ft-bmp) 8.58 Water Column (ft.) 3.13 Gallons in Well 0.51
Pump Intake (ft-bmp) 6.95 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.00

Sample Time: Label 10:16 Volume Purged 2.04 gallons Replicate/Code No. Sampled by Gary Schafer
Purge Start 9:13
Purge End 10:22

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:15	0	125	5.48	0.00	7.32	2.33	8.47	1.93	17.5	-46.6	Clear	No Odor
9:20	5	125	5.48	0.17	7.31	2.46	10.70	1.31	17.4	-68.4	Clear	No Odor
9:25	5	125	5.48	0.34	7.29	2.53	9.74	0.46	17.3	-86.7	Clear	No Odor
9:30	5	125	5.48	0.51	7.26	2.55	8.90	0.37	17.3	-95.7	Clear	No Odor
9:35	5	125	5.48	0.68	7.27	2.53	9.12	0.33	17.2	-96.7	Clear	No Odor
9:40	5	125	5.48	0.85	7.28	2.51	12.90	4.24	17.3	-94.5	Clear	No Odor
9:45	5	125	5.48	1.02	7.29	2.50	9.93	4.02	17.3	-92.9	Clear	No Odor
9:50	5	125	5.48	1.19	7.30	2.48	8.74	3.85	17.5	-90.8	Clear	No Odor
9:55	5	125	5.48	1.36	7.31	2.47	7.44	3.70	17.5	-88.8	Clear	No Odor
10:00	5	125	5.48	1.53	7.31	2.48	6.70	3.72	17.6	-87.5	Clear	No Odor
10:05	5	125	5.48	1.70	7.32	2.49	7.00	3.71	17.6	-85.5	Clear	No Odor
10:10	5	125	5.48	1.87	7.32	2.47	4.80	3.34	17.7	-83.2	Clear	No Odor
10:15	5	125	5.48	2.04	7.33	2.46	5.16	3.67	17.8	-81.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34990 Wadsworth; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-182S Date 8-2-21
Project Name/Location Ford LTP Weather 71.1 degrees F and Mostly Clear. The wind is blowing at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4-9 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.23 Total Depth (ft-bmp) 8.78 Water Column (ft.) 3.55 Gallons in Well 0.58
Pump Intake (ft-bmp) 6.73 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.34

Sample Time: Label 12:36 Volume Purged 1.36 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 11:53
Purge End 12:42

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:55	0	125	5.32	0.00	7.45	0.44	0.58	1.62	18.3	208.8	Clear	No Odor
12:00	5	125	5.32	0.17	7.47	0.44	0.75	1.22	18.4	201.8	Clear	No Odor
12:05	5	125	5.33	0.34	7.47	0.44	0.54	1.07	18.3	195.3	Clear	No Odor
12:10	5	125	5.33	0.51	7.48	0.44	0.19	1.26	18.5	187.7	Clear	No Odor
12:15	5	125	5.33	0.68	7.47	0.44	0.93	1.24	18.5	183.3	Clear	No Odor
12:20	5	125	5.33	0.85	7.48	0.44	0.33	1.25	18.6	177.5	Clear	No Odor
12:25	5	125	5.33	1.02	7.47	0.44	0.08	1.26	18.5	171.6	Clear	No Odor
12:30	5	125	5.34	1.19	7.47	0.44	0.61	1.21	18.4	166.4	Clear	No Odor
12:35	5	125	5.34	1.36	7.47	0.44	0.02	1.18	18.4	161.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34766 Standish; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-183S Date 8-18-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.25 Total Depth (ft-bmp) 12.68 Water Column (ft.) 4.43 Gallons in Well 0.72
Pump Intake (ft-bmp) 9.75 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.82

Sample Time: Label 11:03 Volume Purged 1.31 gallons Replicate/Code No. Sampled by
Purge Start 10:24
Purge End 11:08

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:25	0	150	8.28	0.00	6.75	0.42	1.10	6.07	16.3	179.3	Clear	No Odor
10:30	5	150	8.28	0.20	7.19	0.39	4.96	4.82	15.5	125.3	Clear	No Odor
10:35	5	150	8.30	0.40	7.25	0.36	3.81	4.88	15.4	110.6	Clear	No Odor
10:40	5	150	8.29	0.60	7.32	0.36	2.08	4.97	15.3	103.4	Clear	No Odor
10:45	5	130	8.29	0.80	7.36	0.36	0.52	4.39	15.8	101.5	Clear	No Odor
10:50	5	125	8.28	0.97	7.39	0.36	0.56	4.09	16.1	101.8	Clear	No Odor
10:55	5	125	8.28	1.14	7.40	0.37	0.02	3.95	16.1	102.4	Clear	No Odor
11:00	5	125	8.27	1.31	7.41	0.37	0.02	3.74	16.2	102.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34934 Standish; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-184S Date 8-5-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.92 Total Depth (ft-bmp) 8.72 Water Column (ft.) 2.80 Gallons in Well 0.45
Pump Intake (ft-bmp) 7.42 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.64

Sample Time: Label 11:08 Volume Purged 1.19 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 10:30
Purge End 11:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:31	0	130	5.95	0.00	6.74	0.47	61.40	0.82	14.9	96.4	Cloudy	No Odor
10:36	5	125	5.95	0.17	6.97	0.46	20.90	0.24	14.7	30.8	Clear	No Odor
10:41	5	125	5.95	0.34	7.06	0.49	8.97	0.14	14.6	-1.5	Clear	No Odor
10:46	5	125	5.95	0.51	7.09	0.53	2.53	0.07	14.6	-8.7	Clear	No Odor
10:51	5	125	5.95	0.68	7.12	0.56	0.30	0.07	14.6	-10.0	Clear	No Odor
10:56	5	125	5.95	0.85	7.14	0.57	0.35	0.11	14.7	-11.0	Clear	No Odor
11:01	5	125	5.95	1.02	7.16	0.59	0.02	0.09	14.7	-11.6	Clear	No Odor
11:06	5	125	5.95	1.19	7.18	0.59	0.02	0.09	14.6	-13.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11981 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 11981 Boston Post; side yard

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-185S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 77.0 degrees F and Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description 7.56 Total Depth (ft-bmp) 10.54 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.06 Pump Intake (ft-bmp) 6.50 Water Column (ft.) 2.98 Gallons in Well 0.48
Well Volumes Purged 6.50 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:50 Volume Purged 3.12 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 11:47
Purge End 12:53

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:50	0	200	7.61	0.00	7.64	0.29	1.68	5.83	18.2	101.9	Clear	No Odor
11:55	5	200	7.61	0.26	7.34	0.30	2.35	4.70	17.7	82.2	Clear	No Odor
12:00	5	200	7.61	0.52	7.31	0.32	2.79	3.23	17.5	2.0	Clear	No Odor
12:05	5	200	7.61	0.78	7.28	0.37	2.22	1.74	17.5	-3.3	Clear	No Odor
12:10	5	200	7.61	1.04	7.26	0.38	1.72	1.49	17.5	-22.8	Clear	No Odor
12:15	5	200	7.61	1.30	7.23	0.40	0.76	1.26	17.4	-34.3	Clear	No Odor
12:20	5	200	7.61	1.56	7.23	0.41	1.01	1.12	17.4	-46.7	Clear	No Odor
12:25	5	200	7.61	1.82	7.25	0.43	0.62	1.11	17.4	-50.8	Clear	No Odor
12:30	5	200	7.61	2.08	7.20	0.45	0.95	1.04	17.2	-47.3	Clear	No Odor
12:35	5	200	7.61	2.34	7.21	0.46	0.88	1.03	17.3	-44.5	Clear	No Odor
12:40	5	200	7.61	2.60	7.20	0.46	1.08	0.92	17.3	-38.8	Clear	No Odor
12:45	5	200	7.61	2.86	7.25	0.46	0.29	0.84	17.3	-35.5	Clear	No Odor
12:50	5	200	7.61	3.12	7.23	0.47	0.48	0.69	17.2	-31.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34921 Beacon; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-193S	Date	8-5-21
Project Name/Location	Ford LTP		Weather	64.0 degrees F and Haze. The wind is blowing S at 3.4 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-8	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	3.98	Total Depth (ft-bmp)	7.30	Water Column (ft.)	3.32
		Pump Intake (ft-bmp)	5.48	Purge Method	Low-Flow
		Well Volumes Purged	1.69	Gallons in Well	0.54
				Sample Method	Grab

Sample Time:	Label	8:50	Volume Purged	0.91 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
	Purge Start	8:12						
	Purge End	8:56						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:15	0	100	4.11	0.00	6.73	1.10	15.40	1.12	18.9	-78.3	Clear, Small Black Particulates	Slight Odor
8:20	5	100	4.14	0.13	6.79	1.07	8.90	0.59	18.8	-105.9	Clear, Small Black Particulates	Faint Odor
8:25	5	100	4.15	0.26	6.82	0.99	6.40	0.47	18.8	-120.6	Clear, Small Black Particulates	Faint Odor
8:30	5	100	4.16	0.39	6.90	0.97	4.10	0.39	18.7	-127.3	Clear, Small Black Particulates	Faint Odor
8:35	5	100	4.17	0.52	6.91	0.95	3.16	0.34	18.6	-130.0	Clear, Small Black Particulates	Faint Odor
8:40	5	100	4.18	0.65	6.95	0.92	2.12	0.31	18.5	-131.7	Clear	Faint Odor
8:45	5	100	4.18	0.78	6.96	0.91	2.45	0.31	18.6	-132.4	Clear	Faint Odor
8:50	5	100	4.19	0.91	6.98	0.90	2.18	0.27	18.5	-132.9	Clear, Small Black Particulates	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information		
Well Location:	34940 Beacon, front yard	Well Locked at Arrival: yes
Condition of Well:	Good	Well Locked at Departure: yes
Well Completion:	Flush mount	Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-207S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Weather 75F, overcast
Measuring Pt. Description 7.37 Total Depth (ft-bmp) 8.79 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.37 Pump Intake (ft-bmp) 8.08 Water Column (ft.) 1.42 Gallons in Well 0.23
Well Volumes Purged 6.78 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 13:20 Volume Purged 1.56 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 12:10
Purge End 13:25

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:15	0	100	7.37	0.00	7.74	0.28	33.90	3.41	19.4	98.0	Clear, Turbid	No Odor
12:20	5	100	7.37	0.13	6.98	0.24	27.60	2.25	18.8	125.0	Clear, Turbid	No Odor
12:25	5	100	7.37	0.26	6.97	0.23	23.90	2.06	18.8	119.0	Clear, Turbid	No Odor
12:30	5	100	7.37	0.39	6.98	0.23	19.70	2.05	18.8	114.6	Clear, Turbid	No Odor
12:35	5	100	7.37	0.52	7.04	0.23	12.40	2.05	18.7	105.4	Clear	No Odor
12:40	5	100	7.37	0.65	7.22	0.23	7.39	2.09	18.7	82.5	Clear	No Odor
12:45	5	100	7.37	0.78	7.23	0.23	6.84	2.14	18.7	75.3	Clear	No Odor
12:50	5	100	7.37	0.91	7.30	0.24	3.87	2.15	18.6	68.6	Clear	No Odor
12:55	5	100	7.37	1.04	7.37	0.26	1.19	2.15	18.7	58.5	Clear	No Odor
13:00	5	100	7.37	1.17	7.36	0.26	0.88	2.17	18.7	58.4	Clear	No Odor
13:05	5	100	7.37	1.30	7.42	0.26	0.86	2.17	18.7	55.5	Clear	No Odor
13:10	5	100	7.37	1.43	7.40	0.25	0.02	2.20	18.7	56.2	Clear	No Odor
13:15	5	100	7.37	1.56	7.68	0.26	0.02	2.16	18.7	56.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 12125 Stark; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01 Page 1 of 1

Site Location: Ford LTP 12125 Stark; front yard

Prepared By: Seth Turner

Date	Time	Description of Activities
8/13/2021	12:00	Arrive onsite
8/13/2021	12:05	Record static depth to water
8/13/2021	12:10	Begin purging well
8/13/2021	13:20	Collect sample MW-207S_081321
8/13/2021	13:25	End purge and turn off pump, begin decon of equipment
8/13/2021	13:30	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	ST
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-214S Date 8-19-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing N at 3 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.70 Total Depth (ft-bmp) 10.89 Water Column (ft.) 4.19 Gallons in Well 0.68
Pump Intake (ft-bmp) 8.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.35

Sample Time: Label 15:15 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 14:25

Purge End 15:18

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:30	0	150	6.72	0.00	7.33	0.96	3.11	2.60	23.0	245.8	Clear, Small Orange Particulates	No Odor
14:35	5	150	6.72	0.20	6.97	2.55	3.35	1.01	22.6	260.0	Clear, Small Orange Particulates	No Odor
14:40	5	150	6.72	0.40	6.96	3.08	3.26	0.77	22.3	79.7	Clear	No Odor
14:45	5	150	6.72	0.60	6.99	3.11	1.93	0.91	22.6	19.7	Clear	No Odor
14:50	5	150	6.72	0.80	6.98	3.30	3.44	0.69	22.1	-26.5	Clear	No Odor
14:55	5	150	6.72	1.00	6.99	3.37	4.43	0.65	22.0	-44.8	Clear	No Odor
15:00	5	150	6.72	1.20	7.00	3.42	2.56	0.63	22.1	-57.7	Clear	No Odor
15:05	5	150	6.72	1.40	7.00	3.44	2.94	0.63	22.1	-62.3	Clear	No Odor
15:10	5	150	6.72	1.60	7.00	3.46	4.35	0.58	22.0	-65.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12400 Belden; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-215S Date 8-20-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Partly Cloudy. The wind is blowing E at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-8 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.82 Total Depth (ft-bmp) 7.58 Water Column (ft.) 2.76 Gallons in Well 0.45
Pump Intake (ft-bmp) 6.32 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.00

Sample Time: Label 14:30 Volume Purged 1.8 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 13:39

Purge End 14:34

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:40	0	150	4.85	0.00	9.11	0.41	26.90	6.11	23.6	88.5	Cloudy	No Odor
13:45	5	150	4.85	0.20	8.58	0.28	24.40	6.00	23.6	110.0	Cloudy	No Odor
13:50	5	150	4.85	0.40	8.45	0.26	23.00	5.57	23.7	128.0	Cloudy	No Odor
13:55	5	150	4.85	0.60	8.27	0.26	21.90	5.71	22.8	153.3	Cloudy	No Odor
14:00	5	150	4.85	0.80	8.21	0.26	20.40	6.06	22.6	167.2	Clear	No Odor
14:05	5	150	4.85	1.00	8.13	0.27	17.90	6.58	22.4	181.3	Clear	No Odor
14:10	5	150	4.85	1.20	8.10	0.28	15.10	6.43	22.4	187.8	Clear	No Odor
14:15	5	150	4.85	1.40	8.07	0.28	13.40	6.37	22.3	196.7	Clear	No Odor
14:20	5	150	4.85	1.60	8.08	0.28	12.40	6.62	22.6	199.9	Clear	No Odor
14:25	5	150	4.85	1.80	8.13	0.28	13.50	6.45	22.6	201.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 35000 Plymouth; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-216S Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing NW at 4.7 mph.
Measuring Pt. Description 7.43 Total Depth (ft-bmp) 10.40 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.93 Pump Intake (ft-bmp) 4.25 Water Column (ft.) 2.97 Gallons in Well 0.48
Well Volumes Purged 4.25 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:08 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 10:06
Purge End 11:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:07	0	125	7.46	0.00	5.89	0.24	2.08	6.38	15.1	196.7	Clear	No Odor
10:12	5	125	7.46	0.17	6.59	0.19	0.02	5.93	15.8	178.1	Clear	No Odor
10:17	5	125	7.48	0.34	6.81	0.23	0.02	4.33	14.2	163.1	Clear	No Odor
10:22	5	125	7.48	0.51	6.92	0.24	0.02	4.11	14.1	156.1	Clear	No Odor
10:27	5	125	7.48	0.68	6.94	0.24	0.02	3.88	14.0	153.2	Clear	No Odor
10:32	5	125	7.48	0.85	6.99	0.24	0.02	3.52	14.1	150.3	Clear	No Odor
10:37	5	125	7.48	1.02	7.02	0.24	0.02	3.32	14.1	148.0	Clear	No Odor
10:42	5	125	7.48	1.19	7.04	0.24	0.02	3.16	14.0	146.3	Clear	No Odor
10:47	5	125	7.48	1.36	7.07	0.25	0.02	2.95	14.0	145.1	Clear	No Odor
10:52	5	125	7.48	1.53	7.11	0.25	0.02	2.77	14.0	143.1	Clear	No Odor
10:57	5	125	7.48	1.70	7.14	0.25	0.02	2.54	13.9	141.6	Clear	No Odor
11:02	5	125	7.48	1.87	7.16	0.25	0.02	2.46	14.0	140.2	Clear	No Odor
11:07	5	125	7.48	2.04	7.17	0.25	0.02	2.65	13.9	139.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34851 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-217S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.65 Total Depth (ft-bmp) 10.20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.15 Pump Intake (ft-bmp) 3.55 Water Column (ft.) 3.55 Gallons in Well 0.58
Well Volumes Purged 3.52 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:16 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 13:13
Purge End 14:30

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:15	0	125	6.70	0.00	7.04	0.47	8.80	0.94	15.4	28.2	Clear	No Odor
13:20	5	125	6.70	0.17	7.05	0.48	9.38	0.45	15.4	8.9	Clear	No Odor
13:25	5	125	6.70	0.34	7.10	0.49	7.79	0.50	15.5	-10.5	Clear	No Odor
13:30	5	125	6.70	0.51	7.11	0.49	9.80	0.74	15.4	-19.7	Clear	No Odor
13:35	5	125	6.70	0.68	7.13	0.49	10.00	0.72	15.4	-24.6	Clear	No Odor
13:40	5	125	6.70	0.85	7.13	0.48	9.30	0.74	15.5	-28.0	Clear	No Odor
13:45	5	125	6.70	1.02	7.15	0.48	8.61	0.73	15.3	-30.4	Clear	No Odor
13:50	5	125	6.70	1.19	7.15	0.48	7.80	0.78	15.1	-31.5	Clear	No Odor
13:55	5	125	6.70	1.36	7.18	0.48	9.75	0.79	15.2	-32.8	Clear	No Odor
14:00	5	125	6.70	1.53	7.18	0.48	8.57	0.77	15.1	-34.0	Clear	No Odor
14:05	5	125	6.70	1.70	7.19	0.48	5.62	0.78	15.1	-35.6	Clear	No Odor
14:10	5	125	6.70	1.87	7.18	0.47	5.21	0.79	15.1	-34.4	Clear	No Odor
14:15	5	125	6.70	2.04	7.20	0.48	4.63	0.77	15.1	-33.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34935 Wadsworth; backyard Well Locked at Arrival: no
Condition of Well: Good Well Locked at Departure: no
Well Completion: Flush mount Lock Functioning: n/a



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-223S	Date	8-20-21
Project Name/Location	Ford LTP			Weather	82.9 degrees F and Mostly Clear. The wind is blowing E/NE at 5.8 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8.5-13.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	10.75	Total Depth (ft-bmp)	13.22	Water Column (ft.)	2.47
		Pump Intake (ft-bmp)	12.25	Purge Method	Low-Flow
		Well Volumes Purged	6.00	Gallons in Well	0.40
				Sample Method	Grab
Sample Time:	Label	13:10	Volume Purged	2.4 gallons	Replicate/Code No.
	Purge Start	12:07			MW-223S-MS_082021.
	Purge End	13:20			MW-223S-MSD_082021
					Sampled by
					Emma Witherspoon

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:10	0	150	10.92	0.00	7.15	2.63	27.70	1.71	21.5	148.3	Clear, Small Orange Particulates	No Odor
12:15	5	150	10.88	0.20	7.13	2.58	17.70	1.03	21.6	114.4	Clear, Small Orange Particulates	No Odor
12:20	5	150	10.88	0.40	7.13	2.55	7.70	0.88	21.4	94.7	Clear, Small Orange Particulates	No Odor
12:25	5	150	10.88	0.60	7.14	2.50	5.15	0.88	21.4	69.3	Clear	No Odor
12:30	5	150	10.88	0.80	7.10	2.42	3.99	0.64	21.2	10.1	Clear	No Odor
12:35	5	150	10.88	1.00	7.12	2.37	3.26	0.61	21.2	-21.7	Clear	No Odor
12:40	5	150	10.88	1.20	7.10	2.31	2.73	0.57	21.1	-36.2	Clear	No Odor
12:45	5	150	10.88	1.40	7.11	2.23	2.43	0.49	21.0	-43.4	Clear	No Odor
12:50	5	150	10.88	1.60	7.12	2.16	2.51	0.46	21.0	-44.6	Clear	No Odor
12:55	5	150	10.88	1.80	7.11	2.11	3.11	0.49	20.7	-41.9	Clear	No Odor
13:00	5	150	10.88	2.00	7.13	2.06	3.22	0.50	20.8	-40.7	Clear	No Odor
13:05	5	150	10.88	2.20	7.12	2.00	3.34	0.48	20.7	-38.7	Clear	No Odor
13:10	5	150	10.88	2.40	7.11	1.97	2.00	0.51	20.7	-34.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	35000 Plymouth, front yard	Well Locked at Arrival:	yes		
Condition of Well:	Good	Well Locked at Departure:	yes		
Well Completion:	Flush mount	Lock Functioning:	yes		

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 35000 Plymouth; front yard

Prepared By: Emma Witherspoon

Date	Time	Description of Activities
8/20/2021	11:50	Arrive onsite
8/20/2021	12:04	Record static depth to water
8/20/2021	12:07	Begin purging well
8/20/2021	13:10	Collect sample MW-223S_082021 and MW-223S-MS_082021, MW-223S-MSD_082021
8/20/2021	13:20	End purge and turn off pump, begin decon of equipment
8/20/2021	13:35	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-225S Date 8-2-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Clear. The wind is blowing N at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.50 Total Depth (ft-bmp) 9.54 Water Column (ft.) 3.04 Gallons in Well 0.49
Pump Intake (ft-bmp) 8.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.16

Sample Time: Label 10:51 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 9:48
Purge End 10:57

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:50	0	125	6.56	0.00	6.77	0.29	4.84	5.33	17.5	218.2	Clear	No Odor
9:55	5	125	6.56	0.17	6.85	0.30	3.58	5.24	17.4	205.8	Clear	No Odor
10:00	5	125	6.57	0.34	6.91	0.31	3.11	5.15	17.3	198.9	Clear	No Odor
10:05	5	125	6.57	0.51	6.97	0.31	3.14	5.20	17.4	195.1	Clear	No Odor
10:10	5	125	6.59	0.68	6.97	0.32	5.01	5.49	17.2	194.2	Clear	No Odor
10:15	5	125	6.60	0.85	7.01	0.32	6.10	5.10	17.1	193.8	Clear	No Odor
10:20	5	125	6.60	1.02	7.05	0.33	8.67	5.08	17.2	193.7	Clear	No Odor
10:25	5	125	6.60	1.19	7.10	0.33	7.65	4.51	17.1	194.0	Clear	No Odor
10:30	5	125	6.60	1.36	7.15	0.34	6.88	4.63	17.2	194.8	Clear	No Odor
10:35	5	125	6.60	1.53	7.17	0.34	4.27	4.70	17.2	195.1	Clear	No Odor
10:40	5	125	6.60	1.70	7.18	0.35	3.10	4.86	17.2	195.5	Clear	No Odor
10:45	5	125	6.60	1.87	7.20	0.35	1.89	4.29	17.2	195.2	Clear	No Odor
10:50	5	125	6.60	2.04	7.21	0.35	1.36	4.31	17.2	196.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34800 Standish; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]

APPENDIX C

Off-site Groundwater Field Sampling Logs

Right-of-Way (ROW) Locations



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-88S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.25 Total Depth (ft-bmp) 12.88 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.25 Pump Intake (ft-bmp) 7.75 Water Column (ft.) 6.63 Gallons in Well 1.08
Well Volumes Purged 1.89 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:06 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 11:03
Purge End 12:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:05	0	125	6.28	0.00	9.42	0.16	1.81	0.97	17.8	38.6	Clear	No Odor
11:10	5	125	6.28	0.17	9.44	0.16	0.63	0.45	17.4	32.0	Clear	No Odor
11:15	5	125	6.28	0.34	9.47	0.16	1.25	0.31	17.2	21.4	Clear	No Odor
11:20	5	125	6.28	0.51	9.48	0.16	1.00	0.32	16.7	13.6	Clear	No Odor
11:25	5	125	6.28	0.68	9.46	0.17	0.72	0.26	16.6	2.7	Clear	No Odor
11:30	5	125	6.28	0.85	9.47	0.17	0.66	0.25	17.0	-11.6	Clear	No Odor
11:35	5	125	6.28	1.02	9.45	0.17	0.44	0.20	16.8	-25.7	Clear	No Odor
11:40	5	125	6.28	1.19	9.43	0.18	0.60	0.21	17.0	-42.6	Clear	No Odor
11:45	5	125	6.28	1.36	9.41	0.18	1.36	0.19	16.9	-62.7	Clear	No Odor
11:50	5	125	6.28	1.53	9.40	0.19	0.52	0.17	16.8	-81.0	Clear	No Odor
11:55	5	125	6.28	1.70	9.40	0.19	0.11	0.17	16.6	-96.1	Clear	No Odor
12:00	5	125	6.28	1.87	9.38	0.19	0.25	0.17	16.5	-111.1	Clear	No Odor
12:05	5	125	6.28	2.04	9.37	0.19	0.02	0.16	16.5	-121.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34965 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/4/2021	10:40	Arrive onsite
8/4/2021	10:44	Record static depth to water
8/4/2021	11:03	Begin purging well
8/4/2021	12:06	Collect sample MW-88S_080421
8/4/2021	12:12	End purge and turn off pump, begin decon of equipment
8/4/2021	12:21	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-89S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description 4.50 Total Depth (ft-bmp) 12.62 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.00 Pump Intake (ft-bmp) 1.52 Water Column (ft.) 8.12 Gallons in Well 1.32
Well Volumes Purged 1.52 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:30 Volume Purged 2 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 10:34
Purge End 11:32

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:35	0	150	4.52	0.00	7.52	1.46	12.40	0.68	17.2	106.3	Clear, Small Orange Particulates	No Odor
10:40	5	150	4.51	0.20	7.32	1.79	6.95	0.32	16.6	72.8	Clear, Small Orange Particulates	No Odor
10:45	5	150	4.51	0.40	7.24	1.97	3.87	0.24	16.4	52.6	Clear, Small Orange Particulates	No Odor
10:50	5	150	4.51	0.60	7.06	2.91	3.77	0.33	16.2	48.0	Clear, Small Orange Particulates	No Odor
10:55	5	150	4.51	0.80	7.01	3.52	2.25	0.35	16.1	29.5	Clear, Small Orange Particulates	No Odor
11:00	5	150	4.51	1.00	7.02	3.76	1.06	0.34	16.1	-2.8	Clear, Small Orange Particulates	No Odor
11:05	5	150	4.51	1.20	7.05	3.91	1.44	0.32	16.1	-41.5	Clear, Small Orange Particulates	No Odor
11:10	5	150	4.51	1.40	7.07	3.97	1.23	0.32	16.0	-62.7	Clear, Small Orange Particulates	No Odor
11:15	5	150	4.51	1.60	7.09	3.98	1.30	0.30	16.1	-79.7	Clear	No Odor
11:20	5	150	4.51	1.80	7.10	3.97	0.82	0.30	16.2	-81.1	Clear	No Odor
11:25	5	150	4.51	2.00	7.12	3.96	1.42	0.30	16.3	-84.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34940 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Emma Witherspoon



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-90S Date 8-18-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description 3.88 Total Depth (ft-bmp) 12.20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.38 Pump Intake (ft-bmp) 0.71 Water Column (ft.) 8.32 Gallons in Well 1.35
Well Volumes Purged 0.96 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:01 Volume Purged 0.96 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 10:27
Purge End 11:05

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:30	0	120	3.88	0.00	6.85	1.29	0.02	1.90	21.8	116.7	Clear	No Odor
10:35	5	120	3.88	0.16	6.79	1.24	0.02	1.51	21.9	120.1	Clear	No Odor
10:40	5	120	4.10	0.32	6.77	1.21	0.02	1.22	21.7	127.4	Clear	No Odor
10:45	5	120	4.10	0.48	6.76	1.20	0.02	1.15	21.6	132.4	Clear	No Odor
10:50	5	120	4.10	0.64	6.75	1.19	0.02	1.15	21.6	136.4	Clear	No Odor
10:55	5	120	3.90	0.80	6.74	1.19	0.02	1.15	21.5	140.3	Clear	No Odor
11:00	5	120	3.90	0.96	6.74	1.19	0.02	1.25	21.3	142.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34380 Capitol; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34380 Capitol; side yard

Prepared By: Christian Garrido



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-91S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 72.0 degrees F and Mostly Cloudy. The wind is blowing S at 5.8 mph.
Measuring Pt. Description 5.33 Total Depth (ft-bmp) 11.98 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.83 Pump Intake (ft-bmp) 1.91 Water Column (ft.) 6.65 Gallons in Well 1.08
Well Volumes Purged 2.06 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:27 Volume Purged 2.06 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:24

Purge End 10:32

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:26	0	135	5.36	0.00	6.36	0.82	0.02	1.11	17.3	179.8	Clear	No Odor
9:31	5	125	5.36	0.18	7.13	0.79	0.02	0.26	17.3	132.4	Clear	No Odor
9:36	5	125	5.36	0.35	7.20	0.85	0.02	0.17	17.3	110.9	Clear	No Odor
9:41	5	140	5.37	0.52	7.20	0.91	0.02	0.10	17.2	91.8	Clear	No Odor
9:46	5	125	5.37	0.70	7.20	0.95	0.02	0.13	17.2	76.4	Clear	No Odor
9:51	5	125	5.37	0.87	7.20	0.96	0.02	0.10	17.2	62.6	Clear	No Odor
9:56	5	125	5.37	1.04	7.19	0.98	0.02	0.08	17.1	48.8	Clear	No Odor
10:01	5	125	5.37	1.21	7.20	0.99	0.02	0.05	17.1	36.3	Clear	No Odor
10:06	5	125	5.37	1.38	7.20	0.99	0.02	0.09	17.2	24.5	Clear	No Odor
10:11	5	125	5.37	1.55	7.20	1.00	0.02	0.04	17.3	14.4	Clear	No Odor
10:16	5	125	5.37	1.72	7.21	1.00	0.02	0.07	17.1	5.1	Clear	No Odor
10:21	5	125	5.37	1.89	7.21	1.00	0.02	0.04	17.2	-2.6	Clear	No Odor
10:26	5	125	5.37	2.06	7.21	1.00	0.02	0.09	17.1	-8.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12034 Brewster; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-92S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 75.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 8.1 mph.
Measuring Pt. Description 5.52 Total Depth (ft-bmp) 12.09 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.02 Pump Intake (ft-bmp) 2.02 Water Column (ft.) 6.57 Gallons in Well 1.07
Well Volumes Purged 2.02 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:59 Volume Purged 2.16 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 10:57
Purge End 12:03

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:58	0	140	5.54	0.00	6.99	0.52	0.02	2.06	20.4	132.8	Clear	No Odor
11:03	5	140	5.54	0.18	7.29	0.48	0.02	0.91	19.9	80.4	Clear	No Odor
11:08	5	140	5.54	0.36	7.30	0.47	0.02	0.88	19.8	66.6	Clear	No Odor
11:13	5	140	5.54	0.54	7.31	0.47	0.02	0.81	19.8	60.6	Clear	No Odor
11:18	5	140	5.54	0.72	7.31	0.51	0.02	0.76	19.7	57.5	Clear	No Odor
11:23	5	140	5.54	0.90	7.31	0.54	0.02	0.79	19.8	54.4	Clear	No Odor
11:28	5	140	5.54	1.08	7.30	0.58	0.02	0.74	19.8	49.5	Clear	No Odor
11:33	5	140	5.54	1.26	7.30	0.61	0.02	0.72	19.9	42.9	Clear	No Odor
11:38	5	140	5.54	1.44	7.30	0.63	0.02	0.75	19.8	37.4	Clear	No Odor
11:43	5	140	5.54	1.62	7.30	0.64	0.02	0.74	19.8	30.3	Clear	No Odor
11:48	5	140	5.54	1.80	7.30	0.65	6.09	0.75	20.0	23.6	Clear	No Odor
11:53	5	140	5.54	1.98	7.30	0.66	3.98	0.76	20.0	18.2	Clear	No Odor
11:58	5	140	5.54	2.16	7.30	0.66	2.68	0.74	20.0	14.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12036 Brewster; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-93S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 64.0 degrees F and Partly Cloudy. The wind is blowing W at 0.0 mph.
Measuring Pt. Description 5.51 Total Depth (ft-bmp) 12.03 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.01 Pump Intake (ft-bmp) 1.96 Water Column (ft.) 6.52 Gallons in Well 1.06
Well Volumes Purged 1.96 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:25 Volume Purged 2.08 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:23
Purge End 10:31

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:24	0	160	5.52	0.00	6.24	0.43	0.02	1.96	17.9	127.1	Clear	No Odor
9:29	5	130	5.52	0.21	7.17	0.41	0.02	1.42	17.4	99.0	Clear	No Odor
9:34	5	130	5.52	0.38	7.20	0.42	0.02	0.84	17.2	93.9	Clear	No Odor
9:39	5	125	5.52	0.55	7.23	0.43	0.02	0.75	16.9	87.0	Clear	No Odor
9:44	5	125	5.52	0.72	7.25	0.46	0.02	0.82	16.8	81.9	Clear	No Odor
9:49	5	125	5.52	0.89	7.26	0.53	0.02	0.88	16.8	76.7	Clear	No Odor
9:54	5	125	5.52	1.06	7.28	0.61	0.02	1.08	16.8	67.8	Clear	No Odor
9:59	5	125	5.52	1.23	7.28	0.63	0.02	0.88	16.7	59.1	Clear	No Odor
10:04	5	125	5.52	1.40	7.29	0.64	0.02	0.34	16.8	52.9	Clear	No Odor
10:09	5	125	5.53	1.57	7.31	0.65	0.02	0.35	16.8	45.5	Clear	No Odor
10:14	5	125	5.53	1.74	7.31	0.65	0.02	0.31	16.7	38.3	Clear	No Odor
10:19	5	125	5.53	1.91	7.31	0.65	0.02	0.32	16.7	28.9	Clear	No Odor
10:24	5	125	5.53	2.08	7.33	0.66	0.02	0.33	16.9	24.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 11775 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-94S		Date	8-2-21	
Project Name/Location	Ford LTP		Weather	69.1 degrees F and Clear. The wind is blowing at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.52	Total Depth (ft-bmp)	12.21	Water Column (ft.)	6.69	Gallons in Well	1.09	
		Pump Intake (ft-bmp)	7.02	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.05					

Sample Time:	Label	10:59	Volume Purged	1.14 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	10:25						
	Purge End	11:04						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:27	0	150	5.54	0.00	7.09	0.37	0.57	3.75	17.5	142.7	Clear	No Odor
10:32	5	150	5.54	0.20	7.18	0.41	0.02	1.16	16.6	134.6	Clear	No Odor
10:37	5	135	5.54	0.40	7.19	0.42	0.02	0.78	16.5	132.1	Clear	No Odor
10:42	5	150	5.54	0.58	7.20	0.43	0.02	0.79	16.4	129.5	Clear	No Odor
10:47	5	135	5.54	0.78	7.21	0.43	0.02	0.79	16.4	127.7	Clear	No Odor
10:52	5	140	5.55	0.96	7.22	0.44	0.02	0.79	16.5	125.7	Clear	No Odor
10:57	5	140	5.54	1.14	7.24	0.44	0.02	0.75	16.4	124.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
Gallons/Foot	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	11680 Boston Post; side yard	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	yes	
Well Completion:	Flush mount	Lock Functioning:	yes	



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-103S Date 8-18-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.52 Total Depth (ft-bmp) 6.75 Water Column (ft.) 3.23 Gallons in Well 0.52
Pump Intake (ft-bmp) 5.02 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.73

Sample Time: Label 11:52 Volume Purged 0.9 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 11:18
Purge End 11:56

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:20	0	110	3.50	0.00	6.94	1.10	4.20	1.11	20.6	54.3	Clear	No Odor
11:25	5	110	3.50	0.15	6.91	1.10	3.81	0.59	21.2	-0.7	Clear	No Odor
11:30	5	110	3.50	0.30	6.92	1.06	0.02	0.35	21.0	-8.9	Clear	No Odor
11:35	5	110	3.60	0.45	6.93	1.03	0.02	0.30	20.9	-17.0	Clear	No Odor
11:40	5	110	3.60	0.60	6.94	1.00	0.02	0.30	20.9	-20.6	Clear	No Odor
11:45	5	110	3.60	0.75	6.94	0.99	0.02	0.27	20.8	-24.9	Clear	No Odor
11:50	5	110	3.60	0.90	6.95	0.98	0.02	0.20	20.8	-29.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34424 Capitol; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-104S	Date	8-18-21		
Project Name/Location	Ford LTP	Weather	81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	9-14	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	9.97	Total Depth (ft-bmp)	14.19	Water Column (ft.)	4.22	Gallons in Well	0.69
		Pump Intake (ft-bmp)	11.47	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.59				

Sample Time:	Label	13:50	Volume Purged	1.1 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
--------------	-------	-------	---------------	-------------	--------------------	----	------------	---------------

Purge Start	13:17
-------------	-------

Purge End	13:55
-----------	-------

Purge End	15.55

Andrew Banitt

AS

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	34900 Standish; back yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-109S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.20 Total Depth (ft-bmp) 12.32 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.20 Pump Intake (ft-bmp) 7.70 Water Column (ft.) 6.12 Gallons in Well 0.99
Well Volumes Purged 2.06 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:20 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 13:17
Purge End 14:23

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	6.22	0.00	7.14	0.31	3.97	0.97	17.4	29.7	Clear	No Odor
13:25	5	125	6.22	0.17	7.41	0.43	1.36	1.64	17.6	29.3	Clear	No Odor
13:30	5	128	6.22	0.34	7.47	0.84	1.20	0.74	17.1	22.9	Clear	No Odor
13:35	5	125	6.22	0.51	7.45	0.96	4.16	0.64	17.0	16.7	Clear	No Odor
13:40	5	125	6.22	0.68	7.44	1.10	1.40	0.64	16.9	9.2	Clear	No Odor
13:45	5	125	6.22	0.85	7.44	1.29	0.93	0.60	17.2	4.9	Clear	No Odor
13:50	5	125	6.22	1.02	7.42	1.50	2.07	0.65	17.0	1.1	Clear	No Odor
13:55	5	125	6.22	1.19	7.41	1.60	1.82	0.68	16.9	-5.2	Clear	No Odor
14:00	5	125	6.22	1.36	7.45	1.71	1.11	0.68	16.9	-12.9	Clear	No Odor
14:05	5	125	6.22	1.53	7.44	1.81	2.13	0.69	16.7	-17.7	Clear	No Odor
14:10	5	125	6.22	1.70	7.41	1.89	1.96	0.73	16.3	-21.2	Clear	No Odor
14:15	5	128	6.22	1.87	7.42	1.93	0.91	0.71	16.3	-25.4	Clear	No Odor
14:20	5	125	6.22	2.04	7.43	2.00	1.69	0.95	16.3	-29.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34990 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34990 Beacon; side yard

Prepared By: Emma Witherspoon

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-110S			Date	8-18-21
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Mostly Cloudy. The wind is blowing N/E at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.44	Total Depth (ft-bmp)	12.66	Water Column (ft.)	4.22	Gallons in Well	0.69
		Pump Intake (ft-bmp)	9.94	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.91				

Sample Time:	Label	12:10	Volume Purged	1.32 gallons	Replicate/Code No.	Sampled by
--------------	-------	-------	---------------	--------------	--------------------	------------

Purge Start	11:32
-------------	-------

Purge End	12:15
-----------	-------

Page No.	Date

Andrew Banitt

AS

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL

1,4-dioxane	40 mL Glass	3	HCL
-------------	-------------	---	-----

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	34850 Standish; side yard	Well Locked at Arrival:	yes
Condition of Well:	Fair, Missing bolts	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-111S	Date	8-19-21		
Project Name/Location	Ford LTP	Weather	72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.00	Total Depth (ft-bmp)	12.70	Water Column (ft.)	4.70	Gallons in Well	0.76
		Pump Intake (ft-bmp)	9.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.26				

Sample Time:	Label	9:55	Volume Purged	0.96 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	9:23
Purge End	9:58

Chen Hui

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	12051 Stark	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12051 Stark

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-112S Date 8-5-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.65 Total Depth (ft-bmp) 11.64 Water Column (ft.) 4.99 Gallons in Well 0.81
Pump Intake (ft-bmp) 8.15 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.12

Sample Time: Label 15:01 Volume Purged 0.91 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 14:23
Purge End 15:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:25	0	100	6.65	0.00	6.65	0.20	11.10	1.22	18.6	17.5	Clear	No Odor
14:30	5	100	6.65	0.13	6.63	0.21	9.87	0.52	18.6	10.5	Clear	No Odor
14:35	5	100	6.65	0.26	6.65	0.22	10.30	0.44	18.6	4.5	Clear	No Odor
14:40	5	100	6.65	0.39	6.67	0.22	8.17	0.60	18.6	1.2	Clear	No Odor
14:45	5	100	6.65	0.52	6.68	0.22	5.20	0.64	18.6	-2.1	Clear	No Odor
14:50	5	100	6.65	0.65	6.68	0.22	3.18	0.58	18.4	-4.7	Clear	No Odor
14:55	5	100	6.65	0.78	6.69	0.22	1.39	0.57	18.5	-7.3	Clear	No Odor
15:00	5	100	6.65	0.91	6.69	0.22	2.37	0.59	18.4	-11.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34935 Wadsworth; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-115S Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 73.9 degrees F and Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description 4.82 Total Depth (ft-bmp) 12.48 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.82 Pump Intake (ft-bmp) 6.32 Water Column (ft.) 7.66 Gallons in Well 1.24
Well Volumes Purged 1.15 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:21 Volume Purged 1.43 gallons Replicate/Code No. DUP-09 Sampled by Gary Schafer

Purge Start 9:22

Purge End 10:38

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:25	0	100	4.82	0.00	7.20	1.62	93.40	1.61	19.9	144.3	Brown, Turbid	No Odor
9:30	5	100	4.83	0.13	7.25	1.68	42.20	0.48	19.6	77.8	Brown, Turbid	No Odor
9:35	5	100	4.83	0.26	7.26	1.73	24.70	0.27	19.6	39.6	Brown, Clear	No Odor
9:40	5	100	4.83	0.39	7.26	1.77	19.70	0.33	19.5	12.2	Clear	No Odor
9:45	5	100	4.83	0.52	7.27	1.80	16.80	0.47	19.6	-4.3	Clear	No Odor
9:50	5	100	4.83	0.65	7.27	1.82	14.50	0.45	19.7	-13.5	Clear	No Odor
9:55	5	100	4.83	0.78	7.28	1.83	12.80	0.45	19.8	-20.2	Clear	No Odor
10:00	5	100	4.83	0.91	7.28	1.84	13.90	0.44	19.7	-24.8	Clear	No Odor
10:05	5	100	4.83	1.04	7.27	1.88	9.82	0.54	19.8	-30.0	Clear	No Odor
10:10	5	100	4.83	1.17	7.27	1.88	8.71	0.53	19.6	-33.2	Clear	No Odor
10:15	5	100	4.83	1.30	7.27	1.90	9.08	0.52	19.7	-36.2	Clear	No Odor
10:20	5	100	4.83	1.43	7.27	1.91	8.70	0.53	19.7	-37.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>12070 Boston Post; front yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-116S Date 8-9-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Haze. The wind is blowing at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.01 Total Depth (ft-bmp) 12.78 Water Column (ft.) 4.77 Gallons in Well 0.78
Pump Intake (ft-bmp) 9.51 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.18

Sample Time: Label 11:06 Volume Purged 1.7 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 10:13

Purge End 11:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:15	0	125	8.05	0.00	6.95	0.18	3.20	2.86	17.9	50.2	Clear	No Odor
10:20	5	125	8.05	0.17	6.90	0.19	5.90	2.44	17.7	49.7	Clear	No Odor
10:25	5	125	8.05	0.34	6.98	0.20	5.78	1.95	17.5	40.6	Clear	No Odor
10:30	5	125	8.05	0.51	7.05	0.21	5.95	2.37	17.6	35.2	Clear	No Odor
10:35	5	125	8.05	0.68	7.09	0.21	3.18	2.38	17.7	29.6	Clear	No Odor
10:40	5	125	8.05	0.85	7.11	0.21	4.15	2.36	17.6	25.8	Clear	No Odor
10:45	5	125	8.05	1.02	7.12	0.22	4.07	2.38	17.7	24.2	Clear	No Odor
10:50	5	125	8.05	1.19	7.12	0.22	0.21	2.41	17.6	23.8	Clear	No Odor
10:55	5	125	8.05	1.36	7.14	0.23	1.44	2.37	17.5	24.5	Clear	No Odor
11:00	5	125	8.05	1.53	7.15	0.23	2.70	2.35	17.8	23.0	Clear	No Odor
11:05	5	125	8.05	1.70	7.15	0.23	0.46	2.30	17.9	21.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34851 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-117S Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 78.1 degrees F and Cloudy. The wind is blowing SW at 13.9 mph.
Measuring Pt. Description 6.80 Total Depth (ft-bmp) 12.42 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.80 Pump Intake (ft-bmp) 8.30 Water Column (ft.) 5.62 Gallons in Well 0.91
Well Volumes Purged 2.64 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:25 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 11:20

Purge End 12:28

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:25	0	150	6.84	0.00	7.08	0.44	9.94	2.01	17.5	173.0	Clear, Small Orange Particulates	No Odor
11:30	5	150	6.82	0.20	7.07	0.46	9.01	1.47	16.9	154.7	Clear, Small Orange Particulates	No Odor
11:35	5	150	6.82	0.40	7.12	0.61	6.40	1.02	17.0	135.2	Clear, Small Orange Particulates	No Odor
11:40	5	150	6.82	0.60	7.52	0.73	6.52	0.88	17.1	115.7	Clear, Small Orange Particulates	No Odor
11:45	5	150	6.82	0.80	7.20	0.85	3.90	0.73	16.8	79.1	Clear	No Odor
11:50	5	150	6.82	1.00	7.23	0.92	4.74	0.64	16.9	45.2	Clear	No Odor
11:55	5	150	6.82	1.20	7.26	0.99	3.30	0.55	16.9	19.0	Clear	No Odor
12:00	5	150	6.82	1.40	7.28	1.07	3.37	0.54	16.8	-4.3	Clear	No Odor
12:05	5	150	6.82	1.60	7.29	1.08	13.30	0.52	16.7	-18.1	Clear, Small Orange Particulates	No Odor
12:10	5	150	6.82	1.80	7.27	1.09	1.83	0.50	16.9	-25.4	Clear	No Odor
12:15	5	150	6.82	2.00	7.33	1.12	1.91	0.48	16.9	-34.3	Clear	No Odor
12:20	5	150	6.82	2.20	7.34	1.11	6.97	0.48	17.6	-41.3	Clear	No Odor
12:25	5	150	6.82	2.40	7.37	1.11	3.68	0.49	17.4	-45.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information
Well Location: 12089 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-118S Date 8-10-21
Project Name/Location Ford LTP Weather 82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.71 Total Depth (ft-bmp) 12.39 Water Column (ft.) 6.68 Gallons in Well 1.09
Pump Intake (ft-bmp) 7.21 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.44

Sample Time: Label 13:56 Volume Purged 1.57 gallons Replicate/Code No. Sampled by Gary Schafer
Purge Start 12:52
Purge End 14:10

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:55	0	100	5.74	0.00	7.21	0.55	20.90	1.73	19.0	154.0	Turbid	No Odor
13:00	5	100	5.74	0.13	7.18	0.56	13.60	1.11	18.8	145.8	Clear	No Odor
13:05	5	100	5.74	0.26	7.19	0.62	6.28	1.12	18.4	138.1	Clear	No Odor
13:10	5	100	5.74	0.39	7.19	0.74	4.65	0.99	18.7	130.7	Clear	No Odor
13:15	5	100	5.74	0.52	7.19	0.86	3.04	0.84	18.4	118.8	Clear	No Odor
13:20	5	100	5.74	0.65	7.17	0.97	1.23	0.79	18.4	112.3	Clear	No Odor
13:25	5	109	5.74	0.78	7.17	1.16	0.30	0.60	18.4	90.4	Clear	No Odor
13:30	5	100	5.74	0.92	7.16	1.28	0.60	0.58	18.2	70.3	Clear	No Odor
13:35	5	100	5.74	1.05	7.18	1.36	1.61	0.43	18.6	47.0	Clear	No Odor
13:40	5	100	5.74	1.18	7.19	1.39	1.30	0.43	18.6	31.3	Clear	No Odor
13:45	5	100	5.75	1.31	7.20	1.34	1.68	0.45	18.9	14.5	Clear	No Odor
13:50	5	100	5.75	1.44	7.20	1.30	1.01	0.43	18.9	7.0	Clear	No Odor
13:55	5	100	5.75	1.57	7.19	1.48	0.49	0.40	18.7	6.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12124 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-119S Date 8-5-21
Project Name/Location Ford LTP Weather 77.0 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.62 Total Depth (ft-bmp) 12.30 Water Column (ft.) 7.68 Gallons in Well 1.25
Pump Intake (ft-bmp) 6.12 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.64

Sample Time: Label 12:41 Volume Purged 2.05 gallons Replicate/Code No. Sampled by
Purge Start 11:38
Purge End 12:47

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:40	0	140	4.64	0.00	6.73	0.64	5.73	2.19	17.8	115.1	Clear	No Odor
11:45	5	130	4.63	0.18	7.13	0.62	0.02	0.93	17.5	62.1	Clear	No Odor
11:50	5	125	4.64	0.35	7.18	0.62	0.02	0.84	17.7	59.6	Clear	No Odor
11:55	5	125	4.64	0.52	7.18	0.71	0.02	0.53	17.7	61.4	Clear	No Odor
12:00	5	125	4.64	0.69	7.18	0.80	0.02	0.45	17.6	60.0	Clear	No Odor
12:05	5	125	4.64	0.86	7.19	0.87	0.02	0.48	17.7	57.4	Clear	No Odor
12:10	5	125	4.64	1.03	7.18	0.90	0.50	0.55	17.8	54.5	Clear	No Odor
12:15	5	125	4.64	1.20	7.18	0.93	1.12	0.55	17.8	51.3	Clear	No Odor
12:20	5	125	4.64	1.37	7.18	0.97	0.65	0.54	17.9	47.9	Clear	No Odor
12:25	5	125	4.64	1.54	7.18	1.02	0.02	0.54	18.1	43.2	Clear	No Odor
12:30	5	125	4.64	1.71	7.17	1.06	1.65	0.51	18.0	39.8	Clear	No Odor
12:35	5	125	4.64	1.88	7.18	1.06	0.02	0.50	18.1	33.8	Clear	No Odor
12:40	5	125	4.64	2.05	7.18	1.09	0.02	0.51	17.9	29.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 12034 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12034 Boston Post; side yard

Prepared By: Andrew Banitt

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-121S	Date	8-19-21		
Project Name/Location	Ford LTP	Weather	81.0 degrees F and Mostly Clear. The wind is blowing NW at 5 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.81	Total Depth (ft-bmp)	12.08	Water Column (ft.)	6.27	Gallons in Well	1.02
		Pump Intake (ft-bmp)	7.31	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.18				

Sample Time:	Label	12:20	Volume Purged	1.2 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	-------------	--------------------	----	------------	------------------

Purge Start	11:45
Purge End	12:26

El Hazzou

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	11710 Boston Post; side yard		Well Locked at Arrival:
Condition of Well:	Good		Well Locked at Departure:
Well Completion:	Flush mount		Lock Functioning:



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-123S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 79.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 5.8 mph.
Measuring Pt. Description 0.78 Total Depth (ft-bmp) 10.95 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.28 Pump Intake (ft-bmp) 1.31 Water Column (ft.) 10.17 Gallons in Well 1.65
Well Volumes Purged 2.16 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:06 Volume Purged 2.16 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 13:04
Purge End 14:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:05	0	135	0.82	0.00	6.63	0.51	54.80	1.05	22.1	171.0	Cloudy	No Odor
13:10	5	150	0.84	0.18	6.63	0.47	28.50	0.22	21.5	124.8	Clear	No Odor
13:15	5	150	0.84	0.38	6.72	0.47	10.50	0.11	21.3	95.2	Clear	No Odor
13:20	5	170	0.85	0.58	6.79	0.50	5.27	0.04	20.9	70.5	Clear	No Odor
13:25	5	125	0.83	0.80	6.85	0.52	4.97	0.05	21.6	58.7	Clear	No Odor
13:30	5	125	0.83	0.97	6.89	0.55	3.99	0.07	21.5	48.3	Clear	No Odor
13:35	5	125	0.83	1.14	6.89	0.57	3.16	0.06	21.6	44.1	Clear	No Odor
13:40	5	125	0.83	1.31	6.89	0.59	2.62	0.05	21.5	40.6	Clear	No Odor
13:45	5	125	0.83	1.48	6.90	0.61	0.69	0.04	21.5	37.6	Clear	No Odor
13:50	5	125	0.83	1.65	6.90	0.66	0.17	0.04	21.4	34.9	Clear	No Odor
13:55	5	125	0.84	1.82	6.90	0.68	0.36	0.02	21.3	32.1	Clear	No Odor
14:00	5	125	0.83	1.99	6.91	0.74	0.54	0.02	21.5	30.1	Clear	No Odor
14:05	5	125	0.83	2.16	6.91	0.77	0.02	0.02	21.4	27.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12075 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-126S Date 8-18-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 70.0 degrees F and Fog/Mist. The wind is blowing N/NE at 5.8 mph.
Measuring Pt. Description 7.89 Total Depth (ft-bmp) 12.78 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.39 Pump Intake (ft-bmp) 2.05 Water Column (ft.) 4.89 Gallons in Well 0.79
Well Volumes Purged 2.05 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:54 Volume Purged 1.62 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:06
Purge End 10:01

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:07	0	140	7.90	0.00	5.76	0.32	0.02	3.65	16.7	188.8	Clear	No Odor
9:12	5	125	7.90	0.18	7.04	0.28	0.02	2.77	16.0	135.7	Clear	No Odor
9:17	5	160	7.91	0.35	7.36	0.22	0.02	3.06	15.7	113.3	Clear	No Odor
9:22	5	160	7.91	0.56	7.64	0.20	0.02	2.93	15.5	102.7	Clear	No Odor
9:27	5	125	7.91	0.77	7.77	0.19	0.02	2.94	15.9	97.0	Clear	No Odor
9:32	5	125	7.91	0.94	8.00	0.19	0.02	3.13	16.0	92.3	Clear	No Odor
9:37	5	125	7.91	1.11	8.07	0.18	0.02	3.13	16.0	89.6	Clear	No Odor
9:42	5	125	7.91	1.28	8.17	0.18	0.02	3.31	16.0	88.0	Clear	No Odor
9:47	5	125	7.91	1.45	8.23	0.18	0.02	3.37	16.0	87.6	Clear	No Odor
9:52	5	125	7.91	1.62	8.23	0.18	0.02	3.34	16.0	87.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34966 Standish; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34966 Standish; side yard

Prepared By: Andrew Banitt

Date	Time	Description of Activities
8/18/2021	8:55	Arrive onsite
8/18/2021	9:00	Record static depth to water
8/18/2021	9:06	Begin purging well
8/18/2021	9:54	Collect sample MW-126S_081821
8/18/2021	10:01	End purge and turn off pump, begin decon of equipment
8/18/2021	10:10	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____  _____
--	--	_____
--	--	_____



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-127S Date 8-11-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing SW at 9.2 mph.
Measuring Pt. Description 2.35 Total Depth (ft-bmp) 12.27 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.85 Pump Intake (ft-bmp) 1.27 Water Column (ft.) 9.92 Gallons in Well 1.61
Well Volumes Purged 1.27 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:12 Volume Purged 2.05 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:10

Purge End 10:17

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:11	0	140	2.40	0.00	6.46	0.62	0.50	0.98	20.5	172.5	Clear	No Odor
9:16	5	130	2.40	0.18	6.82	0.73	3.81	0.24	20.1	131.3	Clear	No Odor
9:21	5	125	2.40	0.35	6.84	1.17	2.43	0.13	20.0	108.4	Clear	No Odor
9:26	5	125	2.40	0.52	6.90	1.35	1.96	0.09	19.8	63.3	Clear	No Odor
9:31	5	125	2.40	0.69	6.95	1.38	2.38	0.05	19.8	38.0	Clear	No Odor
9:36	5	125	2.41	0.86	6.98	1.41	2.87	0.04	19.7	24.5	Clear	No Odor
9:41	5	125	2.41	1.03	7.01	1.43	1.52	0.05	19.6	15.8	Clear	No Odor
9:46	5	125	2.41	1.20	7.02	1.44	1.22	0.03	19.7	7.2	Clear	No Odor
9:51	5	125	2.41	1.37	7.03	1.46	3.65	0.05	19.8	-0.6	Clear	No Odor
9:56	5	125	2.41	1.54	7.04	1.47	0.95	0.05	19.8	-7.7	Clear	No Odor
10:01	5	125	2.41	1.71	7.05	1.48	0.08	0.03	19.8	-13.8	Clear	No Odor
10:06	5	125	2.41	1.88	7.06	1.49	0.38	0.02	19.8	-19.8	Clear	No Odor
10:11	5	125	2.42	2.05	7.07	1.49	0.10	0.02	19.8	-25.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>34424 Beacon; side yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34424 Beacon; side yard

Prepared By: Andrew Banitt

Date	Time	Description of Activities
8/11/2021	9:00	Arrive onsite
8/11/2021	9:05	Record static depth to water
8/11/2021	9:10	Begin purging well
8/11/2021	10:12	Collect sample MW-127S_081121
8/11/2021	10:17	End purge and turn off pump, begin decon of equipment
8/11/2021	10:25	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-128S	Date	8-13-21		
Project Name/Location	Ford LTP	Weather	78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-14	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.61	Total Depth (ft-bmp)	13.06	Water Column (ft.)	6.45	Gallons in Well	1.05
		Pump Intake (ft-bmp)	8.11	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.08				

Sample Time:	Label	12:35	Volume Purged	1.13 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
--------------	-------	-------	---------------	--------------	--------------------	----	------------	---------------

Purge Start	12:02
Purge End	12:40

AS

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information	
Well Location:	Well Locked at Arrival:
34360 Capitol; front yard	yes
Condition of Well:	Well Locked at Departure:
Good	yes
Well Completion:	Lock Functioning:
Flush mount	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-130S			Date	8-6-21
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	4.30	Total Depth (ft-bmp)	13.17	Water Column (ft.)	8.87	Gallons in Well	1.44
		Pump Intake (ft-bmp)	5.80	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.71				

Sample Time:	Label	11:41	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:07
-------------	-------

Purge Start	11:57
Purge End	11:55

Purge End	11.55

Gary Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL

	40 mL Glass	5	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	34600 Beacon; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34600 Beacon; front yard

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/6/2021	10:50	Arrive onsite
8/6/2021	10:53	Record static depth to water
8/6/2021	11:07	Begin purging well
8/6/2021	11:41	Collect sample MW-130S_080621
8/6/2021	11:55	End purge and turn off pump, begin decon of equipment
8/6/2021	12:01	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____ <i>Gary Schuler</i>
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-143S	Date	8-18-21		
Project Name/Location	Ford LTP	Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing NE at 9.2 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5.5-10.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.30	Total Depth (ft-bmp)	10.10	Water Column (ft.)	2.80	Gallons in Well	0.45
		Pump Intake (ft-bmp)	8.80	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.27				

Sample Time:	Label	15:26	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	14:53
-------------	-------

Purge End	15:35
-----------	-------

Gary
Schief

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	12069 Stark; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12069 Stark; front yard

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-144S Date 8-19-21
Project Name/Location Ford LTP Weather 81.0 degrees F and Mostly Clear. The wind is blowing north at 3.5 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 7-12 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.20 Total Depth (ft-bmp) 11.68 Water Column (ft.) 3.48 Gallons in Well 0.57
Pump Intake (ft-bmp) 9.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.05

Sample Time: Label 11:51 Volume Purged 1.17 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:13

Purge End 11:55

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	120	8.20	0.00	7.72	0.59	20.50	5.72	20.4	77.5	Clear	No Odor
11:20	5	120	8.20	0.16	7.33	0.57	14.20	1.11	18.7	59.0	Clear	No Odor
11:25	5	130	8.40	0.32	7.24	0.59	8.41	0.59	18.0	44.3	Clear	No Odor
11:30	5	130	8.40	0.49	7.27	0.59	4.83	0.60	17.7	39.7	Clear	No Odor
11:35	5	130	8.40	0.66	7.27	0.58	3.97	0.57	17.7	36.6	Clear	No Odor
11:40	5	130	8.40	0.83	7.28	0.58	4.84	0.55	17.8	29.8	Clear	No Odor
11:45	5	130	8.40	1.00	7.29	0.58	4.53	0.51	18.0	28.7	Clear	No Odor
11:50	5	130	8.30	1.17	7.28	0.59	4.02	0.50	18.0	29.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>12033 Stark; front yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



Page 1 of 1

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-145S		Date	8-13-21	
Project Name/Location	Ford LTP		Weather	73.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 8.1 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6-11	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	6.23	Total Depth (ft-bmp)	9.95	Water Column (ft.)	3.72	Gallons in Well	0.60	
		Pump Intake (ft-bmp)	7.73	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	2.33					

Sample Time:	Label	9:42	Volume Purged	1.4 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	9:05						
	Purge End	9:49						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:06	0	150	6.27	0.00	6.53	1.60	3.50	1.20	17.4	172.0	Clear	No Odor
9:11	5	150	6.28	0.20	6.94	1.53	4.07	0.30	17.0	28.0	Clear	No Odor
9:16	5	150	6.28	0.40	7.01	1.45	0.02	0.12	16.8	-3.7	Clear	No Odor
9:21	5	150	6.29	0.60	7.03	1.35	0.02	0.09	16.8	-12.6	Clear	No Odor
9:26	5	150	6.29	0.80	7.04	1.31	0.02	0.04	16.7	-18.1	Clear	No Odor
9:31	5	150	6.29	1.00	7.05	1.26	0.02	0.04	16.7	-21.4	Clear	No Odor
9:36	5	150	6.29	1.20	7.05	1.24	0.02	0.03	16.6	-22.7	Clear	No Odor
9:41	5	150	6.29	1.40	7.06	1.24	0.02	0.03	16.6	-24.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	12087 Stark; back yard
Condition of Well:	Good
Well Completion:	Flush mount
Well Locked at Arrival:	yes
Well Locked at Departure:	yes
Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-146S Date 8-12-21
Project Name/Location Top of Casing Weather 82.0 degrees F and Mostly Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 6-11 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.06 Total Depth (ft-bmp) 9.83 Water Column (ft.) 4.77 Gallons in Well 0.78
Pump Intake (ft-bmp) 6.56 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.54

Sample Time: Label 14:54 Volume Purged 1.98 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 14:05
Purge End 14:59

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:06	0	200	5.13	0.00	6.90	0.48	113.00	5.51	23.7	170.2	Cloudy	No Odor
14:11	5	200	5.14	0.26	6.87	0.93	59.50	2.92	21.1	115.9	Clear	No Odor
14:16	5	200	5.15	0.52	6.88	1.08	21.50	2.28	20.1	76.0	Clear	No Odor
14:21	5	200	5.15	0.78	6.90	1.23	18.20	1.99	19.7	68.8	Clear	No Odor
14:26	5	200	5.16	1.04	6.90	1.29	15.00	1.87	19.4	57.5	Clear	No Odor
14:31	5	125	5.13	1.30	6.90	1.34	8.65	1.45	19.8	53.2	Clear	No Odor
14:36	5	125	5.12	1.47	6.91	1.35	9.45	1.57	19.9	51.6	Clear	No Odor
14:41	5	125	5.12	1.64	6.92	1.35	3.99	1.58	19.7	51.7	Clear	No Odor
14:46	5	125	5.12	1.81	6.92	1.36	3.45	1.60	19.6	51.2	Clear	No Odor
14:51	5	125	5.12	1.98	6.92	1.37	3.75	1.54	19.7	51.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34367 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-147S Date 8-18-21
Project Name/Location Ford LTP Weather 70.0 degrees F and Fog/Mist. The wind is blowing N/NE at 5.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.70 Total Depth (ft-bmp) 7.20 Water Column (ft.) 3.50 Gallons in Well 0.57
Pump Intake (ft-bmp) 5.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.14

Sample Time: Label 9:56 Volume Purged 1.22 gallons Replicate/Code No. Sampled by Christian Garrido
Purge Start 9:19
Purge End 10:02

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:20	0	120	3.70	0.00	7.43	1.71	15.80	3.83	19.3	51.6	Clear, Small Orange Particulates	No Odor
9:25	5	130	3.70	0.16	7.03	1.56	10.80	0.94	19.2	-27.3	Clear, Small Orange Particulates	No Odor
9:30	5	130	3.90	0.33	7.02	1.51	8.42	1.04	19.3	3.7	Clear, Small Orange Particulates	No Odor
9:35	5	140	3.90	0.50	7.02	1.48	0.49	0.94	19.4	6.9	Clear, Small Orange Particulates	No Odor
9:40	5	140	3.90	0.68	7.01	1.45	0.02	0.78	19.5	0.0	Clear, Small Orange Particulates	No Odor
9:45	5	140	3.80	0.86	7.01	1.44	0.02	0.73	19.5	1.0	Clear, Small Orange Particulates	No Odor
9:50	5	140	3.80	1.04	7.01	1.43	0.02	0.70	19.5	1.0	Clear	No Odor
9:55	5	140	3.80	1.22	7.02	1.43	0.02	0.70	19.6	0.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34401 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Christian Garrido

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-148S Date 8-12-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.7 Weather 80.1 degrees F and Mostly Cloudy. The wind is blowing SW at 10.3 mph.
Measuring Pt. Description 0.70 Total Depth (ft-bmp) 6.32 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.20 Pump Intake (ft-bmp) 2.20 Water Column (ft.) 5.62 Gallons in Well 0.91
Well Volumes Purged 2.32 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 13:35 Volume Purged 2.11 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 12:47
Purge End 13:41

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:48	0	135	0.74	0.00	6.72	1.51	25.30	3.09	19.9	178.0	Clear	No Odor
12:53	5	170	0.77	0.18	6.93	1.46	22.70	2.22	19.1	131.6	Clear	No Odor
12:58	5	225	0.78	0.40	6.95	1.46	16.90	1.51	18.8	111.1	Clear	No Odor
13:03	5	225	0.78	0.70	6.97	1.47	6.97	1.02	18.7	85.9	Clear	No Odor
13:08	5	225	0.79	1.00	6.98	1.46	5.66	0.83	18.4	65.8	Clear	No Odor
13:13	5	225	0.80	1.30	6.97	1.45	4.20	0.81	18.4	50.0	Clear	No Odor
13:18	5	125	0.78	1.60	6.99	1.45	4.43	0.85	19.2	45.4	Clear	No Odor
13:23	5	125	0.79	1.77	6.99	1.45	4.64	0.78	18.9	40.3	Clear	No Odor
13:28	5	125	0.78	1.94	6.99	1.45	1.79	0.71	19.1	38.2	Clear	No Odor
13:33	5	125	0.79	2.11	6.99	1.44	2.78	0.73	19.1	35.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12088 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM



Project No.	30080642.402.01		Well ID	MW-149S		Date	8-11-21	
Project Name/Location	Ford LTP		Weather		75.0 degrees F and Cloudy. The wind is blowing S/SW at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	1.95	Total Depth (ft-bmp)	6.48	Water Column (ft.)	4.53	Gallons in Well	0.74	
		Pump Intake (ft-bmp)	3.45	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.86					

Sample Time:	Label	11:21	Volume Purged	1.38 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
--------------	-------	-------	---------------	--------------	--------------------	----	------------	---------------

Purge Start	10:38
-------------	-------

Purge End	11:26
-----------	-------

Andrew Banitt

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	34450 Beacon; back yard		Well Locked at Arrival: yes
Condition of Well:	Good		Well Locked at Departure: yes
Well Completion:	Flush mount		Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-150S Date 8-11-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.7 Weather 82.0 degrees F and Cloudy. The wind is blowing SW at 16.1 mph.
Measuring Pt. Description 3.79 Total Depth (ft-bmp) 6.72 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.29 Pump Intake (ft-bmp) 4.63 Water Column (ft.) 2.93 Gallons in Well 0.48
Well Volumes Purged 4.63 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:51 Volume Purged 2.22 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 13:49
Purge End 14:56

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:50	0	150	3.96	0.00	9.89	1.44	439.00	2.25	22.8	110.8	Cloudy	No Odor
13:55	5	150	3.98	0.20	9.69	1.32	288.00	1.46	21.3	74.8	Cloudy	No Odor
14:00	5	150	3.99	0.40	8.86	1.29	182.00	0.87	20.2	73.8	Cloudy	No Odor
14:05	5	150	3.99	0.60	7.57	1.48	129.00	0.47	19.5	83.5	Cloudy	No Odor
14:10	5	150	4.00	0.80	7.19	1.66	93.90	0.29	19.3	87.0	Clear	No Odor
14:15	5	150	4.00	1.00	7.12	1.73	79.00	0.19	19.2	82.7	Cloudy	No Odor
14:20	5	125	4.00	1.20	7.09	1.76	62.50	0.16	19.1	77.3	Cloudy	No Odor
14:25	5	125	4.00	1.37	7.03	1.79	48.50	0.10	19.0	72.4	Clear	No Odor
14:30	5	125	4.00	1.54	7.01	1.79	32.50	0.09	19.0	68.6	Cloudy	No Odor
14:35	5	125	4.00	1.71	6.97	1.81	28.20	0.03	20.0	66.4	Clear	No Odor
14:40	5	125	4.00	1.88	7.00	1.81	28.70	0.08	20.2	64.3	Clear	No Odor
14:45	5	125	4.00	2.05	6.99	1.80	23.60	0.05	20.1	62.7	Clear	No Odor
14:50	5	125	4.00	2.22	6.98	1.79	20.50	0.05	19.9	60.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34380 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-151S	Date	8-12-21
Project Name/Location	Ford LTP	Weather	72.0 degrees F and Cloudy. The wind is blowing SW at 10.3 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-7.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	0.99	Total Depth (ft-bmp)	6.91	Water Column (ft.)	5.92
		Pump Intake (ft-bmp)	2.49	Purge Method	Low-Flow
		Well Volumes Purged	1.79	Gallons in Well	0.96
				Sample Method	Grab

Sample Time:	Label	11:45	Volume Purged	1.72 gallons	Replicate/Code No.	Sampled by
--------------	-------	-------	---------------	--------------	--------------------	------------

Purge Start	10:52
-------------	-------

Purge End	11:50
-----------	-------

Andrew Banitt

AS

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL

1,4-dioxane	40 mL Glass	3	HCL
-------------	-------------	---	-----

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:


SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12091 Brewster; back yard

Prepared By: Andrew Banitt

Date	Time	Description of Activities
8/12/2021	10:40	Arrive onsite
8/12/2021	10:48	Record static depth to water
8/12/2021	10:52	Begin purging well
8/12/2021	11:45	Collect sample MW-151S_081221
8/12/2021	11:50	End purge and turn off pump, begin decon of equipment
8/12/2021	12:00	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-152S			Date	8-9-21
Project Name/Location	Ford LTP		Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing S at 10.3 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-7.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	4.62	Total Depth (ft-bmp)	6.68	Water Column (ft.)	2.06	Gallons in Well	0.33
		Pump Intake (ft-bmp)	6.12	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	3.09				

Sample Time:	Label	12:26	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:52
-------------	-------

Purge End	12:35
-----------	-------

Gary
Schulz

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	34550 Beacon; backyard		Well Locked at Arrival:
Condition of Well:	Good		Well Locked at Departure:
Well Completion:	Flush mount		Lock Functioning:



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/9/2021	11:40	Arrive onsite
8/9/2021	11:43	Record static depth to water
8/9/2021	11:52	Begin purging well
8/9/2021	12:26	Collect sample MW-152S_080921
8/9/2021	12:35	End purge and turn off pump, begin decon of equipment
8/9/2021	12:45	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-153S Date 8-12-21
Project Name/Location Top of Casing Weather 72.0 degrees F and Cloudy. The wind is blowing SW at 10.3 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.10 Total Depth (ft-bmp) 5.98 Water Column (ft.) 4.88 Gallons in Well 0.79
Pump Intake (ft-bmp) 2.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.15

Sample Time: Label 12:06 Volume Purged 1.7 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 11:13
Purge End 12:11

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	125	1.10	0.00	7.08	0.68	9.01	2.21	19.6	140.9	Clear	No Odor
11:20	5	125	1.10	0.17	7.06	0.68	8.54	1.70	19.4	134.1	Clear	No Odor
11:25	5	125	1.10	0.34	7.09	0.69	5.89	1.44	19.5	127.6	Clear	No Odor
11:30	5	125	1.10	0.51	7.10	0.68	7.05	1.27	19.2	122.3	Clear	No Odor
11:35	5	125	1.10	0.68	7.09	0.69	5.26	1.19	19.3	120.1	Clear	No Odor
11:40	5	125	1.10	0.85	7.10	0.69	4.72	1.09	19.2	115.9	Clear	No Odor
11:45	5	125	1.10	1.02	7.12	0.69	6.10	1.05	19.5	112.8	Clear	No Odor
11:50	5	125	1.10	1.19	7.11	0.69	3.82	1.04	19.4	109.6	Clear	No Odor
11:55	5	125	1.10	1.36	7.11	0.69	4.14	0.90	19.0	108.5	Clear	No Odor
12:00	5	125	1.10	1.53	7.12	0.70	1.91	0.89	18.9	107.3	Clear	No Odor
12:05	5	125	1.10	1.70	7.12	0.70	1.00	0.90	19.0	106.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Water and cresol in vault covering well casing, bailed out before opening j- plug

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information
Well Location: 34644 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34644 Beacon; back yard

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-154S Date 8-11-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Cloudy. The wind is blowing S/SW at 11.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.66 Total Depth (ft-bmp) 6.98 Water Column (ft.) 2.32 Gallons in Well 0.38
Pump Intake (ft-bmp) 6.16 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.58

Sample Time: Label 14:01 Volume Purged 1.36 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 13:17
Purge End 14:09

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	4.70	0.00	7.52	0.57	2.28	0.93	18.5	148.8	Clear	No Odor
13:25	5	125	4.70	0.17	7.53	0.58	1.33	0.70	18.5	144.2	Clear	No Odor
13:30	5	125	4.70	0.34	7.54	0.59	1.43	0.54	18.3	139.7	Clear	No Odor
13:35	5	125	4.70	0.51	7.54	0.59	0.83	0.57	18.2	136.4	Clear	No Odor
13:40	5	125	4.70	0.68	7.55	0.59	0.03	0.60	18.2	132.5	Clear	No Odor
13:45	5	125	4.70	0.85	7.55	0.60	0.86	0.60	18.3	129.7	Clear	No Odor
13:50	5	125	4.70	1.02	7.55	0.60	0.02	0.59	18.3	127.1	Clear	No Odor
13:55	5	125	4.70	1.19	7.56	0.60	0.71	0.54	18.5	123.5	Clear	No Odor
14:00	5	125	4.70	1.36	7.55	0.60	0.02	0.54	18.5	120.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Water and cersol in vault covering well casing, bailed out before opening j- plug

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34682 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/11/2021	13:00	Arrive onsite
8/11/2021	13:04	Record static depth to water
8/11/2021	13:17	Begin purging well
8/11/2021	14:01	Collect sample MW-154S_081121
8/11/2021	14:09	End purge and turn off pump, begin decon of equipment
8/11/2021	14:12	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____ <i>Gary Schuler</i>
--	--	_____
--	--	_____

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-155S	Date	8-10-21		
Project Name/Location	Ford LTP	Weather	88.0 degrees F and Partly Cloudy.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	3.64	Total Depth (ft-bmp)	6.50	Water Column (ft.)	2.86	Gallons in Well	0.46
		Pump Intake (ft-bmp)	5.14	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.22				

Sample Time:	Label	15:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	14:47
-------------	-------

Purge End	15:36
-----------	-------

Page End 15100

Gary Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments
Water and grey sludge covering well casing, bailed water and sludge before opening i-plug

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/10/2021	14:15	Arrive onsite
8/10/2021	14:34	Record static depth to water
8/10/2021	14:47	Begin purging well
8/10/2021	15:21	Collect sample MW-155S_081021
8/10/2021	15:36	End purge and turn off pump, begin decon of equipment
8/10/2021	15:40	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-156S		Date	8-10-21	
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Cloudy. The wind is blowing SW at 13.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-8	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	5.24	Total Depth (ft-bmp)	7.64	Water Column (ft.)	2.40	Gallons in Well	0.39
		Pump Intake (ft-bmp)	6.74	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.00				

Sample Time:	Label	12:01	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:27
-------------	-------

Purge End 12:12

Sang
Pacheco

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Water and sludge covering well casing, dip out water and grey sludge

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	12100 Boston Post; backyard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-157S Date 8-10-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing W at 15.0 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.07 Total Depth (ft-bmp) 7.15 Water Column (ft.) 2.08 Gallons in Well 0.34
Pump Intake (ft-bmp) 6.57 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.71

Sample Time: Label 14:50 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 14:09
Purge End 14:55

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:10	0	150	5.15	0.00	8.00	0.17	0.54	5.43	18.1	81.4	Clear	No Odor
14:15	5	150	5.15	0.20	7.75	0.18	2.12	4.39	18.0	106.2	Clear	No Odor
14:20	5	150	5.15	0.40	7.66	0.19	1.91	3.83	17.9	108.1	Clear	No Odor
14:25	5	150	5.15	0.60	7.69	0.20	1.80	3.52	17.9	104.5	Clear	No Odor
14:30	5	150	5.15	0.80	7.72	0.20	2.85	3.28	17.9	102.0	Clear, Cloudy, Small Brown Particulates,	No Odor
14:35	5	150	5.15	1.00	7.78	0.21	2.83	3.29	18.0	97.0	Clear	No Odor
14:40	5	150	5.15	1.20	7.76	0.21	1.47	3.20	18.0	98.5	Clear	No Odor
14:45	5	150	5.15	1.40	7.86	0.22	1.16	3.44	18.2	91.1	Clear	No Odor
14:50	5	150	5.15	1.60	7.84	0.22	1.97	3.12	18.0	96.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12067 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-158S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 5.07 Total Depth (ft-bmp) 7.34 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.57 Pump Intake (ft-bmp) 5.51 Water Column (ft.) 2.27 Gallons in Well 0.37
Well Volumes Purged 5.51 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:50 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 14:46
Purge End 15:53

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:50	0	125	5.12	0.00	6.25	0.09	4.42	6.73	19.0	107.8	Clear	No Odor
14:55	5	125	5.12	0.17	6.24	0.10	6.20	6.19	18.8	96.8	Clear	No Odor
15:00	5	125	5.12	0.34	6.35	0.12	5.40	4.84	18.4	95.3	Clear	No Odor
15:05	5	125	5.12	0.51	6.53	0.14	3.73	4.26	18.2	94.2	Clear	No Odor
15:10	5	125	5.12	0.68	6.61	0.15	3.02	4.25	18.0	95.4	Clear	No Odor
15:15	5	125	5.12	0.85	6.74	0.16	3.04	4.17	18.2	92.6	Clear	No Odor
15:20	5	125	5.12	1.02	6.74	0.16	2.31	4.08	18.1	96.2	Clear	No Odor
15:25	5	125	5.12	1.19	6.84	0.17	2.74	3.85	18.4	93.8	Clear	No Odor
15:30	5	128	5.12	1.36	6.82	0.17	2.58	3.87	18.3	96.6	Clear	No Odor
15:35	5	125	5.12	1.53	6.91	0.18	1.65	3.87	18.3	95.7	Clear	No Odor
15:40	5	125	5.12	1.70	6.92	0.18	2.10	3.78	18.4	98.1	Clear	No Odor
15:45	5	125	5.12	1.87	6.99	0.18	1.63	3.91	18.3	96.4	Clear	No Odor
15:50	5	125	5.12	2.04	7.10	0.18	1.44	3.85	18.5	95.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34950 Beacon; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-159S		Date	8-5-21
Project Name/Location	Ford LTP		Weather	82.9 degrees F and Partly Cloudy. The wind is blowing S/E at 4.7 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-9	Casing Diameter (in.)	2	Well Material
Static Water Level (ft-bmp)	6.10	Total Depth (ft-bmp)	8.49	Water Column (ft.)	2.39	Gallons in Well
		Pump Intake (ft-bmp)	7.60	Purge Method	Low-Flow	Sample Method
		Well Volumes Purged	3.49			Grab

Sample Time:	Label	16:45	Volume Purged	1.36 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	16:00
-------------	-------

Purge End	16:48
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

34920 Beacon; side yard

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34920 Beacon; side yard

Prepared By: Emma Witherspoon

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-160S	Date	8-10-21
Project Name/Location	Ford LTP	Weather	73.0 degrees F and Cloudy. The wind is blowing S/SW at 12.8 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-9	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.89	Total Depth (ft-bmp)	8.32	Water Column (ft.)	2.43
		Pump Intake (ft-bmp)	7.39	Purge Method	Low-Flow
		Well Volumes Purged	3.59	Gallons in Well	0.39
				Sample Method	Grab

Sample Time:	Label	8:45	Volume Purged	1.4 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	------	---------------	-------------	--------------------	----	------------	------------------

Purge Start	8:06
-------------	------

Purge End	8:50
-----------	------

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	12141 Boston Post; front yard		Well Locked at Arrival:
Condition of Well:	Good		Well Locked at Departure:
Well Completion:	Flush mount		Lock Functioning:



Page 1 of 1

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-161S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Weather 80.1 degrees F and Partly Cloudy. The wind is blowing SSW at 4.7 mph.
Measuring Pt. Description 4.11 Total Depth (ft-bmp) 7.26 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.11 Pump Intake (ft-bmp) 5.61 Water Column (ft.) 3.15 Gallons in Well 0.51
Well Volumes Purged 2.35 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:32 Volume Purged 1.2 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 13:53
Purge End 14:37

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:54	0	140	4.15	0.00	7.02	0.34	3.88	1.01	19.6	115.9	Clear	No Odor
13:59	5	125	4.16	0.18	7.09	0.30	3.46	0.32	18.8	36.7	Clear	No Odor
14:04	5	125	4.17	0.35	7.13	0.30	0.02	0.31	18.7	-10.1	Clear	No Odor
14:09	5	125	4.17	0.52	7.15	0.29	0.02	0.41	18.1	-37.1	Clear	No Odor
14:14	5	125	4.17	0.69	7.18	0.29	0.02	0.55	18.5	-45.1	Clear	No Odor
14:19	5	125	4.18	0.86	7.20	0.30	0.02	0.67	18.5	-48.0	Clear	No Odor
14:24	5	125	4.18	1.03	7.20	0.30	0.02	0.72	18.4	-50.0	Clear	No Odor
14:29	5	125	4.18	1.20	7.19	0.31	0.02	0.67	18.5	-50.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34851 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-162S Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-8 Weather 88.0 degrees F and Partly Cloudy Wind W 14mph
Measuring Pt. Description 5.30 Total Depth (ft-bmp) 7.71 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.80 Pump Intake (ft-bmp) 5.56 Water Column (ft.) 2.41 Gallons in Well 0.39
Well Volumes Purged 5.56 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:27 Volume Purged 2.17 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 14:24
Purge End 15:31

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:25	0	135	5.32	0.00	5.96	0.21	136.00	8.63	19.6	120.2	Cloudy	No Odor
14:30	5	150	5.34	0.18	6.09	0.16	52.20	6.36	18.7	86.9	Cloudy	No Odor
14:35	5	150	5.35	0.38	6.39	0.15	10.70	7.06	18.5	78.1	Clear	No Odor
14:40	5	150	5.35	0.58	6.53	0.15	6.38	6.80	18.5	69.7	Clear	No Odor
14:45	5	150	5.35	0.78	6.56	0.15	6.49	6.82	18.7	60.1	Clear	No Odor
14:50	5	125	5.34	0.98	6.64	0.15	4.64	6.15	19.5	55.7	Clear	No Odor
14:55	5	125	5.34	1.15	6.65	0.16	4.89	5.71	19.9	49.9	Clear	No Odor
15:00	5	125	5.34	1.32	6.64	0.16	4.64	5.57	19.8	46.8	Clear	No Odor
15:05	5	125	5.34	1.49	6.65	0.17	3.12	5.46	19.9	43.8	Clear	No Odor
15:10	5	125	5.34	1.66	6.67	0.17	1.33	5.23	19.9	41.6	Clear	No Odor
15:15	5	125	5.34	1.83	6.70	0.18	0.10	5.58	19.7	39.6	Clear	No Odor
15:20	5	125	5.34	2.00	6.76	0.18	0.02	4.90	20.0	38.7	Clear	No Odor
15:25	5	125	5.34	2.17	6.79	0.19	0.02	5.58	19.8	38.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 12017 Brewster; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12017 Brewster; side yard

Prepared By: Andrew Banitt

Date	Time	Description of Activities
8/10/2021	14:10	Arrive onsite
8/10/2021	14:19	Record static depth to water
8/10/2021	14:24	Begin purging well
8/10/2021	15:27	Collect sample MW-162S_081021
8/10/2021	15:31	End purge and turn off pump, begin decon of equipment
8/10/2021	15:40	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	_____  _____
--	--	_____
--	--	_____

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-163S		Date	8-5-21	
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	3.80	Total Depth (ft-bmp)	6.75	Water Column (ft.)	2.95	Gallons in Well	0.48	
		Pump Intake (ft-bmp)	5.30	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.63					

Sample Time:	Label	13:46	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	13:13
-------------	-------

Purge End	13:56
-----------	-------

Sang
Pacheco

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	34591 Beacon front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-164S Date 8-11-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-8 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.10 Total Depth (ft-bmp) 7.49 Water Column (ft.) 2.39 Gallons in Well 0.39
Pump Intake (ft-bmp) 6.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.05

Sample Time: Label 12:11 Volume Purged 1.19 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 11:32
Purge End 12:20

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:35	0	125	5.15	0.00	8.07	0.23	11.00	5.28	19.5	110.5	Clear	No Odor
11:40	5	125	5.15	0.17	8.00	0.25	5.51	4.72	19.6	114.1	Clear	No Odor
11:45	5	125	5.15	0.34	8.00	0.26	5.27	4.46	19.5	114.2	Clear	No Odor
11:50	5	125	5.15	0.51	7.99	0.26	4.47	5.18	19.5	115.2	Clear	No Odor
11:55	5	125	5.15	0.68	7.99	0.26	1.53	4.74	19.5	115.9	Clear	No Odor
12:00	5	125	5.15	0.85	7.99	0.27	2.48	4.95	19.8	114.8	Clear	No Odor
12:05	5	125	5.15	1.02	7.99	0.27	2.58	4.57	19.4	116.8	Clear	No Odor
12:10	5	125	5.15	1.19	7.98	0.27	1.93	4.95	19.4	117.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Water in vault covering well casing, bailed out water before opening j- plug

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34637 Beacon; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: no



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-165S Date 8-11-21
Project Name/Location Top of Casing Weather 75.9 degrees F and Mostly Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.13 Total Depth (ft-bmp) 6.29 Water Column (ft.) 2.16 Gallons in Well 0.35
Pump Intake (ft-bmp) 5.63 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 5.83

Sample Time: Label 10:51 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 9:47
Purge End 11:00

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:50	0	125	4.18	0.00	7.22	0.57	16.00	1.41	18.4	199.1	Turbid	No Odor
9:55	5	125	4.18	0.17	7.30	0.57	4.73	0.24	18.4	174.9	Clear	No Odor
10:00	5	125	4.18	0.34	7.30	0.57	1.52	0.22	18.3	170.4	Clear	No Odor
10:05	5	125	4.18	0.51	7.31	0.57	2.08	0.21	18.4	159.4	Clear	No Odor
10:10	5	125	4.19	0.68	7.32	0.57	1.37	0.19	18.4	146.4	Clear	No Odor
10:15	5	125	4.19	0.85	7.33	0.57	1.97	0.18	18.4	136.7	Clear	No Odor
10:20	5	125	4.20	1.02	7.34	0.57	1.69	0.15	18.3	129.6	Clear	No Odor
10:25	5	125	4.20	1.19	7.34	0.57	0.59	0.12	18.4	122.1	Clear	No Odor
10:30	5	125	4.20	1.36	7.34	0.57	1.05	0.11	18.4	114.2	Clear	No Odor
10:35	5	125	4.20	1.53	7.35	0.57	0.70	0.20	18.5	107.9	Clear	No Odor
10:40	5	125	4.20	1.70	7.36	0.57	0.65	0.22	18.5	102.0	Clear	No Odor
10:45	5	125	4.20	1.87	7.35	0.57	0.62	0.20	18.5	97.6	Clear	No Odor
10:50	5	125	4.20	2.04	7.36	0.57	0.87	0.21	18.5	91.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments A little grey sludge around casing, removed about 1/2 inch before opening j-plug

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>34669 Beacon; front yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>no</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-166S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 80F, sunny
Measuring Pt. Description 6.78 Total Depth (ft-bmp) 10.60 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.28 Pump Intake (ft-bmp) 0.42 Water Column (ft.) 3.82 Gallons in Well 0.62
Well Volumes Purged 0.42 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:40 Volume Purged 0.26 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 9:00
Purge End 9:45

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:05	0	100	6.78	0.00	7.35	2.59	6.45	1.46	16.6	146.6	Clear	No Odor
9:10	5	100	6.78	0.13	7.19	2.57	2.57	0.73	16.5	8.9	Clear	No Odor
9:15	5	100	6.78	0.26	7.18	2.51	2.13	0.87	16.6	-26.4	Clear	No Odor
9:20	5	100	6.78	0.39	7.17	2.48	2.01	0.69	16.8	-42.7	Clear	No Odor
9:25	5	100	6.78	0.00	7.18	2.44	0.02	0.54	16.7	-52.4	Clear	No Odor
9:30	5	100	6.78	0.13	7.18	2.46	0.02	0.52	16.6	-50.9	Clear	No Odor
9:35	5	100	6.78	0.26	7.18	2.47	0.02	0.50	16.6	-51.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12147 Stark; Front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01 Page 1 of 1

Site Location: Ford LTP 12147 Stark; Front yard

Prepared By: Seth Turner

Date	Time	Description of Activities
8/13/2021	8:45	Arrive onsite
8/13/2021	8:50	Record static depth to water
8/13/2021	9:00	Begin purging well
8/13/2021	9:40	Collect sample MW-166S_081321
8/13/2021	9:45	End purge and turn off pump, begin decon of equipment
8/13/2021	9:55	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	ST
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-167S Date 8-19-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 5-10 Weather 84.0 degrees F and Mostly Cloudy. The wind is blowing N at 3.4 mph.
Measuring Pt. Description 5.62 Total Depth (ft-bmp) 9.22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.12 Pump Intake (ft-bmp) 4.09 Water Column (ft.) 3.60 Gallons in Well 0.58
Well Volumes Purged 4.09 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:00 Volume Purged 2.37 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 12:58
Purge End 14:05

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:00	0	150	5.65	0.00	7.73	0.62	33.30	4.60	21.3	202.2	Clear, Small Orange Particulates	No Odor
13:05	5	150	5.65	0.20	7.52	0.62	33.00	3.80	21.0	210.0	Clear, Small Orange Particulates	No Odor
13:10	5	150	5.65	0.40	7.35	0.61	21.70	4.24	20.1	216.9	Clear, Small Orange Particulates	No Odor
13:15	5	150	5.65	0.60	7.37	0.62	21.20	4.25	20.4	218.7	Clear, Small Orange Particulates	No Odor
13:20	5	150	5.65	0.80	7.29	0.61	15.60	4.72	19.9	224.9	Clear, Small Orange Particulates	No Odor
13:25	5	150	5.65	1.00	7.31	0.61	12.80	4.68	19.6	228.0	Clear	No Odor
13:30	5	125	5.65	1.20	7.26	0.61	11.30	4.59	19.0	238.3	Clear, Small Orange Particulates	No Odor
13:35	5	150	5.65	1.37	7.25	0.62	10.70	4.70	18.9	244.1	Clear, Small Orange Particulates	No Odor
13:40	5	150	5.65	1.57	7.26	0.63	9.04	4.33	18.9	247.6	Clear, Small Orange Particulates	No Odor
13:45	5	150	5.65	1.77	7.25	0.64	7.27	4.26	18.7	251.0	Clear	No Odor
13:50	5	150	5.65	1.97	7.24	0.65	8.04	4.28	18.8	254.5	Clear, Small Orange Particulates	No Odor
13:55	5	150	5.65	2.17	7.28	0.66	6.41	4.03	19.2	252.9	Clear, Small Orange Particulates	No Odor
14:00	5	150	5.65	2.37	7.26	0.67	5.38	3.84	19.0	255.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12001 Stark; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12001 Stark; front yard

Prepared By: Emma Witherspoon

Date	Time	Description of Activities
8/19/2021	12:50	Arrive onsite
8/19/2021	12:57	Record static depth to water
8/19/2021	12:58	Begin purging well
8/19/2021	14:00	Collect sample MW-167S_081921
8/19/2021	14:05	End purge and turn off pump, begin decon of equipment
8/19/2021	14:15	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-168S Date 8-16-21
Project Name/Location Ford LTP Weather 69.1 degrees F and Cloudy. The wind is blowing NE at 10.3 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.12 Total Depth (ft-bmp) 6.77 Water Column (ft.) 3.65 Gallons in Well 0.59
Pump Intake (ft-bmp) 4.62 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.02

Sample Time: Label 13:21 Volume Purged 1.19 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 12:43
Purge End 13:35

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:45	0	125	3.15	0.00	7.22	0.94	3.99	2.64	19.3	74.8	Clear	No Odor
12:50	5	125	3.15	0.17	7.23	0.95	2.51	2.30	19.3	74.1	Clear	No Odor
12:55	5	125	3.15	0.34	7.23	0.97	1.31	2.08	19.2	73.8	Clear	No Odor
13:00	5	125	3.15	0.51	7.24	0.98	0.94	1.92	19.2	73.4	Clear	No Odor
13:05	5	125	3.15	0.68	7.24	0.98	1.02	2.40	19.2	72.2	Clear	No Odor
13:10	5	125	3.15	0.85	7.24	0.99	0.84	3.01	19.2	70.8	Clear	No Odor
13:15	5	125	3.15	1.02	7.24	0.99	1.34	3.00	19.2	69.3	Clear	No Odor
13:20	5	125	3.15	1.19	7.23	1.00	0.92	2.99	19.2	67.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34480 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34480 Capitol; front yard

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-169S Date 8-16-21
Project Name/Location Ford LTP Weather 69.1 degrees F and Cloudy. The wind is blowing NE at 10.3 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.89 Total Depth (ft-bmp) 6.48 Water Column (ft.) 3.59 Gallons in Well 0.58
Pump Intake (ft-bmp) 4.39 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.76

Sample Time: Label 12:11 Volume Purged 1.02 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 11:37
Purge End 12:20

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:40	0	125	2.90	0.00	7.26	0.75	7.94	0.68	20.3	40.0	Clear	No Odor
11:45	5	125	2.91	0.17	7.26	0.84	4.28	0.35	20.2	29.9	Clear	No Odor
11:50	5	125	2.91	0.34	7.26	0.87	2.96	0.36	20.2	18.1	Clear	No Odor
11:55	5	125	2.91	0.51	7.25	0.88	2.24	0.43	20.2	10.9	Clear	No Odor
12:00	5	125	2.91	0.68	7.25	0.89	1.72	0.58	20.2	5.1	Clear	No Odor
12:05	5	125	2.91	0.85	7.25	0.90	1.25	0.57	20.2	0.5	Clear	No Odor
12:10	5	125	2.92	1.02	7.25	0.90	0.84	0.56	20.1	-2.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34450 Capitol; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34450 Capitol; front yard

Prepared By: Gary Schafer

[illegible]

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-170S	Date	8-9-21
Project Name/Location	Ford LTP	Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing S at 10.3 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4.5-9.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.34	Total Depth (ft-bmp)	9.52	Water Column (ft.)	3.18
		Pump Intake (ft-bmp)	7.84	Purge Method	Low-Flow
		Well Volumes Purged	3.85	Gallons in Well	0.52
				Sample Method	Grab

Sample Time:	Label	12:40	Volume Purged	2 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	-----------	--------------------	----	------------	------------------

Purge Start	11:44
-------------	-------

Purge End	12:42
-----------	-------

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information	
Well Location:	Well Locked at Arrival:
34991 Beacon; back yard	yes
Condition of Well:	Well Locked at Departure:
Good	yes
Well Completion:	Lock Functioning:
Flush mount	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34991 Beacon; back yard

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-171S Date 8-16-21
Project Name/Location Ford LTP Weather 63.0 degrees F and Cloudy. The wind is blowing N/NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.13 Total Depth (ft-bmp) 6.43 Water Column (ft.) 3.30 Gallons in Well 0.54
Pump Intake (ft-bmp) 4.63 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.20

Sample Time: Label 9:36 Volume Purged 1.19 gallons Replicate/Code No. Sampled by Gary Schafer
Purge Start 8:58
Purge End 9:45

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:00	0	125	3.13	0.00	7.09	0.89	19.80	1.06	18.8	17.2	Clear	No Odor
9:05	5	125	3.15	0.17	7.17	1.15	21.40	1.18	18.6	-28.6	Small White Particulates, Turbid	No Odor
9:10	5	125	3.15	0.34	7.20	1.19	15.80	1.21	18.5	-52.6	Clear, Small White Particulates	No Odor
9:15	5	125	3.15	0.51	7.21	1.20	12.00	0.99	18.5	-60.1	Clear	No Odor
9:20	5	125	3.15	0.68	7.22	1.20	9.59	0.32	18.5	-63.8	Clear	No Odor
9:25	5	125	3.15	0.85	7.23	1.20	6.89	0.28	18.6	-65.6	Clear	No Odor
9:30	5	125	3.15	1.02	7.23	1.20	7.22	0.24	18.6	-65.9	Clear	No Odor
9:35	5	125	3.15	1.19	7.23	1.20	6.81	0.20	18.6	-66.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments About 3 inches of water in vault, bailed out water before opening j-plug

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>12101 Brewster; back yard</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>no</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-172S	Date	8-2-21
Project Name/Location	Ford LTP			Weather	71.1 degrees F and Mostly Clear. The wind is blowing at 3.4 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4.5-9.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.11	Total Depth (ft-bmp)	8.91	Water Column (ft.)	3.80
		Pump Intake (ft-bmp)	6.61	Purge Method	Low-Flow
		Well Volumes Purged	3.23	Gallons in Well	0.62
				Sample Method	Grab

Sample Time:	Label	12:39	Volume Purged	2 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	11:41						
	Purge End	12:45						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:42	0	150	5.24	0.00	7.42	0.32	406.00	4.05	22.3	111.5	Cloudy	No Odor
11:47	5	140	5.25	0.20	7.30	0.30	337.00	3.35	21.3	123.5	Cloudy	No Odor
11:52	5	140	5.25	0.38	7.35	0.29	241.00	3.47	20.2	124.7	Cloudy	No Odor
11:57	5	140	5.25	0.56	7.37	0.29	185.00	3.49	19.9	123.9	Cloudy	No Odor
12:02	5	140	5.25	0.74	7.38	0.28	143.00	3.69	19.4	122.1	Cloudy	No Odor
12:07	5	140	5.25	0.92	7.36	0.28	78.40	3.97	19.1	121.4	Cloudy	No Odor
12:12	5	140	5.25	1.10	7.37	0.28	42.10	3.96	18.9	119.4	Cloudy	No Odor
12:17	5	140	5.25	1.28	7.37	0.28	31.30	3.96	18.8	118.0	Clear	No Odor
12:22	5	140	5.25	1.46	7.40	0.28	24.60	4.01	18.7	115.5	Clear	No Odor
12:27	5	140	5.25	1.64	7.41	0.28	22.20	4.04	18.5	114.5	Clear	No Odor
12:32	5	140	5.25	1.82	7.40	0.28	24.30	3.74	18.5	112.9	Clear	No Odor
12:37	5	140	5.25	2.00	7.39	0.28	23.00	3.77	18.2	111.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	Well Location:	11701 Boston Post; front yard	Well Locked at Arrival:	yes
	Condition of Well:	Good	Well Locked at Departure:	yes
	Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-173S Date 8-20-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Clear. The wind is blowing north at 3.3 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.03 Total Depth (ft-bmp) 10.20 Water Column (ft.) 4.17 Gallons in Well 0.68
Pump Intake (ft-bmp) 7.53 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.50

Sample Time: Label 11:15 Volume Purged 1.02 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 10:43

Purge End 11:19

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:45	0	130	6.10	0.00	7.98	0.49	47.90	2.58	19.1	73.6	Clear, Small Orange Particulates	No Odor
10:50	5	130	6.10	0.17	7.81	0.52	42.10	2.16	19.1	26.6	Clear, Small Orange Particulates	No Odor
10:55	5	130	6.83	0.34	7.70	0.52	30.80	2.22	19.0	-75.1	Clear	No Odor
11:00	5	130	6.83	0.51	7.70	0.51	18.80	2.27	19.0	-76.6	Clear	No Odor
11:05	5	130	6.83	0.68	7.69	0.51	4.47	2.38	18.6	-73.9	Clear	No Odor
11:10	5	130	6.83	0.85	7.69	0.51	0.89	2.25	18.6	-71.1	Clear	No Odor
11:15	5	130	6.83	1.02	7.69	0.50	0.02	2.20	18.7	-70.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>11721 Boston Post</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>yes</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



Page 1 of 1

Prepared By: Christian Garrido



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-174S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Weather 80.1 degrees F and Partly Cloudy. The wind is blowing WSW at 4.7 mph.
Measuring Pt. Description 7.29 Total Depth (ft-bmp) 10.20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.79 Pump Intake (ft-bmp) 2.91 Water Column (ft.) 2.91 Gallons in Well 0.47
Well Volumes Purged 2.91 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:30 Volume Purged 1.37 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 13:45
Purge End 14:35

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:46	0	140	7.31	0.00	6.89	0.40	4.26	1.44	16.3	73.9	Clear	No Odor
13:51	5	125	7.31	0.18	7.12	0.39	4.49	0.90	16.1	35.7	Clear	No Odor
13:56	5	125	7.31	0.35	7.20	0.37	3.15	1.00	15.7	28.0	Clear	No Odor
14:01	5	125	7.31	0.52	7.25	0.36	0.61	0.95	15.9	22.5	Clear	No Odor
14:06	5	125	7.31	0.69	7.27	0.36	14.60	0.87	15.7	19.3	Clear	No Odor
14:11	5	125	7.31	0.86	7.27	0.36	4.12	0.58	15.3	17.3	Clear	No Odor
14:16	5	125	7.31	1.03	7.29	0.36	1.29	0.74	15.3	17.9	Clear	No Odor
14:21	5	125	7.31	1.20	7.30	0.36	0.69	0.71	15.3	18.2	Clear	No Odor
14:26	5	125	7.31	1.37	7.30	0.36	0.02	0.67	15.3	17.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11865 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-177S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 4-9 Weather 68.0 degrees F and Mostly Cloudy. The wind is blowing S at 3.4 mph.
Measuring Pt. Description 5.22 Total Depth (ft-bmp) 7.99 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.22 Pump Intake (ft-bmp) 6.72 Water Column (ft.) 2.77 Gallons in Well 0.45
Well Volumes Purged 2.67 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:59 Volume Purged 1.2 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 9:21
Purge End 10:04

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:22	0	140	5.29	0.00	6.87	0.54	99.10	2.87	16.4	166.4	Cloudy	No Odor
9:27	5	125	5.35	0.18	7.65	0.50	35.40	1.86	16.5	123.3	Clear	No Odor
9:32	5	125	5.37	0.35	7.57	0.47	9.59	1.37	16.6	108.6	Clear	No Odor
9:37	5	125	5.37	0.52	7.34	0.42	1.29	1.35	16.6	98.0	Clear	No Odor
9:42	5	125	5.38	0.69	7.31	0.40	0.75	1.45	16.7	94.9	Clear	No Odor
9:47	5	125	5.38	0.86	7.29	0.38	0.02	1.42	16.7	91.3	Clear	No Odor
9:52	5	125	5.38	1.03	7.28	0.38	0.02	1.42	16.7	89.1	Clear	No Odor
9:57	5	125	5.38	1.20	7.28	0.38	0.02	1.38	16.7	87.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 11866 Boston Post; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-178S	Date	8-4-21
Project Name/Location	Ford LTP			Weather	79.0 degrees F and Mostly Clear. The wind is blowing N at 3.4 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4.5-9.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.43	Total Depth (ft-bmp)	8.81	Water Column (ft.)	3.38
		Pump Intake (ft-bmp)	6.93	Purge Method	Low-Flow
		Well Volumes Purged	2.49	Gallons in Well	0.55
				Sample Method	Grab

Sample Time:	Label	12:51	Volume Purged	1.37 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	12:08						
	Purge End	12:58						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:09	0	140	5.46	0.00	6.39	0.36	39.80	1.63	16.4	122.5	Clear	No Odor
12:14	5	125	5.46	0.18	6.53	0.33	28.80	0.26	16.3	70.5	Clear	No Odor
12:19	5	125	5.48	0.35	6.66	0.32	17.20	0.25	16.2	42.9	Clear	No Odor
12:24	5	125	5.48	0.52	6.77	0.33	7.67	0.31	16.1	27.6	Clear	No Odor
12:29	5	125	5.48	0.69	6.83	0.34	5.47	0.39	16.3	17.7	Clear	No Odor
12:34	5	125	5.48	0.86	6.87	0.34	1.12	0.41	17.0	10.3	Clear	No Odor
12:39	5	125	5.49	1.03	6.91	0.35	1.34	0.45	17.1	3.4	Clear	No Odor
12:44	5	125	5.49	1.20	6.94	0.35	2.82	0.49	17.2	0.0	Clear	No Odor
12:49	5	125	5.49	1.37	6.97	0.36	1.02	0.49	17.1	-2.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	11850 Boston Post; backyard
Condition of Well:	Good
Well Completion:	Flush mount
Well Locked at Arrival:	yes
Well Locked at Departure:	yes
Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-180SR		Date	8-6-21	
Project Name/Location	Ford LTP		Weather	72.0 degrees F and Mostly Cloudy. The wind is blowing S at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	6.5-11.5	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.04	Total Depth (ft-bmp)	10.99	Water Column (ft.)	3.95	Gallons in Well	0.64
		Pump Intake (ft-bmp)	8.54	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.59				

Sample Time:	Label	10:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	9:47
-------------	------

Purge End	10:30
-----------	-------

Gary Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	34891 Wadsworth; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-181S Date 8-4-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3.5-8.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.45 Total Depth (ft-bmp) 8.58 Water Column (ft.) 3.13 Gallons in Well 0.51
Pump Intake (ft-bmp) 6.95 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.00

Sample Time: Label 10:16 Volume Purged 2.04 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 9:13

Purge End 10:22

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:15	0	125	5.48	0.00	7.32	2.33	8.47	1.93	17.5	-46.6	Clear	No Odor
9:20	5	125	5.48	0.17	7.31	2.46	10.70	1.31	17.4	-68.4	Clear	No Odor
9:25	5	125	5.48	0.34	7.29	2.53	9.74	0.46	17.3	-86.7	Clear	No Odor
9:30	5	125	5.48	0.51	7.26	2.55	8.90	0.37	17.3	-95.7	Clear	No Odor
9:35	5	125	5.48	0.68	7.27	2.53	9.12	0.33	17.2	-96.7	Clear	No Odor
9:40	5	125	5.48	0.85	7.28	2.51	12.90	4.24	17.3	-94.5	Clear	No Odor
9:45	5	125	5.48	1.02	7.29	2.50	9.93	4.02	17.3	-92.9	Clear	No Odor
9:50	5	125	5.48	1.19	7.30	2.48	8.74	3.85	17.5	-90.8	Clear	No Odor
9:55	5	125	5.48	1.36	7.31	2.47	7.44	3.70	17.5	-88.8	Clear	No Odor
10:00	5	125	5.48	1.53	7.31	2.48	6.70	3.72	17.6	-87.5	Clear	No Odor
10:05	5	125	5.48	1.70	7.32	2.49	7.00	3.71	17.6	-85.5	Clear	No Odor
10:10	5	125	5.48	1.87	7.32	2.47	4.80	3.34	17.7	-83.2	Clear	No Odor
10:15	5	125	5.48	2.04	7.33	2.46	5.16	3.67	17.8	-81.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34990 Wadsworth; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-182S	Date	8-2-21
Project Name/Location	Ford LTP		Weather	71.1 degrees F and Mostly Clear. The wind is blowing at 3.4 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4-9	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	5.23	Total Depth (ft-bmp)	8.78	Water Column (ft.)	3.55
		Pump Intake (ft-bmp)	6.73	Purge Method	Low-Flow
		Well Volumes Purged	2.34	Gallons in Well	0.58
				Sample Method	Grab

Sample Time:	Label	12:36	Volume Purged	1.36 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
	Purge Start	11:53						
	Purge End	12:42						

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:55	0	125	5.32	0.00	7.45	0.44	0.58	1.62	18.3	208.8	Clear	No Odor
12:00	5	125	5.32	0.17	7.47	0.44	0.75	1.22	18.4	201.8	Clear	No Odor
12:05	5	125	5.33	0.34	7.47	0.44	0.54	1.07	18.3	195.3	Clear	No Odor
12:10	5	125	5.33	0.51	7.48	0.44	0.19	1.26	18.5	187.7	Clear	No Odor
12:15	5	125	5.33	0.68	7.47	0.44	0.93	1.24	18.5	183.3	Clear	No Odor
12:20	5	125	5.33	0.85	7.48	0.44	0.33	1.25	18.6	177.5	Clear	No Odor
12:25	5	125	5.33	1.02	7.47	0.44	0.08	1.26	18.5	171.6	Clear	No Odor
12:30	5	125	5.34	1.19	7.47	0.44	0.61	1.21	18.4	166.4	Clear	No Odor
12:35	5	125	5.34	1.36	7.47	0.44	0.02	1.18	18.4	161.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	34766 Standish; front yard	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	yes	
Well Completion:	Flush mount	Lock Functioning:	yes	



Page 1 of 1

Prepared By: Gary Schafer

Date	Time	Description of Activities
8/2/2021	11:35	Arrive onsite
8/2/2021	11:37	Record static depth to water
8/2/2021	11:53	Begin purging well
8/2/2021	12:36	Collect sample MW-182S_080221
8/2/2021	12:42	End purge and turn off pump, begin decon of equipment
8/2/2021	12:48	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-183S Date 8-18-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.25 Total Depth (ft-bmp) 12.68 Water Column (ft.) 4.43 Gallons in Well 0.72
Pump Intake (ft-bmp) 9.75 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.82

Sample Time: Label 11:03 Volume Purged 1.31 gallons Replicate/Code No. Sampled by
Purge Start 10:24
Purge End 11:08

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:25	0	150	8.28	0.00	6.75	0.42	1.10	6.07	16.3	179.3	Clear	No Odor
10:30	5	150	8.28	0.20	7.19	0.39	4.96	4.82	15.5	125.3	Clear	No Odor
10:35	5	150	8.30	0.40	7.25	0.36	3.81	4.88	15.4	110.6	Clear	No Odor
10:40	5	150	8.29	0.60	7.32	0.36	2.08	4.97	15.3	103.4	Clear	No Odor
10:45	5	130	8.29	0.80	7.36	0.36	0.52	4.39	15.8	101.5	Clear	No Odor
10:50	5	125	8.28	0.97	7.39	0.36	0.56	4.09	16.1	101.8	Clear	No Odor
10:55	5	125	8.28	1.14	7.40	0.37	0.02	3.95	16.1	102.4	Clear	No Odor
11:00	5	125	8.27	1.31	7.41	0.37	0.02	3.74	16.2	102.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34934 Standish; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-184S Date 8-5-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.92 Total Depth (ft-bmp) 8.72 Water Column (ft.) 2.80 Gallons in Well 0.45
Pump Intake (ft-bmp) 7.42 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.64

Sample Time: Label 11:08 Volume Purged 1.19 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 10:30
Purge End 11:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:31	0	130	5.95	0.00	6.74	0.47	61.40	0.82	14.9	96.4	Cloudy	No Odor
10:36	5	125	5.95	0.17	6.97	0.46	20.90	0.24	14.7	30.8	Clear	No Odor
10:41	5	125	5.95	0.34	7.06	0.49	8.97	0.14	14.6	-1.5	Clear	No Odor
10:46	5	125	5.95	0.51	7.09	0.53	2.53	0.07	14.6	-8.7	Clear	No Odor
10:51	5	125	5.95	0.68	7.12	0.56	0.30	0.07	14.6	-10.0	Clear	No Odor
10:56	5	125	5.95	0.85	7.14	0.57	0.35	0.11	14.7	-11.0	Clear	No Odor
11:01	5	125	5.95	1.02	7.16	0.59	0.02	0.09	14.7	-11.6	Clear	No Odor
11:06	5	125	5.95	1.19	7.18	0.59	0.02	0.09	14.6	-13.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 11981 Boston Post; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

Date	Time	Description of Activities
8/5/2021	10:20	Arrive onsite
8/5/2021	10:26	Record static depth to water
8/5/2021	10:30	Begin purging well
8/5/2021	11:08	Collect sample MW-184S_080521
8/5/2021	11:12	End purge and turn off pump, begin decon of equipment
8/5/2021	11:20	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-185S Date 8-6-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 77.0 degrees F and Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description 7.56 Total Depth (ft-bmp) 10.54 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.06 Pump Intake (ft-bmp) 6.50 Water Column (ft.) 2.98 Gallons in Well 0.48
Well Volumes Purged 6.50 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:50 Volume Purged 3.12 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 11:47
Purge End 12:53

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:50	0	200	7.61	0.00	7.64	0.29	1.68	5.83	18.2	101.9	Clear	No Odor
11:55	5	200	7.61	0.26	7.34	0.30	2.35	4.70	17.7	82.2	Clear	No Odor
12:00	5	200	7.61	0.52	7.31	0.32	2.79	3.23	17.5	2.0	Clear	No Odor
12:05	5	200	7.61	0.78	7.28	0.37	2.22	1.74	17.5	-3.3	Clear	No Odor
12:10	5	200	7.61	1.04	7.26	0.38	1.72	1.49	17.5	-22.8	Clear	No Odor
12:15	5	200	7.61	1.30	7.23	0.40	0.76	1.26	17.4	-34.3	Clear	No Odor
12:20	5	200	7.61	1.56	7.23	0.41	1.01	1.12	17.4	-46.7	Clear	No Odor
12:25	5	200	7.61	1.82	7.25	0.43	0.62	1.11	17.4	-50.8	Clear	No Odor
12:30	5	200	7.61	2.08	7.20	0.45	0.95	1.04	17.2	-47.3	Clear	No Odor
12:35	5	200	7.61	2.34	7.21	0.46	0.88	1.03	17.3	-44.5	Clear	No Odor
12:40	5	200	7.61	2.60	7.20	0.46	1.08	0.92	17.3	-38.8	Clear	No Odor
12:45	5	200	7.61	2.86	7.25	0.46	0.29	0.84	17.3	-35.5	Clear	No Odor
12:50	5	200	7.61	3.12	7.23	0.47	0.48	0.69	17.2	-31.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34921 Beacon; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34921 Beacon; front yard

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-193S	Date	8-5-21
Project Name/Location	Ford LTP		Weather	64.0 degrees F and Haze. The wind is blowing S at 3.4 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-8	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	3.98	Total Depth (ft-bmp)	7.30	Water Column (ft.)	3.32
		Pump Intake (ft-bmp)	5.48	Purge Method	Low-Flow
		Well Volumes Purged	1.69	Gallons in Well	0.54
				Sample Method	Grab

Sample Time:	Label	8:50	Volume Purged	0.91 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
	Purge Start	8:12						
	Purge End	8:56						

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:15	0	100	4.11	0.00	6.73	1.10	15.40	1.12	18.9	-78.3	Clear, Small Black Particulates	Slight Odor
8:20	5	100	4.14	0.13	6.79	1.07	8.90	0.59	18.8	-105.9	Clear, Small Black Particulates	Faint Odor
8:25	5	100	4.15	0.26	6.82	0.99	6.40	0.47	18.8	-120.6	Clear, Small Black Particulates	Faint Odor
8:30	5	100	4.16	0.39	6.90	0.97	4.10	0.39	18.7	-127.3	Clear, Small Black Particulates	Faint Odor
8:35	5	100	4.17	0.52	6.91	0.95	3.16	0.34	18.6	-130.0	Clear, Small Black Particulates	Faint Odor
8:40	5	100	4.18	0.65	6.95	0.92	2.12	0.31	18.5	-131.7	Clear	Faint Odor
8:45	5	100	4.18	0.78	6.96	0.91	2.45	0.31	18.6	-132.4	Clear	Faint Odor
8:50	5	100	4.19	0.91	6.98	0.90	2.18	0.27	18.5	-132.9	Clear, Small Black Particulates	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	34940 Beacon, front yard	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	yes	
Well Completion:	Flush mount	Lock Functioning:	yes	

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 34940 Beacon; front yard

Prepared By: Emma Witherspoon

Date	Time	Description of Activities
8/5/2021	8:00	Arrive onsite
8/5/2021	8:11	Record static depth to water
8/5/2021	8:12	Begin purging well
8/5/2021	8:50	Collect sample MW-193S_080521
8/5/2021	8:56	End purge and turn off pump, begin decon of equipment
8/5/2021	9:07	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature: _____
--	--	
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-207S		Date	8-13-21	
Project Name/Location	Ford LTP		Weather	75F, overcast		Well Material	PVC	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	4.5-9.5	Casing Diameter (in.)	2	Gallons in Well	0.23	
Static Water Level (ft-bmp)	7.37	Total Depth (ft-bmp)	8.79	Water Column (ft.)	1.42	Sample Method	Grab	
		Pump Intake (ft-bmp)	8.08	Purge Method	Low-Flow			
		Well Volumes Purged	6.78					
Sample Time:	Label	13:20	Volume Purged	1.56 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
	Purge Start	12:10						
	Purge End	13:25						

ST

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:15	0	100	7.37	0.00	7.74	0.28	33.90	3.41	19.4	98.0	Clear, Turbid	No Odor
12:20	5	100	7.37	0.13	6.98	0.24	27.60	2.25	18.8	125.0	Clear, Turbid	No Odor
12:25	5	100	7.37	0.26	6.97	0.23	23.90	2.06	18.8	119.0	Clear, Turbid	No Odor
12:30	5	100	7.37	0.39	6.98	0.23	19.70	2.05	18.8	114.6	Clear, Turbid	No Odor
12:35	5	100	7.37	0.52	7.04	0.23	12.40	2.05	18.7	105.4	Clear	No Odor
12:40	5	100	7.37	0.65	7.22	0.23	7.39	2.09	18.7	82.5	Clear	No Odor
12:45	5	100	7.37	0.78	7.23	0.23	6.84	2.14	18.7	75.3	Clear	No Odor
12:50	5	100	7.37	0.91	7.30	0.24	3.87	2.15	18.6	68.6	Clear	No Odor
12:55	5	100	7.37	1.04	7.37	0.26	1.19	2.15	18.7	58.5	Clear	No Odor
13:00	5	100	7.37	1.17	7.36	0.26	0.88	2.17	18.7	58.4	Clear	No Odor
13:05	5	100	7.37	1.30	7.42	0.26	0.86	2.17	18.7	55.5	Clear	No Odor
13:10	5	100	7.37	1.43	7.40	0.25	0.02	2.20	18.7	56.2	Clear	No Odor
13:15	5	100	7.37	1.56	7.68	0.26	0.02	2.16	18.7	56.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes			
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26
	1.25" = 0.06	2" = 0.16	3" = 0.37
			3.5" = 0.50
			4" = 0.65
Well Information			
Well Location:	12125 Stark; front yard	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	yes
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01 Page 1 of 1

Site Location: Ford LTP 12125 Stark; front yard

Prepared By: Seth Turner

Date	Time	Description of Activities
8/13/2021	12:00	Arrive onsite
8/13/2021	12:05	Record static depth to water
8/13/2021	12:10	Begin purging well
8/13/2021	13:20	Collect sample MW-207S_081321
8/13/2021	13:25	End purge and turn off pump, begin decon of equipment
8/13/2021	13:30	Offsite
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	--
--	--	Field staff signature:
--	--	ST
--	--	--
--	--	--



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-214S Date 8-19-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing N at 3 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.70 Total Depth (ft-bmp) 10.89 Water Column (ft.) 4.19 Gallons in Well 0.68
Pump Intake (ft-bmp) 8.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.35

Sample Time: Label 15:15 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 14:25
Purge End 15:18

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:30	0	150	6.72	0.00	7.33	0.96	3.11	2.60	23.0	245.8	Clear, Small Orange Particulates	No Odor
14:35	5	150	6.72	0.20	6.97	2.55	3.35	1.01	22.6	260.0	Clear, Small Orange Particulates	No Odor
14:40	5	150	6.72	0.40	6.96	3.08	3.26	0.77	22.3	79.7	Clear	No Odor
14:45	5	150	6.72	0.60	6.99	3.11	1.93	0.91	22.6	19.7	Clear	No Odor
14:50	5	150	6.72	0.80	6.98	3.30	3.44	0.69	22.1	-26.5	Clear	No Odor
14:55	5	150	6.72	1.00	6.99	3.37	4.43	0.65	22.0	-44.8	Clear	No Odor
15:00	5	150	6.72	1.20	7.00	3.42	2.56	0.63	22.1	-57.7	Clear	No Odor
15:05	5	150	6.72	1.40	7.00	3.44	2.94	0.63	22.1	-62.3	Clear	No Odor
15:10	5	150	6.72	1.60	7.00	3.46	4.35	0.58	22.0	-65.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 12400 Belden; side yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Project No.: 30080642.402.01

Page 1 of 1

Site Location: Ford LTP 12400 Belden; side yard

Prepared By: Emma Witherspoon

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-215S Date 8-20-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Partly Cloudy. The wind is blowing E at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-8 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.82 Total Depth (ft-bmp) 7.58 Water Column (ft.) 2.76 Gallons in Well 0.45
Pump Intake (ft-bmp) 6.32 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.00

Sample Time: Label 14:30 Volume Purged 1.8 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 13:39
Purge End 14:34

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:40	0	150	4.85	0.00	9.11	0.41	26.90	6.11	23.6	88.5	Cloudy	No Odor
13:45	5	150	4.85	0.20	8.58	0.28	24.40	6.00	23.6	110.0	Cloudy	No Odor
13:50	5	150	4.85	0.40	8.45	0.26	23.00	5.57	23.7	128.0	Cloudy	No Odor
13:55	5	150	4.85	0.60	8.27	0.26	21.90	5.71	22.8	153.3	Cloudy	No Odor
14:00	5	150	4.85	0.80	8.21	0.26	20.40	6.06	22.6	167.2	Clear	No Odor
14:05	5	150	4.85	1.00	8.13	0.27	17.90	6.58	22.4	181.3	Clear	No Odor
14:10	5	150	4.85	1.20	8.10	0.28	15.10	6.43	22.4	187.8	Clear	No Odor
14:15	5	150	4.85	1.40	8.07	0.28	13.40	6.37	22.3	196.7	Clear	No Odor
14:20	5	150	4.85	1.60	8.08	0.28	12.40	6.62	22.6	199.9	Clear	No Odor
14:25	5	150	4.85	1.80	8.13	0.28	13.50	6.45	22.6	201.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 35000 Plymouth; back yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-216S Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing NW at 4.7 mph.
Measuring Pt. Description 7.43 Total Depth (ft-bmp) 10.40 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.93 Pump Intake (ft-bmp) 4.25 Water Column (ft.) 2.97 Gallons in Well 0.48
Well Volumes Purged 4.25 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:08 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 10:06

Purge End 11:12

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:07	0	125	7.46	0.00	5.89	0.24	2.08	6.38	15.1	196.7	Clear	No Odor
10:12	5	125	7.46	0.17	6.59	0.19	0.02	5.93	15.8	178.1	Clear	No Odor
10:17	5	125	7.48	0.34	6.81	0.23	0.02	4.33	14.2	163.1	Clear	No Odor
10:22	5	125	7.48	0.51	6.92	0.24	0.02	4.11	14.1	156.1	Clear	No Odor
10:27	5	125	7.48	0.68	6.94	0.24	0.02	3.88	14.0	153.2	Clear	No Odor
10:32	5	125	7.48	0.85	6.99	0.24	0.02	3.52	14.1	150.3	Clear	No Odor
10:37	5	125	7.48	1.02	7.02	0.24	0.02	3.32	14.1	148.0	Clear	No Odor
10:42	5	125	7.48	1.19	7.04	0.24	0.02	3.16	14.0	146.3	Clear	No Odor
10:47	5	125	7.48	1.36	7.07	0.25	0.02	2.95	14.0	145.1	Clear	No Odor
10:52	5	125	7.48	1.53	7.11	0.25	0.02	2.77	14.0	143.1	Clear	No Odor
10:57	5	125	7.48	1.70	7.14	0.25	0.02	2.54	13.9	141.6	Clear	No Odor
11:02	5	125	7.48	1.87	7.16	0.25	0.02	2.46	14.0	140.2	Clear	No Odor
11:07	5	125	7.48	2.04	7.17	0.25	0.02	2.65	13.9	139.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34851 Wadsworth; backyard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Prepared By: Andrew Banitt

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-217S Date 8-4-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 6-11 Weather 80.1 degrees F and Cloudy. The wind is blowing SW at 3.4 mph.
Measuring Pt. Description 6.65 Total Depth (ft-bmp) 10.20 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.15 Pump Intake (ft-bmp) 3.55 Water Column (ft.) Low-Flow Gallons in Well 0.58
Well Volumes Purged 3.52 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:16 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 13:13
Purge End 14:30

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:15	0	125	6.70	0.00	7.04	0.47	8.80	0.94	15.4	28.2	Clear	No Odor
13:20	5	125	6.70	0.17	7.05	0.48	9.38	0.45	15.4	8.9	Clear	No Odor
13:25	5	125	6.70	0.34	7.10	0.49	7.79	0.50	15.5	-10.5	Clear	No Odor
13:30	5	125	6.70	0.51	7.11	0.49	9.80	0.74	15.4	-19.7	Clear	No Odor
13:35	5	125	6.70	0.68	7.13	0.49	10.00	0.72	15.4	-24.6	Clear	No Odor
13:40	5	125	6.70	0.85	7.13	0.48	9.30	0.74	15.5	-28.0	Clear	No Odor
13:45	5	125	6.70	1.02	7.15	0.48	8.61	0.73	15.3	-30.4	Clear	No Odor
13:50	5	125	6.70	1.19	7.15	0.48	7.80	0.78	15.1	-31.5	Clear	No Odor
13:55	5	125	6.70	1.36	7.18	0.48	9.75	0.79	15.2	-32.8	Clear	No Odor
14:00	5	125	6.70	1.53	7.18	0.48	8.57	0.77	15.1	-34.0	Clear	No Odor
14:05	5	125	6.70	1.70	7.19	0.48	5.62	0.78	15.1	-35.6	Clear	No Odor
14:10	5	125	6.70	1.87	7.18	0.47	5.21	0.79	15.1	-34.4	Clear	No Odor
14:15	5	125	6.70	2.04	7.20	0.48	4.63	0.77	15.1	-33.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: 34935 Wadsworth; backyard Well Locked at Arrival: no
Condition of Well: Good Well Locked at Departure: no
Well Completion: Flush mount Lock Functioning: n/a



Page 1 of 1

Prepared By: Gary Schafer

[illegible]



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-223S	Date	8-20-21
Project Name/Location	Ford LTP			Weather	82.9 degrees F and Mostly Clear. The wind is blowing E/NE at 5.8 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8.5-13.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	10.75	Total Depth (ft-bmp)	13.22	Water Column (ft.)	2.47
		Pump Intake (ft-bmp)	12.25	Purge Method	Low-Flow
		Well Volumes Purged	6.00	Gallons in Well	0.40
				Sample Method	Grab
Sample Time:	Label	13:10	Volume Purged	2.4 gallons	Replicate/Code No.
	Purge Start	12:07			MW-223S-MS_082021.
	Purge End	13:20			MW-223S-MSD_082021
					Sampled by
					Emma Witherspoon

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:10	0	150	10.92	0.00	7.15	2.63	27.70	1.71	21.5	148.3	Clear, Small Orange Particulates	No Odor
12:15	5	150	10.88	0.20	7.13	2.58	17.70	1.03	21.6	114.4	Clear, Small Orange Particulates	No Odor
12:20	5	150	10.88	0.40	7.13	2.55	7.70	0.88	21.4	94.7	Clear, Small Orange Particulates	No Odor
12:25	5	150	10.88	0.60	7.14	2.50	5.15	0.88	21.4	69.3	Clear	No Odor
12:30	5	150	10.88	0.80	7.10	2.42	3.99	0.64	21.2	10.1	Clear	No Odor
12:35	5	150	10.88	1.00	7.12	2.37	3.26	0.61	21.2	-21.7	Clear	No Odor
12:40	5	150	10.88	1.20	7.10	2.31	2.73	0.57	21.1	-36.2	Clear	No Odor
12:45	5	150	10.88	1.40	7.11	2.23	2.43	0.49	21.0	-43.4	Clear	No Odor
12:50	5	150	10.88	1.60	7.12	2.16	2.51	0.46	21.0	-44.6	Clear	No Odor
12:55	5	150	10.88	1.80	7.11	2.11	3.11	0.49	20.7	-41.9	Clear	No Odor
13:00	5	150	10.88	2.00	7.13	2.06	3.22	0.50	20.8	-40.7	Clear	No Odor
13:05	5	150	10.88	2.20	7.12	2.00	3.34	0.48	20.7	-38.7	Clear	No Odor
13:10	5	150	10.88	2.40	7.11	1.97	2.00	0.51	20.7	-34.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
Well Information					
Well Location:	35000 Plymouth, front yard	Well Locked at Arrival:	yes		
Condition of Well:	Good	Well Locked at Departure:	yes		
Well Completion:	Flush mount	Lock Functioning:	yes		



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-225S Date 8-2-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Clear. The wind is blowing N at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5.5-10.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.50 Total Depth (ft-bmp) 9.54 Water Column (ft.) 3.04 Gallons in Well 0.49
Pump Intake (ft-bmp) 8.00 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.16

Sample Time: Label 10:51 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 9:48

Purge End 10:57

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:50	0	125	6.56	0.00	6.77	0.29	4.84	5.33	17.5	218.2	Clear	No Odor
9:55	5	125	6.56	0.17	6.85	0.30	3.58	5.24	17.4	205.8	Clear	No Odor
10:00	5	125	6.57	0.34	6.91	0.31	3.11	5.15	17.3	198.9	Clear	No Odor
10:05	5	125	6.57	0.51	6.97	0.31	3.14	5.20	17.4	195.1	Clear	No Odor
10:10	5	125	6.59	0.68	6.97	0.32	5.01	5.49	17.2	194.2	Clear	No Odor
10:15	5	125	6.60	0.85	7.01	0.32	6.10	5.10	17.1	193.8	Clear	No Odor
10:20	5	125	6.60	1.02	7.05	0.33	8.67	5.08	17.2	193.7	Clear	No Odor
10:25	5	125	6.60	1.19	7.10	0.33	7.65	4.51	17.1	194.0	Clear	No Odor
10:30	5	125	6.60	1.36	7.15	0.34	6.88	4.63	17.2	194.8	Clear	No Odor
10:35	5	125	6.60	1.53	7.17	0.34	4.27	4.70	17.2	195.1	Clear	No Odor
10:40	5	125	6.60	1.70	7.18	0.35	3.10	4.86	17.2	195.5	Clear	No Odor
10:45	5	125	6.60	1.87	7.20	0.35	1.89	4.29	17.2	195.2	Clear	No Odor
10:50	5	125	6.60	2.04	7.21	0.35	1.36	4.31	17.2	196.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: 34800 Standish; front yard Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: yes
Well Completion: Flush mount Lock Functioning: yes

APPENDIX C

Off-site Groundwater Field Sampling Logs

Right-of-Way (ROW) Locations

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	3008042.402.01		Well ID	MW-72		Date	8-16-21	
Project Name/Location	Ford LTP		Weather		62.1 degrees F and Cloudy. The wind is blowing N/NE at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15.20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	7.50	Total Depth (ft-bmp)	19.62	Water Column (ft.)	12.12	Gallons in Well	1.97	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.49					

Sample Time:	Label	8:55	Volume Purged	0.96 gallons	Replicate/Code No.	DUP-08	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	--------	------------	-------------------

Purge Start	8:23
Purge End	9:07

Chen H. Shu

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Belden ROW
Condition of Well:	Good
Well Completion:	Flush mount



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-72S Date 8-16-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.65 Total Depth (ft-bmp) 12.85 Water Column (ft.) 5.20 Gallons in Well 0.84
Pump Intake (ft-bmp) 9.15 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.81

Sample Time: Label 10:15 Volume Purged 1.52 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:29
Purge End 10:19

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:30	0	120	7.65	0.00	4.07	3.33	14.76	8.87	21.1	24.8	Clear	No Odor
9:35	5	130	7.65	0.16	7.66	5.13	10.20	1.58	20.6	17.9	Clear	No Odor
9:40	5	130	8.24	0.33	7.64	5.05	7.38	1.36	20.5	13.2	Clear	No Odor
9:45	5	130	8.24	0.50	7.60	4.97	3.72	1.31	20.4	17.2	Clear	No Odor
9:50	5	130	8.24	0.67	7.52	4.90	2.51	1.29	20.4	20.2	Clear	No Odor
9:55	5	130	7.90	0.84	7.45	4.84	0.92	1.32	20.4	31.3	Clear	No Odor
10:00	5	130	7.90	1.01	7.42	4.80	0.02	1.34	20.3	43.6	Clear	No Odor
10:05	5	130	7.90	1.18	7.37	4.77	0.02	1.37	20.3	52.0	Clear	No Odor
10:10	5	130	7.90	1.35	7.33	4.74	0.02	1.36	20.3	54.6	Clear	No Odor
10:15	5	130	7.90	1.52	7.30	4.73	0.02	1.34	20.3	53.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Lock is rusted out due to standing water in well

Well Casing Volumes

Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	no



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-73D Date 8-16-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 13.5-18.5 Weather 69.1 degrees F and Cloudy. The wind is blowing NE at 10.3 mph.
Measuring Pt. Description 5.60 Total Depth (ft-bmp) 17.40 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.60 Pump Intake (ft-bmp) 16.00 Water Column (ft.) 11.80 Gallons in Well 1.92
Well Volumes Purged 0.86 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:41 Volume Purged 1.65 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:43
Purge End 12:45

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:45	0	110	5.60	0.00	7.36	5.56	4.73	9.05	19.0	-147.6	Clear	No Odor
11:50	5	110	5.60	0.15	7.38	4.64	7.20	7.33	19.9	-150.3	Clear	No Odor
11:55	5	110	5.90	0.30	7.39	4.37	6.92	7.14	19.6	-148.4	Clear	No Odor
12:00	5	110	6.20	0.45	7.42	4.15	3.84	6.88	19.8	-147.0	Clear	No Odor
12:05	5	110	6.20	0.60	7.42	4.11	0.02	6.22	19.6	-145.5	Clear	No Odor
12:10	5	110	6.00	0.75	7.42	4.22	0.02	6.13	19.4	-144.3	Clear	No Odor
12:15	5	110	6.00	0.90	7.41	4.41	0.92	5.86	19.4	-142.9	Clear	No Odor
12:20	5	110	6.00	1.05	7.41	4.77	0.02	5.75	19.3	-141.3	Clear	No Odor
12:25	5	110	6.00	1.20	7.40	4.84	0.02	5.59	19.4	-140.6	Clear	No Odor
12:30	5	110	6.00	1.35	7.39	5.09	0.02	5.36	19.4	-139.7	Clear	No Odor
12:35	5	110	5.90	1.50	7.39	5.10	0.02	5.25	19.3	-139.3	Clear	No Odor
12:40	5	110	5.90	1.65	7.39	5.15	0.02	5.20	19.3	-139.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Belden ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-73SR Date 8-16-21
Project Name/Location Ford LTP Weather 68.0 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.70 Total Depth (ft-bmp) 12.40 Water Column (ft.) 6.70 Gallons in Well 1.09
Pump Intake (ft-bmp) 7.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.10

Sample Time: Label 11:25 Volume Purged 1.2 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 10:44

Purge End 11:31

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:45	0	110	5.70	0.00	6.78	5.99	14.96	1.08	21.9	-55.4	Clear	No Odor
10:50	5	110	5.70	0.15	6.77	5.99	12.41	1.09	22.0	-52.7	Clear	No Odor
10:55	5	110	6.40	0.30	6.72	6.06	8.50	1.12	21.9	-32.7	Clear	No Odor
11:00	5	110	6.40	0.45	6.72	6.12	5.72	0.97	21.7	-28.1	Clear	No Odor
11:05	5	110	6.40	0.60	6.75	6.25	2.71	0.70	21.7	-21.7	Clear	No Odor
11:10	5	110	6.10	0.75	6.76	6.54	1.73	0.81	21.7	-18.3	Clear	No Odor
11:15	5	110	6.00	0.90	6.78	6.66	1.06	0.63	21.7	-20.8	Clear	No Odor
11:20	5	110	6.00	1.05	6.79	6.72	0.80	0.60	21.6	-25.2	Clear	No Odor
11:25	5	110	6.00	1.20	6.81	6.83	0.02	0.60	21.5	-30.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-74 Date 8-16-21
Project Name/Location Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 14-19 Weather 64.0 degrees F and Overcast. Well Material PVC
Static Water Level (ft-bmp) 6.39 Total Depth (ft-bmp) 18.78 Water Column (ft.) 12.39 Gallons in Well 2.01
Pump Intake (ft-bmp) 16.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.58

Sample Time: Label 9:30 Volume Purged 1.17 gallons Replicate/Code No. MW-74-MS_081621, MW-74-MSD_081621 Sampled by Seth Turner

Purge Start 8:30
Purge End 9:35

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:35	0	100	6.39	0.00	7.25	10.51	56.50	0.81	18.4	-115.5	Clear	No Odor
8:40	5	100	6.39	0.13	7.26	10.24	30.20	0.62	18.3	-117.5	Clear	No Odor
8:45	5	100	6.39	0.26	7.27	9.69	19.60	0.49	18.3	-120.0	Clear	No Odor
8:50	5	100	6.39	0.39	7.28	8.66	6.51	0.22	18.2	-125.3	Clear	No Odor
8:55	5	100	6.39	0.52	7.23	8.76	4.69	0.21	18.2	-125.4	Clear	No Odor
9:00	5	100	6.39	0.65	7.28	9.04	4.13	0.18	18.1	-125.4	Clear	No Odor
9:05	5	100	6.39	0.65	7.27	9.42	3.37	0.14	18.0	-124.9	Clear	No Odor
9:10	5	100	6.39	0.78	7.57	9.65	1.97	0.13	17.9	-124.2	Clear	No Odor
9:15	5	100	6.39	0.91	7.27	9.97	0.02	0.11	17.8	-123.2	Clear	No Odor
9:20	5	100	6.39	1.04	7.27	10.02	0.02	0.10	17.8	-123.0	Clear	No Odor
9:25	5	100	6.39	1.17	7.27	10.08	0.02	0.08	17.8	-122.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 9 HCL
1,4-dioxane 40 mL Glass 9 HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-74S			Date	8-16-21
Project Name/Location	Ford LTP		Weather		70.0 degrees F and Sunny.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-13	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.42	Total Depth (ft-bmp)	12.79	Water Column (ft.)	6.37	Gallons in Well	1.04
		Pump Intake (ft-bmp)	7.92	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.75				
Sample Time:	Label	10:40	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	10:00					Seth Turner
	Purge End	10:45					

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Good, Missing bolts	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-75D Date 8-16-21
Project Name/Location Weather 70.0 degrees F and Overcast.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 12-17 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.62 Total Depth (ft-bmp) 16.64 Water Column (ft.) 11.02 Gallons in Well 1.79
Pump Intake (ft-bmp) 14.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.23

Sample Time: Label 1:35 Volume Purged 2.21 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 12:00
Purge End 13:40

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:05	0	100	5.62	0.00	7.81	5.99	297.00	0.20	18.4	-163.7	Cloudy, Gray	Faint Odor
12:10	5	100	5.62	0.13	7.83	5.97	290.00	0.13	18.4	-174.6	Cloudy, Gray	Faint Odor
12:15	5	100	5.62	0.26	7.82	5.90	280.00	0.10	18.5	-178.9	Cloudy, Gray	No Odor
12:20	5	100	5.62	0.39	7.83	5.88	289.00	0.06	18.5	-182.6	Cloudy, Gray	Faint Odor
12:25	5	100	5.62	0.52	7.83	5.86	254.00	0.06	18.4	-184.5	Cloudy, Gray	No Odor
12:30	5	100	5.62	0.65	7.83	5.79	241.00	0.03	18.4	-184.6	Cloudy, Gray	Faint Odor
12:35	5	100	5.62	0.78	7.82	5.74	219.00	0.05	18.5	-184.0	Cloudy, Gray	Faint Odor
12:40	5	100	5.62	0.91	7.83	5.77	208.00	0.04	18.5	-185.3	Cloudy, Gray	Faint Odor
12:45	5	100	5.62	1.04	7.82	5.68	207.00	0.04	18.4	-185.7	Cloudy, Gray	Faint Odor
12:50	5	100	5.62	1.17	7.81	5.63	173.00	0.04	18.4	-184.8	Cloudy, Gray	Faint Odor
12:55	5	100	5.62	1.30	7.81	5.57	163.00	0.03	18.4	-184.0	Cloudy, Gray	Faint Odor
13:00	5	100	5.62	1.43	7.81	5.54	147.00	0.04	18.4	-179.8	Cloudy, Gray	Faint Odor
13:05	5	100	5.62	1.56	7.79	5.57	118.00	0.06	18.4	-182.6	Cloudy, Gray	Faint Odor
13:10	5	100	5.62	1.69	7.76	5.60	107.00	0.03	18.5	-183.3	Cloudy	Faint Odor
13:15	5	100	5.62	1.82	7.73	5.58	93.40	0.02	18.4	-182.9	Cloudy	Faint Odor
13:20	5	100	5.62	1.95	7.72	5.56	84.30	0.02	18.4	-182.8	Cloudy	Faint Odor
13:25	5	100	5.62	2.08	7.71	5.53	63.90	0.01	18.4	-183.3	Cloudy	Faint Odor
13:30	5	100	5.62	2.21	7.72	5.52	49.60	0.01	18.4	-183.2	Cloudy	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-75SR Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 4.7 mph.
Measuring Pt. Description 5.40 Total Depth (ft-bmp) 12.73 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.40 Pump Intake (ft-bmp) 6.90 Water Column (ft.) 7.33 Gallons in Well 1.19
Well Volumes Purged 1.69 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:20 Volume Purged 2.01 gallons Replicate/Code No. DUP-10 Sampled by Christian Garrido

Purge Start 8:19
Purge End 9:29

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:20	0	120	5.40	0.00	7.41	0.98	0.02	0.65	22.0	174.2	Clear	Faint Odor
8:25	5	120	5.40	0.16	7.33	0.88	0.02	0.40	21.5	-48.5	Clear	Faint Odor
8:30	5	120	5.40	0.32	7.34	0.87	0.02	0.30	21.4	-86.4	Clear	No Odor
8:35	5	130	5.50	0.48	7.35	0.88	0.02	0.20	21.3	-95.5	Clear	No Odor
8:40	5	130	5.50	0.65	7.37	0.88	0.02	0.16	21.4	-99.1	Clear	No Odor
8:45	5	130	5.50	0.82	7.37	0.89	0.02	0.15	21.3	-99.3	Clear	No Odor
8:50	5	130	5.50	0.99	7.40	0.95	0.02	0.10	21.3	-97.3	Clear	No Odor
8:55	5	130	5.40	1.16	7.45	1.08	0.02	0.03	21.3	-97.7	Clear	No Odor
9:00	5	130	5.40	1.33	7.47	1.18	0.02	0.04	21.3	-98.5	Clear	No Odor
9:05	5	130	5.40	1.50	7.47	1.28	0.02	0.00	21.3	-97.5	Clear	No Odor
9:10	5	130	5.40	1.67	7.47	1.36	0.02	0.00	21.4	-96.0	Clear	No Odor
9:15	5	130	5.40	1.84	7.46	1.43	0.02	0.00	21.4	-96.0	Clear	No Odor
9:20	5	130	5.40	2.01	7.46	1.49	0.02	0.00	21.3	-95.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Belden ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-76		Date	8-13-21	
Project Name/Location	Ford LTP		Weather		78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	9.60	Total Depth (ft-bmp)	19.65	Water Column (ft.)	10.05	Gallons in Well	1.63	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.63					

Sample Time:	Label	13:15	Volume Purged	1.02 gallons	Replicate/Code No.	MW-76-MS_081321, MW-76-MSD_081321	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	--------------------------------------	------------	-------------------

Purge Start	12:42
-------------	-------

Purge End	13:30
-----------	-------

Chen H. Shu

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information	
Well Location:	Belden ROW
Condition of Well:	Good
Well Completion:	Flush mount



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-76S Date 8-19-21
Project Name/Location Weather 69.1 degrees F and Fog/Mist. The wind is blowing N at 5 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-14.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.34 Total Depth (ft-bmp) 14.15 Water Column (ft.) 4.81 Gallons in Well 0.78
Pump Intake (ft-bmp) 10.84 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.96

Sample Time: Label 8:00 Volume Purged 1.53 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 7:11
Purge End 8:06

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
7:15	0	125	9.36	0.00	7.26	4.01	9.15	1.81	20.1	167.7	Clear, Small Orange Particulates	No Odor
7:20	5	125	9.36	0.17	7.31	4.10	5.47	1.46	19.8	183.6	Clear, Small Orange Particulates	No Odor
7:25	5	125	9.36	0.34	7.34	4.11	5.05	1.34	19.7	191.1	Clear, Small Orange Particulates	No Odor
7:30	5	125	9.36	0.51	7.30	4.63	3.45	1.30	19.6	203.6	Clear	No Odor
7:35	5	125	9.36	0.68	7.20	6.18	3.66	0.80	19.6	102.1	Clear	No Odor
7:40	5	125	9.36	0.85	7.21	6.40	2.94	0.80	19.7	28.1	Clear	No Odor
7:45	5	125	9.36	1.02	6.47	6.41	2.53	0.80	19.7	2.2	Clear	No Odor
7:50	5	125	9.36	1.19	7.22	6.52	2.23	0.78	19.7	-8.0	Clear	No Odor
7:55	5	125	9.36	1.36	7.22	6.60	2.37	0.82	19.6	-14.3	Clear	No Odor
8:00	5	125	9.36	1.53	7.22	6.64	1.94	0.77	19.6	-16.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-77 Date 8-19-21
Project Name/Location Ford LTP Weather 86.0 degrees F and Partly Cloudy
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 9-14 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.53 Total Depth (ft-bmp) 13.70 Water Column (ft.) 9.17 Gallons in Well 1.49
Pump Intake (ft-bmp) 11.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.91

Sample Time: Label 13:21 Volume Purged 1.36 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 12:38
Purge End 13:28

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:40	0	125	4.55	0.00	7.30	2.49	4.91	1.25	19.7	35.8	Clear	No Odor
12:45	5	125	4.55	0.17	7.33	2.45	3.32	0.62	20.2	-26.5	Clear	No Odor
12:50	5	125	4.55	0.34	7.34	2.35	2.39	0.43	19.1	-42.0	Clear	No Odor
12:55	5	125	4.55	0.51	7.38	2.23	1.34	0.61	19.2	-58.4	Clear	No Odor
13:00	5	125	4.55	0.68	7.39	2.17	0.86	0.57	19.3	-66.7	Clear	No Odor
13:05	5	125	4.55	0.85	7.40	2.12	0.72	0.54	19.1	-73.5	Clear	No Odor
13:10	5	125	4.55	1.02	7.40	2.08	0.59	0.52	19.3	-79.8	Clear	No Odor
13:15	5	125	4.55	1.19	7.41	2.06	0.74	0.53	19.5	-83.6	Clear	No Odor
13:20	5	125	4.55	1.36	7.42	2.05	0.66	0.52	19.5	-85.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-77S	Date	8-19-21
Project Name/Location	Ford LTP			Weather	84.9 degrees F and Partly Cloudy.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	4.45	Total Depth (ft-bmp)	12.15	Water Column (ft.)	7.70
		Pump Intake (ft-bmp)	5.95	Gallons in Well	1.25
		Well Volumes Purged	1.63	Purge Method	Low-Flow
				Sample Method	Grab

Sample Time:	Label	12:16	Volume Purged	2.04 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
	Purge Start	11:13						
	Purge End	12:23						

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	125	4.45	0.00	7.35	0.76	1.51	0.87	21.3	63.5	Clear	No Odor
11:20	5	125	4.45	0.17	7.51	0.79	1.47	0.60	21.1	57.8	Clear	No Odor
11:25	5	125	4.45	0.34	7.57	0.81	2.11	0.67	21.1	54.9	Clear	No Odor
11:30	5	125	4.45	0.51	7.57	0.82	1.38	0.69	21.0	53.4	Clear	No Odor
11:35	5	125	4.45	0.68	7.56	0.83	0.65	0.66	21.2	52.1	Clear	No Odor
11:40	5	125	4.45	0.85	7.55	0.85	1.34	0.89	21.0	51.0	Clear	No Odor
11:45	5	125	4.45	1.02	7.54	0.88	1.29	0.87	20.6	50.2	Clear	No Odor
11:50	5	125	4.45	1.19	7.53	0.90	2.99	0.87	20.9	47.3	Clear	No Odor
11:55	5	125	4.45	1.36	7.52	0.93	1.48	0.89	20.9	46.9	Clear	No Odor
12:00	5	125	4.45	1.53	7.51	0.95	0.61	0.87	20.7	44.8	Clear	No Odor
12:05	5	125	4.45	1.70	7.51	0.97	0.88	0.87	20.7	42.6	Clear	No Odor
12:10	5	125	4.45	1.87	7.49	1.02	0.61	0.85	20.8	40.8	Clear	No Odor
12:15	5	125	4.45	2.04	7.50	1.01	0.80	0.87	20.9	38.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments			
None			

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	Boston Post ROW	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	n/a	
Well Completion:	Flush mount	Lock Functioning:	yes	

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-78			Date	8-20-21
Project Name/Location	Ford LTP		Weather	69.1 degrees F and Fog/Mist. The wind is blowing north at 2.2 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	7-12	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	2.20	Total Depth (ft-bmp)	11.75	Water Column (ft.)	9.55	Gallons in Well	1.55
		Pump Intake (ft-bmp)	9.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.62				
Sample Time:	Label	8:51	Volume Purged	0.96 gallons	Replicate/Code No.	MW-78-MS_082021, MW-78-MSD_082021	Sampled by
	Purge Start	8:19					Christian Garrido
	Purge End	9:02					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Beacon ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-78S Date 8-20-21
Project Name/Location Weather 71.1 degrees F and Haze. The wind is blowing north at 2.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.45 Total Depth (ft-bmp) 12.30 Water Column (ft.) 9.85 Gallons in Well 1.60
Pump Intake (ft-bmp) 3.95 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.13

Sample Time: Label 10:15 Volume Purged 1.8 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:13
Purge End 10:22

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:15	0	110	2.45	0.00	7.47	0.60	2.44	0.55	20.7	6.6	Clear, Small Black Particulates	No Odor
9:20	5	110	2.45	0.15	7.46	0.58	0.02	0.22	20.4	-0.4	Clear, Small Black Particulates	No Odor
9:25	5	110	2.88	0.30	7.46	0.59	0.02	0.07	20.1	-5.8	Clear	No Odor
9:30	5	110	2.90	0.45	7.45	0.62	0.02	0.02	19.9	-11.0	Clear, Small Black Particulates	No Odor
9:35	5	110	2.90	0.60	7.54	0.85	0.02	0.00	19.8	-47.1	Clear, Small Black Particulates	No Odor
9:40	5	110	2.90	0.75	7.55	0.86	0.02	0.00	19.9	-62.3	Clear, Small Black Particulates	No Odor
9:45	5	110	2.70	0.90	7.54	0.95	0.02	0.00	19.8	-70.2	Clear	No Odor
9:50	5	110	2.70	1.05	7.53	0.97	0.02	0.00	19.9	-74.3	Clear	No Odor
9:55	5	110	2.70	1.20	7.52	1.01	0.02	0.00	19.9	-77.5	Clear	No Odor
10:00	5	110	2.70	1.35	7.52	1.12	0.02	0.00	19.8	-84.7	Clear	No Odor
10:05	5	110	2.60	1.50	7.51	1.19	0.02	0.00	19.8	-86.4	Clear	No Odor
10:10	5	110	2.60	1.65	7.51	1.27	0.02	0.00	19.7	-89.2	Clear	No Odor
10:15	5	110	2.60	1.80	7.51	1.31	0.02	0.00	19.7	-92.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Beacon ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-79D Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 10-15 Weather 73.9 degrees F and Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description 5.11 Total Depth (ft-bmp) 14.63 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 12.50 Pump Intake (ft-bmp) 0.77 Water Column (ft.) 9.52 Gallons in Well 1.55
Well Volumes Purged 0.77 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:05 Volume Purged 1.19 gallons Replicate/Code No. DUP-13 Sampled by Andrew Banitt

Purge Start 9:26

Purge End 10:17

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:27	0	130	5.12	0.00	6.54	4.08	0.02	1.62	17.3	107.3	Clear	No Odor
9:32	5	130	5.12	0.17	6.84	4.07	0.02	0.31	16.9	31.0	Clear	No Odor
9:37	5	130	5.12	0.34	6.87	4.00	0.02	0.16	16.9	7.6	Clear	No Odor
9:42	5	130	5.12	0.51	6.89	3.84	0.02	0.11	17.0	-6.3	Clear	No Odor
9:47	5	130	5.12	0.68	6.90	3.75	0.02	0.07	16.8	-17.3	Clear	No Odor
9:52	5	130	5.12	0.85	6.90	3.69	0.02	0.07	17.0	-24.8	Clear	No Odor
9:57	5	130	5.12	1.02	6.91	3.64	0.02	0.04	16.8	-30.1	Clear	No Odor
10:02	5	130	5.12	1.19	6.92	3.60	0.02	0.04	16.9	-34.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-79SR Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 75.9 degrees F and Cloudy. The wind is blowing SW at 15.0 mph.
Measuring Pt. Description 4.97 Total Depth (ft-bmp) 12.25 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.47 Pump Intake (ft-bmp) 1.65 Water Column (ft.) 7.28 Gallons in Well 1.18
Well Volumes Purged 1.95 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:33 Volume Purged 1.95 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 10:35
Purge End 11:40

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:36	0	140	4.99	0.00	6.87	0.84	2.50	1.13	19.0	139.8	Clear	No Odor
10:41	5	140	4.99	0.18	7.00	1.02	0.02	0.28	18.2	80.4	Clear	No Odor
10:46	5	140	4.99	0.36	7.00	1.35	0.02	0.17	18.1	49.5	Clear	No Odor
10:51	5	140	4.99	0.54	6.99	1.65	0.02	0.09	18.0	28.4	Clear	No Odor
10:56	5	140	4.99	0.72	6.99	1.80	0.02	0.09	18.0	15.8	Clear	No Odor
11:01	5	140	4.99	0.90	6.98	1.90	0.02	0.04	18.0	4.0	Clear	No Odor
11:06	5	140	4.99	1.08	6.98	1.97	0.02	0.04	18.0	-9.0	Clear	No Odor
11:11	5	140	4.99	1.26	6.98	2.00	0.02	0.03	18.0	-17.8	Clear	No Odor
11:16	5	125	4.99	1.44	6.99	1.96	1.08	0.06	18.6	-23.4	Clear	No Odor
11:21	5	125	4.99	1.61	6.99	1.91	1.37	0.05	18.6	-26.4	Clear	No Odor
11:26	5	125	4.99	1.78	6.99	1.88	0.02	0.05	18.7	-29.1	Clear	No Odor
11:31	5	125	4.99	1.95	7.00	1.88	0.02	0.06	18.6	-31.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-80SR Date 8-12-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 70.0 degrees F and Light Rain and Fog/Mist. The wind is blowing SSW 8 mph.
Measuring Pt. Description 0.85 Total Depth (ft-bmp) 12.22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.35 Pump Intake (ft-bmp) 0.83 Water Column (ft.) 11.37 Gallons in Well 1.85
Well Volumes Purged 0.83 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:17 Volume Purged 1.54 gallons Replicate/Code No. DUP-07 Sampled by Andrew Banitt

Purge Start 9:28

Purge End 10:26

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:29	0	140	0.86	0.00	6.39	1.75	22.20	1.18	21.4	163.8	Clear	No Odor
9:34	5	125	0.87	0.18	6.59	1.74	18.80	0.31	21.4	90.0	Clear	No Odor
9:39	5	125	0.86	0.35	6.64	1.74	14.00	0.17	21.3	65.7	Clear	No Odor
9:44	5	125	0.86	0.52	6.67	1.75	11.50	0.13	21.3	52.7	Clear	No Odor
9:49	5	125	0.87	0.69	6.69	1.75	8.90	0.10	21.3	45.1	Clear	No Odor
9:54	5	125	0.88	0.86	6.70	1.74	4.34	0.07	21.3	38.1	Clear	No Odor
9:59	5	125	0.89	1.03	6.72	1.73	3.89	0.06	21.3	32.9	Clear	No Odor
10:04	5	125	0.89	1.20	6.73	1.72	3.14	0.06	21.2	25.8	Clear	No Odor
10:09	5	125	0.90	1.37	6.74	1.71	2.67	0.04	21.2	20.7	Clear	No Odor
10:14	5	125	0.90	1.54	6.75	1.70	2.59	0.04	21.2	17.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Brewster ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-81		Date	8-18-21	
Project Name/Location	Ford LTP		Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing NE at 9.2 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	6.58	Total Depth (ft-bmp)	12.66	Water Column (ft.)	6.08	Gallons in Well	0.99	
		Pump Intake (ft-bmp)	10.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.07					

Sample Time:	Label	15:00	Volume Purged	1.06 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	14:24
-------------	-------

Purge End	15:05
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-81S	Date	8-18-21
Project Name/Location	Ford LTP	Weather	81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.51	Total Depth (ft-bmp)	12.52	Water Column (ft.)	6.01
		Pump Intake (ft-bmp)	8.01	Purge Method	Low-Flow
		Well Volumes Purged	0.87	Sample Method	Grab

Sample Time:	Label	14:10	Volume Purged	0.85 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	13:35
-------------	-------

Purge End	14:15
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, *cis*-1,2-DCE, *trans*-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes
n/a

Well Completion:

Flush mount

Lock Functioning:

yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-82D Date 8-18-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 18-23 Weather 72.0 degrees F and Fog/Mist. The wind is blowing N/NE at 8.1 mph.
Measuring Pt. Description 7.35 Total Depth (ft-bmp) 22.72 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 20.50 Pump Intake (ft-bmp) 0.48 Water Column (ft.) 15.37 Gallons in Well 2.50
Well Volumes Purged 0.48 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 11:01 Volume Purged 1.19 gallons Replicate/Code No. -- Sampled by Gary Schafer

Purge Start 10:23
Purge End 11:12

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:25	0	125	7.38	0.00	7.39	1.54	0.22	1.37	18.7	-98.4	Clear	No Odor
10:30	5	125	7.38	0.17	7.42	1.58	1.06	0.97	19.0	-115.4	Clear	No Odor
10:35	5	125	7.38	0.34	7.44	1.60	1.57	0.90	19.0	-122.4	Clear	No Odor
10:40	5	125	7.38	0.51	7.46	1.63	0.02	0.82	19.1	-127.0	Clear	No Odor
10:45	5	125	7.38	0.68	7.47	1.63	0.33	0.78	19.2	-131.0	Clear	No Odor
10:50	5	125	7.38	0.85	7.47	1.65	0.05	0.75	19.0	-132.0	Clear	No Odor
10:55	5	125	7.38	1.02	7.48	1.66	0.40	0.70	19.2	-135.8	Clear	No Odor
11:00	5	125	7.38	1.19	7.46	1.64	0.15	0.70	19.1	-136.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-82SR	Date	8-18-21		
Project Name/Location	Ford LTP	Weather	73.9 degrees F and Haze.	The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-15	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.22	Total Depth (ft-bmp)	16.10	Water Column (ft.)	8.88	Gallons in Well	1.44
		Pump Intake (ft-bmp)	8.72	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.71				

Sample Time:	Label	12:06	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:33
-------------	-------

Purge End 12:12

Gang
Schuler

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-83		Date	8-13-21	
Project Name/Location	Ford LTP		Weather		83.0 degrees F and Overcast.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	6.60	Total Depth (ft-bmp)	12.41	Water Column (ft.)	5.81	Gallons in Well	0.94	
		Pump Intake (ft-bmp)	10.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.83					

Sample Time:	Label	11:50	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by	Seth Turner
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------

Purge Start	11:10
-------------	-------

Purge End	11:55
-----------	-------

ST

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Stark ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-83S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 80.0 degrees F and Overcast.
Measuring Pt. Description 6.71 Total Depth (ft-bmp) 12.79 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.71 Pump Intake (ft-bmp) 8.21 Water Column (ft.) 6.08 Gallons in Well 0.99
Well Volumes Purged 0.53 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:55 Volume Purged 0.52 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 10:10
Purge End 11:00

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:15	0	100	6.71	0.00	7.40	1.52	6.07	0.83	18.5	79.6	Clear	No Odor
10:20	5	100	6.71	0.13	7.15	1.51	5.91	0.65	18.5	78.7	Clear	No Odor
10:25	5	100	6.71	0.26	7.12	1.52	3.55	0.56	18.7	68.5	Clear	No Odor
10:30	5	100	6.71	0.39	7.11	1.53	2.67	0.46	18.7	58.3	Clear	No Odor
10:35	5	100	6.71	0.13	7.14	1.54	1.60	0.31	18.5	40.9	Clear	No Odor
10:40	5	100	6.71	0.26	7.19	1.59	0.02	0.22	18.4	15.9	Clear	No Odor
10:45	5	100	6.71	0.39	7.20	1.61	0.02	0.16	18.1	10.9	Clear	No Odor
10:50	5	100	6.71	0.52	7.20	1.62	0.02	0.14	18.1	7.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-84 Date 8-5-21
Project Name/Location Top of Casing Weather 78.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.70 Total Depth (ft-bmp) 12.55 Water Column (ft.) 8.85 Gallons in Well 1.44
Pump Intake (ft-bmp) 10.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.67

Sample Time: Label 13:50 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 12:48

Purge End 13:53

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:50	0	150	3.71	0.00	7.35	3.80	4.27	0.47	19.0	-79.4	Clear, Small Orange Particulates	No Odor
12:55	5	150	3.71	0.20	7.37	3.79	11.70	0.35	19.7	-92.7	Clear, Small Orange Particulates	No Odor
13:00	5	150	3.71	0.40	7.42	2.78	6.39	0.46	20.1	-101.0	Clear, Small Orange Particulates	No Odor
13:05	5	150	3.71	0.60	7.37	2.55	18.40	0.38	19.0	-96.2	Clear, Small Orange Particulates	No Odor
13:10	5	150	3.71	0.80	7.36	2.55	6.73	0.44	19.3	-91.6	Clear, Small White Particulates	No Odor
13:15	5	150	3.71	1.00	7.36	2.76	9.56	0.32	18.9	-93.4	Clear, Small White Particulates	No Odor
13:20	5	150	3.71	1.20	7.39	2.77	13.40	0.46	19.1	-94.8	Clear, Small White Particulates	No Odor
13:25	5	150	3.71	1.40	7.37	2.72	5.33	0.39	19.4	-94.2	Clear, Small White Particulates	No Odor
13:30	5	150	3.71	1.60	7.36	2.79	4.86	0.46	18.8	-94.2	Clear, Small White Particulates	No Odor
13:35	5	150	3.71	1.80	7.42	2.69	7.37	0.37	19.6	-98.7	Clear, Small White Particulates	No Odor
13:40	5	150	3.71	2.00	7.35	2.84	11.30	0.30	18.6	-93.9	Clear, Small White Particulates	No Odor
13:45	5	150	3.71	2.20	7.35	2.86	3.14	0.35	18.7	-96.4	Clear	No Odor
13:50	5	150	3.71	2.40	7.36	2.85	8.95	0.49	18.6	-98.6	Clear, Small White Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Beacon ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-84S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 80.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description 3.86 Total Depth (ft-bmp) 12.68 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.86 Pump Intake (ft-bmp) 5.36 Water Column (ft.) 8.82 Gallons in Well 1.43
Well Volumes Purged 1.68 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:15 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 14:11

Purge End 15:18

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:15	0	150	3.88	0.00	7.95	0.37	4.64	4.76	21.1	25.2	Clear, Small Orange Particulates	No Odor
14:20	5	150	3.88	0.20	7.74	0.42	4.97	3.91	20.9	51.2	Clear, Small Orange Particulates	No Odor
14:25	5	150	3.88	0.40	7.54	0.54	4.77	2.54	20.6	46.2	Clear, Small Orange Particulates	No Odor
14:30	5	150	3.88	0.60	7.47	0.76	3.50	2.03	20.5	18.2	Clear, Small Orange Particulates	No Odor
14:35	5	150	3.88	0.80	7.41	0.89	3.24	1.51	20.5	16.7	Clear	No Odor
14:40	5	150	3.88	1.00	7.54	0.82	3.00	2.27	21.1	12.4	Clear	No Odor
14:45	5	150	3.88	1.20	7.38	1.01	2.55	1.26	20.5	9.7	Clear	No Odor
14:50	5	150	3.88	1.40	7.37	1.09	1.50	1.25	20.5	-2.9	Clear	No Odor
14:55	5	150	3.88	1.60	7.36	1.15	1.45	1.15	20.1	-15.5	Clear	No Odor
15:00	5	150	3.88	1.80	7.37	1.23	2.47	1.06	20.2	-31.4	Clear	No Odor
15:05	5	150	3.88	2.00	7.34	1.28	1.66	0.99	19.8	-42.7	Clear	No Odor
15:10	5	150	3.88	2.20	7.34	1.30	1.41	0.96	19.7	-45.3	Clear	No Odor
15:15	5	150	3.88	2.40	7.33	1.37	0.93	0.97	19.7	-51.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Beacon ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-85 Date 8-11-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Cloudy. The wind is blowing S/SW at 11.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.78 Total Depth (ft-bmp) 12.68 Water Column (ft.) 6.90 Gallons in Well 1.12
Pump Intake (ft-bmp) 10.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.43

Sample Time: Label 13:10 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 12:28
Purge End 13:18

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:30	0	150	5.81	0.00	7.20	3.52	1.99	0.74	20.9	-113.2	Clear	Slight Odor
12:35	5	150	5.81	0.20	7.18	3.46	2.73	0.29	20.7	-118.0	Clear	Slight Odor
12:40	5	150	5.81	0.40	7.18	3.31	2.44	0.15	20.7	-118.5	Clear	Slight Odor
12:45	5	150	5.81	0.60	7.18	3.07	4.36	0.14	20.7	-116.4	Clear	Slight Odor
12:50	5	150	5.81	0.80	7.18	2.87	4.04	0.13	20.7	-114.3	Clear	Slight Odor
12:55	5	150	5.81	1.00	7.17	2.74	1.28	0.11	20.7	-113.7	Clear	Slight Odor
13:00	5	150	5.81	1.20	7.16	2.65	2.83	0.10	20.7	-113.8	Clear	Slight Odor
13:05	5	150	5.81	1.40	7.16	2.62	2.59	0.09	20.7	-113.8	Clear	Faint Odor
13:10	5	150	5.81	1.60	7.16	2.60	2.44	0.09	20.9	-114.1	Clear	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-85SR Date 8-11-21
Project Name/Location Ford LTP Weather 75.0 degrees F and Cloudy. The wind is blowing S/SW at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.85 Total Depth (ft-bmp) 8.44 Water Column (ft.) 2.59 Gallons in Well 0.42
Pump Intake (ft-bmp) 7.35 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 5.64

Sample Time: Label 12:05 Volume Purged 2.37 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 11:04
Purge End 12:10

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:05	0	125	5.87	0.00	7.07	1.84	73.70	1.96	22.6	-64.7	Clear, Small Orange Particulates	No Odor
11:10	5	150	5.87	0.17	7.02	1.91	92.30	1.15	22.4	-91.7	Clear, Small Orange Particulates	No Odor
11:15	5	150	5.87	0.37	7.03	1.97	39.60	1.02	22.2	-96.6	Clear, Small Orange Particulates	No Odor
11:20	5	150	5.87	0.57	7.04	2.11	36.40	0.67	22.2	-94.9	Clear, Small Orange Particulates	No Odor
11:25	5	150	5.87	0.77	7.03	2.19	28.50	0.71	22.2	-94.1	Clear, Small Orange Particulates	No Odor
11:30	5	150	5.87	0.97	7.03	2.32	26.90	0.77	22.2	-92.5	Clear, Small Orange Particulates	No Odor
11:35	5	150	5.87	1.17	7.02	2.41	23.10	0.98	22.2	-91.0	Clear, Small Orange Particulates	No Odor
11:40	5	150	5.87	1.37	7.02	2.49	17.20	0.98	22.3	-90.3	Clear, Small Orange Particulates	No Odor
11:45	5	150	5.87	1.57	7.02	2.56	17.40	0.67	22.3	-90.1	Clear, Small Orange Particulates	No Odor
11:50	5	150	5.87	1.77	7.02	2.63	13.20	0.70	22.3	-89.7	Clear, Small Orange Particulates	No Odor
11:55	5	150	5.87	1.97	7.02	2.66	13.00	0.36	22.3	-89.9	Clear, Small Orange Particulates	No Odor
12:00	5	150	5.87	2.17	7.02	2.68	11.20	0.22	22.3	-89.9	Clear, Small Orange Particulates	No Odor
12:05	5	150	5.87	2.37	7.02	2.69	8.21	0.22	22.4	-89.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-86 Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 12-17 Weather 77.0 degrees F and Cloudy. The wind is blowing W at 8.1 mph.
Measuring Pt. Description 6.25 Total Depth (ft-bmp) 16.60 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.25 Pump Intake (ft-bmp) 14.50 Water Column (ft.) 10.35 Gallons in Well 1.68
Well Volumes Purged 1.11 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 16:41 Volume Purged 1.87 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 15:43
Purge End 16:47

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
15:44	0	130	6.27	0.00	7.13	1.33	4.52	1.46	16.8	167.2	Clear	No Odor
15:49	5	125	6.27	0.17	7.27	1.13	10.90	0.28	16.2	119.1	Clear	No Odor
15:54	5	125	6.26	0.34	7.36	0.77	4.50	0.27	16.1	99.3	Clear	No Odor
15:59	5	125	6.27	0.51	7.40	0.67	2.95	0.62	16.0	88.8	Clear	No Odor
16:04	5	125	6.27	0.68	7.43	0.63	2.95	0.71	16.0	80.6	Clear	No Odor
16:09	5	125	6.27	0.85	7.46	0.61	4.53	0.60	16.0	73.0	Clear	No Odor
16:14	5	125	6.27	1.02	7.46	0.61	3.07	0.56	15.8	63.3	Clear	No Odor
16:19	5	125	6.27	1.19	7.46	0.61	1.64	0.61	15.8	57.4	Clear	No Odor
16:24	5	125	6.27	1.36	7.46	0.62	1.61	0.67	15.8	49.8	Clear	No Odor
16:29	5	125	6.27	1.53	7.47	0.63	3.25	0.75	15.9	45.7	Clear	No Odor
16:34	5	125	6.27	1.70	7.47	0.63	2.80	0.77	15.7	41.3	Clear	No Odor
16:39	5	125	6.27	1.87	7.47	0.63	0.64	0.82	15.8	37.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Wadsworth ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-86S Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 79.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description 6.41 Total Depth (ft-bmp) 12.31 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.41 Pump Intake (ft-bmp) 7.91 Water Column (ft.) 5.90 Gallons in Well 0.96
Well Volumes Purged 1.49 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:12 Volume Purged 1.43 gallons Replicate/Code No. MW-86S-MS_080321, MW-86S-MSD_080321 Sampled by Andrew Banitt

Purge Start 14:29
Purge End 15:25

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:30	0	150	6.43	0.00	7.13	0.33	0.02	6.44	20.0	192.9	Clear	No Odor
14:35	5	150	6.44	0.20	7.39	0.32	0.02	5.39	19.3	167.6	Clear	No Odor
14:40	5	140	6.44	0.40	7.45	0.32	0.02	4.88	19.4	158.4	Clear	No Odor
14:45	5	130	6.44	0.58	7.47	0.33	0.02	4.47	19.5	149.6	Clear	No Odor
14:50	5	130	6.44	0.75	7.48	0.33	0.02	4.25	19.3	143.9	Clear	No Odor
14:55	5	130	6.44	0.92	7.48	0.34	0.02	4.23	19.3	139.2	Clear	No Odor
15:00	5	130	6.44	1.09	7.47	0.34	0.02	4.26	18.6	135.9	Clear	No Odor
15:05	5	130	6.44	1.26	7.47	0.34	0.02	4.35	18.6	133.0	Clear	No Odor
15:10	5	130	6.44	1.43	7.49	0.34	0.02	4.04	18.5	130.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Wadsworth ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-87			Date	8-2-21
Project Name/Location	Ford LTP		Weather	73.9 degrees F and Mostly Clear. The wind is blowing NW at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	14-19	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.79	Total Depth (ft-bmp)	18.80	Water Column (ft.)	10.01	Gallons in Well	1.63
		Pump Intake (ft-bmp)	16.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.63				

Sample Time:	Label	13:46	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	13:13
-------------	-------

Purge End	13:53
-----------	-------

Gang
Pecher

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Standish ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-87S Date 8-2-21
Project Name/Location Top of Casing Weather 75.0 degrees F and Partly Cloudy. The wind is blowing S at 9.2 mph.
Measuring Pt. Description Screen Setting (ft-bmp) 4.5-14.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.52 Total Depth (ft-bmp) 14.10 Water Column (ft.) 5.58 Gallons in Well 0.91
Pump Intake (ft-bmp) 10.02 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.12

Sample Time: Label 14:46 Volume Purged 1.02 gallons Replicate/Code No. MW-87S-MS_080221, MW-87S-MSD_080221 Sampled by Gary Schafer

Purge Start 14:03
Purge End 15:05

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:05	0	125	8.52	0.00	7.83	0.28	1.41	5.69	21.0	187.9	Clear	No Odor
14:10	5	125	8.52	0.17	7.84	0.28	0.02	6.09	21.5	190.1	Clear	No Odor
14:15	5	125	8.53	0.34	7.78	0.28	0.02	7.65	21.4	191.9	Clear	No Odor
14:20	5	125	8.53	0.51	7.78	0.29	0.02	8.48	21.4	192.3	Clear	No Odor
14:25	5	125	8.53	0.68	7.78	0.28	0.04	8.47	21.1	194.6	Clear	No Odor
14:30	5	125	8.54	0.85	7.82	0.28	0.04	8.26	21.1	201.1	Clear	No Odor
14:35	5	125	8.54	1.02	7.81	0.28	0.03	8.30	21.1	201.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 9	Preservative HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Standish ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-96S		Date	8-9-21	
Project Name/Location	Ford LTP		Weather	77.0 degrees F and Haze. The wind is blowing at 6.9 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.50	Total Depth (ft-bmp)	12.09	Water Column (ft.)	6.59	Gallons in Well	1.07	
		Pump Intake (ft-bmp)	7.00	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.95					

Sample Time:	Label	9:41	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	9:08
-------------	------

Purge End	9:47
-----------	------

Gary
Schief

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Boston Post ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-97S	Date	8-19-21
Project Name/Location	Ford LTP			Weather	72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	4.27	Total Depth (ft-bmp)	12.00	Water Column (ft.)	7.73
		Pump Intake (ft-bmp)	5.77	Purge Method	Low-Flow
		Well Volumes Purged	1.62	Gallons in Well	1.26
Sample Time:	Label	10:31	Volume Purged	2.04 gallons	Replicate/Code No.
	Purge Start	9:27			MW-97S-MS_081921,
	Purge End	10:44			MW-97S-MSD_081921
					Sampled by
					Gary Schafer

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:30	0	125	4.28	0.00	7.21	0.80	21.70	1.08	21.8	140.5	Clear, Small White Particulates	No Odor
9:35	5	125	4.28	0.17	7.27	0.80	10.20	0.43	21.7	107.0	Clear	No Odor
9:40	5	125	4.28	0.34	7.29	0.79	7.12	0.45	21.6	86.6	Clear	No Odor
9:45	5	125	4.28	0.51	7.30	0.78	6.22	0.16	21.5	69.1	Clear	No Odor
9:50	5	125	4.28	0.68	7.32	0.78	4.89	0.33	21.5	55.1	Clear	No Odor
9:55	5	125	4.28	0.85	7.33	0.78	3.51	0.36	21.5	40.3	Clear	No Odor
10:00	5	125	4.28	1.02	7.34	0.78	3.73	0.35	21.5	32.1	Clear	No Odor
10:05	5	125	4.28	1.19	7.35	0.79	3.05	0.33	21.5	22.0	Clear	No Odor
10:10	5	125	4.28	1.36	7.36	0.79	2.99	0.32	21.5	18.9	Clear	No Odor
10:15	5	125	4.28	1.53	7.36	0.80	3.08	0.31	21.5	3.4	Clear	No Odor
10:20	5	125	4.28	1.70	7.37	0.81	2.41	0.30	21.5	-10.5	Clear	No Odor
10:25	5	125	4.28	1.87	7.38	0.81	2.19	0.30	21.5	-18.2	Clear	No Odor
10:30	5	125	4.28	2.04	7.38	0.82	2.13	0.32	21.4	-24.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information		
Well Location:	Boston Post ROW	Well Locked at Arrival: yes
Condition of Well:	Good	Well Locked at Departure: n/a
Well Completion:	Flush mount	Lock Functioning: yes



Project No.	30080642.402.01		Well ID	MW-98S		Date	8-19-21	
Project Name/Location	Ford LTP		Weather	84.0 degrees F and Mostly Cloudy. The wind is blowing at 3.4 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	1.74	Total Depth (ft-bmp)	12.10	Water Column (ft.)	10.36	Gallons in Well	1.68	
		Pump Intake (ft-bmp)	3.24	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.61					

Sample Time:	Label	14:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	13:47
-------------	-------

Purge End	14:28
-----------	-------

Gary
Schubert

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Brewster ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-99S			Date	8-16-21
Project Name/Location	Ford LTP		Weather			70.0 degrees F and Overcast.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-13	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	5.89	Total Depth (ft-bmp)	12.85	Water Column (ft.)	6.96	Gallons in Well	
		Pump Intake (ft-bmp)	7.39	Purge Method	Low-Flow	Sample Method	
		Well Volumes Purged	0.69			Grab	
Sample Time:	Label	11:40	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	11:00					Seth Turner
	Purge End	11:45					

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Good, Missing bolts	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-100S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 75.0 degrees F and Mostly Cloudy. The wind is blowing W at 4.7 mph.
Measuring Pt. Description 6.35 Total Depth (ft-bmp) 12.80 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.35 Pump Intake (ft-bmp) 7.85 Water Column (ft.) 6.45 Gallons in Well 1.05
Well Volumes Purged 1.71 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:42 Volume Purged 1.8 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:53
Purge End 10:48

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:55	0	150	6.35	0.00	7.31	5.50	0.02	0.50	21.4	122.0	Clear	No Odor
10:00	5	150	6.35	0.20	7.26	5.51	0.02	0.33	21.0	110.2	Clear	No Odor
10:05	5	150	6.40	0.40	7.26	5.52	0.02	0.31	20.8	100.9	Clear	No Odor
10:10	5	150	6.40	0.60	7.24	5.56	0.02	0.21	20.7	78.9	Clear	No Odor
10:15	5	150	6.40	0.80	7.21	5.67	0.02	0.26	20.7	4.0	Clear	No Odor
10:20	5	150	6.40	1.00	7.20	5.74	0.02	0.22	20.7	-20.9	Clear	No Odor
10:25	5	150	6.40	1.20	7.20	5.60	0.02	0.22	20.8	-27.8	Clear	No Odor
10:30	5	150	6.40	1.40	7.20	5.85	0.02	0.22	20.9	-31.8	Clear	No Odor
10:35	5	150	6.40	1.60	7.20	5.86	0.02	0.22	20.8	-34.7	Clear	No Odor
10:40	5	150	6.40	1.80	7.20	5.90	0.02	0.20	20.9	-36.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Fair Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-101S Date 8-13-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-14.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.10 Total Depth (ft-bmp) 14.10 Water Column (ft.) 6.00 Gallons in Well 0.97
Pump Intake (ft-bmp) 9.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.32

Sample Time: Label 12:06 Volume Purged 1.28 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 11:21
Purge End 12:10

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:25	0	120	8.10	0.00	7.59	1.49	0.02	0.45	21.1	92.5	Clear	No Odor
11:30	5	120	8.10	0.16	7.47	1.49	0.02	0.18	20.6	82.3	Clear	No Odor
11:35	5	120	8.40	0.32	7.45	1.49	0.02	0.11	20.4	69.0	Clear	No Odor
11:40	5	120	8.50	0.48	7.44	1.49	0.02	0.07	20.3	13.2	Clear	No Odor
11:45	5	120	8.40	0.64	7.44	1.48	0.02	0.05	20.2	-44.7	Clear	No Odor
11:50	5	120	8.40	0.80	7.44	1.48	0.02	0.04	20.2	-59.0	Clear	No Odor
11:55	5	120	8.40	0.96	7.45	1.48	0.02	0.04	20.2	-67.0	Clear	No Odor
12:00	5	120	8.40	1.12	7.44	1.48	0.02	0.05	20.1	-69.8	Clear	No Odor
12:05	5	120	8.40	1.28	7.45	1.48	0.02	0.04	20.1	-70.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-102			Date	8-18-21
Project Name/Location	Ford LTP		Weather	81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	10-15	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	1.41	Total Depth (ft-bmp)	14.64	Water Column (ft.)	13.23	Gallons in Well	2.15
		Pump Intake (ft-bmp)	12.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.59				

Sample Time:	Label	13:00	Volume Purged	1.26 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	12:24
-------------	-------

Purge End	13:04
-----------	-------

El Hassen

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$
 $\sigma = 1.47$

Well Information

Well Location:

Rosati ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes
n/a

Well Completion:

Flush mount

Lock Functioning:

YES



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-102S Date 8-16-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 73.0 degrees F and Cloudy. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description 1.41 Total Depth (ft-bmp) 12.34 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.91 Pump Intake (ft-bmp) 1.35 Water Column (ft.) 10.93 Gallons in Well 1.78
Well Volumes Purged 2.4 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:05 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 13:00
Purge End 14:08

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:05	0	150	1.42	0.00	7.42	2.27	2.23	0.49	24.6	182.0	Clear	No Odor
13:10	5	150	1.41	0.20	7.43	2.63	1.56	0.14	24.3	181.5	Clear	No Odor
13:15	5	150	1.41	0.40	7.42	2.78	0.68	0.12	24.2	181.6	Clear	No Odor
13:20	5	150	1.42	0.60	7.40	3.03	0.56	0.10	24.1	182.3	Clear	No Odor
13:25	5	150	1.42	0.80	7.39	3.10	0.04	0.10	24.1	181.2	Clear	No Odor
13:30	5	150	1.42	1.00	7.38	3.17	0.02	0.09	24.1	180.1	Clear	No Odor
13:35	5	150	1.42	1.20	7.37	3.25	0.02	0.08	24.0	177.8	Clear	No Odor
13:40	5	150	1.42	1.40	7.36	3.32	0.02	0.08	24.0	173.9	Clear	No Odor
13:45	5	150	1.42	1.60	7.35	3.36	1.20	0.07	23.9	166.0	Clear	No Odor
13:50	5	150	1.42	1.80	7.34	3.39	0.52	0.08	23.9	153.2	Clear	No Odor
13:55	5	150	1.42	2.00	7.34	3.43	0.13	0.07	23.9	135.6	Clear	No Odor
14:00	5	150	1.42	2.20	7.33	3.44	0.16	0.06	23.9	123.5	Clear	No Odor
14:05	5	150	1.42	2.40	7.33	3.45	0.10	0.10	23.9	108.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-105S Date 8-18-21
Project Name/Location Ford LTP Weather 69.1 degrees F and Fog and Fog/Mist. The wind is blowing N/NE at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.90 Total Depth (ft-bmp) 11.75 Water Column (ft.) 8.85 Gallons in Well 1.44
Pump Intake (ft-bmp) 4.40 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.17

Sample Time: Label 8:45 Volume Purged 1.68 gallons Replicate/Code No. -- Sampled by Emma Witherspoon
Purge Start 8:00
Purge End 8:54

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:05	0	160	2.91	0.00	6.81	1.46	14.00	0.35	22.8	91.6	Clear, Small Orange Particulates	No Odor
8:10	5	160	2.91	0.21	6.79	1.47	12.30	0.22	22.5	66.2	Clear, Small Orange Particulates	No Odor
8:15	5	160	2.91	0.42	6.79	1.70	7.12	0.15	22.2	52.0	Clear, Small Orange Particulates	No Odor
8:20	5	160	2.91	0.63	7.07	2.58	5.11	0.13	22.2	20.0	Clear, Small Orange Particulates	No Odor
8:25	5	160	2.91	0.84	7.15	2.65	4.79	0.13	22.3	-56.5	Clear, Small Orange Particulates	No Odor
8:30	5	160	2.91	1.05	7.18	2.67	4.74	0.12	22.3	-70.3	Clear, Small Orange Particulates	No Odor
8:35	5	160	2.91	1.26	7.20	2.71	4.52	0.11	22.3	-79.7	Clear, Small Orange Particulates	No Odor
8:40	5	160	2.91	1.47	7.22	2.70	4.21	0.12	22.4	-83.4	Clear, Small Orange Particulates	No Odor
8:45	5	160	2.91	1.68	7.22	2.69	4.21	0.11	22.5	-85.6	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Broken thread tabs,Fair Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-106S Date 8-11-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 78.1 degrees F and Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description 3.20 Total Depth (ft-bmp) 11.60 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.70 Pump Intake (ft-bmp) 1.38 Water Column (ft.) 8.40 Gallons in Well 1.36
Well Volumes Purged 1.88 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 13:19 Volume Purged 1.88 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 12:21

Purge End 13:26

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:22	0	140	3.29	0.00	6.86	0.50	71.50	1.76	24.0	137.0	Clear	No Odor
12:27	5	125	3.31	0.18	7.00	0.41	38.70	2.34	23.7	108.4	Clear	No Odor
12:32	5	125	3.32	0.35	7.06	0.39	34.10	1.86	23.7	100.6	Clear	No Odor
12:37	5	125	3.33	0.52	7.09	0.39	32.00	1.71	23.7	95.2	Clear	No Odor
12:42	5	125	3.33	0.69	7.10	0.40	20.90	1.39	23.6	92.1	Clear	No Odor
12:47	5	125	3.34	0.86	7.11	0.41	16.40	1.30	23.6	89.0	Clear	No Odor
12:52	5	125	3.35	1.03	7.09	0.42	9.58	1.04	23.5	86.3	Clear	No Odor
12:57	5	125	3.34	1.20	7.09	0.43	6.58	0.86	23.6	82.2	Clear	No Odor
13:02	5	125	3.34	1.37	7.09	0.44	5.42	0.81	23.6	79.7	Clear	No Odor
13:07	5	125	3.34	1.54	7.08	0.45	3.01	0.77	23.6	77.5	Clear	No Odor
13:12	5	125	3.34	1.71	7.08	0.45	2.80	0.76	23.6	75.7	Clear	No Odor
13:17	5	125	3.34	1.88	7.07	0.46	1.93	0.70	23.7	74.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Beacon ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-107S		Date	8-13-21	
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Mostly Cloudy. The wind is blowing W at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.37	Total Depth (ft-bmp)	12.14	Water Column (ft.)	6.77	Gallons in Well	1.10	
		Pump Intake (ft-bmp)	6.87	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.29					

Sample Time:	Label	10:55	Volume Purged	1.42 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	10:12						
	Purge End	11:00						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:13	0	150	5.49	0.00	6.89	1.10	13.30	1.09	20.0	141.3	Clear	No Odor
10:18	5	150	5.64	0.20	6.93	1.06	1.42	0.86	20.1	85.9	Clear	No Odor
10:23	5	125	5.72	0.40	7.02	1.05	0.02	0.75	20.2	60.3	Clear	No Odor
10:28	5	125	5.75	0.57	7.08	1.03	0.02	0.44	20.0	42.5	Clear	No Odor
10:33	5	125	5.82	0.74	7.10	1.02	0.02	0.30	19.8	17.0	Clear	No Odor
10:38	5	125	5.81	0.91	7.17	1.01	0.02	0.29	19.7	13.9	Clear	No Odor
10:43	5	125	5.87	1.08	7.17	1.00	0.02	0.24	19.6	-10.0	Clear	No Odor
10:48	5	125	5.84	1.25	7.22	0.99	0.02	0.28	19.7	-10.4	Clear	No Odor
10:53	5	125	5.84	1.42	7.23	0.99	0.02	0.21	19.6	-15.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	Capitol ROW	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	n/a	
Well Completion:	Flush mount	Lock Functioning:	yes	

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-108S	Date	8-11-21
Project Name/Location	Ford LTP	Weather	73.9 degrees F and Mostly Cloudy. The wind is blowing S/SW at 6.9 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	4.20	Total Depth (ft-bmp)	12.22	Water Column (ft.)	8.02
		Pump Intake (ft-bmp)	5.70	Purge Method	Low-Flow
		Well Volumes Purged	0.92	Gallons in Well	1.30
				Sample Method	Grab

Sample Time:	Label	8:10	Volume Purged	1.2 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	------	---------------	-------------	--------------------	----	------------	------------------

Purge Start	7:31
-------------	------

Purge End 8:15

Page End Size

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Two broken off bolts stuck in threads, one operating bolt

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:

Rosati ROW

Well Locked at Arrival:

yes

Condition of Well:

Broken thread tabs,Fair,Missing bolts

Well Locked at Departure:

n/a

Well Completion:

Flush mount

Lock Functioning:

ves



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-131S Date 8-18-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.23 Total Depth (ft-bmp) 12.65 Water Column (ft.) 8.42 Gallons in Well 1.37
Pump Intake (ft-bmp) 5.73 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.75

Sample Time: Label 11:55 Volume Purged 2.4 gallons Replicate/Code No. DUP-12 Sampled by Emma Witherspoon

Purge Start 10:53

Purge End 12:05

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:55	0	150	4.28	0.00	7.20	0.75	6.07	1.13	22.1	215.8	Clear	No Odor
11:00	5	150	4.26	0.20	7.12	0.82	5.83	0.44	22.0	184.2	Clear	No Odor
11:05	5	150	4.26	0.40	7.07	0.97	4.54	0.28	21.8	154.2	Clear	No Odor
11:10	5	150	4.26	0.60	7.04	1.16	3.06	0.26	21.8	52.7	Clear	No Odor
11:15	5	150	4.26	0.80	6.99	1.61	2.96	0.26	21.7	-6.5	Clear	No Odor
11:20	5	150	4.26	1.00	7.06	2.35	2.53	0.27	21.8	-51.8	Clear	No Odor
11:25	5	150	4.26	1.20	7.07	2.58	3.10	0.23	21.6	-64.0	Clear	No Odor
11:30	5	150	4.26	1.40	7.10	2.80	1.71	0.23	21.5	-73.5	Clear	No Odor
11:35	5	150	4.26	1.60	7.14	2.99	2.81	0.26	21.5	-79.4	Clear	No Odor
11:40	5	150	4.26	1.80	7.17	3.11	1.92	0.25	21.5	-83.5	Clear	No Odor
11:45	5	150	4.26	2.00	7.20	3.20	3.33	0.25	21.5	-88.0	Clear	No Odor
11:50	5	150	4.26	2.20	7.21	3.23	5.02	0.25	21.5	-90.0	Clear	No Odor
11:55	5	150	4.26	2.40	7.20	3.28	3.93	0.22	21.6	-92.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-132S Date 8-13-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Light Rain. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.40 Total Depth (ft-bmp) 12.36 Water Column (ft.) 6.96 Gallons in Well 1.13
Pump Intake (ft-bmp) 6.90 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.12

Sample Time: Label 14:30 Volume Purged 2.4 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 13:28
Purge End 14:35

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:30	0	150	5.42	0.00	7.30	2.95	53.50	1.55	23.6	179.6	Cloudy, Small Orange Particulates	No Odor
13:35	5	150	5.42	0.20	7.24	2.92	42.60	1.19	23.6	171.8	Cloudy, Small Orange Particulates	No Odor
13:40	5	150	5.42	0.40	7.25	2.89	20.20	1.09	23.5	163.4	Cloudy, Small Orange Particulates	No Odor
13:45	5	150	5.42	0.60	7.26	2.83	9.97	0.98	23.6	154.4	Cloudy	No Odor
13:50	5	150	5.42	0.80	7.25	2.80	4.99	1.12	23.5	146.8	Clear	No Odor
13:55	5	150	5.42	1.00	7.25	2.75	4.69	1.00	23.4	135.7	Clear	No Odor
14:00	5	150	5.42	1.20	7.25	2.74	2.64	1.09	23.5	125.1	Clear	No Odor
14:05	5	150	5.42	1.40	7.25	2.71	1.95	0.95	23.3	115.1	Clear	No Odor
14:10	5	150	5.42	1.60	7.25	2.68	1.76	0.94	23.1	103.4	Clear	No Odor
14:15	5	150	5.42	1.80	7.26	2.71	1.47	0.92	23.3	96.0	Clear	No Odor
14:20	5	150	5.42	2.00	7.25	2.67	1.39	0.96	23.1	92.6	Clear	No Odor
14:25	5	150	5.42	2.20	7.25	2.63	1.08	0.90	23.1	84.2	Clear	No Odor
14:30	5	150	5.42	2.40	7.25	2.61	1.15	0.89	23.0	75.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Two broken bolts stuck in threads, one functioning bolt

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Rosati ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Broken thread tabs,Fair</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-133S Date 8-18-21
Project Name/Location Ford LTP Weather 81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4-9 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.72 Total Depth (ft-bmp) 8.49 Water Column (ft.) 2.77 Gallons in Well 0.45
Pump Intake (ft-bmp) 7.22 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.78

Sample Time: Label 14:11 Volume Purged 1.7 gallons Replicate/Code No. Sampled by Gary Schafer

Purge Start 13:17
Purge End 14:16

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	5.75	0.00	7.12	0.62	35.30	3.52	20.5	106.0	Brown, Turbid	No Odor
13:25	5	125	5.75	0.17	7.13	0.64	36.30	1.93	20.3	92.5	Brown, Turbid	No Odor
13:30	5	125	5.75	0.34	7.15	0.69	28.80	1.53	20.2	78.3	Turbid	No Odor
13:35	5	125	5.75	0.51	7.16	0.72	19.70	1.46	19.9	65.7	Clear	No Odor
13:40	5	125	5.75	0.68	7.17	0.74	17.00	1.34	19.8	51.3	Clear	No Odor
13:45	5	125	5.75	0.85	7.18	0.75	11.80	1.49	19.8	46.4	Clear	No Odor
13:50	5	125	5.75	1.02	7.19	0.77	7.47	1.02	20.2	40.7	Clear	No Odor
13:55	5	125	5.75	1.19	7.19	0.77	5.03	1.08	20.5	37.3	Clear	No Odor
14:00	5	125	5.75	1.36	7.19	0.78	4.51	1.09	20.5	34.6	Clear	No Odor
14:05	5	125	5.75	1.53	7.19	0.78	3.90	1.06	20.5	33.2	Clear	No Odor
14:10	5	125	5.75	1.70	7.19	0.78	3.39	1.08	19.9	32.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-134S	Date	8-19-21		
Project Name/Location	Ford LTP	Weather	72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-10	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.77	Total Depth (ft-bmp)	9.45	Water Column (ft.)	2.68	Gallons in Well	0.44
		Pump Intake (ft-bmp)	8.27	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.32				

Sample Time:	Label	10:50	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:17
Purge End	10:55

Chen H. Shu

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Stark ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-135S Date 8-19-21
Project Name/Location Ford LTP Weather 71.1 degrees F and Haze. The wind is blowing south at 5.3 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5-10 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.73 Total Depth (ft-bmp) 9.68 Water Column (ft.) 3.95 Gallons in Well 0.64
Pump Intake (ft-bmp) 7.23 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.88

Sample Time: Label 9:05 Volume Purged 1.2 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 8:23
Purge End 9:10

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:25	0	110	5.73	0.00	7.95	0.70	18.38	9.85	18.1	137.2	Clear, Small Orange Particulates	No Odor
8:30	5	110	5.73	0.15	7.47	0.61	8.71	1.47	18.0	157.9	Clear	No Odor
8:35	5	110	5.91	0.30	7.25	0.57	5.81	1.19	17.9	151.8	Clear	No Odor
8:40	5	110	5.91	0.45	7.23	0.55	3.09	0.98	17.9	105.3	Clear	No Odor
8:45	5	110	5.80	0.60	7.23	0.53	1.72	0.88	17.7	9.4	Clear	No Odor
8:50	5	110	5.80	0.75	7.26	0.53	0.02	0.78	17.7	-19.7	Clear	No Odor
8:55	5	110	5.80	0.90	7.26	0.53	0.02	0.73	17.7	-32.6	Clear	No Odor
9:00	5	110	5.80	1.05	7.27	0.53	0.02	0.71	17.7	-35.2	Clear	No Odor
9:05	5	110	5.80	1.20	7.28	0.53	0.02	0.70	17.7	-38.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-136S	Date	8-18-21
Project Name/Location	Ford LTP	Weather	69.1 degrees F and Fog and Fog/Mist. The wind is blowing N/NE at 4.7 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	2.92	Total Depth (ft-bmp)	7.13	Water Column (ft.)	4.21
		Pump Intake (ft-bmp)	4.42	Purge Method	Low-Flow
		Well Volumes Purged	1.44	Sample Method	Grab

Sample Time:	Label	8:55	Volume Purged	0.98 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	8:23
Purge End	9:00

Chen H. Shu

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Capitol ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-137S			Date	8-16-21
Project Name/Location	Ford LTP		Weather	64.9 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	2.39	Total Depth (ft-bmp)	7.00	Water Column (ft.)	4.61	Gallons in Well	0.75
		Pump Intake (ft-bmp)	3.89	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	1.36				

Sample Time:	Label	10:51	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	10:17
-------------	-------

Purge End	10:58
-----------	-------

Gang
Schulz

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Water over well casing, bailed out water before opening j- plug

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Brewster ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-138S Date 8-19-21
Project Name/Location Ford LTP Weather 72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.18 Total Depth (ft-bmp) 5.96 Water Column (ft.) 4.78 Gallons in Well 0.78
Pump Intake (ft-bmp) 2.68 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.87

Sample Time: Label 10:06 Volume Purged 1.46 gallons Replicate/Code No. DUP-11 Sampled by Andrew Banitt

Purge Start 9:23
Purge End 10:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:24	0	140	1.22	0.00	6.55	1.99	0.02	1.10	21.0	124.6	Clear	No Odor
9:29	5	150	1.23	0.18	6.94	2.04	0.02	0.19	20.6	19.4	Clear	No Odor
9:34	5	150	1.23	0.38	7.04	2.11	0.02	0.09	20.5	-8.5	Clear	No Odor
9:39	5	150	1.24	0.58	7.08	2.09	0.02	0.05	20.5	-26.2	Clear	No Odor
9:44	5	125	1.23	0.78	7.09	2.08	0.02	0.04	20.6	-39.6	Clear	No Odor
9:49	5	125	1.23	0.95	7.11	2.07	0.02	0.04	20.8	-48.4	Clear	No Odor
9:54	5	125	1.23	1.12	7.12	2.05	0.02	0.05	20.9	-55.5	Clear	No Odor
9:59	5	125	1.23	1.29	7.12	2.05	0.02	0.04	20.9	-60.3	Clear	No Odor
10:04	5	125	1.23	1.46	7.13	2.03	0.02	0.05	20.9	-63.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 6	Preservative HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Beacon ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-139S			Date	8-10-21
Project Name/Location	Ford LTP		Weather	82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	2.54	Total Depth (ft-bmp)	6.90	Water Column (ft.)	4.36	Gallons in Well	0.71
		Pump Intake (ft-bmp)	4.04	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.20				

Sample Time:	Label	13:30	Volume Purged	1.56 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	12:52
-------------	-------

Purge End	13:32
-----------	-------

Page 113

El Hesse

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Boston Post ROW
Condition of Well:	Good
Well Completion:	Flush mount



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-140S Date 8-9-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing S at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.85 Total Depth (ft-bmp) 6.46 Water Column (ft.) 2.61 Gallons in Well 0.42
Pump Intake (ft-bmp) 5.35 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 5.71

Sample Time: Label 14:10 Volume Purged 2.4 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 13:09

Purge End 14:13

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:10	0	150	3.92	0.00	7.75	0.39	263.00	5.44	23.0	94.8	Cloudy, White	No Odor
13:15	5	150	3.93	0.20	7.55	0.35	166.00	4.27	21.1	71.7	Cloudy, White	No Odor
13:20	5	150	3.92	0.40	7.39	0.32	99.10	2.55	20.3	68.8	Cloudy, White	No Odor
13:25	5	150	3.92	0.60	7.34	0.31	70.00	1.84	19.7	69.0	Cloudy, White	No Odor
13:30	5	150	3.92	0.80	7.51	0.32	50.00	1.66	20.1	64.8	Cloudy, White	No Odor
13:35	5	150	3.92	1.00	7.52	0.34	34.30	1.38	19.6	72.0	Cloudy, White	No Odor
13:40	5	150	3.92	1.20	7.40	0.37	19.00	1.05	19.3	83.2	Clear	No Odor
13:45	5	150	3.92	1.40	7.39	0.40	13.40	0.84	19.1	85.1	Clear	No Odor
13:50	5	150	3.92	1.60	7.34	0.47	8.46	0.64	18.7	89.8	Clear	No Odor
13:55	5	150	3.92	1.80	7.36	0.49	4.43	0.58	18.5	89.4	Clear	No Odor
14:00	5	150	3.92	2.00	7.38	0.50	3.56	0.52	18.4	88.4	Clear	No Odor
14:05	5	150	3.92	2.20	7.46	0.50	3.59	0.49	18.9	84.4	Clear	No Odor
14:10	5	150	3.92	2.40	7.43	0.51	2.85	0.49	18.4	86.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-141S Date 8-10-21
Project Name/Location Ford LTP Weather 82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-8 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.62 Total Depth (ft-bmp) 7.68 Water Column (ft.) 2.06 Gallons in Well 0.33
Pump Intake (ft-bmp) 7.12 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 6.21

Sample Time: Label 13:47 Volume Purged 2.05 gallons Replicate/Code No. Sampled by Andrew Banitt
Purge Start 12:44
Purge End 13:53

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:45	0	140	5.70	0.00	6.71	0.61	0.02	3.02	18.9	157.7	Clear	No Odor
12:50	5	125	5.74	0.18	6.88	0.59	0.02	1.94	19.0	112.9	Clear	No Odor
12:55	5	125	5.77	0.35	6.95	0.58	0.02	1.46	18.9	98.8	Clear	No Odor
13:00	5	125	5.78	0.52	6.98	0.58	0.02	1.20	18.8	93.2	Clear	No Odor
13:05	5	125	5.79	0.69	6.99	0.59	0.02	1.03	18.7	91.6	Clear	No Odor
13:10	5	125	5.80	0.86	6.99	0.59	0.02	0.91	18.7	90.6	Clear	No Odor
13:15	5	125	5.80	1.03	6.99	0.59	0.02	0.76	18.7	90.0	Clear	No Odor
13:20	5	125	5.80	1.20	7.00	0.59	0.02	0.71	18.7	89.6	Clear	No Odor
13:25	5	125	5.80	1.37	7.00	0.60	0.02	0.66	18.7	89.2	Clear	No Odor
13:30	5	125	5.80	1.54	7.00	0.60	0.02	0.55	18.6	88.9	Clear	No Odor
13:35	5	125	5.80	1.71	7.00	0.60	0.02	0.52	18.5	88.6	Clear	No Odor
13:40	5	125	5.80	1.88	7.00	0.60	0.02	0.45	18.6	88.4	Clear	No Odor
13:45	5	125	5.80	2.05	7.00	0.60	0.02	0.42	18.6	88.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-142S Date 8-13-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-7.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.59 Total Depth (ft-bmp) 6.75 Water Column (ft.) 3.16 Gallons in Well 0.51
Pump Intake (ft-bmp) 5.09 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 4.51

Sample Time: Label 12:30 Volume Purged 2.3 gallons Replicate/Code No. DUP-06 Sampled by Emma Witherspoon

Purge Start 11:34

Purge End 12:41

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:35	0	175	3.66	0.00	6.55	0.99	36.30	4.11	20.7	74.1	Cloudy, Small Orange Particulates	No Odor
11:40	5	175	3.66	0.23	6.56	1.00	25.10	3.09	20.7	86.2	Cloudy, Small Orange Particulates	No Odor
11:45	5	175	3.66	0.46	6.57	1.00	14.90	2.68	2.1	98.3	Clear, Small Orange Particulates	No Odor
11:50	5	175	3.66	0.69	6.60	1.01	12.40	2.61	20.5	109.5	Clear, Small Orange Particulates	No Odor
11:55	5	175	3.66	0.92	6.63	1.03	7.78	2.35	20.4	114.4	Clear	No Odor
12:00	5	175	3.66	1.15	6.65	1.04	3.44	2.01	20.4	83.4	Clear	No Odor
12:05	5	175	3.66	1.38	6.67	1.05	3.31	1.81	20.3	55.0	Clear	No Odor
12:10	5	175	3.66	1.61	6.69	1.05	1.03	1.73	20.3	30.9	Clear	No Odor
12:15	5	175	3.66	1.84	6.70	1.05	1.18	1.69	20.2	19.5	Clear	No Odor
12:20	5	175	3.66	2.07	6.71	1.06	1.34	1.63	20.3	13.8	Clear	No Odor
12:25	5	175	3.66	2.30	6.71	1.06	1.01	1.58	20.3	10.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Rosati ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



Sample Time:	Label	11:18	Volume Purged	<u>1.55 gallons</u>	Replicate/Code No.	MW-192S-MS_081921, Sampled by	<u>Andrew Banitt</u>
	Purge Start	<u>10:35</u>				MW-192S-MSD_081921	
	Purge End	11:31					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Beacon ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	3008042.402.01	Well ID	MW-72			Date	8-16-21
Project Name/Location	Ford LTP		Weather	62.1 degrees F and Cloudy. The wind is blowing N/NE at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.50	Total Depth (ft-bmp)	19.62	Water Column (ft.)	12.12	Gallons in Well	1.97
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.49				

Sample Time:	Label	8:55	Volume Purged	0.96 gallons	Replicate/Code No.	DUP-08	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	--------	------------	-------------------

Purge Start	8:23
-------------	------

Purge End	9:07
-----------	------

Chen H. Shu

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Belden ROW
Condition of Well:	Good
Well Completion:	Flush mount



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-72S Date 8-16-21
Project Name/Location Ford LTP Weather 64.9 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 7.65 Total Depth (ft-bmp) 12.85 Water Column (ft.) 5.20 Gallons in Well 0.84
Pump Intake (ft-bmp) 9.15 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.81

Sample Time: Label 10:15 Volume Purged 1.52 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:29
Purge End 10:19

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:30	0	120	7.65	0.00	4.07	3.33	14.76	8.87	21.1	24.8	Clear	No Odor
9:35	5	130	7.65	0.16	7.66	5.13	10.20	1.58	20.6	17.9	Clear	No Odor
9:40	5	130	8.24	0.33	7.64	5.05	7.38	1.36	20.5	13.2	Clear	No Odor
9:45	5	130	8.24	0.50	7.60	4.97	3.72	1.31	20.4	17.2	Clear	No Odor
9:50	5	130	8.24	0.67	7.52	4.90	2.51	1.29	20.4	20.2	Clear	No Odor
9:55	5	130	7.90	0.84	7.45	4.84	0.92	1.32	20.4	31.3	Clear	No Odor
10:00	5	130	7.90	1.01	7.42	4.80	0.02	1.34	20.3	43.6	Clear	No Odor
10:05	5	130	7.90	1.18	7.37	4.77	0.02	1.37	20.3	52.0	Clear	No Odor
10:10	5	130	7.90	1.35	7.33	4.74	0.02	1.36	20.3	54.6	Clear	No Odor
10:15	5	130	7.90	1.52	7.30	4.73	0.02	1.34	20.3	53.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Lock is rusted out due to standing water in well

Well Casing Volumes

Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	no



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-73D Date 8-16-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 13.5-18.5 Weather 69.1 degrees F and Cloudy. The wind is blowing NE at 10.3 mph.
Measuring Pt. Description 5.60 Total Depth (ft-bmp) 17.40 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.60 Pump Intake (ft-bmp) 16.00 Water Column (ft.) 11.80 Gallons in Well 1.92
Well Volumes Purged 0.86 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:41 Volume Purged 1.65 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:43
Purge End 12:45

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:45	0	110	5.60	0.00	7.36	5.56	4.73	9.05	19.0	-147.6	Clear	No Odor
11:50	5	110	5.60	0.15	7.38	4.64	7.20	7.33	19.9	-150.3	Clear	No Odor
11:55	5	110	5.90	0.30	7.39	4.37	6.92	7.14	19.6	-148.4	Clear	No Odor
12:00	5	110	6.20	0.45	7.42	4.15	3.84	6.88	19.8	-147.0	Clear	No Odor
12:05	5	110	6.20	0.60	7.42	4.11	0.02	6.22	19.6	-145.5	Clear	No Odor
12:10	5	110	6.00	0.75	7.42	4.22	0.02	6.13	19.4	-144.3	Clear	No Odor
12:15	5	110	6.00	0.90	7.41	4.41	0.92	5.86	19.4	-142.9	Clear	No Odor
12:20	5	110	6.00	1.05	7.41	4.77	0.02	5.75	19.3	-141.3	Clear	No Odor
12:25	5	110	6.00	1.20	7.40	4.84	0.02	5.59	19.4	-140.6	Clear	No Odor
12:30	5	110	6.00	1.35	7.39	5.09	0.02	5.36	19.4	-139.7	Clear	No Odor
12:35	5	110	5.90	1.50	7.39	5.10	0.02	5.25	19.3	-139.3	Clear	No Odor
12:40	5	110	5.90	1.65	7.39	5.15	0.02	5.20	19.3	-139.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-73SR Date 8-16-21
Project Name/Location Ford LTP Weather 68.0 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.70 Total Depth (ft-bmp) 12.40 Water Column (ft.) 6.70 Gallons in Well 1.09
Pump Intake (ft-bmp) 7.20 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.10

Sample Time: Label 11:25 Volume Purged 1.2 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 10:44
Purge End 11:31

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:45	0	110	5.70	0.00	6.78	5.99	14.96	1.08	21.9	-55.4	Clear	No Odor
10:50	5	110	5.70	0.15	6.77	5.99	12.41	1.09	22.0	-52.7	Clear	No Odor
10:55	5	110	6.40	0.30	6.72	6.06	8.50	1.12	21.9	-32.7	Clear	No Odor
11:00	5	110	6.40	0.45	6.72	6.12	5.72	0.97	21.7	-28.1	Clear	No Odor
11:05	5	110	6.40	0.60	6.75	6.25	2.71	0.70	21.7	-21.7	Clear	No Odor
11:10	5	110	6.10	0.75	6.76	6.54	1.73	0.81	21.7	-18.3	Clear	No Odor
11:15	5	110	6.00	0.90	6.78	6.66	1.06	0.63	21.7	-20.8	Clear	No Odor
11:20	5	110	6.00	1.05	6.79	6.72	0.80	0.60	21.6	-25.2	Clear	No Odor
11:25	5	110	6.00	1.20	6.81	6.83	0.02	0.60	21.5	-30.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-74 Date 8-16-21
Project Name/Location Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 14-19 Weather 64.0 degrees F and Overcast.
Static Water Level (ft-bmp) 6.39 Total Depth (ft-bmp) 18.78 Casing Diameter (in.) 2 Well Material PVC
Pump Intake (ft-bmp) 16.50 Water Column (ft.) 12.39 Gallons in Well 2.01
Well Volumes Purged 0.58 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:30 Volume Purged 1.17 gallons Replicate/Code No. MW-74-MS_081621, MW-74-MSD_081621 Sampled by Seth Turner

Purge Start 8:30
Purge End 9:35

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:35	0	100	6.39	0.00	7.25	10.51	56.50	0.81	18.4	-115.5	Clear	No Odor
8:40	5	100	6.39	0.13	7.26	10.24	30.20	0.62	18.3	-117.5	Clear	No Odor
8:45	5	100	6.39	0.26	7.27	9.69	19.60	0.49	18.3	-120.0	Clear	No Odor
8:50	5	100	6.39	0.39	7.28	8.66	6.51	0.22	18.2	-125.3	Clear	No Odor
8:55	5	100	6.39	0.52	7.23	8.76	4.69	0.21	18.2	-125.4	Clear	No Odor
9:00	5	100	6.39	0.65	7.28	9.04	4.13	0.18	18.1	-125.4	Clear	No Odor
9:05	5	100	6.39	0.65	7.27	9.42	3.37	0.14	18.0	-124.9	Clear	No Odor
9:10	5	100	6.39	0.78	7.57	9.65	1.97	0.13	17.9	-124.2	Clear	No Odor
9:15	5	100	6.39	0.91	7.27	9.97	0.02	0.11	17.8	-123.2	Clear	No Odor
9:20	5	100	6.39	1.04	7.27	10.02	0.02	0.10	17.8	-123.0	Clear	No Odor
9:25	5	100	6.39	1.17	7.27	10.08	0.02	0.08	17.8	-122.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-74S Date 8-16-21
Project Name/Location Weather 70.0 degrees F and Sunny.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.42 Total Depth (ft-bmp) 12.79 Water Column (ft.) 6.37 Gallons in Well 1.04
Pump Intake (ft-bmp) 7.92 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.75

Sample Time: Label 10:40 Volume Purged 0.78 gallons Replicate/Code No. -- Sampled by Seth Turner

Purge Start 10:00
Purge End 10:45

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:05	0	100	6.42	0.00	6.87	10.22	1.36	1.55	20.1	-59.7	Clear	No Odor
10:10	5	100	6.42	0.13	6.88	10.48	0.98	0.38	20.1	-60.8	Clear	No Odor
10:15	5	100	6.42	0.26	6.88	10.28	0.02	0.30	20.2	-60.2	Clear	No Odor
10:20	5	100	6.42	0.39	6.88	10.16	0.02	0.25	20.2	-59.5	Clear	No Odor
10:25	5	100	6.42	0.52	6.88	9.98	0.02	0.20	20.2	-58.7	Clear	No Odor
10:30	5	100	6.42	0.65	6.87	9.80	0.02	0.13	20.2	-58.3	Clear	No Odor
10:35	5	100	6.42	0.78	6.87	9.80	0.02	0.12	20.3	-58.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-75D Date 8-16-21
Project Name/Location Ford LTP Weather 70.0 degrees F and Overcast.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 12-17 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.62 Total Depth (ft-bmp) 16.64 Water Column (ft.) 11.02 Gallons in Well 1.79
Pump Intake (ft-bmp) 14.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.23

Sample Time: Label 1:35 Volume Purged 2.21 gallons Replicate/Code No. -- Sampled by Seth Turner
Purge Start 12:00
Purge End 13:40

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:05	0	100	5.62	0.00	7.81	5.99	297.00	0.20	18.4	-163.7	Cloudy, Gray	Faint Odor
12:10	5	100	5.62	0.13	7.83	5.97	290.00	0.13	18.4	-174.6	Cloudy, Gray	Faint Odor
12:15	5	100	5.62	0.26	7.82	5.90	280.00	0.10	18.5	-178.9	Cloudy, Gray	No Odor
12:20	5	100	5.62	0.39	7.83	5.88	289.00	0.06	18.5	-182.6	Cloudy, Gray	Faint Odor
12:25	5	100	5.62	0.52	7.83	5.86	254.00	0.06	18.4	-184.5	Cloudy, Gray	No Odor
12:30	5	100	5.62	0.65	7.83	5.79	241.00	0.03	18.4	-184.6	Cloudy, Gray	Faint Odor
12:35	5	100	5.62	0.78	7.82	5.74	219.00	0.05	18.5	-184.0	Cloudy, Gray	Faint Odor
12:40	5	100	5.62	0.91	7.83	5.77	208.00	0.04	18.5	-185.3	Cloudy, Gray	Faint Odor
12:45	5	100	5.62	1.04	7.82	5.68	207.00	0.04	18.4	-185.7	Cloudy, Gray	Faint Odor
12:50	5	100	5.62	1.17	7.81	5.63	173.00	0.04	18.4	-184.8	Cloudy, Gray	Faint Odor
12:55	5	100	5.62	1.30	7.81	5.57	163.00	0.03	18.4	-184.0	Cloudy, Gray	Faint Odor
13:00	5	100	5.62	1.43	7.81	5.54	147.00	0.04	18.4	-179.8	Cloudy, Gray	Faint Odor
13:05	5	100	5.62	1.56	7.79	5.57	118.00	0.06	18.4	-182.6	Cloudy, Gray	Faint Odor
13:10	5	100	5.62	1.69	7.76	5.60	107.00	0.03	18.5	-183.3	Cloudy	Faint Odor
13:15	5	100	5.62	1.82	7.73	5.58	93.40	0.02	18.4	-182.9	Cloudy	Faint Odor
13:20	5	100	5.62	1.95	7.72	5.56	84.30	0.02	18.4	-182.8	Cloudy	Faint Odor
13:25	5	100	5.62	2.08	7.71	5.53	63.90	0.01	18.4	-183.3	Cloudy	Faint Odor
13:30	5	100	5.62	2.21	7.72	5.52	49.60	0.01	18.4	-183.2	Cloudy	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good, Missing bolts Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-75SR Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 73.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 4.7 mph.
Measuring Pt. Description 5.40 Total Depth (ft-bmp) 12.73 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.40 Pump Intake (ft-bmp) 6.90 Water Column (ft.) 7.33 Gallons in Well 1.19
Well Volumes Purged 1.69 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 9:20 Volume Purged 2.01 gallons Replicate/Code No. DUP-10 Sampled by Christian Garrido

Purge Start 8:19
Purge End 9:29

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:20	0	120	5.40	0.00	7.41	0.98	0.02	0.65	22.0	174.2	Clear	Faint Odor
8:25	5	120	5.40	0.16	7.33	0.88	0.02	0.40	21.5	-48.5	Clear	Faint Odor
8:30	5	120	5.40	0.32	7.34	0.87	0.02	0.30	21.4	-86.4	Clear	No Odor
8:35	5	130	5.50	0.48	7.35	0.88	0.02	0.20	21.3	-95.5	Clear	No Odor
8:40	5	130	5.50	0.65	7.37	0.88	0.02	0.16	21.4	-99.1	Clear	No Odor
8:45	5	130	5.50	0.82	7.37	0.89	0.02	0.15	21.3	-99.3	Clear	No Odor
8:50	5	130	5.50	0.99	7.40	0.95	0.02	0.10	21.3	-97.3	Clear	No Odor
8:55	5	130	5.40	1.16	7.45	1.08	0.02	0.03	21.3	-97.7	Clear	No Odor
9:00	5	130	5.40	1.33	7.47	1.18	0.02	0.04	21.3	-98.5	Clear	No Odor
9:05	5	130	5.40	1.50	7.47	1.28	0.02	0.00	21.3	-97.5	Clear	No Odor
9:10	5	130	5.40	1.67	7.47	1.36	0.02	0.00	21.4	-96.0	Clear	No Odor
9:15	5	130	5.40	1.84	7.46	1.43	0.02	0.00	21.4	-96.0	Clear	No Odor
9:20	5	130	5.40	2.01	7.46	1.49	0.02	0.00	21.3	-95.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Belden ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-76			Date	8-13-21	
Project Name/Location	Ford LTP		Weather	78.1 degrees F and Mostly Cloudy.	The wind is blowing SW at 4.7 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	15-20	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	9.60	Total Depth (ft-bmp)	19.65	Water Column (ft.)	10.05	Gallons in Well	1.63	
		Pump Intake (ft-bmp)	17.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.63					
Sample Time:	Label	13:15	Volume Purged	1.02 gallons	Replicate/Code No.	MW-76-MS_081321, MW-76-MSD_081321	Sampled by	Christian Garrido
	Purge Start	12:42						
	Purge End	13:30						

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-76S Date 8-19-21
Project Name/Location Weather 69.1 degrees F and Fog/Mist. The wind is blowing N at 5 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-14.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 9.34 Total Depth (ft-bmp) 14.15 Water Column (ft.) 4.81 Gallons in Well 0.78
Pump Intake (ft-bmp) 10.84 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.96

Sample Time: Label 8:00 Volume Purged 1.53 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 7:11
Purge End 8:06

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
7:15	0	125	9.36	0.00	7.26	4.01	9.15	1.81	20.1	167.7	Clear, Small Orange Particulates	No Odor
7:20	5	125	9.36	0.17	7.31	4.10	5.47	1.46	19.8	183.6	Clear, Small Orange Particulates	No Odor
7:25	5	125	9.36	0.34	7.34	4.11	5.05	1.34	19.7	191.1	Clear, Small Orange Particulates	No Odor
7:30	5	125	9.36	0.51	7.30	4.63	3.45	1.30	19.6	203.6	Clear	No Odor
7:35	5	125	9.36	0.68	7.20	6.18	3.66	0.80	19.6	102.1	Clear	No Odor
7:40	5	125	9.36	0.85	7.21	6.40	2.94	0.80	19.7	28.1	Clear	No Odor
7:45	5	125	9.36	1.02	6.47	6.41	2.53	0.80	19.7	2.2	Clear	No Odor
7:50	5	125	9.36	1.19	7.22	6.52	2.23	0.78	19.7	-8.0	Clear	No Odor
7:55	5	125	9.36	1.36	7.22	6.60	2.37	0.82	19.6	-14.3	Clear	No Odor
8:00	5	125	9.36	1.53	7.22	6.64	1.94	0.77	19.6	-16.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-77 Date 8-19-21
Project Name/Location Ford LTP Weather 86.0 degrees F and Partly Cloudy
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 9-14 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.53 Total Depth (ft-bmp) 13.70 Water Column (ft.) 9.17 Gallons in Well 1.49
Pump Intake (ft-bmp) 11.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.91

Sample Time: Label 13:21 Volume Purged 1.36 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 12:38
Purge End 13:28

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:40	0	125	4.55	0.00	7.30	2.49	4.91	1.25	19.7	35.8	Clear	No Odor
12:45	5	125	4.55	0.17	7.33	2.45	3.32	0.62	20.2	-26.5	Clear	No Odor
12:50	5	125	4.55	0.34	7.34	2.35	2.39	0.43	19.1	-42.0	Clear	No Odor
12:55	5	125	4.55	0.51	7.38	2.23	1.34	0.61	19.2	-58.4	Clear	No Odor
13:00	5	125	4.55	0.68	7.39	2.17	0.86	0.57	19.3	-66.7	Clear	No Odor
13:05	5	125	4.55	0.85	7.40	2.12	0.72	0.54	19.1	-73.5	Clear	No Odor
13:10	5	125	4.55	1.02	7.40	2.08	0.59	0.52	19.3	-79.8	Clear	No Odor
13:15	5	125	4.55	1.19	7.41	2.06	0.74	0.53	19.5	-83.6	Clear	No Odor
13:20	5	125	4.55	1.36	7.42	2.05	0.66	0.52	19.5	-85.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-77S Date 8-19-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 84.9 degrees F and Partly Cloudy.
Measuring Pt. Description 4.45 Total Depth (ft-bmp) 12.15 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.45 Pump Intake (ft-bmp) 5.95 Water Column (ft.) 7.70 Gallons in Well 1.25
Well Volumes Purged 1.63 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 12:16 Volume Purged 2.04 gallons Replicate/Code No. -- Sampled by Gary Schafer
Purge Start 11:13
Purge End 12:23

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:15	0	125	4.45	0.00	7.35	0.76	1.51	0.87	21.3	63.5	Clear	No Odor
11:20	5	125	4.45	0.17	7.51	0.79	1.47	0.60	21.1	57.8	Clear	No Odor
11:25	5	125	4.45	0.34	7.57	0.81	2.11	0.67	21.1	54.9	Clear	No Odor
11:30	5	125	4.45	0.51	7.57	0.82	1.38	0.69	21.0	53.4	Clear	No Odor
11:35	5	125	4.45	0.68	7.56	0.83	0.65	0.66	21.2	52.1	Clear	No Odor
11:40	5	125	4.45	0.85	7.55	0.85	1.34	0.89	21.0	51.0	Clear	No Odor
11:45	5	125	4.45	1.02	7.54	0.88	1.29	0.87	20.6	50.2	Clear	No Odor
11:50	5	125	4.45	1.19	7.53	0.90	2.99	0.87	20.9	47.3	Clear	No Odor
11:55	5	125	4.45	1.36	7.52	0.93	1.48	0.89	20.9	46.9	Clear	No Odor
12:00	5	125	4.45	1.53	7.51	0.95	0.61	0.87	20.7	44.8	Clear	No Odor
12:05	5	125	4.45	1.70	7.51	0.97	0.88	0.87	20.7	42.6	Clear	No Odor
12:10	5	125	4.45	1.87	7.49	1.02	0.61	0.85	20.8	40.8	Clear	No Odor
12:15	5	125	4.45	2.04	7.50	1.01	0.80	0.87	20.9	38.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-78	Date	8-20-21
Project Name/Location	Ford LTP		Weather	69.1 degrees F and Fog/Mist. The wind is blowing north at 2.2 mph.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	7-12	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	2.20	Total Depth (ft-bmp)	11.75	Water Column (ft.)	9.55
		Pump Intake (ft-bmp)	9.50	Purge Method	Low-Flow
		Well Volumes Purged	0.62	Gallons in Well	1.55
				Sample Method	Grab

Sample Time:	Label	8:51	Volume Purged	0.96 gallons	Replicate/Code No.	MW-78-MS_082021, MW-78-MSD_082021	Sampled by	Christian Garrido
	Purge Start	8:19						
	Purge End	9:02						

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:20	0	120	2.20	0.00	7.38	4.28	4.21	7.35	20.6	-140.2	Clear, Small Orange Particulates	No Odor
8:25	5	120	2.20	0.16	7.49	3.43	12.00	0.35	18.6	-124.5	Clear, Small Orange Particulates	No Odor
8:30	5	120	2.80	0.32	7.51	3.14	7.25	0.15	18.4	-127.3	Clear, Small Orange Particulates	No Odor
8:35	5	120	2.80	0.48	7.51	2.94	4.84	0.09	18.5	-128.3	Clear, Small Orange Particulates	No Odor
8:40	5	120	2.80	0.64	7.52	2.81	4.88	0.06	18.4	-123.5	Clear, Small Orange Particulates	No Odor
8:45	5	120	2.64	0.80	7.52	2.79	3.90	0.03	18.4	-128.1	Clear	No Odor
8:50	5	120	2.61	0.96	7.52	2.75	3.17	0.02	18.3	-128.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 9	Preservative HCL
1,4-dioxane	40 mL Glass	9	HCL
Comments None			

Well Casing Volumes	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information				
Well Location:	Beacon ROW	Well Locked at Arrival:	yes	
Condition of Well:	Good	Well Locked at Departure:	n/a	
Well Completion:	Flush mount	Lock Functioning:	yes	



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-78S Date 8-20-21
Project Name/Location Weather 71.1 degrees F and Haze. The wind is blowing north at 2.8 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.45 Total Depth (ft-bmp) 12.30 Water Column (ft.) 9.85 Gallons in Well 1.60
Pump Intake (ft-bmp) 3.95 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.13

Sample Time: Label 10:15 Volume Purged 1.8 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:13
Purge End 10:22

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:15	0	110	2.45	0.00	7.47	0.60	2.44	0.55	20.7	6.6	Clear, Small Black Particulates	No Odor
9:20	5	110	2.45	0.15	7.46	0.58	0.02	0.22	20.4	-0.4	Clear, Small Black Particulates	No Odor
9:25	5	110	2.88	0.30	7.46	0.59	0.02	0.07	20.1	-5.8	Clear	No Odor
9:30	5	110	2.90	0.45	7.45	0.62	0.02	0.02	19.9	-11.0	Clear, Small Black Particulates	No Odor
9:35	5	110	2.90	0.60	7.54	0.85	0.02	0.00	19.8	-47.1	Clear, Small Black Particulates	No Odor
9:40	5	110	2.90	0.75	7.55	0.86	0.02	0.00	19.9	-62.3	Clear, Small Black Particulates	No Odor
9:45	5	110	2.70	0.90	7.54	0.95	0.02	0.00	19.8	-70.2	Clear	No Odor
9:50	5	110	2.70	1.05	7.53	0.97	0.02	0.00	19.9	-74.3	Clear	No Odor
9:55	5	110	2.70	1.20	7.52	1.01	0.02	0.00	19.9	-77.5	Clear	No Odor
10:00	5	110	2.70	1.35	7.52	1.12	0.02	0.00	19.8	-84.7	Clear	No Odor
10:05	5	110	2.60	1.50	7.51	1.19	0.02	0.00	19.8	-86.4	Clear	No Odor
10:10	5	110	2.60	1.65	7.51	1.27	0.02	0.00	19.7	-89.2	Clear	No Odor
10:15	5	110	2.60	1.80	7.51	1.31	0.02	0.00	19.7	-92.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Beacon ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-79D Date 8-10-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 10-15 Weather 73.9 degrees F and Cloudy. The wind is blowing SW at 12.8 mph.
Measuring Pt. Description 5.11 Total Depth (ft-bmp) 14.63 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 12.50 Pump Intake (ft-bmp) 0.77 Water Column (ft.) 9.52 Gallons in Well 1.55
Well Volumes Purged 0.77 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:05 Volume Purged 1.19 gallons Replicate/Code No. DUP-13 Sampled by Andrew Banitt

Purge Start 9:26
Purge End 10:17

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:27	0	130	5.12	0.00	6.54	4.08	0.02	1.62	17.3	107.3	Clear	No Odor
9:32	5	130	5.12	0.17	6.84	4.07	0.02	0.31	16.9	31.0	Clear	No Odor
9:37	5	130	5.12	0.34	6.87	4.00	0.02	0.16	16.9	7.6	Clear	No Odor
9:42	5	130	5.12	0.51	6.89	3.84	0.02	0.11	17.0	-6.3	Clear	No Odor
9:47	5	130	5.12	0.68	6.90	3.75	0.02	0.07	16.8	-17.3	Clear	No Odor
9:52	5	130	5.12	0.85	6.90	3.69	0.02	0.07	17.0	-24.8	Clear	No Odor
9:57	5	130	5.12	1.02	6.91	3.64	0.02	0.04	16.8	-30.1	Clear	No Odor
10:02	5	130	5.12	1.19	6.92	3.60	0.02	0.04	16.9	-34.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-79SR Date 8-10-21
Project Name/Location Ford LTP Weather 75.9 degrees F and Cloudy. The wind is blowing SW at 15.0 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.97 Total Depth (ft-bmp) 12.25 Water Column (ft.) 7.28 Gallons in Well 1.18
Pump Intake (ft-bmp) 6.47 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.65

Sample Time: Label 11:33 Volume Purged 1.95 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 10:35
Purge End 11:40

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:36	0	140	4.99	0.00	6.87	0.84	2.50	1.13	19.0	139.8	Clear	No Odor
10:41	5	140	4.99	0.18	7.00	1.02	0.02	0.28	18.2	80.4	Clear	No Odor
10:46	5	140	4.99	0.36	7.00	1.35	0.02	0.17	18.1	49.5	Clear	No Odor
10:51	5	140	4.99	0.54	6.99	1.65	0.02	0.09	18.0	28.4	Clear	No Odor
10:56	5	140	4.99	0.72	6.99	1.80	0.02	0.09	18.0	15.8	Clear	No Odor
11:01	5	140	4.99	0.90	6.98	1.90	0.02	0.04	18.0	4.0	Clear	No Odor
11:06	5	140	4.99	1.08	6.98	1.97	0.02	0.04	18.0	-9.0	Clear	No Odor
11:11	5	140	4.99	1.26	6.98	2.00	0.02	0.03	18.0	-17.8	Clear	No Odor
11:16	5	125	4.99	1.44	6.99	1.96	1.08	0.06	18.6	-23.4	Clear	No Odor
11:21	5	125	4.99	1.61	6.99	1.91	1.37	0.05	18.6	-26.4	Clear	No Odor
11:26	5	125	4.99	1.78	6.99	1.88	0.02	0.05	18.7	-29.1	Clear	No Odor
11:31	5	125	4.99	1.95	7.00	1.88	0.02	0.06	18.6	-31.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-80SR Date 8-12-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 70.0 degrees F and Light Rain and Fog/Mist. The wind is blowing SSW 8 mph.
Measuring Pt. Description 0.85 Total Depth (ft-bmp) 12.22 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 2.35 Pump Intake (ft-bmp) 0.83 Water Column (ft.) 11.37 Gallons in Well 1.85
Well Volumes Purged 0.83 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:17 Volume Purged 1.54 gallons Replicate/Code No. DUP-07 Sampled by Andrew Banitt

Purge Start 9:28

Purge End 10:26

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:29	0	140	0.86	0.00	6.39	1.75	22.20	1.18	21.4	163.8	Clear	No Odor
9:34	5	125	0.87	0.18	6.59	1.74	18.80	0.31	21.4	90.0	Clear	No Odor
9:39	5	125	0.86	0.35	6.64	1.74	14.00	0.17	21.3	65.7	Clear	No Odor
9:44	5	125	0.86	0.52	6.67	1.75	11.50	0.13	21.3	52.7	Clear	No Odor
9:49	5	125	0.87	0.69	6.69	1.75	8.90	0.10	21.3	45.1	Clear	No Odor
9:54	5	125	0.88	0.86	6.70	1.74	4.34	0.07	21.3	38.1	Clear	No Odor
9:59	5	125	0.89	1.03	6.72	1.73	3.89	0.06	21.3	32.9	Clear	No Odor
10:04	5	125	0.89	1.20	6.73	1.72	3.14	0.06	21.2	25.8	Clear	No Odor
10:09	5	125	0.90	1.37	6.74	1.71	2.67	0.04	21.2	20.7	Clear	No Odor
10:14	5	125	0.90	1.54	6.75	1.70	2.59	0.04	21.2	17.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Brewster ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-81		Date	8-18-21	
Project Name/Location	Ford LTP		Weather	82.0 degrees F and Mostly Cloudy. The wind is blowing NE at 9.2 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	6.58	Total Depth (ft-bmp)	12.66	Water Column (ft.)	6.08	Gallons in Well	0.99	
		Pump Intake (ft-bmp)	10.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.07					

Sample Time:	Label	15:00	Volume Purged	1.06 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	14:24
-------------	-------

Purge End	15:05
-----------	-------

Large End 10.00

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-81S	Date	8-18-21
Project Name/Location	Ford LTP	Weather	81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	6.51	Total Depth (ft-bmp)	12.52	Water Column (ft.)	6.01
		Pump Intake (ft-bmp)	8.01	Purge Method	Low-Flow
		Well Volumes Purged	0.87	Sample Method	Grab

Sample Time:	Label	14:10	Volume Purged	0.85 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	13:35
-------------	-------

Purge End	14:15
-----------	-------

El Hassen

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, *cis*-1,2-DCE, *trans*-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.25'' = 0.06$$
$$1.5'' = 0.09$$
$$2'' = 0.16$$
$$2.5'' = 0.26$$
$$3'' = 0.37$$
$$3.5'' = 0.50$$
$$4'' = 0.65$$
$$6'' = 1.47$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes
n/a

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-82D	Date	8-18-21
Project Name/Location	Ford LTP	Weather	72.0 degrees F and Fog/Mist. The wind is blowing N/NE at 8.1 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	18-23	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	7.35	Total Depth (ft-bmp)	22.72	Water Column (ft.)	15.37
		Pump Intake (ft-bmp)	20.50	Purge Method	Low-Flow
		Well Volumes Purged	0.48	Gallons in Well	2.50
				Sample Method	Grab

Sample Time:	Label	11:01	Volume Purged	1.19 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	10:23
-------------	-------

Purge End	11:12
-----------	-------

Gang
Schulz

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-82SR	Date	8-18-21		
Project Name/Location	Ford LTP	Weather	73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-15	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	7.22	Total Depth (ft-bmp)	16.10	Water Column (ft.)	8.88	Gallons in Well	1.44
		Pump Intake (ft-bmp)	8.72	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.71				

Sample Time:	Label	12:06	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	11:33
-------------	-------

Purge End 12:12

Gang
Schulz

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Stark ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-83			Date	8-13-21
Project Name/Location	Ford LTP		Weather			83.0 degrees F and Overcast.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	8-13	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	6.60	Total Depth (ft-bmp)	12.41	Water Column (ft.)	5.81	Gallons in Well	
		Pump Intake (ft-bmp)	10.50	Purge Method	Low-Flow	Sample Method	
		Well Volumes Purged	0.83			Grab	
Sample Time:	Label	11:50	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	11:10					Seth Turner
	Purge End	11:55					

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Stark ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-83S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 80.0 degrees F and Overcast.
Measuring Pt. Description 6.71 Total Depth (ft-bmp) 12.79 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.71 Pump Intake (ft-bmp) 8.21 Water Column (ft.) 6.08 Gallons in Well 0.99
Well Volumes Purged 0.53 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:55 Volume Purged 0.52 gallons Replicate/Code No. -- Sampled by Seth Turner

Purge Start 10:10
Purge End 11:00

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:15	0	100	6.71	0.00	7.40	1.52	6.07	0.83	18.5	79.6	Clear	No Odor
10:20	5	100	6.71	0.13	7.15	1.51	5.91	0.65	18.5	78.7	Clear	No Odor
10:25	5	100	6.71	0.26	7.12	1.52	3.55	0.56	18.7	68.5	Clear	No Odor
10:30	5	100	6.71	0.39	7.11	1.53	2.67	0.46	18.7	58.3	Clear	No Odor
10:35	5	100	6.71	0.13	7.14	1.54	1.60	0.31	18.5	40.9	Clear	No Odor
10:40	5	100	6.71	0.26	7.19	1.59	0.02	0.22	18.4	15.9	Clear	No Odor
10:45	5	100	6.71	0.39	7.20	1.61	0.02	0.16	18.1	10.9	Clear	No Odor
10:50	5	100	6.71	0.52	7.20	1.62	0.02	0.14	18.1	7.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-84 Date 8-5-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.70 Total Depth (ft-bmp) 12.55 Water Column (ft.) 8.85 Gallons in Well 1.44
Pump Intake (ft-bmp) 10.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.67

Sample Time: Label 13:50 Volume Purged 2.4 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 12:48
Purge End 13:53

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:50	0	150	3.71	0.00	7.35	3.80	4.27	0.47	19.0	-79.4	Clear, Small Orange Particulates	No Odor
12:55	5	150	3.71	0.20	7.37	3.79	11.70	0.35	19.7	-92.7	Clear, Small Orange Particulates	No Odor
13:00	5	150	3.71	0.40	7.42	2.78	6.39	0.46	20.1	-101.0	Clear, Small Orange Particulates	No Odor
13:05	5	150	3.71	0.60	7.37	2.55	18.40	0.38	19.0	-96.2	Clear, Small Orange Particulates	No Odor
13:10	5	150	3.71	0.80	7.36	2.55	6.73	0.44	19.3	-91.6	Clear, Small White Particulates	No Odor
13:15	5	150	3.71	1.00	7.36	2.76	9.56	0.32	18.9	-93.4	Clear, Small White Particulates	No Odor
13:20	5	150	3.71	1.20	7.39	2.77	13.40	0.46	19.1	-94.8	Clear, Small White Particulates	No Odor
13:25	5	150	3.71	1.40	7.37	2.72	5.33	0.39	19.4	-94.2	Clear, Small White Particulates	No Odor
13:30	5	150	3.71	1.60	7.36	2.79	4.86	0.46	18.8	-94.2	Clear, Small White Particulates	No Odor
13:35	5	150	3.71	1.80	7.42	2.69	7.37	0.37	19.6	-98.7	Clear, Small White Particulates	No Odor
13:40	5	150	3.71	2.00	7.35	2.84	11.30	0.30	18.6	-93.9	Clear, Small White Particulates	No Odor
13:45	5	150	3.71	2.20	7.35	2.86	3.14	0.35	18.7	-96.4	Clear	No Odor
13:50	5	150	3.71	2.40	7.36	2.85	8.95	0.49	18.6	-98.6	Clear, Small White Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Beacon ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-84S Date 8-5-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 80.1 degrees F and Partly Cloudy. The wind is blowing at 4.7 mph.
Measuring Pt. Description 3.86 Total Depth (ft-bmp) 12.68 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.86 Pump Intake (ft-bmp) 5.36 Water Column (ft.) 8.82 Gallons in Well 1.43
Well Volumes Purged 1.68 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:15 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 14:11

Purge End 15:18

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:15	0	150	3.88	0.00	7.95	0.37	4.64	4.76	21.1	25.2	Clear, Small Orange Particulates	No Odor
14:20	5	150	3.88	0.20	7.74	0.42	4.97	3.91	20.9	51.2	Clear, Small Orange Particulates	No Odor
14:25	5	150	3.88	0.40	7.54	0.54	4.77	2.54	20.6	46.2	Clear, Small Orange Particulates	No Odor
14:30	5	150	3.88	0.60	7.47	0.76	3.50	2.03	20.5	18.2	Clear, Small Orange Particulates	No Odor
14:35	5	150	3.88	0.80	7.41	0.89	3.24	1.51	20.5	16.7	Clear	No Odor
14:40	5	150	3.88	1.00	7.54	0.82	3.00	2.27	21.1	12.4	Clear	No Odor
14:45	5	150	3.88	1.20	7.38	1.01	2.55	1.26	20.5	9.7	Clear	No Odor
14:50	5	150	3.88	1.40	7.37	1.09	1.50	1.25	20.5	-2.9	Clear	No Odor
14:55	5	150	3.88	1.60	7.36	1.15	1.45	1.15	20.1	-15.5	Clear	No Odor
15:00	5	150	3.88	1.80	7.37	1.23	2.47	1.06	20.2	-31.4	Clear	No Odor
15:05	5	150	3.88	2.00	7.34	1.28	1.66	0.99	19.8	-42.7	Clear	No Odor
15:10	5	150	3.88	2.20	7.34	1.30	1.41	0.96	19.7	-45.3	Clear	No Odor
15:15	5	150	3.88	2.40	7.33	1.37	0.93	0.97	19.7	-51.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Beacon ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-85 Date 8-11-21
Project Name/Location Ford LTP Weather 79.0 degrees F and Cloudy. The wind is blowing S/SW at 11.4 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 8-13 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.78 Total Depth (ft-bmp) 12.68 Water Column (ft.) 6.90 Gallons in Well 1.12
Pump Intake (ft-bmp) 10.50 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.43

Sample Time: Label 13:10 Volume Purged 1.6 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 12:28
Purge End 13:18

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:30	0	150	5.81	0.00	7.20	3.52	1.99	0.74	20.9	-113.2	Clear	Slight Odor
12:35	5	150	5.81	0.20	7.18	3.46	2.73	0.29	20.7	-118.0	Clear	Slight Odor
12:40	5	150	5.81	0.40	7.18	3.31	2.44	0.15	20.7	-118.5	Clear	Slight Odor
12:45	5	150	5.81	0.60	7.18	3.07	4.36	0.14	20.7	-116.4	Clear	Slight Odor
12:50	5	150	5.81	0.80	7.18	2.87	4.04	0.13	20.7	-114.3	Clear	Slight Odor
12:55	5	150	5.81	1.00	7.17	2.74	1.28	0.11	20.7	-113.7	Clear	Slight Odor
13:00	5	150	5.81	1.20	7.16	2.65	2.83	0.10	20.7	-113.8	Clear	Slight Odor
13:05	5	150	5.81	1.40	7.16	2.62	2.59	0.09	20.7	-113.8	Clear	Faint Odor
13:10	5	150	5.81	1.60	7.16	2.60	2.44	0.09	20.9	-114.1	Clear	Faint Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-85SR Date 8-11-21
Project Name/Location Ford LTP Weather 75.0 degrees F and Cloudy. The wind is blowing S/SW at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-9.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.85 Total Depth (ft-bmp) 8.44 Water Column (ft.) 2.59 Gallons in Well 0.42
Pump Intake (ft-bmp) 7.35 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 5.64

Sample Time: Label 12:05 Volume Purged 2.37 gallons Replicate/Code No. Sampled by Emma Witherspoon

Purge Start 11:04
Purge End 12:10

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:05	0	125	5.87	0.00	7.07	1.84	73.70	1.96	22.6	-64.7	Clear, Small Orange Particulates	No Odor
11:10	5	150	5.87	0.17	7.02	1.91	92.30	1.15	22.4	-91.7	Clear, Small Orange Particulates	No Odor
11:15	5	150	5.87	0.37	7.03	1.97	39.60	1.02	22.2	-96.6	Clear, Small Orange Particulates	No Odor
11:20	5	150	5.87	0.57	7.04	2.11	36.40	0.67	22.2	-94.9	Clear, Small Orange Particulates	No Odor
11:25	5	150	5.87	0.77	7.03	2.19	28.50	0.71	22.2	-94.1	Clear, Small Orange Particulates	No Odor
11:30	5	150	5.87	0.97	7.03	2.32	26.90	0.77	22.2	-92.5	Clear, Small Orange Particulates	No Odor
11:35	5	150	5.87	1.17	7.02	2.41	23.10	0.98	22.2	-91.0	Clear, Small Orange Particulates	No Odor
11:40	5	150	5.87	1.37	7.02	2.49	17.20	0.98	22.3	-90.3	Clear, Small Orange Particulates	No Odor
11:45	5	150	5.87	1.57	7.02	2.56	17.40	0.67	22.3	-90.1	Clear, Small Orange Particulates	No Odor
11:50	5	150	5.87	1.77	7.02	2.63	13.20	0.70	22.3	-89.7	Clear, Small Orange Particulates	No Odor
11:55	5	150	5.87	1.97	7.02	2.66	13.00	0.36	22.3	-89.9	Clear, Small Orange Particulates	No Odor
12:00	5	150	5.87	2.17	7.02	2.68	11.20	0.22	22.3	-89.9	Clear, Small Orange Particulates	No Odor
12:05	5	150	5.87	2.37	7.02	2.69	8.21	0.22	22.4	-89.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-86 Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 12-17 Weather 77.0 degrees F and Cloudy. The wind is blowing W at 8.1 mph.
Measuring Pt. Description 6.25 Total Depth (ft-bmp) 16.60 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.25 Pump Intake (ft-bmp) 14.50 Water Column (ft.) 10.35 Gallons in Well 1.68
Well Volumes Purged 1.11 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 16:41 Volume Purged 1.87 gallons Replicate/Code No. -- Sampled by Andrew Banitt

Purge Start 15:43

Purge End 16:47

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
15:44	0	130	6.27	0.00	7.13	1.33	4.52	1.46	16.8	167.2	Clear	No Odor
15:49	5	125	6.27	0.17	7.27	1.13	10.90	0.28	16.2	119.1	Clear	No Odor
15:54	5	125	6.26	0.34	7.36	0.77	4.50	0.27	16.1	99.3	Clear	No Odor
15:59	5	125	6.27	0.51	7.40	0.67	2.95	0.62	16.0	88.8	Clear	No Odor
16:04	5	125	6.27	0.68	7.43	0.63	2.95	0.71	16.0	80.6	Clear	No Odor
16:09	5	125	6.27	0.85	7.46	0.61	4.53	0.60	16.0	73.0	Clear	No Odor
16:14	5	125	6.27	1.02	7.46	0.61	3.07	0.56	15.8	63.3	Clear	No Odor
16:19	5	125	6.27	1.19	7.46	0.61	1.64	0.61	15.8	57.4	Clear	No Odor
16:24	5	125	6.27	1.36	7.46	0.62	1.61	0.67	15.8	49.8	Clear	No Odor
16:29	5	125	6.27	1.53	7.47	0.63	3.25	0.75	15.9	45.7	Clear	No Odor
16:34	5	125	6.27	1.70	7.47	0.63	2.80	0.77	15.7	41.3	Clear	No Odor
16:39	5	125	6.27	1.87	7.47	0.63	0.64	0.82	15.8	37.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled Container Number Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC 40 mL Glass 3 HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Wadsworth ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-86S Date 8-3-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Weather 79.0 degrees F and Mostly Cloudy. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description 6.41 Total Depth (ft-bmp) 12.31 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.41 Pump Intake (ft-bmp) 7.91 Water Column (ft.) 5.90 Gallons in Well 0.96
Well Volumes Purged 1.49 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 15:12 Volume Purged 1.43 gallons Replicate/Code No. MW-86S-MS_080321, MW-86S-MSD_080321 Sampled by Andrew Banitt

Purge Start 14:29
Purge End 15:25

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:30	0	150	6.43	0.00	7.13	0.33	0.02	6.44	20.0	192.9	Clear	No Odor
14:35	5	150	6.44	0.20	7.39	0.32	0.02	5.39	19.3	167.6	Clear	No Odor
14:40	5	140	6.44	0.40	7.45	0.32	0.02	4.88	19.4	158.4	Clear	No Odor
14:45	5	130	6.44	0.58	7.47	0.33	0.02	4.47	19.5	149.6	Clear	No Odor
14:50	5	130	6.44	0.75	7.48	0.33	0.02	4.25	19.3	143.9	Clear	No Odor
14:55	5	130	6.44	0.92	7.48	0.34	0.02	4.23	19.3	139.2	Clear	No Odor
15:00	5	130	6.44	1.09	7.47	0.34	0.02	4.26	18.6	135.9	Clear	No Odor
15:05	5	130	6.44	1.26	7.47	0.34	0.02	4.35	18.6	133.0	Clear	No Odor
15:10	5	130	6.44	1.43	7.49	0.34	0.02	4.04	18.5	130.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 9 Preservative HCL
1,4-dioxane 40 mL Glass 9 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Wadsworth ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-87			Date	8-2-21
Project Name/Location	Ford LTP		Weather	73.9 degrees F and Mostly Clear. The wind is blowing NW at 5.8 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	14-19	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	8.79	Total Depth (ft-bmp)	18.80	Water Column (ft.)	10.01	Gallons in Well	1.63
		Pump Intake (ft-bmp)	16.50	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	0.63				

Sample Time:	Label	13:46	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Gary Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	13:13
-------------	-------

Purge End	13:53
-----------	-------

Gang
Pecher

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

$1'' = 0.04$

$$1.5'' = 0.09$$
$$2.5'' = 0.26$$

3.5" = 0.50

$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$

$4'' = 0.65$

Well Information

Well Location:

Standish ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-87S Date 8-2-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 4.5-14.5 Weather 75.0 degrees F and Partly Cloudy. The wind is blowing S at 9.2 mph.
Measuring Pt. Description 8.52 Total Depth (ft-bmp) 14.10 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.52 Pump Intake (ft-bmp) 10.02 Water Column (ft.) 5.58 Gallons in Well 0.91
Well Volumes Purged 1.12 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 14:46 Volume Purged 1.02 gallons Replicate/Code No. MW-87S-MS_080221, MW-87S-MSD_080221 Sampled by Gary Schafer

Purge Start 14:03
Purge End 15:05

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
14:05	0	125	8.52	0.00	7.83	0.28	1.41	5.69	21.0	187.9	Clear	No Odor
14:10	5	125	8.52	0.17	7.84	0.28	0.02	6.09	21.5	190.1	Clear	No Odor
14:15	5	125	8.53	0.34	7.78	0.28	0.02	7.65	21.4	191.9	Clear	No Odor
14:20	5	125	8.53	0.51	7.78	0.29	0.02	8.48	21.4	192.3	Clear	No Odor
14:25	5	125	8.53	0.68	7.78	0.28	0.04	8.47	21.1	194.6	Clear	No Odor
14:30	5	125	8.54	0.85	7.82	0.28	0.04	8.26	21.1	201.1	Clear	No Odor
14:35	5	125	8.54	1.02	7.81	0.28	0.03	8.30	21.1	201.8	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 9 Preservative HCL
1,4-dioxane 40 mL Glass 9 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Standish ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-96S		Date	8-9-21	
Project Name/Location	Ford LTP		Weather		77.0 degrees F and Haze. The wind is blowing at 6.9 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.50	Total Depth (ft-bmp)	12.09	Water Column (ft.)	6.59	Gallons in Well	1.07	
		Pump Intake (ft-bmp)	7.00	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.95					

Sample Time:	Label	9:41	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	9:08
-------------	------

Purge End	9:47
-----------	------

Gang
Pecher

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

None

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Boston Post ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-97S Date 8-19-21
Project Name/Location Ford LTP Weather 72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.27 Total Depth (ft-bmp) 12.00 Water Column (ft.) 7.73 Gallons in Well 1.26
Pump Intake (ft-bmp) 5.77 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.62

Sample Time: Label 10:31 Volume Purged 2.04 gallons Replicate/Code No. MW-97S-MS_081921, MW-97S-MSD_081921 Sampled by Gary Schafer

Purge Start 9:27

Purge End 10:44

Gary Schafer

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:30	0	125	4.28	0.00	7.21	0.80	21.70	1.08	21.8	140.5	Clear, Small White Particulates	No Odor
9:35	5	125	4.28	0.17	7.27	0.80	10.20	0.43	21.7	107.0	Clear	No Odor
9:40	5	125	4.28	0.34	7.29	0.79	7.12	0.45	21.6	86.6	Clear	No Odor
9:45	5	125	4.28	0.51	7.30	0.78	6.22	0.16	21.5	69.1	Clear	No Odor
9:50	5	125	4.28	0.68	7.32	0.78	4.89	0.33	21.5	55.1	Clear	No Odor
9:55	5	125	4.28	0.85	7.33	0.78	3.51	0.36	21.5	40.3	Clear	No Odor
10:00	5	125	4.28	1.02	7.34	0.78	3.73	0.35	21.5	32.1	Clear	No Odor
10:05	5	125	4.28	1.19	7.35	0.79	3.05	0.33	21.5	22.0	Clear	No Odor
10:10	5	125	4.28	1.36	7.36	0.79	2.99	0.32	21.5	18.9	Clear	No Odor
10:15	5	125	4.28	1.53	7.36	0.80	3.08	0.31	21.5	3.4	Clear	No Odor
10:20	5	125	4.28	1.70	7.37	0.81	2.41	0.30	21.5	-10.5	Clear	No Odor
10:25	5	125	4.28	1.87	7.38	0.81	2.19	0.30	21.5	-18.2	Clear	No Odor
10:30	5	125	4.28	2.04	7.38	0.82	2.13	0.32	21.4	-24.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Boston Post ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



Project No.	30080642.402.01		Well ID	MW-98S		Date	8-19-21	
Project Name/Location	Ford LTP		Weather	84.0 degrees F and Mostly Cloudy. The wind is blowing at 3.4 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	1.74	Total Depth (ft-bmp)	12.10	Water Column (ft.)	10.36	Gallons in Well	1.68	
		Pump Intake (ft-bmp)	3.24	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.61					

Sample Time:	Label	14:21	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	13:47
-------------	-------

Purge End	14:28
-----------	-------

Gary
Schubert

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Brewster ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-99S			Date	8-16-21
Project Name/Location	Ford LTP		Weather			70.0 degrees F and Overcast.	
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	3-13	Casing Diameter (in.)	2	Well Material	
Static Water Level (ft-bmp)	5.89	Total Depth (ft-bmp)	12.85	Water Column (ft.)	6.96	Gallons in Well	
		Pump Intake (ft-bmp)	7.39	Purge Method	Low-Flow	Sample Method	
		Well Volumes Purged	0.69			Grab	
Sample Time:	Label	11:40	Volume Purged	0.78 gallons	Replicate/Code No.	--	Sampled by
	Purge Start	11:00					Seth Turner
	Purge End	11:45					

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments	None		

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Belden ROW	Well Locked at Arrival:	yes
Condition of Well:	Good, Missing bolts	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-100S Date 8-13-21
Project Name/Location Top of Casing Screen Setting (ft-bmp) 3-13 Weather 75.0 degrees F and Mostly Cloudy. The wind is blowing W at 4.7 mph.
Measuring Pt. Description 6.35 Total Depth (ft-bmp) 12.80 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 6.35 Pump Intake (ft-bmp) 7.85 Water Column (ft.) 6.45 Gallons in Well 1.05
Well Volumes Purged 1.71 Purge Method Low-Flow Sample Method Grab

Sample Time: Label 10:42 Volume Purged 1.8 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 9:53
Purge End 10:48

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:55	0	150	6.35	0.00	7.31	5.50	0.02	0.50	21.4	122.0	Clear	No Odor
10:00	5	150	6.35	0.20	7.26	5.51	0.02	0.33	21.0	110.2	Clear	No Odor
10:05	5	150	6.40	0.40	7.26	5.52	0.02	0.31	20.8	100.9	Clear	No Odor
10:10	5	150	6.40	0.60	7.24	5.56	0.02	0.21	20.7	78.9	Clear	No Odor
10:15	5	150	6.40	0.80	7.21	5.67	0.02	0.26	20.7	4.0	Clear	No Odor
10:20	5	150	6.40	1.00	7.20	5.74	0.02	0.22	20.7	-20.9	Clear	No Odor
10:25	5	150	6.40	1.20	7.20	5.60	0.02	0.22	20.8	-27.8	Clear	No Odor
10:30	5	150	6.40	1.40	7.20	5.85	0.02	0.22	20.9	-31.8	Clear	No Odor
10:35	5	150	6.40	1.60	7.20	5.86	0.02	0.22	20.8	-34.7	Clear	No Odor
10:40	5	150	6.40	1.80	7.20	5.90	0.02	0.20	20.9	-36.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Fair Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-101S Date 8-13-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4.5-14.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 8.10 Total Depth (ft-bmp) 14.10 Water Column (ft.) 6.00 Gallons in Well 0.97
Pump Intake (ft-bmp) 9.60 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.32

Sample Time: Label 12:06 Volume Purged 1.28 gallons Replicate/Code No. -- Sampled by Christian Garrido

Purge Start 11:21
Purge End 12:10

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
11:25	0	120	8.10	0.00	7.59	1.49	0.02	0.45	21.1	92.5	Clear	No Odor
11:30	5	120	8.10	0.16	7.47	1.49	0.02	0.18	20.6	82.3	Clear	No Odor
11:35	5	120	8.40	0.32	7.45	1.49	0.02	0.11	20.4	69.0	Clear	No Odor
11:40	5	120	8.50	0.48	7.44	1.49	0.02	0.07	20.3	13.2	Clear	No Odor
11:45	5	120	8.40	0.64	7.44	1.48	0.02	0.05	20.2	-44.7	Clear	No Odor
11:50	5	120	8.40	0.80	7.44	1.48	0.02	0.04	20.2	-59.0	Clear	No Odor
11:55	5	120	8.40	0.96	7.45	1.48	0.02	0.04	20.2	-67.0	Clear	No Odor
12:00	5	120	8.40	1.12	7.44	1.48	0.02	0.05	20.1	-69.8	Clear	No Odor
12:05	5	120	8.40	1.28	7.45	1.48	0.02	0.04	20.1	-70.2	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Belden ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-102		Date	8-18-21	
Project Name/Location	Ford LTP		Weather		81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	10-15	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	1.41	Total Depth (ft-bmp)	14.64	Water Column (ft.)	13.23	Gallons in Well	2.15	
		Pump Intake (ft-bmp)	12.50	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	0.59					

Sample Time:	Label	13:00	Volume Purged	1.26 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	12:24
-------------	-------

Purge End	13:04
-----------	-------

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes				
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
				6" = 1.47

Well Information			
Well Location:	Rosati ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-102S Date 8-16-21
Project Name/Location Weather 73.0 degrees F and Cloudy. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.41 Total Depth (ft-bmp) 12.34 Water Column (ft.) 10.93 Gallons in Well 1.78
Pump Intake (ft-bmp) 2.91 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.35

Sample Time: Label 14:05 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon
Purge Start 13:00
Purge End 14:08

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:05	0	150	1.42	0.00	7.42	2.27	2.23	0.49	24.6	182.0	Clear	No Odor
13:10	5	150	1.41	0.20	7.43	2.63	1.56	0.14	24.3	181.5	Clear	No Odor
13:15	5	150	1.41	0.40	7.42	2.78	0.68	0.12	24.2	181.6	Clear	No Odor
13:20	5	150	1.42	0.60	7.40	3.03	0.56	0.10	24.1	182.3	Clear	No Odor
13:25	5	150	1.42	0.80	7.39	3.10	0.04	0.10	24.1	181.2	Clear	No Odor
13:30	5	150	1.42	1.00	7.38	3.17	0.02	0.09	24.1	180.1	Clear	No Odor
13:35	5	150	1.42	1.20	7.37	3.25	0.02	0.08	24.0	177.8	Clear	No Odor
13:40	5	150	1.42	1.40	7.36	3.32	0.02	0.08	24.0	173.9	Clear	No Odor
13:45	5	150	1.42	1.60	7.35	3.36	1.20	0.07	23.9	166.0	Clear	No Odor
13:50	5	150	1.42	1.80	7.34	3.39	0.52	0.08	23.9	153.2	Clear	No Odor
13:55	5	150	1.42	2.00	7.34	3.43	0.13	0.07	23.9	135.6	Clear	No Odor
14:00	5	150	1.42	2.20	7.33	3.44	0.16	0.06	23.9	123.5	Clear	No Odor
14:05	5	150	1.42	2.40	7.33	3.45	0.10	0.10	23.9	108.6	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-105S		Date	8-18-21	
Project Name/Location	Ford LTP		Weather	69.1 degrees F and Fog and Fog/Mist. The wind is blowing N/N/E at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	2.90	Total Depth (ft-bmp)	11.75	Water Column (ft.)	8.85	Gallons in Well	1.44	
		Pump Intake (ft-bmp)	4.40	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.17					

Sample Time:	Label	8:45	Volume Purged	1.68 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	8:00
Purge End	8:54

El Hassen

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	Rosati ROW	Well Locked at Arrival:	yes
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-106S Date 8-11-21
Project Name/Location Ford LTP Weather 78.1 degrees F and Cloudy. The wind is blowing S/SW at 9.2 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.20 Total Depth (ft-bmp) 11.60 Water Column (ft.) 8.40 Gallons in Well 1.36
Pump Intake (ft-bmp) 4.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.38

Sample Time: Label 13:19 Volume Purged 1.88 gallons Replicate/Code No. -- Sampled by Andrew Banitt
Purge Start 12:21
Purge End 13:26

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:22	0	140	3.29	0.00	6.86	0.50	71.50	1.76	24.0	137.0	Clear	No Odor
12:27	5	125	3.31	0.18	7.00	0.41	38.70	2.34	23.7	108.4	Clear	No Odor
12:32	5	125	3.32	0.35	7.06	0.39	34.10	1.86	23.7	100.6	Clear	No Odor
12:37	5	125	3.33	0.52	7.09	0.39	32.00	1.71	23.7	95.2	Clear	No Odor
12:42	5	125	3.33	0.69	7.10	0.40	20.90	1.39	23.6	92.1	Clear	No Odor
12:47	5	125	3.34	0.86	7.11	0.41	16.40	1.30	23.6	89.0	Clear	No Odor
12:52	5	125	3.35	1.03	7.09	0.42	9.58	1.04	23.5	86.3	Clear	No Odor
12:57	5	125	3.34	1.20	7.09	0.43	6.58	0.86	23.6	82.2	Clear	No Odor
13:02	5	125	3.34	1.37	7.09	0.44	5.42	0.81	23.6	79.7	Clear	No Odor
13:07	5	125	3.34	1.54	7.08	0.45	3.01	0.77	23.6	77.5	Clear	No Odor
13:12	5	125	3.34	1.71	7.08	0.45	2.80	0.76	23.6	75.7	Clear	No Odor
13:17	5	125	3.34	1.88	7.07	0.46	1.93	0.70	23.7	74.3	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Beacon ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-107S		Date	8-13-21	
Project Name/Location	Ford LTP		Weather	75.0 degrees F and Mostly Cloudy. The wind is blowing W at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-12.5	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	5.37	Total Depth (ft-bmp)	12.14	Water Column (ft.)	6.77	Gallons in Well	1.10	
		Pump Intake (ft-bmp)	6.87	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.29					

Sample Time:	Label	10:55	Volume Purged	1.42 gallons	Replicate/Code No.	--	Sampled by	Andrew Banitt
	Purge Start	10:12						
	Purge End	11:00						

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:13	0	150	5.49	0.00	6.89	1.10	13.30	1.09	20.0	141.3	Clear	No Odor
10:18	5	150	5.64	0.20	6.93	1.06	1.42	0.86	20.1	85.9	Clear	No Odor
10:23	5	125	5.72	0.40	7.02	1.05	0.02	0.75	20.2	60.3	Clear	No Odor
10:28	5	125	5.75	0.57	7.08	1.03	0.02	0.44	20.0	42.5	Clear	No Odor
10:33	5	125	5.82	0.74	7.10	1.02	0.02	0.30	19.8	17.0	Clear	No Odor
10:38	5	125	5.81	0.91	7.17	1.01	0.02	0.29	19.7	13.9	Clear	No Odor
10:43	5	125	5.87	1.08	7.17	1.00	0.02	0.24	19.6	-10.0	Clear	No Odor
10:48	5	125	5.84	1.25	7.22	0.99	0.02	0.28	19.7	-10.4	Clear	No Odor
10:53	5	125	5.84	1.42	7.23	0.99	0.02	0.21	19.6	-15.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL
Comments None			

Well Casing Volumes	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
Gallons/Foot	1" = 0.04	2" = 0.16	3" = 0.37	4" = 0.65

Well Information			
Well Location:	Capitol ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-108S Date 8-11-21
Project Name/Location Ford LTP Weather 73.9 degrees F and Mostly Cloudy. The wind is blowing S/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.20 Total Depth (ft-bmp) 12.22 Water Column (ft.) 8.02 Gallons in Well 1.30
Pump Intake (ft-bmp) 5.70 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 0.92

Sample Time: Label 8:10 Volume Purged 1.2 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 7:31
Purge End 8:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
7:35	0	150	4.27	0.00	6.75	1.39	45.10	0.64	22.1	-30.5	Clear, Small Orange Particulates	No Odor
7:40	5	150	4.27	0.20	6.78	1.40	34.90	0.40	21.8	-49.9	Clear, Small Orange Particulates	No Odor
7:45	5	150	4.27	0.40	6.79	1.38	16.50	0.29	21.5	-67.5	Clear, Small Orange Particulates	No Odor
7:50	5	150	4.27	0.60	6.83	1.36	11.00	0.25	21.5	-77.0	Clear, Small Orange Particulates	No Odor
7:55	5	150	4.27	0.80	6.85	1.36	8.82	0.23	21.5	-81.6	Clear, Small Orange Particulates	No Odor
8:00	5	150	4.27	1.00	6.86	1.34	8.19	0.21	21.4	-83.6	Clear, Small Orange Particulates	No Odor
8:05	5	150	4.27	1.20	6.86	1.34	8.48	0.21	21.4	-84.0	Clear, Small Orange Particulates	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments Two broken off bolts stuck in threads, one operating bolt

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Rosati ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Broken thread tabs,Fair,Missing bolts</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID Ford LTP MW-131S Date 8-18-21
Project Name/Location Weather 73.9 degrees F and Haze. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 4.23 Total Depth (ft-bmp) 12.65 Water Column (ft.) 8.42 Gallons in Well 1.37
Pump Intake (ft-bmp) 5.73 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.75

Sample Time: Label 11:55 Volume Purged 2.4 gallons Replicate/Code No. DUP-12 Sampled by Emma Witherspoon

Purge Start 10:53

Purge End 12:05

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
10:55	0	150	4.28	0.00	7.20	0.75	6.07	1.13	22.1	215.8	Clear	No Odor
11:00	5	150	4.26	0.20	7.12	0.82	5.83	0.44	22.0	184.2	Clear	No Odor
11:05	5	150	4.26	0.40	7.07	0.97	4.54	0.28	21.8	154.2	Clear	No Odor
11:10	5	150	4.26	0.60	7.04	1.16	3.06	0.26	21.8	52.7	Clear	No Odor
11:15	5	150	4.26	0.80	6.99	1.61	2.96	0.26	21.7	-6.5	Clear	No Odor
11:20	5	150	4.26	1.00	7.06	2.35	2.53	0.27	21.8	-51.8	Clear	No Odor
11:25	5	150	4.26	1.20	7.07	2.58	3.10	0.23	21.6	-64.0	Clear	No Odor
11:30	5	150	4.26	1.40	7.10	2.80	1.71	0.23	21.5	-73.5	Clear	No Odor
11:35	5	150	4.26	1.60	7.14	2.99	2.81	0.26	21.5	-79.4	Clear	No Odor
11:40	5	150	4.26	1.80	7.17	3.11	1.92	0.25	21.5	-83.5	Clear	No Odor
11:45	5	150	4.26	2.00	7.20	3.20	3.33	0.25	21.5	-88.0	Clear	No Odor
11:50	5	150	4.26	2.20	7.21	3.23	5.02	0.25	21.5	-90.0	Clear	No Odor
11:55	5	150	4.26	2.40	7.20	3.28	3.93	0.22	21.6	-92.0	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 6 Preservative HCL
1,4-dioxane 40 mL Glass 6 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Rosati ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-132S Date 8-13-21
Project Name/Location Ford LTP Weather 80.1 degrees F and Light Rain. The wind is blowing W/SW at 6.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.5-12.5 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.40 Total Depth (ft-bmp) 12.36 Water Column (ft.) 6.96 Gallons in Well 1.13
Pump Intake (ft-bmp) 6.90 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 2.12

Sample Time: Label 14:30 Volume Purged 2.4 gallons Replicate/Code No. -- Sampled by Emma Witherspoon

Purge Start 13:28
Purge End 14:35

Emma Witherspoon

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:30	0	150	5.42	0.00	7.30	2.95	53.50	1.55	23.6	179.6	Cloudy, Small Orange Particulates	No Odor
13:35	5	150	5.42	0.20	7.24	2.92	42.60	1.19	23.6	171.8	Cloudy, Small Orange Particulates	No Odor
13:40	5	150	5.42	0.40	7.25	2.89	20.20	1.09	23.5	163.4	Cloudy, Small Orange Particulates	No Odor
13:45	5	150	5.42	0.60	7.26	2.83	9.97	0.98	23.6	154.4	Cloudy	No Odor
13:50	5	150	5.42	0.80	7.25	2.80	4.99	1.12	23.5	146.8	Clear	No Odor
13:55	5	150	5.42	1.00	7.25	2.75	4.69	1.00	23.4	135.7	Clear	No Odor
14:00	5	150	5.42	1.20	7.25	2.74	2.64	1.09	23.5	125.1	Clear	No Odor
14:05	5	150	5.42	1.40	7.25	2.71	1.95	0.95	23.3	115.1	Clear	No Odor
14:10	5	150	5.42	1.60	7.25	2.68	1.76	0.94	23.1	103.4	Clear	No Odor
14:15	5	150	5.42	1.80	7.26	2.71	1.47	0.92	23.3	96.0	Clear	No Odor
14:20	5	150	5.42	2.00	7.25	2.67	1.39	0.96	23.1	92.6	Clear	No Odor
14:25	5	150	5.42	2.20	7.25	2.63	1.08	0.90	23.1	84.2	Clear	No Odor
14:30	5	150	5.42	2.40	7.25	2.61	1.15	0.89	23.0	75.4	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments

Two broken bolts stuck in threads, one functioning bolt

Well Casing Volumes

Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information

Well Location:	Rosati ROW	Well Locked at Arrival:	yes
Condition of Well:	Broken thread tabs,Fair	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-133S Date 8-18-21
Project Name/Location Ford LTP Weather 81.0 degrees F and Mostly Cloudy. The wind is blowing NE at 8.1 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 4-9 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.72 Total Depth (ft-bmp) 8.49 Water Column (ft.) 2.77 Gallons in Well 0.45
Pump Intake (ft-bmp) 7.22 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 3.78

Sample Time: Label 14:11 Volume Purged 1.7 gallons Replicate/Code No. Sampled by Gary Schafer
Purge Start 13:17
Purge End 14:16

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]*	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:20	0	125	5.75	0.00	7.12	0.62	35.30	3.52	20.5	106.0	Brown, Turbid	No Odor
13:25	5	125	5.75	0.17	7.13	0.64	36.30	1.93	20.3	92.5	Brown, Turbid	No Odor
13:30	5	125	5.75	0.34	7.15	0.69	28.80	1.53	20.2	78.3	Turbid	No Odor
13:35	5	125	5.75	0.51	7.16	0.72	19.70	1.46	19.9	65.7	Clear	No Odor
13:40	5	125	5.75	0.68	7.17	0.74	17.00	1.34	19.8	51.3	Clear	No Odor
13:45	5	125	5.75	0.85	7.18	0.75	11.80	1.49	19.8	46.4	Clear	No Odor
13:50	5	125	5.75	1.02	7.19	0.77	7.47	1.02	20.2	40.7	Clear	No Odor
13:55	5	125	5.75	1.19	7.19	0.77	5.03	1.08	20.5	37.3	Clear	No Odor
14:00	5	125	5.75	1.36	7.19	0.78	4.51	1.09	20.5	34.6	Clear	No Odor
14:05	5	125	5.75	1.53	7.19	0.78	3.90	1.06	20.5	33.2	Clear	No Odor
14:10	5	125	5.75	1.70	7.19	0.78	3.39	1.08	19.9	32.1	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: no

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-134S	Date	8-19-21		
Project Name/Location	Ford LTP	Weather	72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	5-10	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	6.77	Total Depth (ft-bmp)	9.45	Water Column (ft.)	2.68	Gallons in Well	0.44
		Pump Intake (ft-bmp)	8.27	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.32				

Sample Time:	Label	10:50	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	-------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	10:17
-------------	-------

Purge End	10:55
-----------	-------

Chen H. Shu

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Stark ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-135S Date 8-19-21
Project Name/Location Ford LTP Weather 71.1 degrees F and Haze. The wind is blowing south at 5.3 mph
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 5-10 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.73 Total Depth (ft-bmp) 9.68 Water Column (ft.) 3.95 Gallons in Well 0.64
Pump Intake (ft-bmp) 7.23 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.88

Sample Time: Label 9:05 Volume Purged 1.2 gallons Replicate/Code No. Sampled by Christian Garrido

Purge Start 8:23
Purge End 9:10

Handwritten signature

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
8:25	0	110	5.73	0.00	7.95	0.70	18.38	9.85	18.1	137.2	Clear, Small Orange Particulates	No Odor
8:30	5	110	5.73	0.15	7.47	0.61	8.71	1.47	18.0	157.9	Clear	No Odor
8:35	5	110	5.91	0.30	7.25	0.57	5.81	1.19	17.9	151.8	Clear	No Odor
8:40	5	110	5.91	0.45	7.23	0.55	3.09	0.98	17.9	105.3	Clear	No Odor
8:45	5	110	5.80	0.60	7.23	0.53	1.72	0.88	17.7	9.4	Clear	No Odor
8:50	5	110	5.80	0.75	7.26	0.53	0.02	0.78	17.7	-19.7	Clear	No Odor
8:55	5	110	5.80	0.90	7.26	0.53	0.02	0.73	17.7	-32.6	Clear	No Odor
9:00	5	110	5.80	1.05	7.27	0.53	0.02	0.71	17.7	-35.2	Clear	No Odor
9:05	5	110	5.80	1.20	7.28	0.53	0.02	0.70	17.7	-38.9	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	Container 40 mL Glass	Number 3	Preservative HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Stark ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01		Well ID	MW-136S		Date	8-18-21	
Project Name/Location	Ford LTP		Weather		69.1 degrees F and Fog and Fog/Mist. The wind is blowing N/NE at 4.7 mph.			
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC	
Static Water Level (ft-bmp)	2.92	Total Depth (ft-bmp)	7.13	Water Column (ft.)	4.21	Gallons in Well	0.68	
		Pump Intake (ft-bmp)	4.42	Purge Method	Low-Flow	Sample Method	Grab	
		Well Volumes Purged	1.44					

Sample Time:	Label	8:55	Volume Purged	0.98 gallons	Replicate/Code No.	--	Sampled by	Christian Garrido
--------------	-------	------	---------------	--------------	--------------------	----	------------	-------------------

Purge Start	8:23
-------------	------

Purge End	9:00
-----------	------

Chen H. Shu

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	3	HCL
1,4-dioxane	40 mL Glass	3	HCL

Comments	None
----------	------

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information	
Well Location:	Well Locked at Arrival:
Condition of Well:	Well Locked at Departure:
Well Completion:	Lock Functioning:

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-137S	Date	8-16-21
Project Name/Location	Ford LTP	Weather	64.9 degrees F and Cloudy. The wind is blowing N/NE at 9.2 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	2.39	Total Depth (ft-bmp)	7.00	Well Material	PVC
		Pump Intake (ft-bmp)	3.89	Water Column (ft.)	4.61
		Purge Method	Low-Flow	Gallons in Well	0.75
		Well Volumes Purged	1.36	Sample Method	Grab

Sample Time:	Label	10:51	Volume Purged	1.02 gallons	Replicate/Code No.	--	Sampled by	Garv Schafer
--------------	-------	-------	---------------	--------------	--------------------	----	------------	--------------

Purge Start	10:17
-------------	-------

Purge End	10:58
-----------	-------

Gang
Pecher

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

Water over well casing, bailed out water before opening j- plug

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$

Well Information

Well Location:

Brewster ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-138S Date 8-19-21
Project Name/Location Ford LTP Weather 72.0 degrees F and Haze. The wind is blowing N/NW at 4.7 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2-7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 1.18 Total Depth (ft-bmp) 5.96 Water Column (ft.) 4.78 Gallons in Well 0.78
Pump Intake (ft-bmp) 2.68 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 1.87

Sample Time: Label 10:06 Volume Purged 1.46 gallons Replicate/Code No. DUP-11 Sampled by Andrew Banitt

Purge Start 9:23

Purge End 10:15

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
9:24	0	140	1.22	0.00	6.55	1.99	0.02	1.10	21.0	124.6	Clear	No Odor
9:29	5	150	1.23	0.18	6.94	2.04	0.02	0.19	20.6	19.4	Clear	No Odor
9:34	5	150	1.23	0.38	7.04	2.11	0.02	0.09	20.5	-8.5	Clear	No Odor
9:39	5	150	1.24	0.58	7.08	2.09	0.02	0.05	20.5	-26.2	Clear	No Odor
9:44	5	125	1.23	0.78	7.09	2.08	0.02	0.04	20.6	-39.6	Clear	No Odor
9:49	5	125	1.23	0.95	7.11	2.07	0.02	0.04	20.8	-48.4	Clear	No Odor
9:54	5	125	1.23	1.12	7.12	2.05	0.02	0.05	20.9	-55.5	Clear	No Odor
9:59	5	125	1.23	1.29	7.12	2.05	0.02	0.04	20.9	-60.3	Clear	No Odor
10:04	5	125	1.23	1.46	7.13	2.03	0.02	0.05	20.9	-63.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	6	HCL
1,4-dioxane	40 mL Glass	6	HCL

Comments None

Well Casing Volumes					
Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information			
Well Location:	<u>Beacon ROW</u>	Well Locked at Arrival:	<u>yes</u>
Condition of Well:	<u>Good</u>	Well Locked at Departure:	<u>n/a</u>
Well Completion:	<u>Flush mount</u>	Lock Functioning:	<u>yes</u>

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-139S	Date	8-10-21		
Project Name/Location	Ford LTP	Weather	82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.				
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2-7	Casing Diameter (in.)	2	Well Material	PVC
Static Water Level (ft-bmp)	2.54	Total Depth (ft-bmp)	6.90	Water Column (ft.)	4.36	Gallons in Well	0.71
		Pump Intake (ft-bmp)	4.04	Purge Method	Low-Flow	Sample Method	Grab
		Well Volumes Purged	2.20				

Sample Time:	Label	13:30	Volume Purged	1.56 gallons	Replicate/Code No.	--	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	--------------	--------------------	----	------------	------------------

Purge Start	12:52
-------------	-------

Purge End	13:32
-----------	-------

El Hassen

[illegible]

* Turbidity < 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled

1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

3

Preservative

HCL

1,4-dioxane

40 mL Glass

3

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
$$2.5'' = 0.26$$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Boston Post ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes

n/a

Well Completion:

Flush mount

Lock Functioning:

yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-140S Date 8-9-21
Project Name/Location Ford LTP Weather 84.9 degrees F and Mostly Cloudy. The wind is blowing S at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 2.7 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 3.85 Total Depth (ft-bmp) 6.46 Water Column (ft.) 2.61 Gallons in Well 0.42
Pump Intake (ft-bmp) 5.35 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 5.71

Sample Time: Label 14:10 Volume Purged 2.4 gallons Replicate/Code No. Sampled by Emma Witherspoon
Purge Start 13:09
Purge End 14:13

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
13:10	0	150	3.92	0.00	7.75	0.39	263.00	5.44	23.0	94.8	Cloudy, White	No Odor
13:15	5	150	3.93	0.20	7.55	0.35	166.00	4.27	21.1	71.7	Cloudy, White	No Odor
13:20	5	150	3.92	0.40	7.39	0.32	99.10	2.55	20.3	68.8	Cloudy, White	No Odor
13:25	5	150	3.92	0.60	7.34	0.31	70.00	1.84	19.7	69.0	Cloudy, White	No Odor
13:30	5	150	3.92	0.80	7.51	0.32	50.00	1.66	20.1	64.8	Cloudy, White	No Odor
13:35	5	150	3.92	1.00	7.52	0.34	34.30	1.38	19.6	72.0	Cloudy, White	No Odor
13:40	5	150	3.92	1.20	7.40	0.37	19.00	1.05	19.3	83.2	Clear	No Odor
13:45	5	150	3.92	1.40	7.39	0.40	13.40	0.84	19.1	85.1	Clear	No Odor
13:50	5	150	3.92	1.60	7.34	0.47	8.46	0.64	18.7	89.8	Clear	No Odor
13:55	5	150	3.92	1.80	7.36	0.49	4.43	0.58	18.5	89.4	Clear	No Odor
14:00	5	150	3.92	2.00	7.38	0.50	3.56	0.52	18.4	88.4	Clear	No Odor
14:05	5	150	3.92	2.20	7.46	0.50	3.59	0.49	18.9	84.4	Clear	No Odor
14:10	5	150	3.92	2.40	7.43	0.51	2.85	0.49	18.4	86.5	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes



SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No. 30080642.402.01 Well ID MW-141S Date 8-10-21
Project Name/Location Ford LTP Weather 82.9 degrees F and Mostly Cloudy. The wind is blowing W/SW at 13.9 mph.
Measuring Pt. Description Top of Casing Screen Setting (ft-bmp) 3-8 Casing Diameter (in.) 2 Well Material PVC
Static Water Level (ft-bmp) 5.62 Total Depth (ft-bmp) 7.68 Water Column (ft.) 2.06 Gallons in Well 0.33
Pump Intake (ft-bmp) 7.12 Purge Method Low-Flow Sample Method Grab
Well Volumes Purged 6.21

Sample Time: Label 13:47 Volume Purged 2.05 gallons Replicate/Code No. Sampled by Andrew Banitt
Purge Start 12:44
Purge End 13:53

Time	Minutes Elapsed between Readings	Flow Rate (mL/min) [100-300 mL/min]	Depth to Water (ft) [± 0.3]	Total Gallons Purged	pH [± 0.1]	Cond. (mS/cm) [± 3%]	Turbidity (NTU) [± 10%*]	DO (mg/L) [± 10%]	Temp. (°C) [± 3%]	Redox (mV) [± 10mV]	Appearance	
											Color	Odor
12:45	0	140	5.70	0.00	6.71	0.61	0.02	3.02	18.9	157.7	Clear	No Odor
12:50	5	125	5.74	0.18	6.88	0.59	0.02	1.94	19.0	112.9	Clear	No Odor
12:55	5	125	5.77	0.35	6.95	0.58	0.02	1.46	18.9	98.8	Clear	No Odor
13:00	5	125	5.78	0.52	6.98	0.58	0.02	1.20	18.8	93.2	Clear	No Odor
13:05	5	125	5.79	0.69	6.99	0.59	0.02	1.03	18.7	91.6	Clear	No Odor
13:10	5	125	5.80	0.86	6.99	0.59	0.02	0.91	18.7	90.6	Clear	No Odor
13:15	5	125	5.80	1.03	6.99	0.59	0.02	0.76	18.7	90.0	Clear	No Odor
13:20	5	125	5.80	1.20	7.00	0.59	0.02	0.71	18.7	89.6	Clear	No Odor
13:25	5	125	5.80	1.37	7.00	0.60	0.02	0.66	18.7	89.2	Clear	No Odor
13:30	5	125	5.80	1.54	7.00	0.60	0.02	0.55	18.6	88.9	Clear	No Odor
13:35	5	125	5.80	1.71	7.00	0.60	0.02	0.52	18.5	88.6	Clear	No Odor
13:40	5	125	5.80	1.88	7.00	0.60	0.02	0.45	18.6	88.4	Clear	No Odor
13:45	5	125	5.80	2.05	7.00	0.60	0.02	0.42	18.6	88.7	Clear	No Odor
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--	--

* Turbidity < 50 NTU and ±10% or within 1 NTU of a previous reading when <10 NTU

Constituents Sampled 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC Container 40 mL Glass Number 3 Preservative HCL
1,4-dioxane 40 mL Glass 3 HCL
Comments None

Well Casing Volumes
Gallons/Foot 1" = 0.04 1.5" = 0.09 2.5" = 0.26 3.5" = 0.50 6" = 1.47
1.25" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Well Information
Well Location: Boston Post ROW Well Locked at Arrival: yes
Condition of Well: Good Well Locked at Departure: n/a
Well Completion: Flush mount Lock Functioning: yes

SHALLOW LOW-FLOW GROUNDWATER SAMPLING FORM

Page 1 of 1

Project No.	30080642.402.01	Well ID	MW-142S	Date	8-13-21
Project Name/Location	Ford LTP	Weather	78.1 degrees F and Mostly Cloudy. The wind is blowing SW at 4.7 mph.		
Measuring Pt. Description	Top of Casing	Screen Setting (ft-bmp)	2.5-7.5	Casing Diameter (in.)	2
Static Water Level (ft-bmp)	3.59	Total Depth (ft-bmp)	6.75	Water Column (ft.)	3.16
		Pump Intake (ft-bmp)	5.09	Purge Method	Low-Flow
		Well Volumes Purged	4.51	Sample Method	Grab

Sample Time:	Label	12:30	Volume Purged	2.3 gallons	Replicate/Code No.	DUP-06	Sampled by	Emma Witherspoon
--------------	-------	-------	---------------	-------------	--------------------	--------	------------	------------------

Purge Start	11:34
-------------	-------

Purge End	12:41
-----------	-------

El Hassen

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled

1,1-DCE, *cis*-1,2-DCE, *trans*-1,2-DCE, PCE, TCE, VC

Container

40 mL Glass

Number

6

Preservative

HCL

1,4-dioxane

40 mL Glass

6

HCL

Comments

None

Well Casing Volumes

Gallons/Foot

 $1'' = 0.04$
$$1.5'' = 0.09$$
 $2.5'' = 0.26$
$$3.5'' = 0.50$$
$$6'' = 1.47$$
$$1.25'' = 0.06$$
$$2'' = 0.16$$
$$3'' = 0.37$$
$$4'' = 0.65$$

Well Information

Well Location:

Rosati ROW

Well Locked at Arrival:

yes

Condition of Well:

Good

Well Locked at Departure:

yes
n/a

Well Completion:

Elush mount

Lock Functioning:

VPS



Sample Time:	Label	11:18	Volume Purged	<u>1.55 gallons</u>	Replicate/Code No.	MW-192S-MS_081921, Sampled by	<u>Andrew Banitt</u>
	Purge Start	<u>10:35</u>				MW-192S-MSD_081921	
	Purge End	11:31					

[illegible]

* Turbidity ≤ 50 NTU and $\pm 10\%$ or within 1 NTU of a previous reading when ≤ 10 NTU

Constituents Sampled	Container	Number	Preservative
1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, PCE, TCE, VC	40 mL Glass	9	HCL
1,4-dioxane	40 mL Glass	9	HCL

Comments	None
----------	------

Well Casing Volumes

Gallons/Foot	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:	Beacon ROW	Well Locked at Arrival:	yes
Condition of Well:	Good	Well Locked at Departure:	n/a
Well Completion:	Flush mount	Lock Functioning:	yes


APPENDIX D

Transducer Data



● ESD-1 Vault ● ESD-1 Pump ● MW-18 ● MW-50 ● MW-62 ● PZ-01 ● PZ-08 ● PZ-14 ● PZ-15


ESD-1



Transducer Download Date

- Thursday, July 01, 2021
- Wednesday, August 25, 2021
- Monday, August 30, 2021
- Friday, October 01, 2021

● ESD-1 Daily Flow ● Precipitation (in)




This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

● ESD-2 Vault ● ESD-2 Pump ● MW-18 ● MW-48 ● MW-63 ● PZ-06 ● PZ-07 ● PZ-09


ESD-2

Transducer Download Date

- Thursday, July 01, 2021
- Wednesday, August 25, 2021
- Monday, August 30, 2021
- Friday, October 01, 2021



● ESD-2 Daily Flow ● Precipitation (in.)





This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

● ESD-3 Vault ● ESD-3 Pump ● MW-18 ● MW-46 ● MW-68 ● PZ-03 ● PZ-10 ● PZ-13

ESD-3

Transducer Download Date


- Thursday, July 01, 2021
- Wednesday, August 25, 2021
- Monday, August 30, 2021
- Friday, October 01, 2021



This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

● ESD-4 Vault ● ESD-4 Pump ● MW-18 ● MW-45 ● MW-71 ● PZ-05 ● PZ-11 ● PZ-12

ESD-4




Transducer Download Date

- Friday, October 01, 2021
- Monday, August 30, 2021
- Wednesday, August 25, 2021
- Thursday, July 01, 2021

Transducer data for MW-45 and MW-71 not collected during 3Q 2021 due to download connection issues.

● ESD-4 Daily Flow ● Precipitation (in.)



This document is a DRAFT document that has not received approval from EGLE. This document was prepared pursuant to a court Consent Decree. The opinions, findings, and conclusions expressed are those of the authors and not those of EGLE.

APPENDIX E

Stability Analysis



TREND ANALYSIS METHODOLOGY

A statistical analysis of concentration trends was performed using historical groundwater monitoring data. Mann-Kendall trend analysis was performed on datasets that met the following criteria:

1. Less than 50 percent (%) of results were non-detect.
2. Exceedances of the Michigan Department of Environment, Great Lakes, and Energy (EGLE) Non-Residential Drinking Water Criteria (EGLE 2018) were observed during at least two of the last three sampling events, or during the most recent sampling event.


The Mann-Kendall trend test is a nonparametric test that determines trend based on ranked data. As such, it is relatively insensitive to small datasets, outlier values, and nondetect concentrations, and does not require the data to fit a specific model. The basic Mann-Kendall trend test is performed by listing the concentrations of the constituent of interest in temporal order and computing the differences between a given measurement and earlier measurements (Gilbert 1987; USEPA 2009). Based on USEPA guidance, nondetect values are set to one value less than that of any detections (USEPA 2009).

The Mann-Kendall test statistic (sum of trend [S]) is the difference between the number of strictly positive differences and the number of strictly negative differences. If S is positive, an increasing trend is indicated; if S is negative, a decreasing trend is indicated; and if S is near zero, no trend is apparent. Trends with positive or negative S-statistics were accepted as statistically significant for probability values (p-values) less than or equal to 0.1 (90% confidence level). The coefficient of variation (CV) is a quantitative measure that can be used to evaluate if concentrations are stable in cases where a statistically significant trend is not apparent. CV values near or greater than 1 indicate variability in concentrations through time or suggest an underlying trend that is not statistically significant. Lower CV values indicate that concentrations are stable through time. Where no significant trend was found, the trend determination presented was based on the sign and magnitude of the S-statistic, the CV value, and qualitative assessment of concentrations through time.


REFERENCES

- EGLE. 2018. Part 201 Groundwater: Residential and Nonresidential Part 201 Generic Cleanup Criteria and Screening Levels. Michigan Department of Environment, Great Lakes, and Energy. June.
- Gilbert, R.O. 1987. Statistical Methods for Environmental Pollution Monitoring. John Wiley and Sons, Inc. New York.
- USEPA. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities. Office of Resource Conservation and Recovery. Unified Guidance. EPA 530-R-09-007.


CITY: Novi DIV: ENV DB: MG PIC: R. ELLIS PM: K. HINSKEY PROJECT NUMBER: 30080642 COORDINATE SYSTEM: NAD 1983 StatePlane Michigan South FIPS 2113 Feet T: ENV\Novi\Brighton_MLFordLivonia\GIS\docs\2018-10\MK Trends_20181022.mxd PLOTTED: 7/16/2021 11:14:30 AM BY: dolexa




CITY: Novi DIV: ENV DB: MG PIC: R. ELLIS PM: K. HINSKEY PROJECT NUMBER: 30080642 COORDINATE SYSTEM: NAD 1983 StatePlane Michigan South FIPS 2113 Feet
T: LENVN01Brighton_MitFordLivoniaGISdocs2018-10MMK_Trends_20181022.mxd PLOTTED: 7/16/2021 11:14:30 AM BY: dalex



CITY: Novi DIV: ENV DB: MG PIC: R. ELLIS PM: K. HINSKEY PROJECT NUMBER: 30080642 COORDINATE SYSTEM: NAD 1983 StatePlane Michigan South FIPS 2113 Feet
T: LENVN01v1Brighton_MitFordLivoniaGISdocs2018-10MMK_Trends_20181022.mxd PLOTTED: 10/14/2021 12:17:20 PM BY: dolexa





Results of Mann-Kendall Test for Trend:

INCREASING TREND


p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – DCE in MW-02
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 4



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.250

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-02
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 5



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.032

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-09
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 6



Results of Mann-Kendall Test for Trend:

INCREASING TREND


p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-10
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 7



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.085

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-22
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 8



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.093

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – TCE in MW-23
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 9



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.172

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – DCE in MW-23
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 10



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.017

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-23
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 11



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.276

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-34
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 12



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.260

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-35
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 13



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.33

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-40
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 14



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.06

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-41
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 15



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.025

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-46
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 16



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.136

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – DCE in MW-49
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 17



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.395

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-49
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 18



Results of Mann-Kendall Test for Trend:

INCREASING TREND

p value =


0.080

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-50
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 19



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-52
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 20



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.482

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-54
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 21



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.135

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-64
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 22



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-65
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 23



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.515

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-66
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 24



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.247

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-68
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 25



Results of Mann-Kendall Test for Trend:

INCREASING TREND


p value = 0.034

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot - VC in MW-69
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 26



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.092

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-72
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 27



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.152

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-74
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 28



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.034

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-75D
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 29



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.002

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-79D
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 30



Results of Mann-Kendall Test for Trend:

No Significant Trend


p value = 0.34

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-80SR
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 31



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in MW-85
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 32



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = 0.004

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – DCE in TW-16-02
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 33



Results of Mann-Kendall Test for Trend:

DECREASING TREND


p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in TW-16-02
Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 34



Results of Mann-Kendall Test for Trend:

DECREASING TREND

p value = <0.001

Note: p value < 0.1 indicates a statistically significant trend (90% confidence level).



Concentration vs. Time Plot – VC in TW-16-04
 Ford Motor Company, Livonia Transmission Plant, Livonia, Michigan

Figure 35



Arcadis of Michigan, LLC

28550 Cabot Drive

Suite 500

Novi, Michigan 48377

Tel 248 994 2240

www.arcadis.com