

# **Environment Testing America**

# **ANALYTICAL REPORT**

Eurofins Canton 180 S. Van Buren Avenue Barberton, OH 44203 Tel: (330)497-9396

Laboratory Job ID: 240-165924-1 Client Project/Site: Ford LTP - Off Site

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mode Del Your

Authorized for release by: 5/17/2022 7:44:50 AM

Michael DelMonico, Project Manager I (330)497-9396

Michael.DelMonico@et.eurofinsus.com

Links .....

Review your project results through

**Have a Question?** 



Visit us at: www.eurofinsus.com/Env This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site Laboratory Job ID: 240-165924-1

# **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

10

12

# **Definitions/Glossary**

Client: ARCADIS U.S., Inc.

Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

**Qualifiers** 

**GC/MS VOA** 

U Indicates the analyte was analyzed for but not detected.

**Glossary** 

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CFU Colony Forming Unit
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Canton

Page 3 of 18 5/17/2022

# **Case Narrative**

Client: ARCADIS U.S., Inc.

Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Job ID: 240-165924-1

**Laboratory: Eurofins Canton** 

**Narrative** 

Job Narrative 240-165924-1

# Comments

No additional comments.

### Receipt

The samples were received on 5/4/2022~8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was  $1.6^{\circ}$  C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# **VOA Prep**

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

9

\_

6

\_

8

9

10

11

12

13

# **Method Summary**

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP - Off Site

Job ID: 240-165924-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

# **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

# Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

**Eurofins Canton** 

3

Q

10

12

13

# **Sample Summary**

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Job ID: 240-165924-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-165924-1	TRIP BLANK_182	Water	05/02/22 00:00	05/04/22 08:00
240-165924-2	MW-154S_050222	Water	05/02/22 12:20	05/04/22 08:00

# **Detection Summary**

Client: ARCADIS U.S., Inc.

Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK\_182 Lab Sample ID: 240-165924-1

No Detections.

No Detections.

16

4

5

7

9

10

12

13

# **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK\_182

Date Collected: 05/02/22 00:00 Date Received: 05/04/22 08:00 Lab Sample ID: 240-165924-1

**Matrix: Water** 

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/10/22 21:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/10/22 21:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/10/22 21:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:17	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/10/22 21:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137			-		05/10/22 21:17	1
4-Bromofluorobenzene (Surr)	102		56 <sub>-</sub> 136					05/10/22 21:17	1
Toluene-d8 (Surr)	104		78 - 122					05/10/22 21:17	1
Dibromofluoromethane (Surr)	101		73 - 120					05/10/22 21:17	1

# **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-154S\_050222

Date Collected: 05/02/22 12:20 Date Received: 05/04/22 08:00 Lab Sample ID: 240-165924-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/07/22 20:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120					05/07/22 20:20	1
Method: 8260D - Volatile O	rganic Compo	unds by G	C/MS						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/10/22 21:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/10/22 21:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/10/22 21:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/10/22 21:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					05/10/22 21:41	1
4-Bromofluorobenzene (Surr)	102		56 <sub>-</sub> 136					05/10/22 21:41	1
Toluene-d8 (Surr)	104		78 - 122					05/10/22 21:41	1
Dibromofluoromethane (Surr)	103		73 - 120					05/10/22 21:41	1

6

8

4.0

11

# **Surrogate Summary**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

			Pe	ercent Surre	ogate Reco
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-165924-1	TRIP BLANK_182	101	102	104	101
240-165924-2	MW-154S_050222	104	102	104	103
240-166043-C-3 MS	Matrix Spike	98	104	108	99
240-166043-C-3 MSD	Matrix Spike Duplicate	96	102	106	98
LCS 240-525864/5	Lab Control Sample	101	109	113	103
MB 240-525864/7	Method Blank	105	105	109	106
Currente Legend					

**Surrogate Legend** 

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(66-120)	
240-165924-2	MW-154S_050222	81	
240-165975-I-3 MS	Matrix Spike	82	
240-165975-O-3 MSD	Matrix Spike Duplicate	83	
LCS 240-525515/3	Lab Control Sample	81	
MB 240-525515/4	Method Blank	81	
Surrogate Legend			

DCA = 1,2-Dichloroethane-d4 (Surr)

**Eurofins Canton** 

**O** 

7

9

10

12

13

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

# Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-525864/7

**Matrix: Water** 

Analysis Batch: 525864

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB Result Qualifier RL **MDL** Unit Dil Fac Analyte D Prepared Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.49 ug/L 05/10/22 13:19 cis-1,2-Dichloroethene 1.0 U 1.0 0.46 ug/L 05/10/22 13:19 1.0 U 0.44 ug/L Tetrachloroethene 1.0 05/10/22 13:19 0.51 ug/L trans-1,2-Dichloroethene 1.0 U 1.0 05/10/22 13:19 Trichloroethene 1.0 U 1.0 0.44 ug/L 05/10/22 13:19 Vinyl chloride 1.0 U 1.0 0.45 ug/L 05/10/22 13:19

MB MB Surrogate %Recovery Qualifier Limits Prepared Dil Fac Analyzed 62 - 137 105 1,2-Dichloroethane-d4 (Surr) 05/10/22 13:19 4-Bromofluorobenzene (Surr) 105 56 - 136 05/10/22 13:19 109 78 - 122 Toluene-d8 (Surr) 05/10/22 13:19 Dibromofluoromethane (Surr) 106 73 - 120 05/10/22 13:19

25.0

22.5

Lab Sample ID: LCS 240-525864/5

**Matrix: Water** 

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Vinyl chloride

cis-1,2-Dichloroethene

trans-1.2-Dichloroethene

Analyte

Analysis Batch: 525864

**Client Sample ID: Lab Control Sample** Prep Type: Total/NA

60 - 144

90

Spike LCS LCS %Rec Added Result Qualifier Unit %Rec Limits 25.0 23.9 96 63 - 134 ug/L 25.0 23.6 ug/L 94 77 - 123 25.0 26.2 105 76 - 123 ug/L 75 - 124 25.0 23.5 ug/L 94 25.0 24.5 ug/L 98 70 - 122

ug/L

LCS LCS Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 101 62 - 137 4-Bromofluorobenzene (Surr) 109 56 - 136 Toluene-d8 (Surr) 113 78 - 122 73 - 120 Dibromofluoromethane (Surr) 103

Lab Sample ID: 240-166043-C-3 MS

**Matrix: Water** 

Analysis Batch: 525864

**Client Sample ID: Matrix Spike** Prep Type: Total/NA

-	Sample	Sample	Spike	MS	MS				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethene	40	U	1000	927		ug/L		93	56 - 135
cis-1,2-Dichloroethene	570		1000	1470		ug/L		89	66 - 128
Tetrachloroethene	40	U	1000	949		ug/L		95	62 - 131
trans-1,2-Dichloroethene	40	U	1000	895		ug/L		89	56 - 136
Trichloroethene	1300		1000	2110		ug/L		84	61 - 124
Vinyl chloride	180		1000	995		ug/L		82	43 - 157

	IVIS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	108		78 - 122

**Eurofins Canton** 

Page 11 of 18

Client: ARCADIS U.S., Inc.

Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

# Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-166043-C-3 MS **Client Sample ID: Matrix Spike** Prep Type: Total/NA

Spike

Added

1000

1000

1000

1000

1000

1000

MSD MSD

910

1450

924

891

2080

981

ug/L

ug/L

ug/L

**Matrix: Water** 

**Analysis Batch: 525864** 

MS MS

Sample Sample

40

40 U

40 U

570

1300

180

Result Qualifier

%Recovery Qualifier Limits Surrogate Dibromofluoromethane (Surr) 99 73 - 120

Lab Sample ID: 240-166043-C-3 MSD

**Matrix: Water** 

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Vinyl chloride

cis-1,2-Dichloroethene

trans-1.2-Dichloroethene

Analyte

**Analysis Batch: 525864** 

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

56 - 136

61 - 124

43 - 157

%Rec **RPD** Limits RPD Limit Result Qualifier Unit D %Rec ug/L 91 56 - 135 2 26 ug/L 88 66 - 128 14 1 ug/L 92 62 - 1313 20

89

81

MSD MSD

%Recovery Qualifier Surrogate Limits 1,2-Dichloroethane-d4 (Surr) 96 62 - 137 4-Bromofluorobenzene (Surr) 102 56 - 136 Toluene-d8 (Surr) 106 78 - 122 Dibromofluoromethane (Surr) 98 73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-525515/4

**Matrix: Water** 

**Analysis Batch: 525515** 

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Matrix Spike

Prep Type: Total/NA

MB MB **Analyte** Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 05/07/22 19:09 1,4-Dioxane 2.0 U 2.0 0.86 ug/L

MB MB

Qualifier Surrogate %Recovery Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 81 66 - 120 05/07/22 19:09

Lab Sample ID: LCS 240-525515/3

**Matrix: Water** 

**Analysis Batch: 525515** 

Prep Type: Total/NA

Spike LCS LCS %Rec Added Result Qualifier Limits Analyte Unit D %Rec 1,4-Dioxane 10.0 10.7 ug/L 107 80 - 122

LCS LCS

Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 81 66 - 120

Lab Sample ID: 240-165975-I-3 MS

**Matrix: Water** 

**Analysis Batch: 525515** 

Prep Type: Total/NA

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier Limits Analyte Unit %Rec 1,4-Dioxane 10.0 6.2 17.4 ug/L 113 51 - 153

**Eurofins Canton** 

15

15

24

# **QC Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

# Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS									
Surrogate	%Recovery		Limits								
1,2-Dichloroethane-d4 (Surr)	82		66 - 120								
Lab Sample ID: 240-1659 Matrix: Water Analysis Batch: 525515	975-O-3 MSD					Client	Samp	le ID: N	latrix Spil Prep Ty		
	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limi
1,4-Dioxane	6.2		10.0	17.0		ug/L		108	51 - 153	3	16
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
1 2-Dichloroethane-d4 (Surr)	83		66 - 120								

# **QC Association Summary**

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP - Off Site

Job ID: 240-165924-1

# **GC/MS VOA**

# Analysis Batch: 525515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-165924-2	MW-154S_050222	Total/NA	Water	8260D SIM	
MB 240-525515/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-525515/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-165975-I-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-165975-O-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

# Analysis Batch: 525864

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-165924-1	TRIP BLANK_182	Total/NA	Water	8260D	
240-165924-2	MW-154S_050222	Total/NA	Water	8260D	
MB 240-525864/7	Method Blank	Total/NA	Water	8260D	
LCS 240-525864/5	Lab Control Sample	Total/NA	Water	8260D	
240-166043-C-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-166043-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

3

4

5

7

8

9

11

12

13

# **Lab Chronicle**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Lab Sample ID: 240-165924-1 Client Sample ID: TRIP BLANK\_182

Date Collected: 05/02/22 00:00 **Matrix: Water** Date Received: 05/04/22 08:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	525864	05/10/22 21:17	SAM	TAL CAN

Client Sample ID: MW-154S\_050222 Lab Sample ID: 240-165924-2

Date Collected: 05/02/22 12:20 **Matrix: Water** 

Date Received: 05/04/22 08:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	525864	05/10/22 21:41	SAM	TAL CAN
Total/NA	Analysis	8260D SIM		1	525515	05/07/22 20:20	CS	TAL CAN

**Laboratory References:** 

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# **Accreditation/Certification Summary**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

# **Laboratory: Eurofins Canton**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	thority Program Identification		Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
lowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

 $<sup>^{\</sup>star} \ \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$ 

MICHIGAN	Chail TestAmerica Laboratory location: Briohlon — 19448 Citat	Chain of Custody Record  10448 Citation Drive. Suite 200 / Briedton MI 48116 / 810-229-2763	1810-229-2763	TestAmerica
	-	NPDES RCRA	Other	
Company Saine, Arcauss Addrage, 28680 Cabat Deixa Saine 500	Client Project Manager: Kris Hinskey	Site Contact: Christina Weaver	Lab Contact: Mike DelMonico	TestAmerica Laboratories, Inc. COC No:
THE COLUMN TO MAKE THE TOTAL TO STATE THE TAXABLE THE TAXABLE TO STATE THE TAXABLE THE	Telephone: 269-832-7478	Telephone: 248-994-2329	Telephone: 330-966-9783	
Chystaterap: Nov. Mt. 46577	Email: Kristoffer.Hinskey@arcadis.com	Analysis Turnaround Time	Analyses	1 of 1 COCs For lab use only
rnone: 248-5994-2240 Project Name: Ford LTP Off-Site Project Number: 30080642,402,04	Sampler Name: SAMANTHA HINDLE Method of Shipment/Carrier:		O	Walk-in client Lab sampling
PO#30080642.402.04	Shipping/Tracking No:		© 8500D 8500D 20 C 449=	Job/SDG No:
Sample Identification	Sample Date Sample Time Air Sediment Sediment	Filtered Sam	Composite= 1,1-DCE 826 cis-1,2-DCE Trans-1,2-D PCE 8260D TCE 8260D TCE 8260D Vinyl Chlorid	Sample Specific Notes / Special Instructions:
o TRIP BLANK_(82	512122 - 1	2	× × × ×	1 Trip Blank
2 NW- 1945_050222	5/2/22 12:20 6	2	× × × × × ×	3 VOAs for 8260D 3 VOAs for 8260D SIM
Possible Hazard Identification  Non-Hazard  Non-Hazard  Non-Hazard  Non-Hazard  Special Instructions/OC Requirements & Commable  Sample Address: 34682 BEACON  Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  Level IV Reporting requested.  Relinquished by:  Relinquished by	Titant Poison B Unknown Sample   Sample	Sample Disposal (Afer may be assessed in Return to Client Disposal By Cold Mover Cold Received by:	If samples are retained to By Lab Archive	Date Time: 5/2/72 / 1930 Date Time: 5/3/72 / 1930
COORDINATION OF THE CANADAS AND A COORDI		IIIS Construction by:	Meyor Company:	Date Time; 22 800
/17/2022		)		

18. CHAIN OF CUSTODY & SAMPLE DIS	SCREPANCIES	additional next page	Samples processed by:
19. SAMPLE CONDITION			
Sample(s)	were received	after the recommended hole	ding time had expired.
Sample(s)			
Sample(s)			
20. SAMPLE PRESERVATION			
Sample(s)Preservative(s)		were fi	urther preserved in the laboratory.
	- 11- 1/1 - 4 1	-(-).	•

# DATA VERIFICATION REPORT



May 17, 2022

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.801.01

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory submittal: 165924-1 Sample date: 2022-05-02

Report received by CADENA: 2022-05-17

Initial Data Verification completed by CADENA: 2022-05-17

Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <a href="http://clms.cadenaco.com/index.cfm">http://clms.cadenaco.com/index.cfm</a>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

**Project Scientist** 

# **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# **Analytical Results Summary**

**CADENA Project ID:** E203631

**Laboratory:** Eurofins Environment Testing LLC - Barberton

**Laboratory Submittal:** 165924-1

		Sample Name: Lab Sample ID: Sample Date:	TRIP BLA 2401659 5/2/202	9241	2		MW-154 2401659 5/2/202	9242	22	
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC OSW-8260	חח									
0377-8200	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
OSW-8260	<u>DDSIM</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



# Ford Motor Company – Livonia Transmission Project

# **DATA REVIEW**

# Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-165924-1

CADENA Verification Report: 2022-05-17

Analyses Performed By:

TestAmerica North Canton, Ohio

Report # 45599R Review Level: Tier III Project: 30080642.402.01

# **SUMMARY**

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-165924-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

			Sample Collection		Ana	lysis
Sample ID	Lab ID	Matrix	Date	Parent Sample	voc	VOC SIM
TRIP BLANK_182	240-165924-1	Water	05/02/2022		Х	
MW-154S_050222	240-165924-2	Water	05/02/2022		Х	X

# **ANALYTICAL DATA PACKAGE DOCUMENTATION**

The table below is the evaluation of the data package completeness.

Items Reviewed	Rep	orted	Performance Acceptable		Not Required
	No	Yes	No	Yes	Required
Sample receipt condition		X		X	
2. Requested analyses and sample results		Х		Х	
Master tracking list		Х		X	
4. Methods of analysis		Х		X	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
Sample preparation/extraction/analysis dates		Х		Χ	
10. Fully executed Chain-of-Custody (COC) form		Х		Χ	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		Х	

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

# **VOLATILE ORGANIC COMPOUND (VOC) ANALYSES**

# 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

# 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

# 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

# 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

# 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample is not collected for samples from this SDG.

# 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

# 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

# **DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (G	C/MS)				
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation					
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		X	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Field Duplicate RPD	X				Х
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		Х		X	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

# Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Bhagyashree Fulzele

SIGNATURE: Brutzele

DATE: June 10, 2022

PEER REVIEW: Andrew Korycinski

DATE: June 14, 2022

# NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

# MICHIGAN

# **Chain of Custody Record**

TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763 Client Contact Regulatory program: □ DW - NPDES RCRA C Other Company Name: Arcadis TestAmerica Laboratories, Inc. Client Project Manager: Kris Hinskey Site Contact: Christina Weaver Lab Contact: Mike DelMonico Address: 28550 Cabot Drive, Suite 500 l'elephone: 269-832-7478 Telephone: 248-994-2329 Telephone: 330-966-9783 City/State/Zip: Novi, MI, 48377 COCs 1 of Analysis Turnaround Time Analyses Email: Kristoffer.Hinskey@arcadis.com For lab use only Phone: 248-994-2240 TAT if different from below Sampler Name: Walk-in client Project Name: Ford LTP Off-Site 3 weeks SAMANTHA HINDUE 10 day ✓ 2 weeks Lab sampling Project Number: 30080642.402.04 Method of Shipment/Carrier: 1 week 1,4-Dioxane 8260D SIM Composite=C / Grab=G Frans-1,2-DCE 8260D 2 days PO # 30080642,402.04 Shipping/Tracking No: I day Job/SDG No: 1,1-DCE 8260D Vinyl Chloride Matrix Containers & Preservatives TCE 8260D Sample Specific Notes / H2SO4 Unpres HNO3 NaOH Special Instructions: À. Sample Date | Sample Time Sample Identification TRIP BLANK\_ (82 5/2/22 1 Trip Blank 3 VOAs for 8260D MW-1545\_050222 5/2/22 6 X 12:20 X X X 3 VOAs for 8260D SIM Page Possible Hazard Identification Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month) Non-Hazard Flammable Skin Irritant Poison B Unknown Return to Client Disposal By Lab Special Instructions/QC Requirements & Comments: Sample Address: 34682 BEACON
Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203631 Level IV Reporting requested Relinquished by Received by: 1930 COLD STORAGE Date/Time: 5/3/22 Relinquished by FFT/4 Received in Laboratory by: EETA 9/3/22 1115 ©2008, TestAmenca Laboratories, Inc. All rights reserved. TestAmenca 5 Design "<sup>a</sup> are trademarks of TestAmenca Laboratories, Inc.

# **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK\_182

Date Collected: 05/02/22 00:00 Date Received: 05/04/22 08:00 Lab Sample ID: 240-165924-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/10/22 21:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/10/22 21:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/10/22 21:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:17	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/10/22 21:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					05/10/22 21:17	1
4-Bromofluorobenzene (Surr)	102		56 <sub>-</sub> 136					05/10/22 21:17	1
Toluene-d8 (Surr)	104		78 - 122					05/10/22 21:17	1
Dibromofluoromethane (Surr)	101		73 - 120					05/10/22 21:17	1

# **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 240-165924-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-154S\_050222

Date Collected: 05/02/22 12:20 Date Received: 05/04/22 08:00 Lab Sample ID: 240-165924-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/07/22 20:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120					05/07/22 20:20	1
Method: 8260D - Volatile O	rganic Compo	unds by G	C/MS						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/10/22 21:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/10/22 21:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/10/22 21:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/10/22 21:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/10/22 21:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					05/10/22 21:41	1
4-Bromofluorobenzene (Surr)	102		56 <sub>-</sub> 136					05/10/22 21:41	1
Toluene-d8 (Surr)	104		78 - 122					05/10/22 21:41	1
Dibromofluoromethane (Surr)	103		73 - 120					05/10/22 21:41	1

3

4

6

8

40

11