

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-166347-1
Client Project/Site: Ford LTP - Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
5/25/2022 10:53:11 AM

Michael DeMonico, Project Manager I
(330)497-9396
Michael.DeMonico@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Job ID: 240-166347-1

Laboratory: Eurofins Canton

Narrative

Job Narrative 240-166347-1

Comments

No additional comments.

Receipt

The samples were received on 5/11/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.3° C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-526914 was outside the method criteria for the following analytes: bromomethane and chloroethane. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
240-166347-1	TRIP BLANK_72	Water	05/09/22 00:00	05/11/22 08:00
240-166347-2	MW-183S_050922	Water	05/09/22 13:25	05/11/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: TRIP BLANK_72

Lab Sample ID: 240-166347-1

No Detections.

Client Sample ID: MW-183S_050922

Lab Sample ID: 240-166347-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: TRIP BLANK_72

Lab Sample ID: 240-166347-1

Date Collected: 05/09/22 00:00

Matrix: Water

Date Received: 05/11/22 08:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/17/22 21:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/17/22 21:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 21:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/17/22 21:49	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 21:49	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/17/22 21:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		05/17/22 21:49	1
4-Bromofluorobenzene (Surr)	99		56 - 136		05/17/22 21:49	1
Toluene-d8 (Surr)	102		78 - 122		05/17/22 21:49	1
Dibromofluoromethane (Surr)	92		73 - 120		05/17/22 21:49	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: MW-183S_050922

Lab Sample ID: 240-166347-2

Date Collected: 05/09/22 13:25

Matrix: Water

Date Received: 05/11/22 08:00

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/22 02:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120		05/14/22 02:03	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/18/22 12:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/18/22 12:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 12:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/18/22 12:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 12:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/18/22 12:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/18/22 12:41	1
4-Bromofluorobenzene (Surr)	95		56 - 136		05/18/22 12:41	1
Toluene-d8 (Surr)	99		78 - 122		05/18/22 12:41	1
Dibromofluoromethane (Surr)	90		73 - 120		05/18/22 12:41	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-166341-D-2 MS	Matrix Spike	96	107	103	91
240-166341-E-2 MSD	Matrix Spike Duplicate	97	107	104	92
240-166347-1	TRIP BLANK_72	100	99	102	92
240-166347-2	MW-183S_050922	99	95	99	90
240-166357-E-1 MSD	Matrix Spike Duplicate	98	106	104	92
240-166357-F-1 MS	Matrix Spike	98	108	106	93
LCS 240-526755/5	Lab Control Sample	98	110	106	94
LCS 240-526914/5	Lab Control Sample	97	104	103	92
MB 240-526755/8	Method Blank	101	102	103	93
MB 240-526914/8	Method Blank	101	101	103	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 TOL = Toluene-d8 (Surr)
 DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-166341-G-2 MS	Matrix Spike	89
240-166341-M-2 MSD	Matrix Spike Duplicate	90
240-166347-2	MW-183S_050922	88
LCS 240-526434/3	Lab Control Sample	86
MB 240-526434/4	Method Blank	88

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-526755/8
Matrix: Water
Analysis Batch: 526755

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/17/22 13:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/17/22 13:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 13:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/17/22 13:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 13:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/17/22 13:16	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		05/17/22 13:16	1
4-Bromofluorobenzene (Surr)	102		56 - 136		05/17/22 13:16	1
Toluene-d8 (Surr)	103		78 - 122		05/17/22 13:16	1
Dibromofluoromethane (Surr)	93		73 - 120		05/17/22 13:16	1

Lab Sample ID: LCS 240-526755/5
Matrix: Water
Analysis Batch: 526755

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	21.1		ug/L		105	63 - 134
cis-1,2-Dichloroethene	20.0	19.6		ug/L		98	77 - 123
Tetrachloroethene	20.0	21.3		ug/L		106	76 - 123
trans-1,2-Dichloroethene	20.0	20.0		ug/L		100	75 - 124
Trichloroethene	20.0	19.6		ug/L		98	70 - 122
Vinyl chloride	20.0	17.5		ug/L		88	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-166341-D-2 MS
Matrix: Water
Analysis Batch: 526755

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		94	66 - 128
Tetrachloroethene	1.0	U	20.0	20.3		ug/L		102	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	56 - 136
Trichloroethene	1.0	U	20.0	18.3		ug/L		92	61 - 124
Vinyl chloride	1.0	U	20.0	16.3		ug/L		81	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-166341-D-2 MS
Matrix: Water
Analysis Batch: 526755

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	91		73 - 120

Lab Sample ID: 240-166341-E-2 MSD
Matrix: Water
Analysis Batch: 526755

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,1-Dichloroethene	1.0	U	20.0	20.2		ug/L		101	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		95	66 - 128	0	14
Tetrachloroethene	1.0	U	20.0	20.9		ug/L		104	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	56 - 136	3	15
Trichloroethene	1.0	U	20.0	18.8		ug/L		94	61 - 124	3	15
Vinyl chloride	1.0	U	20.0	17.0		ug/L		85	43 - 157	4	24

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	97		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	107		56 - 136
<i>Toluene-d8 (Surr)</i>	104		78 - 122
<i>Dibromofluoromethane (Surr)</i>	92		73 - 120

Lab Sample ID: MB 240-526914/8
Matrix: Water
Analysis Batch: 526914

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB MB Result</i>	<i>Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/18/22 11:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/18/22 11:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 11:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/18/22 11:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 11:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/18/22 11:57	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	101		62 - 137		05/18/22 11:57	1
<i>4-Bromofluorobenzene (Surr)</i>	101		56 - 136		05/18/22 11:57	1
<i>Toluene-d8 (Surr)</i>	103		78 - 122		05/18/22 11:57	1
<i>Dibromofluoromethane (Surr)</i>	91		73 - 120		05/18/22 11:57	1

Lab Sample ID: LCS 240-526914/5
Matrix: Water
Analysis Batch: 526914

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	20.0	20.0		ug/L		100	63 - 134
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
Tetrachloroethene	20.0	20.7		ug/L		104	76 - 123
trans-1,2-Dichloroethene	20.0	19.4		ug/L		97	75 - 124
Trichloroethene	20.0	19.1		ug/L		95	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-526914/5
Matrix: Water
Analysis Batch: 526914

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	20.0	16.5		ug/L		82	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: 240-166357-E-1 MSD
Matrix: Water
Analysis Batch: 526914

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	19.5		ug/L		97	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	20.0	18.7		ug/L		94	66 - 128	1	14
Tetrachloroethene	1.0	U	20.0	20.6		ug/L		103	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.2		ug/L		96	56 - 136	0	15
Trichloroethene	1.0	U	20.0	18.7		ug/L		93	61 - 124	0	15
Vinyl chloride	1.0	U	20.0	15.8		ug/L		79	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: 240-166357-F-1 MS
Matrix: Water
Analysis Batch: 526914

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	20.0		ug/L		100	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		95	66 - 128
Tetrachloroethene	1.0	U	20.0	21.2		ug/L		106	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.1		ug/L		96	56 - 136
Trichloroethene	1.0	U	20.0	18.7		ug/L		94	61 - 124
Vinyl chloride	1.0	U	20.0	16.4		ug/L		82	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-526434/4
Matrix: Water
Analysis Batch: 526434

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/13/22 20:29	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120					05/13/22 20:29	1

Lab Sample ID: LCS 240-526434/3
Matrix: Water
Analysis Batch: 526434

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.4		ug/L		104	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	86		66 - 120				

Lab Sample ID: 240-166341-G-2 MS
Matrix: Water
Analysis Batch: 526434

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.4		ug/L		104	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	89		66 - 120						

Lab Sample ID: 240-166341-M-2 MSD
Matrix: Water
Analysis Batch: 526434

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	11.1		ug/L		111	51 - 153	7	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	90		66 - 120								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

GC/MS VOA

Analysis Batch: 526434

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166347-2	MW-183S_050922	Total/NA	Water	8260D SIM	
MB 240-526434/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-526434/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-166341-G-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-166341-M-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 526755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166347-1	TRIP BLANK_72	Total/NA	Water	8260D	
MB 240-526755/8	Method Blank	Total/NA	Water	8260D	
LCS 240-526755/5	Lab Control Sample	Total/NA	Water	8260D	
240-166341-D-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-166341-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 526914

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166347-2	MW-183S_050922	Total/NA	Water	8260D	
MB 240-526914/8	Method Blank	Total/NA	Water	8260D	
LCS 240-526914/5	Lab Control Sample	Total/NA	Water	8260D	
240-166357-E-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	
240-166357-F-1 MS	Matrix Spike	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: TRIP BLANK_72

Lab Sample ID: 240-166347-1

Date Collected: 05/09/22 00:00

Matrix: Water

Date Received: 05/11/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	526755	05/17/22 21:49	TJL1	TAL CAN

Client Sample ID: MW-183S_050922

Lab Sample ID: 240-166347-2

Date Collected: 05/09/22 13:25

Matrix: Water

Date Received: 05/11/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	526914	05/18/22 12:41	TJL1	TAL CAN
Total/NA	Analysis	8260D SIM		1	526434	05/14/22 02:03	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240
Project Name: Ford LTP ONE-Site
Project Number: 30080642.402.04
PO # 30080642.402.04

Client Contact
Client Project Manager: Kris Hinskey
Telephone: 269-832-7478
Email: Kristoffer.Hinskey@arcadis.com

Site Contact: Mike DelMonico
Telephone: 330-966-9783

Analysis Turnaround Time
TAT if different from below
10 day 3 weeks
2 weeks 1 week
2 days 1 day

Sampler Name: *Leacadio Jay*

Method of Shipment/Carrier:

Shipping/Tracking No:

Containers & Preservatives
HCl NaOH ZnSO4 Other:

Matrix
Aqueous Solid Other:

Sample Date Sample Time

Sample Identification

Filtered Sample (Y/N) Composite C/Grab G

1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM

Walk-in client Lab sampling Job/SDG No:

Sample Specific Notes / Special Instructions:

1 Trip Blank

3 VOAs for 8260D
3 VOAs for 8260D SIM

240-166347 Chain of Custody

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant

Special Instructions/QC Requirements & Comments:
Submit Address: 34934 STANDISA
Submit all results through Cadena at jtoma@cadenaco.com. Cadena #E203631
Level IV Reporting requested.

Relinquished by: *Leacadio Jay*

Relinquished by: *[Signature]*

Relinquished by: *[Signature]*

Date/Time: 5/9/22/16:05
Date/Time: 5/10/22 10:14
Date/Time: 5/10/22 10:11

Company: Arcadis
Company: ARCADIS
Company: *ETA*

Received by: *Novi Cold Storage*
Received by: *[Signature]*
Received in Laboratory by: *[Signature]*

Company: Arcadis
Company: *ETA*
Company: *GETNC*

Date/Time: 5/9/22/16:05
Date/Time: 5/10/22 10:14
Date/Time: 5-11-22 08:00

Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login #: 166347

Canton Facility

Client Accadis

Site Name Quincy LTP

Cooler unpacked by:

Cooler Received on 5-11-22

Opened on 5-11-22

me

FedEx: 1st Grd Exp UPS FAS (clipper) Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-13 (CF 0.0°C) Observed Cooler Temp. 0.3 °C Corrected Cooler Temp. 0.3 °C
IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842

14. Were VOAs on the COC? Yes No NA
15. Were air bubbles >6 mm in any VOA vials? Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes No NA
17. Was a LL Hg or Me Hg trip blank present? Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



May 25, 2022

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30080642.402.04
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Barberton
Laboratory submittal: 166347-1
Sample date: 2022-05-09
Report received by CADENA: 2022-05-25
Initial Data Verification completed by CADENA: 2022-05-25
Number of Samples:2
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 166347-1

Sample Name: TRIP BLANK_72 MW-183S_050922
 Lab Sample ID: 2401663471 2401663472
 Sample Date: 5/9/2022 5/9/2022

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
GC/MS VOC									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-166347-1

CADENA Verification Report: 2022-05-25

Analyses Performed By:

TestAmerica

North Canton, Ohio

Report # 45742R

Review Level: Tier III

Project: 30080642.402.01



DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-166347-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_72	240-166347-1	Water	05/09/22		X	
MW-183S_050922	240-166347-2	Water	05/09/22		X	X

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

DATA REVIEW

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Vinayak Hegde

SIGNATURE: 

DATE: June 8, 2022

PEER REVIEW: Andrew Korycinski

DATE: June 12, 2022


**NO CORRECTIONS/QUALIFIERS ADDED
TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.																				
Company Name: Arcadis		Client Project Manager: Kris Hinskey		Site Contact: Christina Weaver																				
Address: 28550 Cabot Drive, Suite 500		Telephone: 269-832-7478		Telephone: 248-994-2329																				
City/State/Zip: Novi, MI, 48377		Email: Kristoffer.Hinskey@arcadis.com		Telephone: 330-966-9783																				
Phone: 248-994-2240		Analysis Turnaround Time		Analyses																				
Project Name: Ford LTP Off-Site		TAT if different from below		For lab use only																				
Project Number: 30080642.402.04		10 day <input checked="" type="checkbox"/> 3 weeks		Walk-in client																				
PO # 30080642.402.04		<input checked="" type="checkbox"/> 2 weeks		Lab sampling																				
Shipping/Tracking No:		<input type="checkbox"/> 1 week		Job/SDG No:																				
		<input type="checkbox"/> 2 days																						
		<input type="checkbox"/> 1 day																						
Sample Identification		Matrix		Containers & Preservatives																				
Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HN03	HCl	NaOH	ZnAc	NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK_ F2	—	—	X						1						NG	X	X	X	X	X	X			1 Trip Blank
MW-1835-050922	5/9/22	1325	X						6						NG	X	X	X	X	X	X	X		3 VOAs for 8260D 3 VOAs for 8260D SIM
 240-166347 Chain of Custody																								
Possible Hazard Identification		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																				
				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																				
Special Instructions/QC Requirements & Comments:																								
Sample Address: 34934 STANISH																								
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631																								
Level IV Reporting requested.																								
Relinquished by: Leacadia Jay		Company: Arcadis		Date/Time: 5/9/22/16:05		Received by: Novi Cold Storage		Company: Arcadis		Date/Time: 5/9/22/16:05														
Relinquished by: [Signature]		Company: ARCADIS		Date/Time: 5/10/22 1014		Received by: [Signature]		Company: ETT		Date/Time: 5/10/22 1014														
Relinquished by: [Signature]		Company: ETT		Date/Time: 5/10/22 1014		Received in Laboratory by: [Signature]		Company: BETNC		Date/Time: 5-11-22 0800														

Page 18 of 19



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: TRIP BLANK_72

Lab Sample ID: 240-166347-1

Date Collected: 05/09/22 00:00

Matrix: Water

Date Received: 05/11/22 08:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/17/22 21:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/17/22 21:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 21:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/17/22 21:49	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/17/22 21:49	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/17/22 21:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		05/17/22 21:49	1
4-Bromofluorobenzene (Surr)	99		56 - 136		05/17/22 21:49	1
Toluene-d8 (Surr)	102		78 - 122		05/17/22 21:49	1
Dibromofluoromethane (Surr)	92		73 - 120		05/17/22 21:49	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-166347-1

Client Sample ID: MW-183S_050922

Lab Sample ID: 240-166347-2

Date Collected: 05/09/22 13:25

Matrix: Water

Date Received: 05/11/22 08:00

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/22 02:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120		05/14/22 02:03	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/18/22 12:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/18/22 12:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 12:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/18/22 12:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/18/22 12:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/18/22 12:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/18/22 12:41	1
4-Bromofluorobenzene (Surr)	95		56 - 136		05/18/22 12:41	1
Toluene-d8 (Surr)	99		78 - 122		05/18/22 12:41	1
Dibromofluoromethane (Surr)	90		73 - 120		05/18/22 12:41	1