

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-167147-1
Client Project/Site: Ford LTP - Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
6/6/2022 12:00:46 PM

Michael DeMonico, Project Manager I
(330)497-9396
Michael.DeMonico@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Job ID: 240-167147-1

Laboratory: Eurofins Canton

Narrative

Job Narrative 240-167147-1

Comments

No additional comments.

Receipt

The samples were received on 5/24/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.2° C and 2.2° C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-528862 was outside the method criteria for multiple analytes. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated: TRIP BLANK_31 (240-167147-1), MW-107S_051922 (240-167147-2), MW-135S_051922 (240-167147-3) and (CCVIS 240-528862/3).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-167147-1	TRIP BLANK_31	Water	05/19/22 00:00	05/24/22 10:00
240-167147-2	MW-107S_051922	Water	05/19/22 12:26	05/24/22 10:00
240-167147-3	MW-135S_051922	Water	05/19/22 13:41	05/24/22 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Client Sample ID: TRIP BLANK_31

Lab Sample ID: 240-167147-1

No Detections.

Client Sample ID: MW-107S_051922

Lab Sample ID: 240-167147-2

No Detections.

Client Sample ID: MW-135S_051922

Lab Sample ID: 240-167147-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Client Sample ID: TRIP BLANK_31

Lab Sample ID: 240-167147-1

Date Collected: 05/19/22 00:00

Matrix: Water

Date Received: 05/24/22 10:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			06/02/22 13:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			06/02/22 13:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			06/02/22 13:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/02/22 13:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		06/02/22 13:07	1
4-Bromofluorobenzene (Surr)	99		56 - 136		06/02/22 13:07	1
Toluene-d8 (Surr)	95		78 - 122		06/02/22 13:07	1
Dibromofluoromethane (Surr)	114		73 - 120		06/02/22 13:07	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Client Sample ID: MW-107S_051922

Lab Sample ID: 240-167147-2

Date Collected: 05/19/22 12:26

Matrix: Water

Date Received: 05/24/22 10:00

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/22 05:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		66 - 120		06/02/22 05:02	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			06/02/22 13:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			06/02/22 13:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			06/02/22 13:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/02/22 13:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		06/02/22 13:32	1
4-Bromofluorobenzene (Surr)	99		56 - 136		06/02/22 13:32	1
Toluene-d8 (Surr)	95		78 - 122		06/02/22 13:32	1
Dibromofluoromethane (Surr)	114		73 - 120		06/02/22 13:32	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Client Sample ID: MW-135S_051922

Lab Sample ID: 240-167147-3

Date Collected: 05/19/22 13:41

Matrix: Water

Date Received: 05/24/22 10:00

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/22 05:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 120		06/02/22 05:27	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			06/02/22 13:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			06/02/22 13:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			06/02/22 13:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 13:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/02/22 13:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		06/02/22 13:57	1
4-Bromofluorobenzene (Surr)	97		56 - 136		06/02/22 13:57	1
Toluene-d8 (Surr)	94		78 - 122		06/02/22 13:57	1
Dibromofluoromethane (Surr)	113		73 - 120		06/02/22 13:57	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-167012-E-7 MSD	Matrix Spike Duplicate	89	106	101	96
240-167012-H-7 MS	Matrix Spike	88	107	102	98
240-167147-1	TRIP BLANK_31	104	99	95	114
240-167147-2	MW-107S_051922	106	99	95	114
240-167147-3	MW-135S_051922	100	97	94	113
LCS 240-528862/5	Lab Control Sample	88	105	99	94
MB 240-528862/8	Method Blank	104	99	97	114

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-167147-2	MW-107S_051922	104
240-167147-3	MW-135S_051922	103
240-167148-I-2 MS	Matrix Spike	106
240-167148-O-2 MSD	Matrix Spike Duplicate	105
LCS 240-528805/3	Lab Control Sample	107
MB 240-528805/4	Method Blank	107

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-528862/8
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			06/02/22 11:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			06/02/22 11:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 11:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			06/02/22 11:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			06/02/22 11:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/02/22 11:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		06/02/22 11:28	1
4-Bromofluorobenzene (Surr)	99		56 - 136		06/02/22 11:28	1
Toluene-d8 (Surr)	97		78 - 122		06/02/22 11:28	1
Dibromofluoromethane (Surr)	114		73 - 120		06/02/22 11:28	1

Lab Sample ID: LCS 240-528862/5
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	22.6		ug/L		113	63 - 134
cis-1,2-Dichloroethene	20.0	20.6		ug/L		103	77 - 123
Tetrachloroethene	20.0	21.9		ug/L		109	76 - 123
trans-1,2-Dichloroethene	20.0	20.7		ug/L		104	75 - 124
Trichloroethene	20.0	21.0		ug/L		105	70 - 122
Vinyl chloride	20.0	14.9		ug/L		75	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 137
4-Bromofluorobenzene (Surr)	105		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-167012-E-7 MSD
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	1.0	U	20.0	21.8		ug/L		109	66 - 128	1	14
trans-1,2-Dichloroethene	1.0	U	20.0	21.9		ug/L		110	56 - 136	2	15
Trichloroethene	1.0	U	20.0	21.0		ug/L		105	61 - 124	4	15
Vinyl chloride	1.4		20.0	16.8		ug/L		77	43 - 157	5	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-167012-H-7 MS

Matrix: Water

Analysis Batch: 528862

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	1.0	U	20.0	21.5		ug/L		107	66 - 128
trans-1,2-Dichloroethene	1.0	U	20.0	22.4		ug/L		112	56 - 136
Trichloroethene	1.0	U	20.0	21.9		ug/L		110	61 - 124
Vinyl chloride	1.4		20.0	15.9		ug/L		72	43 - 157

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-528805/4

Matrix: Water

Analysis Batch: 528805

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/22 19:54	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		66 - 120		06/01/22 19:54	1

Lab Sample ID: LCS 240-528805/3

Matrix: Water

Analysis Batch: 528805

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.9		ug/L		109	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
1,2-Dichloroethane-d4 (Surr)	107		66 - 120

Lab Sample ID: 240-167148-I-2 MS

Matrix: Water

Analysis Batch: 528805

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	1.1	J	10.0	13.2		ug/L		121	51 - 153

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	106		66 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-167148-O-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 528805

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	1.1	J	10.0	13.1		ug/L		120	51 - 153	1	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	105		66 - 120								

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

GC/MS VOA

Analysis Batch: 528805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167147-2	MW-107S_051922	Total/NA	Water	8260D SIM	
240-167147-3	MW-135S_051922	Total/NA	Water	8260D SIM	
MB 240-528805/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-528805/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-167148-I-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-167148-O-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 528862

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167147-1	TRIP BLANK_31	Total/NA	Water	8260D	
240-167147-2	MW-107S_051922	Total/NA	Water	8260D	
240-167147-3	MW-135S_051922	Total/NA	Water	8260D	
MB 240-528862/8	Method Blank	Total/NA	Water	8260D	
LCS 240-528862/5	Lab Control Sample	Total/NA	Water	8260D	
240-167012-E-7 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	
240-167012-H-7 MS	Matrix Spike	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Client Sample ID: TRIP BLANK_31

Lab Sample ID: 240-167147-1

Date Collected: 05/19/22 00:00

Matrix: Water

Date Received: 05/24/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 13:07	HMB	TAL CAN

Client Sample ID: MW-107S_051922

Lab Sample ID: 240-167147-2

Date Collected: 05/19/22 12:26

Matrix: Water

Date Received: 05/24/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 13:32	HMB	TAL CAN
Total/NA	Analysis	8260D SIM		1	528805	06/02/22 05:02	CS	TAL CAN

Client Sample ID: MW-135S_051922

Lab Sample ID: 240-167147-3

Date Collected: 05/19/22 13:41

Matrix: Water

Date Received: 05/24/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 13:57	HMB	TAL CAN
Total/NA	Analysis	8260D SIM		1	528805	06/02/22 05:27	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-167147-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	06-02-22
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Canton

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 167147
Canton Facility


Client ARCADIS Site Name _____ Cooler unpacked by: M. A. A.
Cooler Received on 5/24/22 Opened on 5/24/22
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____
Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-15 (CF -0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

