

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-166737-1  
Client Project/Site: Ford LTP - On Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:

5/27/2022 7:17:15 PM

Patrick O'Meara, Manager of Project Management  
(330)966-5725

[Patrick.O'Meara@et.eurofinsus.com](mailto:Patrick.O'Meara@et.eurofinsus.com)

Designee for

Michael DelMonico, Project Manager I  
(330)497-9396

[Michael.DelMonico@et.eurofinsus.com](mailto:Michael.DelMonico@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	17
Lab Chronicle . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

---

**Job ID: 240-166737-1**

---

**Laboratory: Eurofins Canton**

---

**Narrative**

**Job Narrative  
240-166737-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 5/17/2022 @ 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.6° C and 2.1° C.

**GC/MS VOA**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

**VOA Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-166737-1	TRIP BLANK_87	Water	05/14/22 00:00	05/17/22 09:30
240-166737-2	MW-40_051422	Water	05/14/22 09:31	05/17/22 09:30
240-166737-3	MW-31_051422	Water	05/14/22 10:31	05/17/22 09:30
240-166737-4	MW-208S_051422	Water	05/14/22 12:01	05/17/22 09:30

---

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: TRIP BLANK\_87**

**Lab Sample ID: 240-166737-1**

No Detections.

**Client Sample ID: MW-40\_051422**

**Lab Sample ID: 240-166737-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.5		1.0	0.46	ug/L	1		8260D	Total/NA

**Client Sample ID: MW-31\_051422**

**Lab Sample ID: 240-166737-3**

No Detections.

**Client Sample ID: MW-208S\_051422**

**Lab Sample ID: 240-166737-4**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: TRIP BLANK\_87**

**Lab Sample ID: 240-166737-1**

**Date Collected: 05/14/22 00:00**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 19:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/25/22 19:37	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 19:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 19:37	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 19:37	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 19:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		05/25/22 19:37	1
4-Bromofluorobenzene (Surr)	98		56 - 136		05/25/22 19:37	1
Toluene-d8 (Surr)	103		78 - 122		05/25/22 19:37	1
Dibromofluoromethane (Surr)	96		73 - 120		05/25/22 19:37	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: MW-40\_051422**

**Lab Sample ID: 240-166737-2**

Date Collected: 05/14/22 09:31

Matrix: Water

Date Received: 05/17/22 09:30

**Method: 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/22 04:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120		05/24/22 04:03	1

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 14:40	1
<b>cis-1,2-Dichloroethene</b>	<b>2.5</b>		1.0	0.46	ug/L			05/25/22 14:40	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 14:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 14:40	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 14:40	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137		05/25/22 14:40	1
4-Bromofluorobenzene (Surr)	108		56 - 136		05/25/22 14:40	1
Toluene-d8 (Surr)	106		78 - 122		05/25/22 14:40	1
Dibromofluoromethane (Surr)	112		73 - 120		05/25/22 14:40	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: MW-31\_051422**

**Lab Sample ID: 240-166737-3**

Date Collected: 05/14/22 10:31

Matrix: Water

Date Received: 05/17/22 09:30

**Method: 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/22 04:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 120		05/24/22 04:28	1

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 15:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/25/22 15:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 15:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 15:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 15:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 15:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		05/25/22 15:03	1
4-Bromofluorobenzene (Surr)	108		56 - 136		05/25/22 15:03	1
Toluene-d8 (Surr)	107		78 - 122		05/25/22 15:03	1
Dibromofluoromethane (Surr)	113		73 - 120		05/25/22 15:03	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: MW-208S\_051422**

**Lab Sample ID: 240-166737-4**

**Date Collected: 05/14/22 12:01**

**Matrix: Water**

**Date Received: 05/17/22 09:30**

**Method: 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/22 04:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		66 - 120					05/24/22 04:52	1

**Method: 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 15:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/25/22 15:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 15:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 15:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 15:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 15:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		62 - 137					05/25/22 15:27	1
4-Bromofluorobenzene (Surr)	109		56 - 136					05/25/22 15:27	1
Toluene-d8 (Surr)	109		78 - 122					05/25/22 15:27	1
Dibromofluoromethane (Surr)	114		73 - 120					05/25/22 15:27	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-166734-B-2 MS	Matrix Spike	99	109	107	94
240-166734-B-2 MSD	Matrix Spike Duplicate	100	107	105	94
240-166737-1	TRIP BLANK_87	105	98	103	96
240-166737-2	MW-40_051422	107	108	106	112
240-166737-3	MW-31_051422	105	108	107	113
240-166737-4	MW-208S_051422	106	109	109	114
240-166782-F-3 MS	Matrix Spike	92	104	105	100
240-166782-F-3 MSD	Matrix Spike Duplicate	91	101	103	99
LCS 240-527876/5	Lab Control Sample	97	106	104	93
LCS 240-527906/5	Lab Control Sample	96	107	110	105
MB 240-527876/8	Method Blank	104	99	103	95
MB 240-527906/8	Method Blank	102	108	108	109

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (66-120)
240-166722-B-2 MS	Matrix Spike	102
240-166722-B-2 MSD	Matrix Spike Duplicate	99
240-166737-2	MW-40_051422	105
240-166737-3	MW-31_051422	103
240-166737-4	MW-208S_051422	100
LCS 240-527589/3	Lab Control Sample	101
MB 240-527589/6	Method Blank	102

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-527876/8**  
**Matrix: Water**  
**Analysis Batch: 527876**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 11:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/25/22 11:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 11:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 11:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 11:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 11:45	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		05/25/22 11:45	1
4-Bromofluorobenzene (Surr)	99		56 - 136		05/25/22 11:45	1
Toluene-d8 (Surr)	103		78 - 122		05/25/22 11:45	1
Dibromofluoromethane (Surr)	95		73 - 120		05/25/22 11:45	1

**Lab Sample ID: LCS 240-527876/5**  
**Matrix: Water**  
**Analysis Batch: 527876**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	20.5		ug/L		102	63 - 134
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
Tetrachloroethene	20.0	21.2		ug/L		106	76 - 123
trans-1,2-Dichloroethene	20.0	20.2		ug/L		101	75 - 124
Trichloroethene	20.0	19.1		ug/L		96	70 - 122
Vinyl chloride	20.0	17.1		ug/L		85	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

**Lab Sample ID: 240-166734-B-2 MS**  
**Matrix: Water**  
**Analysis Batch: 527876**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	20	U	400	408		ug/L		102	56 - 135
cis-1,2-Dichloroethene	53		400	430		ug/L		94	66 - 128
Tetrachloroethene	20	U	400	413		ug/L		103	62 - 131
trans-1,2-Dichloroethene	120		400	515		ug/L		98	56 - 136
Trichloroethene	880		400	1190		ug/L		79	61 - 124
Vinyl chloride	20	U	400	332		ug/L		83	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	107		78 - 122

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-166734-B-2 MS**  
**Matrix: Water**  
**Analysis Batch: 527876**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	94		73 - 120

**Lab Sample ID: 240-166734-B-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 527876**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	20	U	400	405		ug/L		101	56 - 135	1	26
cis-1,2-Dichloroethene	53		400	428		ug/L		94	66 - 128	1	14
Tetrachloroethene	20	U	400	400		ug/L		100	62 - 131	3	20
trans-1,2-Dichloroethene	120		400	511		ug/L		97	56 - 136	1	15
Trichloroethene	880		400	1190		ug/L		78	61 - 124	0	15
Vinyl chloride	20	U	400	336		ug/L		84	43 - 157	1	24

  

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

**Lab Sample ID: MB 240-527906/8**  
**Matrix: Water**  
**Analysis Batch: 527906**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/25/22 13:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/25/22 13:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 13:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/25/22 13:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/25/22 13:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/25/22 13:04	1

  

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		05/25/22 13:04	1
4-Bromofluorobenzene (Surr)	108		56 - 136		05/25/22 13:04	1
Toluene-d8 (Surr)	108		78 - 122		05/25/22 13:04	1
Dibromofluoromethane (Surr)	109		73 - 120		05/25/22 13:04	1

**Lab Sample ID: LCS 240-527906/5**  
**Matrix: Water**  
**Analysis Batch: 527906**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.7		ug/L		103	63 - 134
cis-1,2-Dichloroethene	25.0	25.2		ug/L		101	77 - 123
Tetrachloroethene	25.0	26.3		ug/L		105	76 - 123
trans-1,2-Dichloroethene	25.0	24.9		ug/L		100	75 - 124
Trichloroethene	25.0	26.1		ug/L		104	70 - 122

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: LCS 240-527906/5**  
**Matrix: Water**  
**Analysis Batch: 527906**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	25.0	23.0		ug/L		92	60 - 144
<b>Surrogate</b>							
	<b>LCS %Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	96		62 - 137				
4-Bromofluorobenzene (Surr)	107		56 - 136				
Toluene-d8 (Surr)	110		78 - 122				
Dibromofluoromethane (Surr)	105		73 - 120				

**Lab Sample ID: 240-166782-F-3 MS**  
**Matrix: Water**  
**Analysis Batch: 527906**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	13	U	313	304		ug/L		97	56 - 135
cis-1,2-Dichloroethene	250		313	526		ug/L		87	66 - 128
Tetrachloroethene	13	U	313	294		ug/L		94	62 - 131
trans-1,2-Dichloroethene	94		313	381		ug/L		92	56 - 136
Trichloroethene	470		313	734		ug/L		84	61 - 124
Vinyl chloride	13	U	313	274		ug/L		88	43 - 157
<b>Surrogate</b>									
	<b>MS %Recovery</b>	<b>MS Qualifier</b>	<b>Limits</b>						
1,2-Dichloroethane-d4 (Surr)	92		62 - 137						
4-Bromofluorobenzene (Surr)	104		56 - 136						
Toluene-d8 (Surr)	105		78 - 122						
Dibromofluoromethane (Surr)	100		73 - 120						

**Lab Sample ID: 240-166782-F-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 527906**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	13	U	313	302		ug/L		97	56 - 135	1	26
cis-1,2-Dichloroethene	250		313	525		ug/L		87	66 - 128	0	14
Tetrachloroethene	13	U	313	295		ug/L		94	62 - 131	0	20
trans-1,2-Dichloroethene	94		313	377		ug/L		91	56 - 136	1	15
Trichloroethene	470		313	734		ug/L		84	61 - 124	0	15
Vinyl chloride	13	U	313	275		ug/L		88	43 - 157	0	24
<b>Surrogate</b>											
	<b>MSD %Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	91		62 - 137								
4-Bromofluorobenzene (Surr)	101		56 - 136								
Toluene-d8 (Surr)	103		78 - 122								
Dibromofluoromethane (Surr)	99		73 - 120								

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-527589/6**  
**Matrix: Water**  
**Analysis Batch: 527589**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/22 21:00	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		66 - 120					05/23/22 21:00	1

**Lab Sample ID: LCS 240-527589/3**  
**Matrix: Water**  
**Analysis Batch: 527589**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.54		ug/L		95	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	101		66 - 120				

**Lab Sample ID: 240-166722-B-2 MS**  
**Matrix: Water**  
**Analysis Batch: 527589**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.87		ug/L		99	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	102		66 - 120						

**Lab Sample ID: 240-166722-B-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 527589**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.81		ug/L		98	51 - 153	1	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	99		66 - 120								



# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## GC/MS VOA

### Analysis Batch: 527589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166737-2	MW-40_051422	Total/NA	Water	8260D SIM	
240-166737-3	MW-31_051422	Total/NA	Water	8260D SIM	
240-166737-4	MW-208S_051422	Total/NA	Water	8260D SIM	
MB 240-527589/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-527589/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-166722-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-166722-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 527876

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166737-1	TRIP BLANK_87	Total/NA	Water	8260D	
MB 240-527876/8	Method Blank	Total/NA	Water	8260D	
LCS 240-527876/5	Lab Control Sample	Total/NA	Water	8260D	
240-166734-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-166734-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 527906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166737-2	MW-40_051422	Total/NA	Water	8260D	
240-166737-3	MW-31_051422	Total/NA	Water	8260D	
240-166737-4	MW-208S_051422	Total/NA	Water	8260D	
MB 240-527906/8	Method Blank	Total/NA	Water	8260D	
LCS 240-527906/5	Lab Control Sample	Total/NA	Water	8260D	
240-166782-F-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-166782-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

**Client Sample ID: TRIP BLANK\_87**  
Date Collected: 05/14/22 00:00  
Date Received: 05/17/22 09:30

**Lab Sample ID: 240-166737-1**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527876	05/25/22 19:37	TJL1	TAL CAN

**Client Sample ID: MW-40\_051422**  
Date Collected: 05/14/22 09:31  
Date Received: 05/17/22 09:30

**Lab Sample ID: 240-166737-2**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527906	05/25/22 14:40	SAM	TAL CAN
Total/NA	Analysis	8260D SIM		1	527589	05/24/22 04:03	CS	TAL CAN

**Client Sample ID: MW-31\_051422**  
Date Collected: 05/14/22 10:31  
Date Received: 05/17/22 09:30

**Lab Sample ID: 240-166737-3**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527906	05/25/22 15:03	SAM	TAL CAN
Total/NA	Analysis	8260D SIM		1	527589	05/24/22 04:28	CS	TAL CAN

**Client Sample ID: MW-208S\_051422**  
Date Collected: 05/14/22 12:01  
Date Received: 05/17/22 09:30

**Lab Sample ID: 240-166737-4**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	527906	05/25/22 15:27	SAM	TAL CAN
Total/NA	Analysis	8260D SIM		1	527589	05/24/22 04:52	CS	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-166737-1

## Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Canton

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b> Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP On-Site Project Number: 30080642.401.03 PO # 30080642.401.03		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		<b>Client Project Manager:</b> Kris Hlinsky Telephone: 269-832-7478 Email: Kristoffer.Hlinsky@arcadis.com		<b>Lab Contact:</b> Mike DelMonico Telephone: 330-966-9783		TestAmerica Laboratories, Inc. COC No: _____ 1 of 1 COCs For lab use only			
<b>Sampler Name:</b> Gary Schaefer		<b>Analysis Turnaround Time</b> TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<b>Containers &amp; Preservatives</b> HCl <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Other: _____ HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/>		<b>Matrix</b> Aqueous <input type="checkbox"/> Solid <input type="checkbox"/> Other: _____ Sediment <input type="checkbox"/>		<b>Filtered Sample (Y/N)</b> Composite=C / Grab=G 1-1-DCE 8260D <input type="checkbox"/> 1-2-DCE 8260D <input type="checkbox"/> Trans-1-2-DCE 8260D <input type="checkbox"/> PCE 8260D <input type="checkbox"/> TCE 8260D <input type="checkbox"/> Vinyl Chloride 8260D <input type="checkbox"/> 1-4-Dioxane 8260D SIM <input type="checkbox"/>		<b>Sample Specific Notes / Special Instructions:</b> 1 Trip Blank 3 VOAs for 8260D 3 VOAs for 8260D SIM L	
Sample Date 5/14/22 5/14/22 5/14/22 5/14/22		Sample Time --- 9:31 10:31 12:01		Sample Identification TRIP BLANK_ 87 MW-40-051422 MW-31-051422 MW-208S-051422		Date/Time 5/14/22 1252 5/16/22 1200 5/16/22 1250		Company Arcadis Arcadis EETA		Date/Time 5/14/22 1252 5/16/22 1200 5-17 22 0930	
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Ignitable <input type="checkbox"/> Corrosive <input type="checkbox"/> Irritant		<b>Special Instructions/QC Requirements &amp; Comments:</b> Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Relinquished by: Gary Schaefer Relinquished by: [Signature] Relinquished by: [Signature]		Received by: [Signature] Received by: [Signature] Received in Laboratory by: [Signature]		Date/Time: 5/14/22 1252 Date/Time: 5/16/22 1200 Date/Time: 5-17 22 0930	



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica and Design are trademarks of TestAmerica Laboratories, Inc.

Client Arcadis Site Name Ford LTP Cooler unpacked by: DWE  
 Cooler Received on 5-17-22 Opened on 5-17-22

FedEx: 1<sup>st</sup> Grd.  Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 ea  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No
4. Did custody papers accompany the sample(s)?  Yes  No
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
11. Sufficient quantity received to perform indicated analyses?  Yes  No
12. Are these work share samples and all listed on the COC?  Yes  No  
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No  NA pH Strip Lot# HC157842
14. Were VOAs on the COC?  Yes  No
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA ● ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered  Yes  No
17. Was a LL Hg or Me Hg trip blank present?  Yes  No

Tests that are not checked for pH by Receiving:  
  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Login #: 166737

Eurofins - Canton Sample Receipt Multiple Cooler Form									
Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-13 IR-15	2.1	2.1	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15	0.6	0.6	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-13 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	

See Temperature Excursion Form