

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-170860-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:  
8/9/2022 10:29:56 AM

Michael DeMonico, Project Manager I  
(330)497-9396  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	13
Lab Chronicle . . . . .	14
Certification Summary . . . . .	15
Chain of Custody . . . . .	16



## Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

## Job ID: 240-170860-1

### Laboratory: Eurofins Canton

#### Narrative

#### Job Narrative 240-170860-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 8/3/2022 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.5° C.

#### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) for analytical batch 537536 exceeded control criteria for Vinyl Chloride. The samples associated with this CCV were non-detect for the affected analyte. In accordance with the laboratory SOP, a low level CCV at the reporting limit (labeled as an MRL) was analyzed and the affected compound was detected; therefore the data has been reported. No further corrective action was required: TRIP BLANK\_33 (240-170860-1) and MW-160S\_080122 (240-170860-2).

Method 8260D: NO MS/MSD in batch 537536 due to an instrument fault: TRIP BLANK\_33 (240-170860-1) and MW-160S\_080122 (240-170860-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOA Prep

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EETNC CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EETNC CAN
5030C	Purge and Trap	SW846	EETNC CAN

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EETNC CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-170860-1	TRIP BLANK_33	Water	08/01/22 00:00	08/03/22 09:45
240-170860-2	MW-160S_080122	Water	08/01/22 10:00	08/03/22 09:45

1

2

3

4

5

6

7

8

9

10

11

12

13

14

## Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

**Client Sample ID: TRIP BLANK\_33**

**Lab Sample ID: 240-170860-1**

☐ No Detections.

**Client Sample ID: MW-160S\_080122**

**Lab Sample ID: 240-170860-2**

☐ No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

**Client Sample ID: TRIP BLANK\_33**

**Lab Sample ID: 240-170860-1**

**Date Collected: 08/01/22 00:00**

**Matrix: Water**

**Date Received: 08/03/22 09:45**

## Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/04/22 14:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/04/22 14:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/04/22 14:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:59	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/04/22 14:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		08/04/22 14:59	1
4-Bromofluorobenzene (Surr)	104		56 - 136		08/04/22 14:59	1
Toluene-d8 (Surr)	108		78 - 122		08/04/22 14:59	1
Dibromofluoromethane (Surr)	108		73 - 120		08/04/22 14:59	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

Client Sample ID: MW-160S\_080122

Lab Sample ID: 240-170860-2

Date Collected: 08/01/22 10:00

Matrix: Water

Date Received: 08/03/22 09:45

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/05/22 15:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120					08/05/22 15:56	1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/04/22 15:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/04/22 15:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 15:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/04/22 15:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 15:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/04/22 15:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					08/04/22 15:26	1
4-Bromofluorobenzene (Surr)	104		56 - 136					08/04/22 15:26	1
Toluene-d8 (Surr)	110		78 - 122					08/04/22 15:26	1
Dibromofluoromethane (Surr)	111		73 - 120					08/04/22 15:26	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-170860-1	TRIP BLANK_33	102	104	108	108
240-170860-2	MW-160S_080122	104	104	110	111
LCS 240-537536/5	Lab Control Sample	92	115	115	101
MB 240-537536/8	Method Blank	104	104	108	107

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (66-120)
240-170860-2	MW-160S_080122	80
240-170886-F-2 MS	Matrix Spike	80
240-170886-F-2 MSD	Matrix Spike Duplicate	83
LCS 240-537705/3	Lab Control Sample	80
MB 240-537705/4	Method Blank	82

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-537536/8

Matrix: Water

Analysis Batch: 537536

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/04/22 14:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/04/22 14:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/04/22 14:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/04/22 14:31	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		08/04/22 14:31	1
4-Bromofluorobenzene (Surr)	104		56 - 136		08/04/22 14:31	1
Toluene-d8 (Surr)	108		78 - 122		08/04/22 14:31	1
Dibromofluoromethane (Surr)	107		73 - 120		08/04/22 14:31	1

Lab Sample ID: LCS 240-537536/5

Matrix: Water

Analysis Batch: 537536

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	21.7		ug/L		108	63 - 134
cis-1,2-Dichloroethene	20.0	20.4		ug/L		102	77 - 123
Tetrachloroethene	20.0	22.1		ug/L		110	76 - 123
trans-1,2-Dichloroethene	20.0	19.9		ug/L		100	75 - 124
Trichloroethene	20.0	20.1		ug/L		101	70 - 122
Vinyl chloride	20.0	14.7		ug/L		74	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	115		56 - 136
Toluene-d8 (Surr)	115		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-537705/4

Matrix: Water

Analysis Batch: 537705

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/05/22 11:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		66 - 120		08/05/22 11:41	1

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-537705/3

Matrix: Water

Analysis Batch: 537705

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane			10.0	10.3		ug/L		103	80 - 122		
Surrogate		LCS %Recovery	LCS Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		80		66 - 120							

Lab Sample ID: 240-170886-F-2 MS

Matrix: Water

Analysis Batch: 537705

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	2.0	U	10.0	12.2		ug/L		122	51 - 153		
Surrogate		MS %Recovery	MS Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		80		66 - 120							

Lab Sample ID: 240-170886-F-2 MSD

Matrix: Water

Analysis Batch: 537705

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	51 - 153	14	16
Surrogate		MSD %Recovery	MSD Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		83		66 - 120							

## QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

### GC/MS VOA

#### Analysis Batch: 537536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-170860-1	TRIP BLANK_33	Total/NA	Water	8260D	
240-170860-2	MW-160S_080122	Total/NA	Water	8260D	
MB 240-537536/8	Method Blank	Total/NA	Water	8260D	
LCS 240-537536/5	Lab Control Sample	Total/NA	Water	8260D	

#### Analysis Batch: 537705

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-170860-2	MW-160S_080122	Total/NA	Water	8260D SIM	
MB 240-537705/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-537705/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-170886-F-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-170886-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

**Client Sample ID: TRIP BLANK\_33**

**Lab Sample ID: 240-170860-1**

**Date Collected: 08/01/22 00:00**

**Matrix: Water**

**Date Received: 08/03/22 09:45**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	537536	08/04/22 14:59	LEE	EETNC CAI

**Client Sample ID: MW-160S\_080122**

**Lab Sample ID: 240-170860-2**

**Date Collected: 08/01/22 10:00**

**Matrix: Water**

**Date Received: 08/03/22 09:45**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	537536	08/04/22 15:26	LEE	EETNC CAI
Total/NA	Analysis	8260D SIM		1	537705	08/05/22 15:56	SAM	EETNC CAI

## Laboratory References:

EETNC CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

## Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

### Laboratory: Eurofins Canton


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

## Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

THE LEADER IN ENVIRONMENTAL TESTING

<b>Client Contact</b> Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
<b>Client Project Manager:</b> Kris Hinskey Telephone: 269-832-7478 Email: Kristoffer.Hinskey@arcadis.com		<b>Lab Contact:</b> Mike DelMonico Telephone: 330-966-9783	
<b>Project Name:</b> Ford LTP Off-Site <b>Project Number:</b> 30080642-402.04 <b>PO #</b> 30080642.402.04		<b>Analysis Turnaround Time</b> TAT if different from below: 10 day <input checked="" type="checkbox"/> 3 weeks 1 week <input type="checkbox"/> 2 weeks 2 days <input type="checkbox"/> 1 day	
<b>Sampler Name:</b> Christen Corvick <b>Method of Shipment/Carrier:</b> <b>Shipping/Tracking No:</b>		<b>Containers &amp; Preservatives</b> H2SO4 <input type="checkbox"/> HNO3 <input type="checkbox"/> HCl <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH <input type="checkbox"/> Other: <input type="checkbox"/>	
<b>Matrix</b> Air <input type="checkbox"/> Sediment <input type="checkbox"/> Solid <input type="checkbox"/> Other: <input type="checkbox"/>		<b>Filtered Sample (Y/N)</b> Composite=C / Grab=G	
<b>Sample Identification</b> TRIP BLANK_33 MW-1005-08022		<b>Analyses</b> 1,1-DCE 8260D <input checked="" type="checkbox"/> 1,2-DCE 8260D <input checked="" type="checkbox"/> Trans-1,2-DCE 8260D <input checked="" type="checkbox"/> PCE 8260D <input checked="" type="checkbox"/> TCE 8260D <input checked="" type="checkbox"/> Vinyl Chloride 8260D <input checked="" type="checkbox"/> 1,4-Dioxane 8260D SIM <input checked="" type="checkbox"/>	
<b>Sample Date</b> 8/11/22 <b>Sample Time</b> 1000		<b>Sample Specific Notes / Special Instructions:</b> 1 Trip Blank 3 VOAs for 8260D 3 VOAs for 8260D SIM	
<div style="text-align: center;">                   240-170860 Chain of Custody             </div>			
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown			
<b>Special Instructions/QC Requirements &amp; Comments:</b> Sample Address: 12141 Boston Post Submit all results through Cadena at jtomalia@cadefac.com, Cadena #E203631 Level IV Reporting requested.			
<b>Relinquished by:</b> Kristin Shorke		<b>Received by:</b> New Cold Storage	
<b>Relinquished by:</b> [Signature]		<b>Received by:</b> [Signature]	
<b>Relinquished by:</b> [Signature]		<b>Received by:</b> [Signature]	
<b>Company:</b> Arcadis <b>Date/Time:</b> 8/11/22 1515		<b>Company:</b> Arcadis <b>Date/Time:</b> 8/11/22 1515	
<b>Company:</b> ARCADIS <b>Date/Time:</b> 8/12/22 947		<b>Company:</b> EET <b>Date/Time:</b> 8/12/22 948	
<b>Company:</b> EET <b>Date/Time:</b> 8/12/22 950		<b>Company:</b> EET <b>Date/Time:</b> 8/13/22 9195	



<b>Eurofins - Canton Sample Receipt Form/Narrative</b>				Login # : <u>130860</u>	
<b>Barberton Facility</b>					
Client <u>Accad</u>		Site Name _____		Cooler unpacked by: <u>[Signature]</u>	
Cooler Received on <u>8/3/22</u>		Opened on <u>8/3/22</u>			
FedEx: 1 <sup>st</sup> Grd <input checked="" type="checkbox"/> Exp <input type="checkbox"/> UPS <input type="checkbox"/> FAS <input type="checkbox"/> Clipper <input type="checkbox"/> Client Drop Off <input type="checkbox"/> Eurofins Courier <input type="checkbox"/> Other <input type="checkbox"/>					
<b>Receipt After-hours: Drop-off Date/Time</b> _____				<b>Storage Location</b> _____	
Eurofins Cooler # _____		Foam Box <input type="checkbox"/> Client Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/>			
Packing material used: <u>Bubble Wrap</u>		Foam <input type="checkbox"/> Plastic Bag <input type="checkbox"/> None <input type="checkbox"/> Other _____			
COOLANT: <u>Wet Ice</u>		Blue Ice <input type="checkbox"/> Dry Ice <input type="checkbox"/> Water <input type="checkbox"/> None <input type="checkbox"/>			
1. Cooler temperature upon receipt _____ <input type="checkbox"/> See Multiple Cooler Form					
IR GUN# IR-13 (CF +0.7 °C)		Observed Cooler Temp. _____ °C		Corrected Cooler Temp. _____ °C	
IR GUN #IR-15 (CF 0.0°C)		Observed Cooler Temp. <u>2.5</u> °C		Corrected Cooler Temp. <u>2.5</u> °C	
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
-Were the seals on the outside of the cooler(s) signed & dated?				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	
-Were tamper/custody seals intact and uncompromised?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	
3. Shippers' packing slip attached to the cooler(s)?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
4. Did custody papers accompany the sample(s)?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
5. Were the custody papers relinquished & signed in the appropriate place?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
6. Was/were the person(s) who collected the samples clearly identified on the COC?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
7. Did all bottles arrive in good condition (Unbroken)?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
9. For each sample, does the COC specify preservatives (Y/N), # of containers <u>Yes</u> , and sample type of grab/comp <u>Y/N</u> ?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
10. Were correct bottle(s) used for the test(s) indicated?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
11. Sufficient quantity received to perform indicated analyses?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
12. Are these work share samples and all listed on the COC?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
If yes, Questions 13-17 have been checked at the originating laboratory.					
13. Were all preserved sample(s) at the correct pH upon receipt?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/> pH Strip Lot# <u>HC286797</u>	
14. Were VOAs on the COC?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	
15. Were air bubbles >6 mm in any VOA vials?  Larger than this.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>81042016</u>				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
17. Was a LL Hg or Me Hg trip blank present?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____					
Concerning _____					

**Tests that are not checked for pH by Receiving:**

VOAs

Oil and Grease

TOC

<b>18. CHAIN OF CUSTODY &amp; SAMPLE DISCREPANCIES</b> <input type="checkbox"/> additional next page		Samples processed by: _____	
<b>19. SAMPLE CONDITION</b>			
Sample(s) _____ were received after the recommended holding time had expired.			
Sample(s) _____ were received in a broken container.			
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)			
<b>20. SAMPLE PRESERVATION</b>			
Sample(s) _____ were further preserved in the laboratory.			
Time preserved: _____ Preservative(s) added/Lot number(s): _____			
VOA Sample Preservation - Date/Time VOAs Frozen: _____			

# DATA VERIFICATION REPORT



August 09, 2022

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.402.04

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory submittal: 170860-1

Sample date: 2022-08-01

Report received by CADENA: 2022-08-09

Initial Data Verification completed by CADENA: 2022-08-09

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers and MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

**CADENA Project ID:** E203631

**Laboratory:** Eurofins Environment Testing LLC - Barberton

**Laboratory Submittal:** 170860-1

**Sample Name:** TRIP BLANK\_33

MW-160S\_080122

**Lab Sample ID:** 2401708601

2401708602

**Sample Date:** 8/1/2022

8/1/2022

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		

## GC/MS VOC

### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---

### OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-170860-1

CADENA Verification Report: 2022-08-09

Analyses Performed By:  
TestAmerica  
North Canton, Ohio

Report # 46606R  
Review Level: Tier III  
Project: 30146655.402.02



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-170860-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_33	240-170860-1	Water	08/01/22		X	
MW-160S_080122	240-170860-2	Water	08/01/22		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	



## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines NFG for Organic Superfund Methods Data Review, EPA-540-R-20-005 (November 2020), with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999, as appropriate).

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U     The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B     The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E     The compound was quantitated above the calibration range.
  - D     Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J     The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ    The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+    The result is an estimated quantity, but the result may be biased high.
  - J-    The result is an estimated quantity, but the result may be biased low.
  - UB    Analyte considered non-detect at the listed value due to associated blank contamination.
  - N     The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R     The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
TRIP BLANK_33 MW-160S_080122	Continuous Calibration Verification %D	Vinyl chloride	-24.2%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 <sup>1</sup>	Non-detect	R
		Detect	J
	RRF >0.05 or RRF >0.01 <sup>1</sup>	Non-detect	No Action
		Detect	

## DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	No Action
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

<sup>1</sup>RRF of 0.01 only applies to compounds which are typically poor responding compounds

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: September 12, 2022

---

PEER REVIEW: Andrew Korycinski

DATE: September 13, 2022

---

# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



08/09/2022  
© 2022 T

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-170860-1

Client Sample ID: TRIP BLANK\_33

Lab Sample ID: 240-170860-1

Date Collected: 08/01/22 00:00

Matrix: Water

Date Received: 08/03/22 09:45

## Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/04/22 14:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/04/22 14:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/04/22 14:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 14:59	1
Vinyl chloride	1.0	<del>U</del> JJ	1.0	0.45	ug/L			08/04/22 14:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		08/04/22 14:59	1
4-Bromofluorobenzene (Surr)	104		56 - 136		08/04/22 14:59	1
Toluene-d8 (Surr)	108		78 - 122		08/04/22 14:59	1
Dibromofluoromethane (Surr)	108		73 - 120		08/04/22 14:59	1

Client Sample ID: MW-160S\_080122

Lab Sample ID: 240-170860-2

Date Collected: 08/01/22 10:00

Matrix: Water

Date Received: 08/03/22 09:45

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/05/22 15:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120		08/05/22 15:56	1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/04/22 15:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/04/22 15:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 15:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/04/22 15:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/04/22 15:26	1
Vinyl chloride	1.0	<del>U</del> JJ	1.0	0.45	ug/L			08/04/22 15:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		08/04/22 15:26	1
4-Bromofluorobenzene (Surr)	104		56 - 136		08/04/22 15:26	1
Toluene-d8 (Surr)	110		78 - 122		08/04/22 15:26	1
Dibromofluoromethane (Surr)	111		73 - 120		08/04/22 15:26	1