

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-171295-1
Client Project/Site: Ford LTP - On Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
8/22/2022 4:36:30 PM
Opal Johnson, Project Manager II
(330)966-9279
Opal.Johnson@et.eurofinsus.com
Designee for
Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Job ID: 240-171295-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-171295-1

Comments

No additional comments.

Receipt

The samples were received on 8/10/2022 12:45 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.0° C and 2.7° C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-171295-1	TRIP BLANK_61	Water	08/06/22 00:00	08/10/22 12:45
240-171295-2	MW-40_080622	Water	08/06/22 09:45	08/10/22 12:45
240-171295-3	MW-31_080622	Water	08/06/22 11:08	08/10/22 12:45
240-171295-4	MW-208S_080622	Water	08/06/22 12:00	08/10/22 12:45
240-171295-5	MW-30_080622	Water	08/06/22 13:05	08/10/22 12:45

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: TRIP BLANK_61

Lab Sample ID: 240-171295-1

No Detections.

Client Sample ID: MW-40_080622

Lab Sample ID: 240-171295-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.6		1.0	0.46	ug/L	1			8260D	Total/NA
Vinyl chloride	0.80	J	1.0	0.45	ug/L	1			8260D	Total/NA

Client Sample ID: MW-31_080622

Lab Sample ID: 240-171295-3

No Detections.

Client Sample ID: MW-208S_080622

Lab Sample ID: 240-171295-4

No Detections.

Client Sample ID: MW-30_080622

Lab Sample ID: 240-171295-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	15		2.0	0.86	ug/L	1			8260D SIM	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: TRIP BLANK_61

Lab Sample ID: 240-171295-1

Date Collected: 08/06/22 00:00

Matrix: Water

Date Received: 08/10/22 12:45

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/22 14:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/22 14:39	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 14:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/22 14:39	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 14:39	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/22 14:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		62 - 137		08/11/22 14:39	1
4-Bromofluorobenzene (Surr)	90		56 - 136		08/11/22 14:39	1
Toluene-d8 (Surr)	99		78 - 122		08/11/22 14:39	1
Dibromofluoromethane (Surr)	98		73 - 120		08/11/22 14:39	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: MW-40_080622

Lab Sample ID: 240-171295-2

Date Collected: 08/06/22 09:45

Matrix: Water

Date Received: 08/10/22 12:45

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/22 03:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120					08/15/22 03:11	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/22 19:24	1
cis-1,2-Dichloroethene	2.6		1.0	0.46	ug/L			08/11/22 19:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 19:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/22 19:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 19:24	1
Vinyl chloride	0.80	J	1.0	0.45	ug/L			08/11/22 19:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		62 - 137					08/11/22 19:24	1
4-Bromofluorobenzene (Surr)	90		56 - 136					08/11/22 19:24	1
Toluene-d8 (Surr)	95		78 - 122					08/11/22 19:24	1
Dibromofluoromethane (Surr)	99		73 - 120					08/11/22 19:24	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: MW-31_080622

Lab Sample ID: 240-171295-3

Date Collected: 08/06/22 11:08

Matrix: Water

Date Received: 08/10/22 12:45

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/22 03:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		66 - 120					08/15/22 03:36	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/22 19:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/22 19:00	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 19:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/22 19:00	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 19:00	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/22 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					08/11/22 19:00	1
4-Bromofluorobenzene (Surr)	91		56 - 136					08/11/22 19:00	1
Toluene-d8 (Surr)	99		78 - 122					08/11/22 19:00	1
Dibromofluoromethane (Surr)	99		73 - 120					08/11/22 19:00	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: MW-208S_080622

Lab Sample ID: 240-171295-4

Date Collected: 08/06/22 12:00

Matrix: Water

Date Received: 08/10/22 12:45

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/22 04:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		66 - 120					08/15/22 04:02	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/22 18:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/22 18:36	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 18:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/22 18:36	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 18:36	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/22 18:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					08/11/22 18:36	1
4-Bromofluorobenzene (Surr)	92		56 - 136					08/11/22 18:36	1
Toluene-d8 (Surr)	96		78 - 122					08/11/22 18:36	1
Dibromofluoromethane (Surr)	100		73 - 120					08/11/22 18:36	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: MW-30_080622

Lab Sample ID: 240-171295-5

Date Collected: 08/06/22 13:05

Matrix: Water

Date Received: 08/10/22 12:45

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	15		2.0	0.86	ug/L			08/15/22 04:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120					08/15/22 04:27	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/12/22 13:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/12/22 13:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/12/22 13:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/12/22 13:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/12/22 13:52	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/12/22 13:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					08/12/22 13:52	1
4-Bromofluorobenzene (Surr)	87		56 - 136					08/12/22 13:52	1
Toluene-d8 (Surr)	93		78 - 122					08/12/22 13:52	1
Dibromofluoromethane (Surr)	94		73 - 120					08/12/22 13:52	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-171272-E-5 MS	Matrix Spike	89	94	99	95
240-171272-H-5 MSD	Matrix Spike Duplicate	92	96	100	97
240-171285-B-2 MS	Matrix Spike	90	95	101	96
240-171285-D-2 MSD	Matrix Spike Duplicate	92	98	100	97
240-171295-1	TRIP BLANK_61	91	90	99	98
240-171295-2	MW-40_080622	95	90	95	99
240-171295-3	MW-31_080622	94	91	99	99
240-171295-4	MW-208S_080622	98	92	96	100
240-171295-5	MW-30_080622	90	87	93	94
LCS 240-538491/5	Lab Control Sample	89	92	100	95
LCS 240-538666/5	Lab Control Sample	84	91	99	92
MB 240-538491/8	Method Blank	95	90	98	100
MB 240-538666/8	Method Blank	89	89	97	94

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-171285-H-2 MSD	Matrix Spike Duplicate	89
240-171285-I-2 MS	Matrix Spike	89
240-171295-2	MW-40_080622	88
240-171295-3	MW-31_080622	87
240-171295-4	MW-208S_080622	87
240-171295-5	MW-30_080622	89
LCS 240-538770/3	Lab Control Sample	85
MB 240-538770/4	Method Blank	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-538491/8

Matrix: Water

Analysis Batch: 538491

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/22 13:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/22 13:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 13:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/22 13:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/22 13:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/22 13:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		08/11/22 13:03	1
4-Bromofluorobenzene (Surr)	90		56 - 136		08/11/22 13:03	1
Toluene-d8 (Surr)	98		78 - 122		08/11/22 13:03	1
Dibromofluoromethane (Surr)	100		73 - 120		08/11/22 13:03	1

Lab Sample ID: LCS 240-538491/5

Matrix: Water

Analysis Batch: 538491

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	23.2		ug/L		93	63 - 134
cis-1,2-Dichloroethene	25.0	22.4		ug/L		89	77 - 123
Tetrachloroethene	25.0	28.4		ug/L		114	76 - 123
trans-1,2-Dichloroethene	25.0	22.8		ug/L		91	75 - 124
Trichloroethene	25.0	25.7		ug/L		103	70 - 122
Vinyl chloride	25.0	22.0		ug/L		88	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-171285-B-2 MS

Matrix: Water

Analysis Batch: 538491

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.0		ug/L		88	66 - 128
Tetrachloroethene	1.0	U	25.0	27.8		ug/L		111	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	21.8		ug/L		87	56 - 136
Trichloroethene	1.0	U	25.0	23.3		ug/L		93	61 - 124
Vinyl chloride	1.0	U	25.0	20.2		ug/L		81	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		62 - 137
4-Bromofluorobenzene (Surr)	95		56 - 136
Toluene-d8 (Surr)	101		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-171285-B-2 MS

Matrix: Water

Analysis Batch: 538491

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-171285-D-2 MSD

Matrix: Water

Analysis Batch: 538491

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	22.1		ug/L		88	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	25.0	21.9		ug/L		88	66 - 128	0	14
Tetrachloroethene	1.0	U	25.0	26.8		ug/L		107	62 - 131	4	20
trans-1,2-Dichloroethene	1.0	U	25.0	21.6		ug/L		86	56 - 136	1	15
Trichloroethene	1.0	U	25.0	23.5		ug/L		94	61 - 124	1	15
Vinyl chloride	1.0	U	25.0	19.7		ug/L		79	43 - 157	3	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: MB 240-538666/8

Matrix: Water

Analysis Batch: 538666

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/12/22 12:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/12/22 12:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/12/22 12:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/12/22 12:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/12/22 12:17	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/12/22 12:17	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		62 - 137		08/12/22 12:17	1
4-Bromofluorobenzene (Surr)	89		56 - 136		08/12/22 12:17	1
Toluene-d8 (Surr)	97		78 - 122		08/12/22 12:17	1
Dibromofluoromethane (Surr)	94		73 - 120		08/12/22 12:17	1

Lab Sample ID: LCS 240-538666/5

Matrix: Water

Analysis Batch: 538666

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	23.8		ug/L		95	63 - 134
cis-1,2-Dichloroethene	25.0	22.7		ug/L		91	77 - 123
Tetrachloroethene	25.0	28.6		ug/L		114	76 - 123
trans-1,2-Dichloroethene	25.0	23.1		ug/L		92	75 - 124
Trichloroethene	25.0	25.8		ug/L		103	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-538666/5

Matrix: Water

Analysis Batch: 538666

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	25.0	20.8		ug/L		83	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: 240-171272-E-5 MS

Matrix: Water

Analysis Batch: 538666

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	19.4		ug/L		78	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	19.8		ug/L		79	66 - 128
Tetrachloroethene	1.0	U	25.0	25.2		ug/L		101	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	19.7		ug/L		79	56 - 136
Trichloroethene	1.0	U	25.0	21.6		ug/L		87	61 - 124
Vinyl chloride	1.0	U	25.0	20.2		ug/L		81	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-171272-H-5 MSD

Matrix: Water

Analysis Batch: 538666

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	21.3		ug/L		85	56 - 135	9	26
cis-1,2-Dichloroethene	1.0	U	25.0	21.0		ug/L		84	66 - 128	6	14
Tetrachloroethene	1.0	U	25.0	25.2		ug/L		101	62 - 131	0	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.8		ug/L		83	56 - 136	6	15
Trichloroethene	1.0	U	25.0	22.5		ug/L		90	61 - 124	4	15
Vinyl chloride	1.0	U	25.0	19.1		ug/L		77	43 - 157	6	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-538770/4

Matrix: Water

Analysis Batch: 538770

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/22 20:26	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120					08/14/22 20:26	1

Lab Sample ID: LCS 240-538770/3

Matrix: Water

Analysis Batch: 538770

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.43		ug/L		94	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	85		66 - 120				

Lab Sample ID: 240-171285-H-2 MSD

Matrix: Water

Analysis Batch: 538770

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	51 - 153	5	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	89		66 - 120								

Lab Sample ID: 240-171285-I-2 MS

Matrix: Water

Analysis Batch: 538770

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.5		ug/L		105	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	89		66 - 120						

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

GC/MS VOA

Analysis Batch: 538491

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-171295-1	TRIP BLANK_61	Total/NA	Water	8260D	
240-171295-2	MW-40_080622	Total/NA	Water	8260D	
240-171295-3	MW-31_080622	Total/NA	Water	8260D	
240-171295-4	MW-208S_080622	Total/NA	Water	8260D	
MB 240-538491/8	Method Blank	Total/NA	Water	8260D	
LCS 240-538491/5	Lab Control Sample	Total/NA	Water	8260D	
240-171285-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-171285-D-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 538666

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-171295-5	MW-30_080622	Total/NA	Water	8260D	
MB 240-538666/8	Method Blank	Total/NA	Water	8260D	
LCS 240-538666/5	Lab Control Sample	Total/NA	Water	8260D	
240-171272-E-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-171272-H-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 538770

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-171295-2	MW-40_080622	Total/NA	Water	8260D SIM	
240-171295-3	MW-31_080622	Total/NA	Water	8260D SIM	
240-171295-4	MW-208S_080622	Total/NA	Water	8260D SIM	
240-171295-5	MW-30_080622	Total/NA	Water	8260D SIM	
MB 240-538770/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-538770/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-171285-H-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-171285-I-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Client Sample ID: TRIP BLANK_61

Lab Sample ID: 240-171295-1

Date Collected: 08/06/22 00:00

Matrix: Water

Date Received: 08/10/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	538491	SAM	EET CAN	08/11/22 14:39

Client Sample ID: MW-40_080622

Lab Sample ID: 240-171295-2

Date Collected: 08/06/22 09:45

Matrix: Water

Date Received: 08/10/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	538491	SAM	EET CAN	08/11/22 19:24
Total/NA	Analysis	8260D SIM		1	538770	CS	EET CAN	08/15/22 03:11

Client Sample ID: MW-31_080622

Lab Sample ID: 240-171295-3

Date Collected: 08/06/22 11:08

Matrix: Water

Date Received: 08/10/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	538491	SAM	EET CAN	08/11/22 19:00
Total/NA	Analysis	8260D SIM		1	538770	CS	EET CAN	08/15/22 03:36

Client Sample ID: MW-208S_080622

Lab Sample ID: 240-171295-4

Date Collected: 08/06/22 12:00

Matrix: Water

Date Received: 08/10/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	538491	SAM	EET CAN	08/11/22 18:36
Total/NA	Analysis	8260D SIM		1	538770	CS	EET CAN	08/15/22 04:02

Client Sample ID: MW-30_080622

Lab Sample ID: 240-171295-5

Date Collected: 08/06/22 13:05

Matrix: Water

Date Received: 08/10/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	538666	SAM	EET CAN	08/12/22 13:52
Total/NA	Analysis	8260D SIM		1	538770	CS	EET CAN	08/15/22 04:27

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-171295-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design™ are trademarks of TestAmerica.

Eurofins - Canton Sample Receipt Form/Narrative
Barberton Facility

Login # :

171295

Client Arcadis

Site Name _____

Cooler unpacked by:

Cooler Received on 8-10-22Opened on 8-10-22Justin HFedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____

Storage Location _____

Eurofins Cooler # T4 Foam Box Client Cooler Box Other _____Packing material used: Bubble Wrap Foam Plastic Bag None Other _____COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

☒ See Multiple Cooler Form

IR GUN# IR-13 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# IR-15 (CF 0.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1Yes No

-Were the seals on the outside of the cooler(s) signed & dated?

Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?

Yes No

-Were tamper/custody seals intact and uncompromised?

Yes No NA

3. Shippers' packing slip attached to the cooler(s)?

Yes No

4. Did custody papers accompany the sample(s)?

Yes No

5. Were the custody papers relinquished & signed in the appropriate place?

Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC?

Yes No

7. Did all bottles arrive in good condition (Unbroken)?

Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?

Yes No9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated?

Yes No

11. Sufficient quantity received to perform indicated analyses?

Yes No

12. Are these work share samples and all listed on the COC?

Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?

Yes No NA

pH Strip Lot# HC286797

14. Were VOAs on the COC?

Yes No15. Were air bubbles >6 mm in any VOA vials?  Larger than this.Yes No NA16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # CoveredYes No

17. Was a LL Hg or Me Hg trip blank present?

Yes NoTests that are not
checked for pH by
Receiving:VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers