

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Kristoffer Hinskey  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/17/2023 2:28:00 PM

**JOB DESCRIPTION**

Ford LTP - Off Site

**JOB NUMBER**

240-181587-1

# Eurofins Canton

## Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/17/2023 2:28:00 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

---

**Job ID: 240-181587-1**

---

**Laboratory: Eurofins Canton**

---

**Narrative**

**Job Narrative**  
**240-181587-1**

**Receipt**

The samples were received on 3/9/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.6°C

**GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-181587-1	TRIP BLANK_67	Water	03/06/23 00:00	03/09/23 08:00
240-181587-2	MW-126S_030623	Water	03/06/23 11:38	03/09/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

---

**Client Sample ID: TRIP BLANK\_67**

**Lab Sample ID: 240-181587-1**

No Detections.

---

**Client Sample ID: MW-126S\_030623**

**Lab Sample ID: 240-181587-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

**Client Sample ID: TRIP BLANK\_67**

**Lab Sample ID: 240-181587-1**

Date Collected: 03/06/23 00:00

Matrix: Water

Date Received: 03/09/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 20:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 20:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 20:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 20:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		03/11/23 20:09	1
4-Bromofluorobenzene (Surr)	115		56 - 136		03/11/23 20:09	1
Toluene-d8 (Surr)	100		78 - 122		03/11/23 20:09	1
Dibromofluoromethane (Surr)	93		73 - 120		03/11/23 20:09	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

**Client Sample ID: MW-126S\_030623**

**Lab Sample ID: 240-181587-2**

Date Collected: 03/06/23 11:38

Matrix: Water

Date Received: 03/09/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/16/23 18:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120					03/16/23 18:37	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 20:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 20:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 20:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					03/11/23 20:32	1
4-Bromofluorobenzene (Surr)	111		56 - 136					03/11/23 20:32	1
Toluene-d8 (Surr)	98		78 - 122					03/11/23 20:32	1
Dibromofluoromethane (Surr)	92		73 - 120					03/11/23 20:32	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-181587-1	TRIP BLANK_67	94	115	100	93
240-181587-2	MW-126S_030623	94	111	98	92
240-181587-2 MS	MW-126S_030623	91	115	99	91
240-181587-2 MSD	MW-126S_030623	94	118	100	95
LCS 240-565042/5	Lab Control Sample	92	116	99	94
MB 240-565042/8	Method Blank	93	113	97	92

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-181587-2	MW-126S_030623	83
240-181596-F-5 MSD	Matrix Spike Duplicate	94
240-181596-I-5 MS	Matrix Spike	95
LCS 240-565607/4	Lab Control Sample	85
MB 240-565607/6	Method Blank	83

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-565042/8

Matrix: Water

Analysis Batch: 565042

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 12:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 12:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 12:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 12:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 12:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 12:57	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		03/11/23 12:57	1
4-Bromofluorobenzene (Surr)	113		56 - 136		03/11/23 12:57	1
Toluene-d8 (Surr)	97		78 - 122		03/11/23 12:57	1
Dibromofluoromethane (Surr)	92		73 - 120		03/11/23 12:57	1

Lab Sample ID: LCS 240-565042/5

Matrix: Water

Analysis Batch: 565042

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	20.7		ug/L		104	63 - 134
cis-1,2-Dichloroethene	20.0	20.9		ug/L		105	77 - 123
Tetrachloroethene	20.0	18.7		ug/L		94	76 - 123
trans-1,2-Dichloroethene	20.0	20.5		ug/L		102	75 - 124
Trichloroethene	20.0	17.9		ug/L		89	70 - 122
Vinyl chloride	20.0	18.7		ug/L		93	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	116		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-181587-2 MS

Matrix: Water

Analysis Batch: 565042

Client Sample ID: MW-126S\_030623

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	18.1		ug/L		91	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	18.7		ug/L		94	66 - 128
Tetrachloroethene	1.0	U	20.0	16.4		ug/L		82	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	18.1		ug/L		91	56 - 136
Trichloroethene	1.0	U	20.0	15.6		ug/L		78	61 - 124
Vinyl chloride	1.0	U	20.0	17.7		ug/L		89	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
4-Bromofluorobenzene (Surr)	115		56 - 136
Toluene-d8 (Surr)	99		78 - 122

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-181587-2 MS**  
**Matrix: Water**  
**Analysis Batch: 565042**

**Client Sample ID: MW-126S\_030623**  
**Prep Type: Total/NA**

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
Dibromofluoromethane (Surr)	91		73 - 120

**Lab Sample ID: 240-181587-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 565042**

**Client Sample ID: MW-126S\_030623**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	20.0	18.1		ug/L		91	56 - 135	0	26	
cis-1,2-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	66 - 128	2	14	
Tetrachloroethene	1.0	U	20.0	16.2		ug/L		81	62 - 131	1	20	
trans-1,2-Dichloroethene	1.0	U	20.0	18.3		ug/L		91	56 - 136	1	15	
Trichloroethene	1.0	U	20.0	15.4		ug/L		77	61 - 124	1	15	
Vinyl chloride	1.0	U	20.0	18.0		ug/L		90	43 - 157	1	24	

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	118		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-565607/6**  
**Matrix: Water**  
**Analysis Batch: 565607**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/16/23 12:09	1

	<i>MB</i>	<i>MB</i>		<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>			
1,2-Dichloroethane-d4 (Surr)	83		66 - 120		03/16/23 12:09	1

**Lab Sample ID: LCS 240-565607/4**  
**Matrix: Water**  
**Analysis Batch: 565607**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 122	

	<i>LCS</i>	<i>LCS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	85		66 - 120

**Lab Sample ID: 240-181596-F-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 565607**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,4-Dioxane	2.0	U	10.0	11.6		ug/L		116	51 - 153	7	16	

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MSD %Recovery</i>	<i>MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	94		66 - 120

**Lab Sample ID: 240-181596-I-5 MS**  
**Matrix: Water**  
**Analysis Batch: 565607**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MS Result</i>	<i>MS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,4-Dioxane	2.0	U	10.0	12.4		ug/L		124	51 - 153

<i>Surrogate</i>	<i>MS %Recovery</i>	<i>MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	95		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## GC/MS VOA

### Analysis Batch: 565042

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181587-1	TRIP BLANK_67	Total/NA	Water	8260D	
240-181587-2	MW-126S_030623	Total/NA	Water	8260D	
MB 240-565042/8	Method Blank	Total/NA	Water	8260D	
LCS 240-565042/5	Lab Control Sample	Total/NA	Water	8260D	
240-181587-2 MS	MW-126S_030623	Total/NA	Water	8260D	
240-181587-2 MSD	MW-126S_030623	Total/NA	Water	8260D	

### Analysis Batch: 565607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181587-2	MW-126S_030623	Total/NA	Water	8260D SIM	
MB 240-565607/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-565607/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181596-F-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-181596-I-5 MS	Matrix Spike	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

## Client Sample ID: TRIP BLANK\_67

Lab Sample ID: 240-181587-1

Date Collected: 03/06/23 00:00

Matrix: Water

Date Received: 03/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565042	AJS	EET CAN	03/11/23 20:09

## Client Sample ID: MW-126S\_030623

Lab Sample ID: 240-181587-2

Date Collected: 03/06/23 11:38

Matrix: Water

Date Received: 03/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565042	AJS	EET CAN	03/11/23 20:32
Total/NA	Analysis	8260D SIM		1	565607	BAJ	EET CAN	03/16/23 18:37

### Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



## Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

### Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23 *
Ohio VAP	State	CL0024	02-27-23 *
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Client Contact		Company Name: Arcadis		City/State/Zip: Novi, MI, 48377		Phone: 248-994-2240		Project Name: Ford LTP Off-Site		Project Number: 30167538-402.04		PO # 30167538-402.04		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		Client Project Manager: Kirt Hinskey		Site Contact: Christina Weaver		Lab Contact: Mike DelMontico		TestAmerica Laboratories, Inc.			
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Email: kristoffer.hinskey@arcadis.com		TAT if different from below 10 day		Filtered Sample (Y/N)		Composite C / Grab C		1,1-DCE 8260B		cis-1,2-DCE 8260B		Trans-1,2-DCE 8260B		PCE 8260B		TCE 8260B		Vinyl Chloride 8260B		1,4-Dioxane 8260B SIM	
Sampler Name: Samantha September		Method of Shipment/Carrier:		Shipping/Tracking No:		Containers & Preservatives		Matrix		Sample Date		Sample Time		Sample Identification		Analysis		TAT		For lab use only		COCs		Job/SDG No:	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	
Company: Arcadis		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23		Date/Time: 3/16/23	



©2008 TestAmerica Laboratories, Inc. All rights reserved. Reproduction or distribution of this document by TestAmerica Laboratories, Inc. is prohibited.

Eurofins - Canton Sample Receipt Form/Narrative  
Barberton Facility

Login #: 181587

Client Arcadis

Site Name 3923

Cooler unpacked by: Rachelle Haider

Cooler Received on 3923 Opened on 3923

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other


Receipt After-hours: Drop-off Date/Time Storage Location

Eurofins Cooler # EC Foam Box Client Cooler Box Other  
Packing material used: Bubble Wrap Foam Plastic Bag None Other  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C  
IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. 0.1 °C Corrected Cooler Temp. 0.0 °C  
IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes  No
  - Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA
  - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No
  - Were tamper/custody seals intact and uncompromised?  Yes  No  NA
- 3. Shippers' packing slip attached to the cooler(s)?  Yes  No
- 4. Did custody papers accompany the sample(s)?  Yes  No
- 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
- 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
- 10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
- 11. Sufficient quantity received to perform indicated analyses?  Yes  No
- 12. Are these work share samples and all listed on the COC?  Yes  No

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC293086
- 14. Were VOAs on the COC?  Yes  No
- 15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  ← Larger than this.
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #  Yes  No
- 17. Was a LL Hg or Me Hg trip blank present?  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other  
Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

# DATA VERIFICATION REPORT



March 20, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30167538.402.04 off-site  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Barberton  
Laboratory submittal: 181587-1  
Sample date: 2023-03-06  
Report received by CADENA: 2023-03-20  
Initial Data Verification completed by CADENA: 2023-03-20  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 181587-1

Sample Name: TRIP BLANK\_67 MW-126S\_030623  
 Lab Sample ID: 2401815871 2401815872  
 Sample Date: 3/6/2023 3/6/2023

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-181587-1

CADENA Verification Report: 2023-03-20

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 49103R

Review Level: Tier III

Project: 30167538.601.01

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-181587-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_67	240-181587-1	Water	03/06/2023		X	
MW-126S_030623	240-181587-2	Water	03/06/2023		X	X



## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Prashanth K

SIGNATURE: 

---

DATE: March 28, 2023

PEER REVIEW: Andrew Korycinski

DATE: March 28, 2023

# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**




**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**





## Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.																			
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:																	
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396																					
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				<b>Analysis Turnaround Time</b>				<b>Analyses</b>				1 of 1 COCs																	
Phone: 248-994-2240		Sampler Name: <i>Santantina Separater</i>				TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM				For lab use only																	
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:				Walk-in client								Lab sampling																	
Project Number: 30167538.402.04		Shipping/Tracking No:				Job/SDG No:				Sample Specific Notes / Special Instructions:																					
PO # 30167538.402.04				<b>Matrix</b>				<b>Containers &amp; Preservatives</b>																							
<b>Sample Identification</b>		<b>Sample Date</b>		<b>Sample Time</b>		Air		Aqueous		Sediment		Solid		Other:		H2SO4		HNO3		HCl		NaOH		ZnAc		NaOH		Unpres		Other:	
TRIP BLANK_67		3/6/23		---		1												1												1 Trip Blank	
TAW-1245_030623		3/6/23		1138		6												6												3 VOAs for 8260B 3 VOAs for 8260B SIM	
<del>30167538.402.04</del> (55)																															
 240-181587 Chain of Custody																															
<b>Possible Hazard Identification</b>														<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>																	
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown														<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																	
<b>Special Instructions/QC Requirements &amp; Comments:</b>																															
Sample Address: <i>34966 Stanchish St</i> Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203631 Level IV Reporting requested.																															
Relinquished by: <i>Kristina Sepala</i>				Company: <i>Arcadis</i>				Date/Time: <i>3/7/23 1820</i>				Received by: <i>Novi cold storage</i>				Company: <i>Arcadis</i>				Date/Time: <i>3/7/23 1820</i>											
Relinquished by: <i>[Signature]</i>				Company: <i>HRCADIS</i>				Date/Time: <i>3/8/23 0900</i>				Received by: <i>Jeri Hal</i>				Company: <i>EETA</i>				Date/Time: <i>3/8/23 0900</i>											
Relinquished by: <i>Jeri Hal</i>				Company: <i>EETA</i>				Date/Time: <i>3/8/23 901</i>				Received in Laboratory by: <i>Rachelle Howard</i>				Company: <i>EETMC</i>				Date/Time: <i>3/9/23 800</i>											

©2008 TestAmerica Laboratories, Inc. All rights reserved.  
 TestAmerica & Logo are trademarks of TestAmerica Laboratories, Inc.



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

**Client Sample ID: TRIP BLANK\_67**

**Lab Sample ID: 240-181587-1**

Date Collected: 03/06/23 00:00

Matrix: Water

Date Received: 03/09/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 20:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 20:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 20:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 20:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		03/11/23 20:09	1
4-Bromofluorobenzene (Surr)	115		56 - 136		03/11/23 20:09	1
Toluene-d8 (Surr)	100		78 - 122		03/11/23 20:09	1
Dibromofluoromethane (Surr)	93		73 - 120		03/11/23 20:09	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-181587-1

**Client Sample ID: MW-126S\_030623**

**Lab Sample ID: 240-181587-2**

Date Collected: 03/06/23 11:38

Matrix: Water

Date Received: 03/09/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/16/23 18:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120					03/16/23 18:37	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 20:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 20:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 20:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 20:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					03/11/23 20:32	1
4-Bromofluorobenzene (Surr)	111		56 - 136					03/11/23 20:32	1
Toluene-d8 (Surr)	98		78 - 122					03/11/23 20:32	1
Dibromofluoromethane (Surr)	92		73 - 120					03/11/23 20:32	1