

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/2/2022 8:35:48 AM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-176480-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/2/2022 8:35:48 AM

Authorized for release by
Opal Johnson, Project Manager II
Opal.Johnson@et.eurofinsus.com
Designee for
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	21
Lab Chronicle	22
Certification Summary	23
Chain of Custody	24

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Job ID: 240-176480-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-176480-1**

Receipt

The samples were received on 11/15/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.6°C, 2.0°C and 3.6°C

GC/MS VOA

Method 8260D_SIM: Surrogate recovery for the following samples was outside the upper control limit: MW-210S_111222 (240-176480-3). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-176480-1	TRIP BLANK_210	Water	11/12/22 00:00	11/15/22 10:00
240-176480-2	MW-41_111222	Water	11/12/22 09:55	11/15/22 10:00
240-176480-3	MW-210S_111222	Water	11/12/22 10:50	11/15/22 10:00
240-176480-4	MW-34_111222	Water	11/12/22 12:05	11/15/22 10:00
240-176480-5	MW-15-61D_111222	Water	11/12/22 13:55	11/15/22 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: TRIP BLANK_210

Lab Sample ID: 240-176480-1

No Detections.

Client Sample ID: MW-41_111222

Lab Sample ID: 240-176480-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	11		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	0.64	J	1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	0.71	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-210S_111222

Lab Sample ID: 240-176480-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	4.5		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-34_111222

Lab Sample ID: 240-176480-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	5.8		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	1.9		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-15-61D_111222

Lab Sample ID: 240-176480-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: TRIP BLANK_210

Lab Sample ID: 240-176480-1

Date Collected: 11/12/22 00:00

Matrix: Water

Date Received: 11/15/22 10:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/22 20:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/22 20:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 20:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/22 20:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 20:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/22 20:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		11/22/22 20:01	1
4-Bromofluorobenzene (Surr)	89		56 - 136		11/22/22 20:01	1
Toluene-d8 (Surr)	100		78 - 122		11/22/22 20:01	1
Dibromofluoromethane (Surr)	92		73 - 120		11/22/22 20:01	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: MW-41_111222

Lab Sample ID: 240-176480-2

Date Collected: 11/12/22 09:55

Matrix: Water

Date Received: 11/15/22 10:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	11		2.0	0.86	ug/L			11/22/22 07:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					11/22/22 07:25	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/22 14:20	1
cis-1,2-Dichloroethene	0.64	J	1.0	0.46	ug/L			11/23/22 14:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 14:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/22 14:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 14:20	1
Vinyl chloride	0.71	J	1.0	0.45	ug/L			11/23/22 14:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					11/23/22 14:20	1
4-Bromofluorobenzene (Surr)	87		56 - 136					11/23/22 14:20	1
Toluene-d8 (Surr)	98		78 - 122					11/23/22 14:20	1
Dibromofluoromethane (Surr)	87		73 - 120					11/23/22 14:20	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: MW-210S_111222

Lab Sample ID: 240-176480-3

Date Collected: 11/12/22 10:50

Matrix: Water

Date Received: 11/15/22 10:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/22 04:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	141	S1+	66 - 120					11/18/22 04:51	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/22 19:21	1
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L			11/23/22 19:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 19:21	1
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L			11/23/22 19:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 19:21	1
Vinyl chloride	4.5		1.0	0.45	ug/L			11/23/22 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					11/23/22 19:21	1
4-Bromofluorobenzene (Surr)	86		56 - 136					11/23/22 19:21	1
Toluene-d8 (Surr)	98		78 - 122					11/23/22 19:21	1
Dibromofluoromethane (Surr)	86		73 - 120					11/23/22 19:21	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: MW-34_111222

Lab Sample ID: 240-176480-4

Date Collected: 11/12/22 12:05

Matrix: Water

Date Received: 11/15/22 10:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.8		2.0	0.86	ug/L			11/18/22 02:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120					11/18/22 02:05	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/22 20:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/22 20:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 20:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/22 20:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 20:26	1
Vinyl chloride	1.9		1.0	0.45	ug/L			11/22/22 20:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					11/22/22 20:26	1
4-Bromofluorobenzene (Surr)	90		56 - 136					11/22/22 20:26	1
Toluene-d8 (Surr)	96		78 - 122					11/22/22 20:26	1
Dibromofluoromethane (Surr)	89		73 - 120					11/22/22 20:26	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: MW-15-61D_111222

Lab Sample ID: 240-176480-5

Date Collected: 11/12/22 13:55

Matrix: Water

Date Received: 11/15/22 10:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/22 02:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120		11/18/22 02:31	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/22 19:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/22 19:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 19:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/22 19:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 19:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/22 19:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		11/23/22 19:46	1
4-Bromofluorobenzene (Surr)	88		56 - 136		11/23/22 19:46	1
Toluene-d8 (Surr)	100		78 - 122		11/23/22 19:46	1
Dibromofluoromethane (Surr)	88		73 - 120		11/23/22 19:46	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-176480-1	TRIP BLANK_210	99	89	100	92
240-176480-2	MW-41_111222	98	87	98	87
240-176480-3	MW-210S_111222	99	86	98	86
240-176480-4	MW-34_111222	99	90	96	89
240-176480-4 MS	MW-34_111222	97	94	98	94
240-176480-4 MSD	MW-34_111222	94	92	97	90
240-176480-5	MW-15-61D_111222	100	88	100	88
240-176484-J-4 MS	Matrix Spike	97	92	98	90
240-176484-P-4 MSD	Matrix Spike Duplicate	95	90	98	89
LCS 240-553117/4	Lab Control Sample	94	94	98	91
LCS 240-553297/4	Lab Control Sample	94	94	97	91
MB 240-553117/7	Method Blank	98	92	99	87
MB 240-553297/7	Method Blank	97	90	98	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-176368-E-17 MS	Matrix Spike	81
240-176368-E-17 MSD	Matrix Spike Duplicate	77
240-176475-I-4 MS	Matrix Spike	119
240-176475-O-4 MSD	Matrix Spike Duplicate	123 S1+
240-176480-2	MW-41_111222	77
240-176480-3	MW-210S_111222	141 S1+
240-176480-4	MW-34_111222	81
240-176480-5	MW-15-61D_111222	79
240-176484-G-4 MS	Matrix Spike	78
240-176484-O-4 MSD	Matrix Spike Duplicate	80
LCS 240-552553/4	Lab Control Sample	124 S1+
LCS 240-552560/3	Lab Control Sample	78
LCS 240-553045/3	Lab Control Sample	81
MB 240-552553/5	Method Blank	116
MB 240-552560/4	Method Blank	79
MB 240-553045/4	Method Blank	79

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-553117/7
Matrix: Water
Analysis Batch: 553117

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/22 12:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/22 12:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 12:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/22 12:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/22 12:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/22 12:31	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		11/22/22 12:31	1
4-Bromofluorobenzene (Surr)	92		56 - 136		11/22/22 12:31	1
Toluene-d8 (Surr)	99		78 - 122		11/22/22 12:31	1
Dibromofluoromethane (Surr)	87		73 - 120		11/22/22 12:31	1

Lab Sample ID: LCS 240-553117/4
Matrix: Water
Analysis Batch: 553117

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	23.6		ug/L		95	63 - 134
cis-1,2-Dichloroethene	25.0	22.8		ug/L		91	77 - 123
Tetrachloroethene	25.0	24.2		ug/L		97	76 - 123
trans-1,2-Dichloroethene	25.0	23.1		ug/L		92	75 - 124
Trichloroethene	25.0	22.8		ug/L		91	70 - 122
Vinyl chloride	12.5	13.4		ug/L		107	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-176480-4 MS
Matrix: Water
Analysis Batch: 553117

Client Sample ID: MW-34_111222
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	23.7		ug/L		95	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.3		ug/L		93	66 - 128
Tetrachloroethene	1.0	U	25.0	22.0		ug/L		88	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.9		ug/L		91	56 - 136
Trichloroethene	1.0	U	25.0	21.3		ug/L		85	61 - 124
Vinyl chloride	1.9		12.5	14.6		ug/L		102	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	98		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-176480-4 MS
Matrix: Water
Analysis Batch: 553117

Client Sample ID: MW-34_111222
Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	94		73 - 120

Lab Sample ID: 240-176480-4 MSD
Matrix: Water
Analysis Batch: 553117

Client Sample ID: MW-34_111222
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,1-Dichloroethene	1.0	U	25.0	22.9		ug/L		92	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.3		ug/L		89	66 - 128	4	14
Tetrachloroethene	1.0	U	25.0	21.9		ug/L		88	62 - 131	0	20
trans-1,2-Dichloroethene	1.0	U	25.0	22.1		ug/L		88	56 - 136	3	15
Trichloroethene	1.0	U	25.0	21.2		ug/L		85	61 - 124	1	15
Vinyl chloride	1.9		12.5	14.1		ug/L		98	43 - 157	3	24

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	94		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	92		56 - 136
<i>Toluene-d8 (Surr)</i>	97		78 - 122
<i>Dibromofluoromethane (Surr)</i>	90		73 - 120

Lab Sample ID: MB 240-553297/7
Matrix: Water
Analysis Batch: 553297

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB Result</i>	<i>MB Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/22 11:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/22 11:50	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 11:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/22 11:50	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/22 11:50	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/22 11:50	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	97		62 - 137		11/23/22 11:50	1
<i>4-Bromofluorobenzene (Surr)</i>	90		56 - 136		11/23/22 11:50	1
<i>Toluene-d8 (Surr)</i>	98		78 - 122		11/23/22 11:50	1
<i>Dibromofluoromethane (Surr)</i>	86		73 - 120		11/23/22 11:50	1

Lab Sample ID: LCS 240-553297/4
Matrix: Water
Analysis Batch: 553297

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	25.0	24.0		ug/L		96	63 - 134
cis-1,2-Dichloroethene	25.0	22.4		ug/L		90	77 - 123
Tetrachloroethene	25.0	23.6		ug/L		94	76 - 123
trans-1,2-Dichloroethene	25.0	22.4		ug/L		90	75 - 124
Trichloroethene	25.0	22.3		ug/L		89	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-553297/4

Matrix: Water

Analysis Batch: 553297

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	13.2		ug/L		105	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-176484-J-4 MS

Matrix: Water

Analysis Batch: 553297

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	20.4		ug/L		81	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	21.3		ug/L		85	66 - 128
Tetrachloroethene	1.0	U	25.0	22.5		ug/L		90	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	21.6		ug/L		86	56 - 136
Trichloroethene	1.0	U	25.0	21.2		ug/L		85	61 - 124
Vinyl chloride	2.0		12.5	13.0		ug/L		89	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: 240-176484-P-4 MSD

Matrix: Water

Analysis Batch: 553297

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	20.5		ug/L		82	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	25.0	20.9		ug/L		84	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	20.8		ug/L		83	62 - 131	7	20
trans-1,2-Dichloroethene	1.0	U	25.0	21.1		ug/L		85	56 - 136	2	15
Trichloroethene	1.0	U	25.0	20.0		ug/L		80	61 - 124	6	15
Vinyl chloride	2.0		12.5	12.7		ug/L		86	43 - 157	3	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	90		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	89		73 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-552553/5
Matrix: Water
Analysis Batch: 552553

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/17/22 19:08	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac	
	%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Surr)	116		66 - 120				11/17/22 19:08	1	

Lab Sample ID: LCS 240-552553/4
Matrix: Water
Analysis Batch: 552553

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits	
		Result	Qualifier					
1,4-Dioxane	10.0	9.20		ug/L		92	80 - 122	
Surrogate	LCS	LCS	Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
1,2-Dichloroethane-d4 (Surr)	124	S1+	66 - 120					

Lab Sample ID: 240-176475-I-4 MS
Matrix: Water
Analysis Batch: 552553

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,4-Dioxane	2.0	U	10.0	9.04		ug/L		90	51 - 153
Surrogate	MS	MS	Limits			Prepared	Analyzed	Dil Fac	
	%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Surr)	119		66 - 120						

Lab Sample ID: 240-176475-O-4 MSD
Matrix: Water
Analysis Batch: 552553

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	RPD
	Result	Qualifier		Result	Qualifier					Limit	
1,4-Dioxane	2.0	U	10.0	9.56		ug/L		96	51 - 153	6	16
Surrogate	MSD	MSD	Limits			Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier									
1,2-Dichloroethane-d4 (Surr)	123	S1+	66 - 120								

Lab Sample ID: MB 240-552560/4
Matrix: Water
Analysis Batch: 552560

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/17/22 23:06	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac	
	%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Surr)	79		66 - 120				11/17/22 23:06	1	

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-552560/3
Matrix: Water
Analysis Batch: 552560

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.29		ug/L		93	80 - 122
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	78		66 - 120				

Lab Sample ID: 240-176484-G-4 MS
Matrix: Water
Analysis Batch: 552560

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	1.5	J	10.0	12.5		ug/L		110	51 - 153
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	78		66 - 120						

Lab Sample ID: 240-176484-O-4 MSD
Matrix: Water
Analysis Batch: 552560

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	1.5	J	10.0	12.2		ug/L		108	51 - 153	2	16
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	80		66 - 120								

Lab Sample ID: MB 240-553045/4
Matrix: Water
Analysis Batch: 553045

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/21/22 22:31	1	
Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac				
1,2-Dichloroethane-d4 (Surr)	79		66 - 120		11/21/22 22:31	1				

Lab Sample ID: LCS 240-553045/3
Matrix: Water
Analysis Batch: 553045

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.30		ug/L		93	80 - 122
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	81		66 - 120				

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-176368-E-17 MS
Matrix: Water
Analysis Batch: 553045

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	160		10.0	179	4	ug/L		148	51 - 153
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	81		66 - 120						

Lab Sample ID: 240-176368-E-17 MSD
Matrix: Water
Analysis Batch: 553045

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	160		10.0	172	4	ug/L		70	51 - 153	4	16
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	77		66 - 120								



QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

GC/MS VOA

Analysis Batch: 552553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176480-3	MW-210S_111222	Total/NA	Water	8260D SIM	
MB 240-552553/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-552553/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-176475-I-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-176475-O-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 552560

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176480-4	MW-34_111222	Total/NA	Water	8260D SIM	
240-176480-5	MW-15-61D_111222	Total/NA	Water	8260D SIM	
MB 240-552560/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-552560/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-176484-G-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-176484-O-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 553045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176480-2	MW-41_111222	Total/NA	Water	8260D SIM	
MB 240-553045/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-553045/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-176368-E-17 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-176368-E-17 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 553117

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176480-1	TRIP BLANK_210	Total/NA	Water	8260D	
240-176480-4	MW-34_111222	Total/NA	Water	8260D	
MB 240-553117/7	Method Blank	Total/NA	Water	8260D	
LCS 240-553117/4	Lab Control Sample	Total/NA	Water	8260D	
240-176480-4 MS	MW-34_111222	Total/NA	Water	8260D	
240-176480-4 MSD	MW-34_111222	Total/NA	Water	8260D	

Analysis Batch: 553297

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176480-2	MW-41_111222	Total/NA	Water	8260D	
240-176480-3	MW-210S_111222	Total/NA	Water	8260D	
240-176480-5	MW-15-61D_111222	Total/NA	Water	8260D	
MB 240-553297/7	Method Blank	Total/NA	Water	8260D	
LCS 240-553297/4	Lab Control Sample	Total/NA	Water	8260D	
240-176484-J-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-176484-P-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Client Sample ID: TRIP BLANK_210

Lab Sample ID: 240-176480-1

Date Collected: 11/12/22 00:00

Matrix: Water

Date Received: 11/15/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553117	SAM	EET CAN	11/22/22 20:01

Client Sample ID: MW-41_111222

Lab Sample ID: 240-176480-2

Date Collected: 11/12/22 09:55

Matrix: Water

Date Received: 11/15/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553297	SAM	EET CAN	11/23/22 14:20
Total/NA	Analysis	8260D SIM		1	553045	CS	EET CAN	11/22/22 07:25

Client Sample ID: MW-210S_111222

Lab Sample ID: 240-176480-3

Date Collected: 11/12/22 10:50

Matrix: Water

Date Received: 11/15/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553297	SAM	EET CAN	11/23/22 19:21
Total/NA	Analysis	8260D SIM		1	552553	CS	EET CAN	11/18/22 04:51

Client Sample ID: MW-34_111222

Lab Sample ID: 240-176480-4

Date Collected: 11/12/22 12:05

Matrix: Water

Date Received: 11/15/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553117	SAM	EET CAN	11/22/22 20:26
Total/NA	Analysis	8260D SIM		1	552560	CS	EET CAN	11/18/22 02:05

Client Sample ID: MW-15-61D_111222

Lab Sample ID: 240-176480-5

Date Collected: 11/12/22 13:55

Matrix: Water

Date Received: 11/15/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553297	SAM	EET CAN	11/23/22 19:46
Total/NA	Analysis	8260D SIM		1	552560	CS	EET CAN	11/18/22 02:31

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176480-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Project Name: Ford I, TP On-Site
Project Number: 30146655-401.03
PO #: 30146655-401.03

Client Project Manager: Kris Hinskey
Site Contact: Christina Weaver
Telephone: 248-994-2240
Telephone: 248-994-2293

Lab Contact: Mike DeMonico
Telephone: 330-497-9396

Company Name: Sommer Guy
Method of Shipment/Carrier:
Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives						Filtered Sample (Y / N)	Composite = C / Grab = G	Analyses						Sample Specific Notes / Special Instructions:					
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc			Upret	Other:	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B		TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM		
TRIP BLANK_210	---	---	1																							1 Trip Blank
MW-41-111222	11/12/22	0955	6																							3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-2105-111222	11/12/22	1050	6																							
MW-34-111222	11/12/22	1205	6																							
MW-15-61D-111222	11/12/22	1355	6																							



Possible Hazard Identification
 Non-Hazard Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203728
 Level IV Reporting requested.

Relinquished by: Sommer Guy
 Relinquished by: Chris Wick
 Relinquished by: [Signature]

Company: Arcadis
 Company: ARCADIS
 Company: [Signature]

Date/Time: 11/12/22 1500
 Date/Time: 11/14/22 0950
 Date/Time: 11/15/22 10:00

Received by: Novi Cold Storage
 Received by: [Signature]
 Received by: [Signature]

Company: Arcadis
 Company: [Signature]
 Company: [Signature]

Eurofins - Canton Sample Receipt Form/Narrative Login # : 176480
Barberton Facility

Client Acad's Site Name _____ Cooler unpacked by: Charlene
Cooler Received on 11-15-22 Opened on 11-15-22
FedEx: 1st Grd UPS FAS Clipper Client Drop Off Eurofins Courier Other _____
Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # 735 Foam Box Client Cooler Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None _____ Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-13 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-15 (CF 0.0°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
- Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
- Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC286797
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Car Med Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



December 04, 2022

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30146655.401.03- onsite groundwater
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Barberton
Laboratory submittal: 176480-1
Sample date: 2022-11-12
Report received by CADENA: 2022-12-02
Initial Data Verification completed by CADENA: 2022-12-04
Number of Samples:5
Sample Matrices: Water and trip blank
Test Categories: GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

SURROGATE recoveries were outside of laboratory control limits biased HIGH for surrogates in the tests/samples noted. Associated results were non-detect so were not affected by the high bias and qualification of results was not required. GCMS-SIM VOC - sample -003. NOTE: GCMS VOC QC batch 552553 LCS high bias surrogate recovery was not used to qualify field sample results.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 176480-1

Analyte	Cas No.	Sample Name: TRIP BLANK_210				Sample Name: MW-41_111222				Sample Name: MW-210S_111222				Sample Name: MW-34_111222				Sample Name: MW-15-61D_111222			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.64	1.0	ug/l	J	15	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.9	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.71	1.0	ug/l	J	4.5	1.0	ug/l	---	1.9	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					11	2.0	ug/l	---	ND	2.0	ug/l	---	5.8	2.0	ug/l	---	ND	2.0	ug/l	---