

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/1/2022 3:44:28 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-176631-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/1/2022 3:44:28 PM

Authorized for release by
Opal Johnson, Project Manager II
Opal.Johnson@et.eurofinsus.com
Designee for
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	16
QC Sample Results	17
QC Association Summary	21
Lab Chronicle	22
Certification Summary	24
Chain of Custody	25

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Job ID: 240-176631-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-176631-1**

Receipt

The samples were received on 11/17/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.1°C and 1.6°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-176631-1	TRIP BLANK_204	Water	11/15/22 00:00	11/17/22 08:00
240-176631-2	MW-45_111522	Water	11/15/22 09:40	11/17/22 08:00
240-176631-3	MW-70_111522	Water	11/15/22 10:30	11/17/22 08:00
240-176631-4	MW-53_111522	Water	11/15/22 11:20	11/17/22 08:00
240-176631-5	MW-113_111522	Water	11/15/22 12:30	11/17/22 08:00
240-176631-6	MW-199S_111522	Water	11/15/22 13:35	11/17/22 08:00
240-176631-7	DUP-04	Water	11/15/22 00:00	11/17/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: TRIP BLANK_204

Lab Sample ID: 240-176631-1

No Detections.

Client Sample ID: MW-45_111522

Lab Sample ID: 240-176631-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	81		10	4.6	ug/L	10		8260D	Total/NA
Vinyl chloride	290		10	4.5	ug/L	10		8260D	Total/NA

Client Sample ID: MW-70_111522

Lab Sample ID: 240-176631-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.3	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	140		13	5.8	ug/L	12.5		8260D	Total/NA
Vinyl chloride	340		13	5.6	ug/L	12.5		8260D	Total/NA

Client Sample ID: MW-53_111522

Lab Sample ID: 240-176631-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.0		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-113_111522

Lab Sample ID: 240-176631-5

No Detections.

Client Sample ID: MW-199S_111522

Lab Sample ID: 240-176631-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.2		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: DUP-04

Lab Sample ID: 240-176631-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	72		25	12	ug/L	25		8260D	Total/NA
Vinyl chloride	260		25	11	ug/L	25		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: TRIP BLANK_204

Lab Sample ID: 240-176631-1

Date Collected: 11/15/22 00:00

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 13:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/22 13:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 13:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 13:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 13:29	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/22 13:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		11/26/22 13:29	1
4-Bromofluorobenzene (Surr)	78		56 - 136		11/26/22 13:29	1
Toluene-d8 (Surr)	93		78 - 122		11/26/22 13:29	1
Dibromofluoromethane (Surr)	93		73 - 120		11/26/22 13:29	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: MW-45_111522

Lab Sample ID: 240-176631-2

Date Collected: 11/15/22 09:40

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/28/22 01:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120		11/28/22 01:12	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 19:17	1
cis-1,2-Dichloroethene	81		10	4.6	ug/L			11/29/22 15:29	10
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 19:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 19:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 19:17	1
Vinyl chloride	290		10	4.5	ug/L			11/29/22 15:29	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		11/26/22 19:17	1
1,2-Dichloroethane-d4 (Surr)	87		62 - 137		11/29/22 15:29	10
4-Bromofluorobenzene (Surr)	78		56 - 136		11/26/22 19:17	1
4-Bromofluorobenzene (Surr)	99		56 - 136		11/29/22 15:29	10
Toluene-d8 (Surr)	93		78 - 122		11/26/22 19:17	1
Toluene-d8 (Surr)	99		78 - 122		11/29/22 15:29	10
Dibromofluoromethane (Surr)	95		73 - 120		11/26/22 19:17	1
Dibromofluoromethane (Surr)	80		73 - 120		11/29/22 15:29	10

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: MW-70_111522

Lab Sample ID: 240-176631-3

Date Collected: 11/15/22 10:30

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.3	J	2.0	0.86	ug/L			11/28/22 01:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120					11/28/22 01:37	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	13	U	13	6.1	ug/L			11/26/22 17:45	12.5
cis-1,2-Dichloroethene	140		13	5.8	ug/L			11/26/22 17:45	12.5
Tetrachloroethene	13	U	13	5.5	ug/L			11/26/22 17:45	12.5
trans-1,2-Dichloroethene	13	U	13	6.4	ug/L			11/26/22 17:45	12.5
Trichloroethene	13	U	13	5.5	ug/L			11/26/22 17:45	12.5
Vinyl chloride	340		13	5.6	ug/L			11/26/22 17:45	12.5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					11/26/22 17:45	12.5
4-Bromofluorobenzene (Surr)	80		56 - 136					11/26/22 17:45	12.5
Toluene-d8 (Surr)	96		78 - 122					11/26/22 17:45	12.5
Dibromofluoromethane (Surr)	101		73 - 120					11/26/22 17:45	12.5

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: MW-53_111522

Lab Sample ID: 240-176631-4

Date Collected: 11/15/22 11:20

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/28/22 02:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					11/28/22 02:03	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 18:08	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/22 18:08	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:08	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 18:08	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:08	1
Vinyl chloride	1.0		1.0	0.45	ug/L			11/26/22 18:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					11/26/22 18:08	1
4-Bromofluorobenzene (Surr)	81		56 - 136					11/26/22 18:08	1
Toluene-d8 (Surr)	95		78 - 122					11/26/22 18:08	1
Dibromofluoromethane (Surr)	100		73 - 120					11/26/22 18:08	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: MW-113_111522

Lab Sample ID: 240-176631-5

Date Collected: 11/15/22 12:30

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/28/22 02:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	78		66 - 120		11/28/22 02:28	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/22 18:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 18:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/22 18:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		11/26/22 18:31	1
4-Bromofluorobenzene (Surr)	81		56 - 136		11/26/22 18:31	1
Toluene-d8 (Surr)	99		78 - 122		11/26/22 18:31	1
Dibromofluoromethane (Surr)	101		73 - 120		11/26/22 18:31	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: MW-199S_111522

Lab Sample ID: 240-176631-6

Date Collected: 11/15/22 13:35

Matrix: Water

Date Received: 11/17/22 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.2		2.0	0.86	ug/L			11/28/22 02:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120		11/28/22 02:53	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 18:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/22 18:54	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 18:54	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 18:54	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/22 18:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		11/26/22 18:54	1
4-Bromofluorobenzene (Surr)	79		56 - 136		11/26/22 18:54	1
Toluene-d8 (Surr)	93		78 - 122		11/26/22 18:54	1
Dibromofluoromethane (Surr)	99		73 - 120		11/26/22 18:54	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: DUP-04
Date Collected: 11/15/22 00:00
Date Received: 11/17/22 08:00

Lab Sample ID: 240-176631-7
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/28/22 03:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					11/28/22 03:19	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	25	U	25	12	ug/L			11/29/22 15:53	25
cis-1,2-Dichloroethene	72		25	12	ug/L			11/29/22 15:53	25
Tetrachloroethene	25	U	25	11	ug/L			11/29/22 15:53	25
trans-1,2-Dichloroethene	25	U	25	13	ug/L			11/29/22 15:53	25
Trichloroethene	25	U	25	11	ug/L			11/29/22 15:53	25
Vinyl chloride	260		25	11	ug/L			11/29/22 15:53	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137					11/29/22 15:53	25
4-Bromofluorobenzene (Surr)	97		56 - 136					11/29/22 15:53	25
Toluene-d8 (Surr)	95		78 - 122					11/29/22 15:53	25
Dibromofluoromethane (Surr)	77		73 - 120					11/29/22 15:53	25

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-176631-1	TRIP BLANK_204	95	78	93	93
240-176631-2	MW-45_111522	95	78	93	95
240-176631-2	MW-45_111522	87	99	99	80
240-176631-3	MW-70_111522	100	80	96	101
240-176631-3 MS	MW-70_111522	91	91	97	93
240-176631-3 MSD	MW-70_111522	85	83	94	90
240-176631-4	MW-53_111522	101	81	95	100
240-176631-5	MW-113_111522	100	81	99	101
240-176631-6	MW-199S_111522	98	79	93	99
240-176631-7	DUP-04	84	97	95	77
240-176634-E-5 MS	Matrix Spike	88	101	98	82
240-176634-F-5 MSD	Matrix Spike Duplicate	84	100	97	78
LCS 240-553467/5	Lab Control Sample	94	92	97	95
LCS 240-553688/5	Lab Control Sample	86	97	95	79
MB 240-553467/8	Method Blank	94	78	91	94
MB 240-553688/8	Method Blank	93	107	101	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-176631-2	MW-45_111522	77
240-176631-3	MW-70_111522	79
240-176631-4	MW-53_111522	77
240-176631-5	MW-113_111522	78
240-176631-6	MW-199S_111522	77
240-176631-7	DUP-04	77
240-176634-I-5 MS	Matrix Spike	80
240-176634-O-5 MSD	Matrix Spike Duplicate	80
LCS 240-553480/3	Lab Control Sample	76
MB 240-553480/4	Method Blank	76

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-553467/8
Matrix: Water
Analysis Batch: 553467

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/22 10:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/22 10:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 10:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/22 10:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/22 10:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/22 10:46	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		11/26/22 10:46	1
4-Bromofluorobenzene (Surr)	78		56 - 136		11/26/22 10:46	1
Toluene-d8 (Surr)	91		78 - 122		11/26/22 10:46	1
Dibromofluoromethane (Surr)	94		73 - 120		11/26/22 10:46	1

Lab Sample ID: LCS 240-553467/5
Matrix: Water
Analysis Batch: 553467

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	16.8		ug/L		84	63 - 134
cis-1,2-Dichloroethene	20.0	17.8		ug/L		89	77 - 123
Tetrachloroethene	20.0	19.9		ug/L		99	76 - 123
trans-1,2-Dichloroethene	20.0	16.4		ug/L		82	75 - 124
Trichloroethene	20.0	18.5		ug/L		93	70 - 122
Vinyl chloride	20.0	17.2		ug/L		86	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-176631-3 MS
Matrix: Water
Analysis Batch: 553467

Client Sample ID: MW-70_111522
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	13	U	250	229		ug/L		92	56 - 135
cis-1,2-Dichloroethene	140		250	378		ug/L		96	66 - 128
Tetrachloroethene	13	U	250	253		ug/L		101	62 - 131
trans-1,2-Dichloroethene	13	U	250	217		ug/L		87	56 - 136
Trichloroethene	13	U	250	230		ug/L		92	61 - 124
Vinyl chloride	340		250	508		ug/L		67	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	97		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-176631-3 MS
Matrix: Water
Analysis Batch: 553467

Client Sample ID: MW-70_111522
Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	93		73 - 120

Lab Sample ID: 240-176631-3 MSD
Matrix: Water
Analysis Batch: 553467

Client Sample ID: MW-70_111522
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,1-Dichloroethene	13	U	250	228		ug/L		91	56 - 135	0	26
cis-1,2-Dichloroethene	140		250	373		ug/L		94	66 - 128	1	14
Tetrachloroethene	13	U	250	249		ug/L		100	62 - 131	1	20
trans-1,2-Dichloroethene	13	U	250	209		ug/L		84	56 - 136	4	15
Trichloroethene	13	U	250	218		ug/L		87	61 - 124	5	15
Vinyl chloride	340		250	530		ug/L		75	43 - 157	4	24

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	85		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	83		56 - 136
<i>Toluene-d8 (Surr)</i>	94		78 - 122
<i>Dibromofluoromethane (Surr)</i>	90		73 - 120

Lab Sample ID: MB 240-553688/8
Matrix: Water
Analysis Batch: 553688

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB MB Result</i>	<i>Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/22 10:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/22 10:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/22 10:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/22 10:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/22 10:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/22 10:53	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	93		62 - 137		11/29/22 10:53	1
<i>4-Bromofluorobenzene (Surr)</i>	107		56 - 136		11/29/22 10:53	1
<i>Toluene-d8 (Surr)</i>	101		78 - 122		11/29/22 10:53	1
<i>Dibromofluoromethane (Surr)</i>	84		73 - 120		11/29/22 10:53	1

Lab Sample ID: LCS 240-553688/5
Matrix: Water
Analysis Batch: 553688

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	20.0	20.0		ug/L		100	63 - 134
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
Tetrachloroethene	20.0	18.2		ug/L		91	76 - 123
trans-1,2-Dichloroethene	20.0	21.0		ug/L		105	75 - 124
Trichloroethene	20.0	17.5		ug/L		87	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-553688/5
Matrix: Water
Analysis Batch: 553688

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	20.0	17.9		ug/L		89	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	79		73 - 120

Lab Sample ID: 240-176634-E-5 MS
Matrix: Water
Analysis Batch: 553688

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	18.2		ug/L		91	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	17.8		ug/L		89	66 - 128
Tetrachloroethene	1.0	U	20.0	14.5		ug/L		72	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	18.6		ug/L		93	56 - 136
Trichloroethene	1.0	U	20.0	14.6		ug/L		73	61 - 124
Vinyl chloride	1.0	U	20.0	16.4		ug/L		82	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	82		73 - 120

Lab Sample ID: 240-176634-F-5 MSD
Matrix: Water
Analysis Batch: 553688

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	17.6		ug/L		88	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	20.0	17.5		ug/L		88	66 - 128	1	14
Tetrachloroethene	1.0	U	20.0	14.2		ug/L		71	62 - 131	2	20
trans-1,2-Dichloroethene	1.0	U	20.0	18.3		ug/L		92	56 - 136	2	15
Trichloroethene	1.0	U	20.0	14.9		ug/L		74	61 - 124	2	15
Vinyl chloride	1.0	U	20.0	15.7		ug/L		79	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	78		73 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-553480/4
Matrix: Water
Analysis Batch: 553480

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/27/22 19:42	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	76		66 - 120					11/27/22 19:42	1

Lab Sample ID: LCS 240-553480/3
Matrix: Water
Analysis Batch: 553480

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.98		ug/L		90	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	76		66 - 120				

Lab Sample ID: 240-176634-I-5 MS
Matrix: Water
Analysis Batch: 553480

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.2		ug/L		102	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	80		66 - 120						

Lab Sample ID: 240-176634-O-5 MSD
Matrix: Water
Analysis Batch: 553480

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	10.4		ug/L		104	51 - 153	2	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	80		66 - 120								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

GC/MS VOA

Analysis Batch: 553467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176631-1	TRIP BLANK_204	Total/NA	Water	8260D	
240-176631-2	MW-45_111522	Total/NA	Water	8260D	
240-176631-3	MW-70_111522	Total/NA	Water	8260D	
240-176631-4	MW-53_111522	Total/NA	Water	8260D	
240-176631-5	MW-113_111522	Total/NA	Water	8260D	
240-176631-6	MW-199S_111522	Total/NA	Water	8260D	
MB 240-553467/8	Method Blank	Total/NA	Water	8260D	
LCS 240-553467/5	Lab Control Sample	Total/NA	Water	8260D	
240-176631-3 MS	MW-70_111522	Total/NA	Water	8260D	
240-176631-3 MSD	MW-70_111522	Total/NA	Water	8260D	

Analysis Batch: 553480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176631-2	MW-45_111522	Total/NA	Water	8260D SIM	
240-176631-3	MW-70_111522	Total/NA	Water	8260D SIM	
240-176631-4	MW-53_111522	Total/NA	Water	8260D SIM	
240-176631-5	MW-113_111522	Total/NA	Water	8260D SIM	
240-176631-6	MW-199S_111522	Total/NA	Water	8260D SIM	
240-176631-7	DUP-04	Total/NA	Water	8260D SIM	
MB 240-553480/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-553480/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-176634-I-5 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-176634-O-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 553688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176631-2	MW-45_111522	Total/NA	Water	8260D	
240-176631-7	DUP-04	Total/NA	Water	8260D	
MB 240-553688/8	Method Blank	Total/NA	Water	8260D	
LCS 240-553688/5	Lab Control Sample	Total/NA	Water	8260D	
240-176634-E-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-176634-F-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: TRIP BLANK_204

Lab Sample ID: 240-176631-1

Date Collected: 11/15/22 00:00

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553467	AJS	EET CAN	11/26/22 13:29

Client Sample ID: MW-45_111522

Lab Sample ID: 240-176631-2

Date Collected: 11/15/22 09:40

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	553688	TJL1	EET CAN	11/29/22 15:29
Total/NA	Analysis	8260D		1	553467	AJS	EET CAN	11/26/22 19:17
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 01:12

Client Sample ID: MW-70_111522

Lab Sample ID: 240-176631-3

Date Collected: 11/15/22 10:30

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		12.5	553467	AJS	EET CAN	11/26/22 17:45
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 01:37

Client Sample ID: MW-53_111522

Lab Sample ID: 240-176631-4

Date Collected: 11/15/22 11:20

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553467	AJS	EET CAN	11/26/22 18:08
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 02:03

Client Sample ID: MW-113_111522

Lab Sample ID: 240-176631-5

Date Collected: 11/15/22 12:30

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553467	AJS	EET CAN	11/26/22 18:31
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 02:28

Client Sample ID: MW-199S_111522

Lab Sample ID: 240-176631-6

Date Collected: 11/15/22 13:35

Matrix: Water

Date Received: 11/17/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	553467	AJS	EET CAN	11/26/22 18:54
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 02:53

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Client Sample ID: DUP-04

Lab Sample ID: 240-176631-7

Date Collected: 11/15/22 00:00

Matrix: Water

Date Received: 11/17/22 08:00

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total/NA	Analysis	8260D		25	553688	TJL1	EET CAN	11/29/22 15:53
Total/NA	Analysis	8260D SIM		1	553480	CS	EET CAN	11/28/22 03:19

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176631-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other									
Client Project Manager: Kris Hinsky Telephone: 248-994-2240 Email: kris@hinsky.com		Lab Contact: Mike DelMonico Telephone: 330-497-9396									
Sampler Name: Christina Garrido		Analysis Turnaround Time TAT (if different from below) 10 day <input checked="" type="checkbox"/> 3 weeks 1 week <input type="checkbox"/> 2 weeks 2 days <input type="checkbox"/> 1 week 1 day <input type="checkbox"/> 2 days									
Method of Shipment/Carrier: Shipping/Tracking No:		Analyses 1,1-DCE 8260B Cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM									
Sample Identification Sample Date Sample Time Matrix Containers & Preservatives		Filtered Sample (Y/N) Composite=C/Grab=G									
TRIP BLANK_204	---	1	1	NG	X	X	X	X	X	X	1 Trip Blank
MW-45-111522	11/16/22	6	6	NG	X	X	X	X	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-70-111522	1030	6	6	NG	X	X	X	X	X	X	
MW-53-111522	1120	6	6	NG	X	X	X	X	X	X	
MW-113-111522	1250	6	6	NG	X	X	X	X	X	X	
MW-195-111522	1335	6	6	NG	X	X	X	X	X	X	
DUP-21	11/16/22	6	6	NG	X	X	X	X	X	X	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Unknown <input type="checkbox"/> Poison B		Sample Disposal (A fee may be assessed if not returned to client) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab									
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jromalia@cadenaco.com, Cadena #E203728 Level IV Reporting requested.											
Relinquished by: <i>Christina Garrido</i> Date/Time: 11/15/22 1430 Company: Arcadis	Received by: <i>Nov Cold Storage</i> Date/Time: 11/16/22 1035 Company: ARCADIS	Relinquished by: <i>Christina Garrido</i> Date/Time: 11/16/22 1035 Company: ARCADIS	Received by: <i>Nov Cold Storage</i> Date/Time: 11/16/22 1035 Company: ARCADIS								
Relinquished by: <i>Mukht</i> Date/Time: 11/16/22 1048 Company: EETA	Received by: <i>Rosell Garrido</i> Date/Time: 11/17/22 800 Company: EETA	Relinquished by: <i>Rosell Garrido</i> Date/Time: 11/17/22 800 Company: EETA	Received by: <i>Rosell Garrido</i> Date/Time: 11/17/22 800 Company: EETA								

Source: TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design is a trademark of TestAmerica Laboratories, Inc.



Eurofins - Canton Sample Receipt Form/Narrative

Login # : 176631

Barberton Facility

Client Arcadis

Site Name

Cooler unpacked by:

Cooler Received on 11-17-22

Opened on 11-17-22

Rachelle Haidet

FedEx: 1st Grd Exp UPS FAS Clipper

Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

Eurofins Cooler # 14 Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt
IR GUN# IR-13 (CF +0.7 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C
IR GUN #IR-15 (CF 0.0°C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA

- 3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No

- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC286797
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # D1042016 Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.
Time preserved: Preservative(s) added/Lot number(s):

VOA Sample Preservation - Date/Time VOAs Frozen:

DATA VERIFICATION REPORT



December 02, 2022

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30146655.401.03- onsite groundwater
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Barberton
Laboratory submittal: 176631-1
Sample date: 2022-11-15
Report received by CADENA: 2022-12-01
Initial Data Verification completed by CADENA: 2022-12-02
Number of Samples:7
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 176631-1

Analyte	Cas No.	Sample Name: TRIP BLANK_204				MW-45_111522				MW-70_111522				MW-53_111522				MW-113_111522				MW-199S_111522				DUP-04			
		Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier
GC/MS VOC																													
<u>OSW-8260D</u>																													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	13	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	81	10	ug/l	---	140	13	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	72	25	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	13	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	13	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	13	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	290	10	ug/l	---	340	13	ug/l	---	1.0	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	260	25	ug/l	---
<u>OSW-8260DSIM</u>																													
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	1.3	2.0	ug/l	J	ND	2.0	ug/l	---	ND	2.0	ug/l	---	2.2	2.0	ug/l	---	ND	2.0	ug/l	---