

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/6/2022 3:01:59 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-176899-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/6/2022 3:01:59 PM

Authorized for release by
Ann Maddux, Project Management Assistant I
ann.maddux@et.eurofinsus.com
Designee for
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Job ID: 240-176899-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-176899-1**

Comments

No additional comments.

Receipt

The samples were received on 11/22/2022 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method 8260D SIM: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-56_111822 (240-176899-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-176899-1	TRIP BLANK_182	Water	11/18/22 00:00	11/22/22 09:40
240-176899-2	MW-56_111822	Water	11/18/22 10:20	11/22/22 09:40
240-176899-3	MW-32_111822	Water	11/18/22 11:30	11/22/22 09:40
240-176899-4	MW-39_111822	Water	11/18/22 12:30	11/22/22 09:40

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: TRIP BLANK_182

Lab Sample ID: 240-176899-1

No Detections.

Client Sample ID: MW-56_111822

Lab Sample ID: 240-176899-2

No Detections.

Client Sample ID: MW-32_111822

Lab Sample ID: 240-176899-3

No Detections.

Client Sample ID: MW-39_111822

Lab Sample ID: 240-176899-4

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: TRIP BLANK_182

Lab Sample ID: 240-176899-1

Date Collected: 11/18/22 00:00

Matrix: Water

Date Received: 11/22/22 09:40

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/22 02:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/22 02:40	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 02:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/22 02:40	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 02:40	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/22 02:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		62 - 137		12/01/22 02:40	1
4-Bromofluorobenzene (Surr)	97		56 - 136		12/01/22 02:40	1
Toluene-d8 (Surr)	102		78 - 122		12/01/22 02:40	1
Dibromofluoromethane (Surr)	96		73 - 120		12/01/22 02:40	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: MW-56_111822

Lab Sample ID: 240-176899-2

Date Collected: 11/18/22 10:20

Matrix: Water

Date Received: 11/22/22 09:40

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.0	U	4.0	1.7	ug/L			11/29/22 11:39	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120		11/29/22 11:39	2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/22 13:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/22 13:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 13:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/22 13:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 13:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/22 13:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		62 - 137		12/01/22 13:16	1
4-Bromofluorobenzene (Surr)	97		56 - 136		12/01/22 13:16	1
Toluene-d8 (Surr)	104		78 - 122		12/01/22 13:16	1
Dibromofluoromethane (Surr)	95		73 - 120		12/01/22 13:16	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: MW-32_111822

Lab Sample ID: 240-176899-3

Date Collected: 11/18/22 11:30

Matrix: Water

Date Received: 11/22/22 09:40

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/22 12:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		66 - 120		11/29/22 12:04	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/22 13:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/22 13:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 13:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/22 13:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 13:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/22 13:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		12/01/22 13:42	1
4-Bromofluorobenzene (Surr)	98		56 - 136		12/01/22 13:42	1
Toluene-d8 (Surr)	104		78 - 122		12/01/22 13:42	1
Dibromofluoromethane (Surr)	95		73 - 120		12/01/22 13:42	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: MW-39_111822

Lab Sample ID: 240-176899-4

Date Collected: 11/18/22 12:30

Matrix: Water

Date Received: 11/22/22 09:40

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/22 12:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		66 - 120		11/29/22 12:28	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/22 14:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/22 14:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 14:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/22 14:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 14:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/22 14:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137		12/01/22 14:07	1
4-Bromofluorobenzene (Surr)	95		56 - 136		12/01/22 14:07	1
Toluene-d8 (Surr)	102		78 - 122		12/01/22 14:07	1
Dibromofluoromethane (Surr)	93		73 - 120		12/01/22 14:07	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-176899-1	TRIP BLANK_182	88	97	102	96
240-176899-2	MW-56_111822	89	97	104	95
240-176899-3	MW-32_111822	92	98	104	95
240-176899-4	MW-39_111822	90	95	102	93
240-176901-H-2 MS	Matrix Spike	83	97	105	96
240-176901-N-2 MSD	Matrix Spike Duplicate	83	97	105	96
240-176993-F-1 MS	Matrix Spike	84	97	106	95
240-176993-I-1 MSD	Matrix Spike Duplicate	83	97	105	95
LCS 240-554038/4	Lab Control Sample	85	100	105	99
LCS 240-554040/3	Lab Control Sample	84	98	105	95
MB 240-554038/5	Method Blank	93	102	106	103
MB 240-554040/4	Method Blank	89	97	103	95

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-176899-2	MW-56_111822	105
240-176899-3	MW-32_111822	102
240-176899-4	MW-39_111822	102
240-176901-I-2 MS	Matrix Spike	99
240-176901-O-2 MSD	Matrix Spike Duplicate	104
LCS 240-553633/3	Lab Control Sample	109
MB 240-553633/4	Method Blank	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-554038/5
Matrix: Water
Analysis Batch: 554038

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/22 23:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/22 23:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/22 23:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/22 23:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/22 23:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/22 23:42	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		11/30/22 23:42	1
4-Bromofluorobenzene (Surr)	102		56 - 136		11/30/22 23:42	1
Toluene-d8 (Surr)	106		78 - 122		11/30/22 23:42	1
Dibromofluoromethane (Surr)	103		73 - 120		11/30/22 23:42	1

Lab Sample ID: LCS 240-554038/4
Matrix: Water
Analysis Batch: 554038

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	31.5		ug/L		126	63 - 134
cis-1,2-Dichloroethene	25.0	23.4		ug/L		94	77 - 123
Tetrachloroethene	25.0	25.2		ug/L		101	76 - 123
trans-1,2-Dichloroethene	25.0	23.4		ug/L		94	75 - 124
Trichloroethene	25.0	23.2		ug/L		93	70 - 122
Vinyl chloride	25.0	21.6		ug/L		86	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	85		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-176901-H-2 MS
Matrix: Water
Analysis Batch: 554038

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	26.9		ug/L		108	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	21.4		ug/L		86	66 - 128
Tetrachloroethene	1.0	U	25.0	23.8		ug/L		95	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	20.6		ug/L		83	56 - 136
Trichloroethene	1.0	U	25.0	20.6		ug/L		82	61 - 124
Vinyl chloride	0.75	J	25.0	20.3		ug/L		78	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	83		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	105		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-176901-H-2 MS
Matrix: Water
Analysis Batch: 554038

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	96		73 - 120

Lab Sample ID: 240-176901-N-2 MSD
Matrix: Water
Analysis Batch: 554038

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,1-Dichloroethene	1.0	U	25.0	28.9		ug/L		116	56 - 135	7	26
cis-1,2-Dichloroethene	1.0	U	25.0	21.5		ug/L		86	66 - 128	1	14
Tetrachloroethene	1.0	U	25.0	24.6		ug/L		99	62 - 131	4	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.9		ug/L		84	56 - 136	1	15
Trichloroethene	1.0	U	25.0	21.4		ug/L		86	61 - 124	4	15
Vinyl chloride	0.75	J	25.0	20.5		ug/L		79	43 - 157	1	24

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	83		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	97		56 - 136
<i>Toluene-d8 (Surr)</i>	105		78 - 122
<i>Dibromofluoromethane (Surr)</i>	96		73 - 120

Lab Sample ID: MB 240-554040/4
Matrix: Water
Analysis Batch: 554040

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB Result</i>	<i>MB Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/22 11:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/22 11:34	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 11:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/22 11:34	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/22 11:34	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/22 11:34	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	89		62 - 137		12/01/22 11:34	1
<i>4-Bromofluorobenzene (Surr)</i>	97		56 - 136		12/01/22 11:34	1
<i>Toluene-d8 (Surr)</i>	103		78 - 122		12/01/22 11:34	1
<i>Dibromofluoromethane (Surr)</i>	95		73 - 120		12/01/22 11:34	1

Lab Sample ID: LCS 240-554040/3
Matrix: Water
Analysis Batch: 554040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	25.0	29.0		ug/L		116	63 - 134
cis-1,2-Dichloroethene	25.0	22.3		ug/L		89	77 - 123
Tetrachloroethene	25.0	24.5		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	22.0		ug/L		88	75 - 124
Trichloroethene	25.0	21.4		ug/L		86	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-554040/3
Matrix: Water
Analysis Batch: 554040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	25.0	19.7		ug/L		79	60 - 144
Surrogate							
	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	84		62 - 137				
4-Bromofluorobenzene (Surr)	98		56 - 136				
Toluene-d8 (Surr)	105		78 - 122				
Dibromofluoromethane (Surr)	95		73 - 120				

Lab Sample ID: 240-176993-F-1 MS
Matrix: Water
Analysis Batch: 554040

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Tetrachloroethene	1.0	U	25.0	24.2		ug/L		97	62 - 131
Surrogate									
	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	84		62 - 137						
4-Bromofluorobenzene (Surr)	97		56 - 136						
Toluene-d8 (Surr)	106		78 - 122						
Dibromofluoromethane (Surr)	95		73 - 120						

Lab Sample ID: 240-176993-I-1 MSD
Matrix: Water
Analysis Batch: 554040

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tetrachloroethene	1.0	U	25.0	23.2		ug/L		93	62 - 131	4	20
Surrogate											
	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	83		62 - 137								
4-Bromofluorobenzene (Surr)	97		56 - 136								
Toluene-d8 (Surr)	105		78 - 122								
Dibromofluoromethane (Surr)	95		73 - 120								

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-553633/4
Matrix: Water
Analysis Batch: 553633

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/22 03:25	1
Surrogate									
	MB %Recovery	MB Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	102		66 - 120						
							Prepared	Analyzed	Dil Fac
								11/29/22 03:25	1

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-553633/3
Matrix: Water
Analysis Batch: 553633

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.98		ug/L		100	80 - 122
Surrogate							
	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	109		66 - 120				

Lab Sample ID: 240-176901-I-2 MS
Matrix: Water
Analysis Batch: 553633

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.1		10.0	12.7		ug/L		107	51 - 153
Surrogate									
	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	99		66 - 120						

Lab Sample ID: 240-176901-O-2 MSD
Matrix: Water
Analysis Batch: 553633

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.1		10.0	12.5		ug/L		104	51 - 153	2	16
Surrogate											
	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	104		66 - 120								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

GC/MS VOA

Analysis Batch: 553633

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176899-2	MW-56_111822	Total/NA	Water	8260D SIM	
240-176899-3	MW-32_111822	Total/NA	Water	8260D SIM	
240-176899-4	MW-39_111822	Total/NA	Water	8260D SIM	
MB 240-553633/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-553633/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-176901-I-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-176901-O-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 554038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176899-1	TRIP BLANK_182	Total/NA	Water	8260D	
MB 240-554038/5	Method Blank	Total/NA	Water	8260D	
LCS 240-554038/4	Lab Control Sample	Total/NA	Water	8260D	
240-176901-H-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-176901-N-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 554040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-176899-2	MW-56_111822	Total/NA	Water	8260D	
240-176899-3	MW-32_111822	Total/NA	Water	8260D	
240-176899-4	MW-39_111822	Total/NA	Water	8260D	
MB 240-554040/4	Method Blank	Total/NA	Water	8260D	
LCS 240-554040/3	Lab Control Sample	Total/NA	Water	8260D	
240-176993-F-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-176993-I-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Client Sample ID: TRIP BLANK_182

Lab Sample ID: 240-176899-1

Date Collected: 11/18/22 00:00

Matrix: Water

Date Received: 11/22/22 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	554038	CS	EET CAN	12/01/22 02:40

Client Sample ID: MW-56_111822

Lab Sample ID: 240-176899-2

Date Collected: 11/18/22 10:20

Matrix: Water

Date Received: 11/22/22 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	554040	CS	EET CAN	12/01/22 13:16
Total/NA	Analysis	8260D SIM		2	553633	CS	EET CAN	11/29/22 11:39

Client Sample ID: MW-32_111822

Lab Sample ID: 240-176899-3

Date Collected: 11/18/22 11:30

Matrix: Water

Date Received: 11/22/22 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	554040	CS	EET CAN	12/01/22 13:42
Total/NA	Analysis	8260D SIM		1	553633	CS	EET CAN	11/29/22 12:04

Client Sample ID: MW-39_111822

Lab Sample ID: 240-176899-4

Date Collected: 11/18/22 12:30

Matrix: Water

Date Received: 11/22/22 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	554040	CS	EET CAN	12/01/22 14:07
Total/NA	Analysis	8260D SIM		1	553633	CS	EET CAN	11/29/22 12:28

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-176899-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 29550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford I,TP On-Site Project Number: 30146655-401.03 PO # 30146655-401.03		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com Sampler Name: <u>Sommer Guy</u> Method of Shipment/Carrier: Shipping/Tracking No:		Site Contact: Christina Weaver Telephone: 248-994-2293 Analysis Turnaround Time TAT if different from below: <input checked="" type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day 10 day	
Lab Contact: Mike DeMonico Telephone: 330-497-9396		TestAmerica Laboratories, Inc. COC No: For lab use only Walk-in client Lab sampling Job/SDG No: Sample Specific Notes / Special Instructions:	
Sample Identification Sample Date Sample Time Sample ID --- --- TRIP BLANK_182 11/18/22 1020 MW-56-111822 11/18/22 1130 MW-32-111822 11/18/22 1230 MW-39-111822		Matrix Aqueous Sediment Solid Other: 1 6 6 6 H2SO4 HNO3 HCl NaOH ZnAc NaOH Other: Filtered Sample (Y/N) Composite=C/Grab=G 1-DCE 82608 cis-1,2-DCE 82608 Trans-1,2-DCE 82608 PCE 82608 TCE 82608 Vinyl Chloride 82608 1,4-Dioxane 82608 SIM	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Submit all results through Cadena at itomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.			
Relinquished by: <u>Sommer Guy</u> Relinquished by: <u>[Signature]</u> Relinquished by: <u>[Signature]</u>		Company: Arcadis Date/Time: 11/18/22 1320 Company: ARCADIS Date/Time: 11/23/22 Company: EETA Date/Time: 11/21/22	
Relinquished by: <u>[Signature]</u>		Company: EETA Date/Time: 11/21/22 Received in Laboratory by: <u>[Signature]</u> Received by: <u>[Signature]</u> Received by: <u>[Signature]</u> Company: Arcadis Date/Time: 11/18/22 1320 Company: EETA Date/Time: 11/21/22 Company: KETOC Date/Time: 11-22-22 940	



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Client Accadis Site Name _____ Cooler unpacked by: Vandy Boyd
 Cooler Received on 11-22-22 Opened on 11-22-22
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # 1A Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-13 (CF +0.7 °C) Observed Cooler Temp 25 °C Corrected Cooler Temp 3.2 °C
 IR GUN #IR-15 (CF 0.0°C) Observed Cooler Temp _____ °C Corrected Cooler Temp _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1

Yes	No
Yes	No NA
Yes	No
Yes	No NA
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC286797
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62070 Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



December 07, 2022

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30146655.401.03- onsite groundwater
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Barberton
Laboratory submittal: 176899-1
Sample date: 2022-11-18
Report received by CADENA: 2022-12-06
Initial Data Verification completed by CADENA: 2022-12-07
Number of Samples:4
Sample Matrices: Water and trip blank
Test Categories: GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.