

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/10/2023 5:23:49 AM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-181214-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/10/2023 5:23:49 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Job ID: 240-181214-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-181214-1

Receipt

The samples were received on 3/2/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.6°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-181214-1	TRIP BLANK_161	Water	02/28/23 00:00	03/02/23 08:00
240-181214-2	MW-64_022823	Water	02/28/23 12:35	03/02/23 08:00
240-181214-3	MW-69_022823	Water	02/28/23 13:35	03/02/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Client Sample ID: TRIP BLANK_161

Lab Sample ID: 240-181214-1

No Detections.

Client Sample ID: MW-64_022823

Lab Sample ID: 240-181214-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.47	J	1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	3.0		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-69_022823

Lab Sample ID: 240-181214-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	17		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.46	J	1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Client Sample ID: TRIP BLANK_161

Lab Sample ID: 240-181214-1

Date Collected: 02/28/23 00:00

Matrix: Water

Date Received: 03/02/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 15:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 15:37	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 15:37	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:37	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 15:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137		03/08/23 15:37	1
4-Bromofluorobenzene (Surr)	78		56 - 136		03/08/23 15:37	1
Toluene-d8 (Surr)	84		78 - 122		03/08/23 15:37	1
Dibromofluoromethane (Surr)	89		73 - 120		03/08/23 15:37	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Client Sample ID: MW-64_022823

Lab Sample ID: 240-181214-2

Date Collected: 02/28/23 12:35

Matrix: Water

Date Received: 03/02/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 16:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		66 - 120					03/08/23 16:19	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 21:51	1
cis-1,2-Dichloroethene	0.47	J	1.0	0.46	ug/L			03/08/23 21:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 21:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 21:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 21:51	1
Vinyl chloride	3.0		1.0	0.45	ug/L			03/08/23 21:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		62 - 137					03/08/23 21:51	1
4-Bromofluorobenzene (Surr)	79		56 - 136					03/08/23 21:51	1
Toluene-d8 (Surr)	84		78 - 122					03/08/23 21:51	1
Dibromofluoromethane (Surr)	91		73 - 120					03/08/23 21:51	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Client Sample ID: MW-69_022823

Lab Sample ID: 240-181214-3

Date Collected: 02/28/23 13:35

Matrix: Water

Date Received: 03/02/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	17		2.0	0.86	ug/L			03/08/23 16:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		66 - 120					03/08/23 16:43	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 22:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 22:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 22:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 22:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 22:16	1
Vinyl chloride	0.46	J	1.0	0.45	ug/L			03/08/23 22:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		62 - 137					03/08/23 22:16	1
4-Bromofluorobenzene (Surr)	76		56 - 136					03/08/23 22:16	1
Toluene-d8 (Surr)	83		78 - 122					03/08/23 22:16	1
Dibromofluoromethane (Surr)	85		73 - 120					03/08/23 22:16	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-181214-1	TRIP BLANK_161	85	78	84	89
240-181214-2	MW-64_022823	87	79	84	91
240-181214-3	MW-69_022823	87	76	83	85
240-181238-B-4 MS	Matrix Spike	86	80	84	90
240-181238-B-4 MSD	Matrix Spike Duplicate	84	79	82	88
LCS 240-564664/5	Lab Control Sample	84	81	85	87
MB 240-564664/8	Method Blank	85	80	84	88

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-181214-2	MW-64_022823	101
240-181214-3	MW-69_022823	113
240-181309-G-6 MS	Matrix Spike	101
240-181309-H-6 MSD	Matrix Spike Duplicate	114
LCS 240-564633/4	Lab Control Sample	103
MB 240-564633/6	Method Blank	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-564664/8
Matrix: Water
Analysis Batch: 564664

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 14:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 14:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 14:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 14:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 14:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 14:47	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	85		62 - 137		03/08/23 14:47	1
4-Bromofluorobenzene (Surr)	80		56 - 136		03/08/23 14:47	1
Toluene-d8 (Surr)	84		78 - 122		03/08/23 14:47	1
Dibromofluoromethane (Surr)	88		73 - 120		03/08/23 14:47	1

Lab Sample ID: LCS 240-564664/5
Matrix: Water
Analysis Batch: 564664

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	25.1		ug/L		100	63 - 134
cis-1,2-Dichloroethene	25.0	25.7		ug/L		103	77 - 123
Tetrachloroethene	25.0	25.2		ug/L		101	76 - 123
trans-1,2-Dichloroethene	25.0	25.4		ug/L		101	75 - 124
Trichloroethene	25.0	24.6		ug/L		98	70 - 122
Vinyl chloride	12.5	10.5		ug/L		84	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	81		56 - 136
Toluene-d8 (Surr)	85		78 - 122
Dibromofluoromethane (Surr)	87		73 - 120

Lab Sample ID: 240-181238-B-4 MS
Matrix: Water
Analysis Batch: 564664

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	20	U	500	491		ug/L		98	56 - 135
cis-1,2-Dichloroethene	20	U	500	490		ug/L		98	66 - 128
Tetrachloroethene	20	U	500	485		ug/L		97	62 - 131
trans-1,2-Dichloroethene	20	U	500	475		ug/L		95	56 - 136
Trichloroethene	20	U	500	460		ug/L		92	61 - 124
Vinyl chloride	20	U	250	199		ug/L		80	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	80		56 - 136
Toluene-d8 (Surr)	84		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181238-B-4 MS
Matrix: Water
Analysis Batch: 564664

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: 240-181238-B-4 MSD
Matrix: Water
Analysis Batch: 564664

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	20	U	500	473		ug/L		95	56 - 135	4	26
cis-1,2-Dichloroethene	20	U	500	479		ug/L		96	66 - 128	2	14
Tetrachloroethene	20	U	500	475		ug/L		95	62 - 131	2	20
trans-1,2-Dichloroethene	20	U	500	461		ug/L		92	56 - 136	3	15
Trichloroethene	20	U	500	445		ug/L		89	61 - 124	3	15
Vinyl chloride	20	U	250	194		ug/L		78	43 - 157	2	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	79		56 - 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	88		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-564633/6
Matrix: Water
Analysis Batch: 564633

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 12:16	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	97		66 - 120		03/08/23 12:16	1

Lab Sample ID: LCS 240-564633/4
Matrix: Water
Analysis Batch: 564633

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	10.0	8.99		ug/L		90	80 - 122

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		66 - 120

Lab Sample ID: 240-181309-G-6 MS
Matrix: Water
Analysis Batch: 564633

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				Limits
1,4-Dioxane	2.0	U F2	10.0	11.0		ug/L		110	51 - 153

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 120

Lab Sample ID: 240-181309-H-6 MSD
Matrix: Water
Analysis Batch: 564633

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U F2	10.0	13.4	F2	ug/L		134	51 - 153	20	16

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	114		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

GC/MS VOA

Analysis Batch: 564633

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181214-2	MW-64_022823	Total/NA	Water	8260D SIM	
240-181214-3	MW-69_022823	Total/NA	Water	8260D SIM	
MB 240-564633/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564633/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181309-G-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-181309-H-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 564664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181214-1	TRIP BLANK_161	Total/NA	Water	8260D	
240-181214-2	MW-64_022823	Total/NA	Water	8260D	
240-181214-3	MW-69_022823	Total/NA	Water	8260D	
MB 240-564664/8	Method Blank	Total/NA	Water	8260D	
LCS 240-564664/5	Lab Control Sample	Total/NA	Water	8260D	
240-181238-B-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-181238-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Client Sample ID: TRIP BLANK_161

Lab Sample ID: 240-181214-1

Date Collected: 02/28/23 00:00

Matrix: Water

Date Received: 03/02/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	564664	SAM	EET CAN	03/08/23 15:37

Client Sample ID: MW-64_022823

Lab Sample ID: 240-181214-2

Date Collected: 02/28/23 12:35

Matrix: Water

Date Received: 03/02/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	564664	SAM	EET CAN	03/08/23 21:51
Total/NA	Analysis	8260D SIM		1	564633	BAJ	EET CAN	03/08/23 16:19

Client Sample ID: MW-69_022823

Lab Sample ID: 240-181214-3

Date Collected: 02/28/23 13:35

Matrix: Water

Date Received: 03/02/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	564664	SAM	EET CAN	03/08/23 22:16
Total/NA	Analysis	8260D SIM		1	564633	BAJ	EET CAN	03/08/23 16:43

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181214-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23 *
Ohio VAP	State	CL0024	02-27-23 *
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		Site Contact: Christina Weaver Telephone: 248-994-2240												
Sampler Name: Sommer Guy Method of Shipment/Carrier:		Analysis Turnaround Time TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <input type="checkbox"/>												
Shipping/Tracking No:		Containers & Preservatives H2SO4 <input type="checkbox"/> HNO3 <input type="checkbox"/> HCl <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> NaOH <input type="checkbox"/> Other:												
Sample Identification	Sample Date	Sample Time	Matrix				Filtered Sample (Y/N)	Analyses						Special Specific Notes / Special Instructions:
			Air	Aqueous	Sediment	Solid		Other:	1,1-DCE 8260B	Cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	
TRIP BLANK_ 161	-	---	1					NG	X	X	X	X	X	1 Trip Blank
MW-64-022823	2/28/23	1235	6					NG	X	X	X	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-69-022823	2/28/23	1335	6					NG	X	X	X	X	X	I
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown													Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jromalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.														
Relinquished by: Sommer Guy		Company: Arcadis		Date/Time: 2/25/23 1420		Received by: Novi Cold Storage		Company: Arcadis		Date/Time: 2/24/23 1420				
Relinquished by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 3/1/23 1030		Received by: <i>[Signature]</i>		Company: EETA		Date/Time: 3/1/23 1630				
Relinquished by: <i>[Signature]</i>		Company: EETA		Date/Time: 3/1/23 10:30		Received in Laboratory by: <i>[Signature]</i>		Company: EETA		Date/Time: 3-2-23 800				

Eurofins - Canton Sample Receipt Form/Narrative Login # : _____
Barberon Facility
 Client Arcadis Site Name _____ Cooler unpacked by: Nancy Rye
 Cooler Received on 3-2-23 Opened on 3-2-23
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____
 Receipt After-hours: Drop-off Date/Time _____ Storage Location _____
 Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None _____
 See Multiple Cooler Form
 1. Cooler temperature upon receipt
 IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. 0.7 °C Corrected Cooler Temp. 0.6 °C
 IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
 3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11. Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.
 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC20384
 14. Were VOAs on the COC? Yes No
 15. Were air bubbles >6 mm in any VOA vials? Yes ← Larger than this. Yes No NA
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62070 Yes No
 17. Was a LL Hg or Me Hg trip blank present? Yes No
 Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



March 10, 2023

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil

Project number: 30167538.401.03- onsite groundwater

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory submittal: 181214-1

Sample date: 2023-02-28

Report received by CADENA: 2023-03-10

Initial Data Verification completed by CADENA: 2023-03-10

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC SIM QC batch MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 181214-1

Sample Name:	TRIP BLANK_161	MW-64_022823	MW-69_022823
Lab Sample ID:	2401812141	2401812142	2401812143
Sample Date:	2/28/2023	2/28/2023	2/28/2023

Analyte	Cas No.	TRIP BLANK_161				MW-64_022823				MW-69_022823			
		Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier
GC/MS VOC													
<u>OSW-8260D</u>													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.47	1.0	ug/l	J	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	3.0	1.0	ug/l	---	0.46	1.0	ug/l	J
<u>OSW-8260DSIM</u>													
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	17	2.0	ug/l	---