

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/17/2023 2:22:45 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-181397-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/17/2023 2:22:45 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Job ID: 240-181397-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-181397-1

Receipt

The samples were received on 3/4/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.3°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-181397-1	TRIP BLANK_71	Water	03/02/23 00:00	03/04/23 08:00
240-181397-2	MW-58_030223	Water	03/02/23 12:12	03/04/23 08:00
240-181397-3	MW-19_030223	Water	03/02/23 13:25	03/04/23 08:00
240-181397-4	MW-29_030223	Water	03/02/23 15:00	03/04/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-181397-1

No Detections.

Client Sample ID: MW-58_030223

Lab Sample ID: 240-181397-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	2.5		2.0	0.86	ug/L			1	8260D SIM	Total/NA

Client Sample ID: MW-19_030223

Lab Sample ID: 240-181397-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	170		2.0	0.86	ug/L			1	8260D SIM	Total/NA
cis-1,2-Dichloroethene	0.50	J	1.0	0.46	ug/L			1	8260D	Total/NA
Trichloroethene	0.72	J	1.0	0.44	ug/L			1	8260D	Total/NA
Vinyl chloride	0.88	J	1.0	0.45	ug/L			1	8260D	Total/NA

Client Sample ID: MW-29_030223

Lab Sample ID: 240-181397-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	5.2		2.0	0.86	ug/L			1	8260D SIM	Total/NA
Vinyl chloride	0.48	J	1.0	0.45	ug/L			1	8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-181397-1

Date Collected: 03/02/23 00:00

Matrix: Water

Date Received: 03/04/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 16:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 16:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 16:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 16:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 16:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 16:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		03/11/23 16:27	1
4-Bromofluorobenzene (Surr)	109		56 - 136		03/11/23 16:27	1
Toluene-d8 (Surr)	105		78 - 122		03/11/23 16:27	1
Dibromofluoromethane (Surr)	102		73 - 120		03/11/23 16:27	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: MW-58_030223

Lab Sample ID: 240-181397-2

Date Collected: 03/02/23 12:12

Matrix: Water

Date Received: 03/04/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.5		2.0	0.86	ug/L			03/16/23 12:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120					03/16/23 12:33	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 16:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 16:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 16:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 16:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 16:51	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 16:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					03/11/23 16:51	1
4-Bromofluorobenzene (Surr)	108		56 - 136					03/11/23 16:51	1
Toluene-d8 (Surr)	106		78 - 122					03/11/23 16:51	1
Dibromofluoromethane (Surr)	103		73 - 120					03/11/23 16:51	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: MW-19_030223

Lab Sample ID: 240-181397-3

Date Collected: 03/02/23 13:25

Matrix: Water

Date Received: 03/04/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	170		2.0	0.86	ug/L			03/14/23 18:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120					03/14/23 18:14	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 17:16	1
cis-1,2-Dichloroethene	0.50	J	1.0	0.46	ug/L			03/11/23 17:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 17:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 17:16	1
Trichloroethene	0.72	J	1.0	0.44	ug/L			03/11/23 17:16	1
Vinyl chloride	0.88	J	1.0	0.45	ug/L			03/11/23 17:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					03/11/23 17:16	1
4-Bromofluorobenzene (Surr)	109		56 - 136					03/11/23 17:16	1
Toluene-d8 (Surr)	107		78 - 122					03/11/23 17:16	1
Dibromofluoromethane (Surr)	103		73 - 120					03/11/23 17:16	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: MW-29_030223

Lab Sample ID: 240-181397-4

Date Collected: 03/02/23 15:00

Matrix: Water

Date Received: 03/04/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.2		2.0	0.86	ug/L			03/14/23 17:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 120					03/14/23 17:01	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 17:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 17:40	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 17:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 17:40	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 17:40	1
Vinyl chloride	0.48	J	1.0	0.45	ug/L			03/11/23 17:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137					03/11/23 17:40	1
4-Bromofluorobenzene (Surr)	107		56 - 136					03/11/23 17:40	1
Toluene-d8 (Surr)	104		78 - 122					03/11/23 17:40	1
Dibromofluoromethane (Surr)	101		73 - 120					03/11/23 17:40	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-181397-1	TRIP BLANK_71	94	109	105	102
240-181397-2	MW-58_030223	94	108	106	103
240-181397-3	MW-19_030223	90	109	107	103
240-181397-4	MW-29_030223	93	107	104	101
240-181398-E-5 MS	Matrix Spike	94	108	103	105
240-181398-H-5 MSD	Matrix Spike Duplicate	96	111	106	105
LCS 240-565039/5	Lab Control Sample	95	112	105	104
MB 240-565039/10	Method Blank	95	111	105	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-181397-2	MW-58_030223	83
240-181397-3	MW-19_030223	89
240-181397-4	MW-29_030223	93
240-181595-E-2 MS	Matrix Spike	87
240-181595-F-2 MSD	Matrix Spike Duplicate	83
240-181596-F-5 MSD	Matrix Spike Duplicate	94
240-181596-I-5 MS	Matrix Spike	95
LCS 240-565304/4	Lab Control Sample	84
LCS 240-565607/4	Lab Control Sample	85
MB 240-565304/6	Method Blank	81
MB 240-565607/6	Method Blank	83

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-565039/10

Matrix: Water

Analysis Batch: 565039

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/23 12:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/23 12:50	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 12:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/23 12:50	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/23 12:50	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/23 12:50	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		03/11/23 12:50	1
4-Bromofluorobenzene (Surr)	111		56 - 136		03/11/23 12:50	1
Toluene-d8 (Surr)	105		78 - 122		03/11/23 12:50	1
Dibromofluoromethane (Surr)	105		73 - 120		03/11/23 12:50	1

Lab Sample ID: LCS 240-565039/5

Matrix: Water

Analysis Batch: 565039

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	18.3		ug/L		91	63 - 134
cis-1,2-Dichloroethene	20.0	18.6		ug/L		93	77 - 123
Tetrachloroethene	20.0	19.5		ug/L		97	76 - 123
trans-1,2-Dichloroethene	20.0	18.3		ug/L		91	75 - 124
Trichloroethene	20.0	18.6		ug/L		93	70 - 122
Vinyl chloride	20.0	15.6		ug/L		78	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	112		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

Lab Sample ID: 240-181398-E-5 MS

Matrix: Water

Analysis Batch: 565039

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	17.8		ug/L		89	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	17.6		ug/L		88	66 - 128
Tetrachloroethene	1.0	U	20.0	18.7		ug/L		94	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	17.5		ug/L		88	56 - 136
Trichloroethene	1.0	U	20.0	17.8		ug/L		89	61 - 124
Vinyl chloride	1.0	U	20.0	15.5		ug/L		78	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	103		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181398-E-5 MS
Matrix: Water
Analysis Batch: 565039

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	105		73 - 120

Lab Sample ID: 240-181398-H-5 MSD
Matrix: Water
Analysis Batch: 565039

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	18.9		ug/L		95	56 - 135	6	26
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		94	66 - 128	7	14
Tetrachloroethene	1.0	U	20.0	19.7		ug/L		99	62 - 131	5	20
trans-1,2-Dichloroethene	1.0	U	20.0	18.6		ug/L		93	56 - 136	6	15
Trichloroethene	1.0	U	20.0	19.0		ug/L		95	61 - 124	7	15
Vinyl chloride	1.0	U	20.0	15.8		ug/L		79	43 - 157	2	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	111		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-565304/6
Matrix: Water
Analysis Batch: 565304

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/14/23 12:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120		03/14/23 12:34	1

Lab Sample ID: LCS 240-565304/4
Matrix: Water
Analysis Batch: 565304

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		66 - 120

Lab Sample ID: 240-181595-E-2 MS
Matrix: Water
Analysis Batch: 565304

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	51 - 153

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	<i>MS</i> %Recovery	<i>MS</i> Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		66 - 120

Lab Sample ID: 240-181595-F-2 MSD
Matrix: Water
Analysis Batch: 565304

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.8		ug/L		108	51 - 153	2	16

Surrogate	<i>MSD</i> %Recovery	<i>MSD</i> Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		66 - 120

Lab Sample ID: MB 240-565607/6
Matrix: Water
Analysis Batch: 565607

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/16/23 12:09	1

Surrogate	<i>MB</i> %Recovery	<i>MB</i> Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120		03/16/23 12:09	1

Lab Sample ID: LCS 240-565607/4
Matrix: Water
Analysis Batch: 565607

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 122

Surrogate	<i>LCS</i> %Recovery	<i>LCS</i> Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		66 - 120

Lab Sample ID: 240-181596-F-5 MSD
Matrix: Water
Analysis Batch: 565607

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.6		ug/L		116	51 - 153	7	16

Surrogate	<i>MSD</i> %Recovery	<i>MSD</i> Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		66 - 120

Lab Sample ID: 240-181596-I-5 MS
Matrix: Water
Analysis Batch: 565607

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	12.4		ug/L		124	51 - 153

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-181596-I-5 MS

Matrix: Water

Analysis Batch: 565607

Client Sample ID: Matrix Spike

Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	95		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

GC/MS VOA

Analysis Batch: 565039

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181397-1	TRIP BLANK_71	Total/NA	Water	8260D	
240-181397-2	MW-58_030223	Total/NA	Water	8260D	
240-181397-3	MW-19_030223	Total/NA	Water	8260D	
240-181397-4	MW-29_030223	Total/NA	Water	8260D	
MB 240-565039/10	Method Blank	Total/NA	Water	8260D	
LCS 240-565039/5	Lab Control Sample	Total/NA	Water	8260D	
240-181398-E-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-181398-H-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 565304

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181397-3	MW-19_030223	Total/NA	Water	8260D SIM	
240-181397-4	MW-29_030223	Total/NA	Water	8260D SIM	
MB 240-565304/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-565304/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181595-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-181595-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 565607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181397-2	MW-58_030223	Total/NA	Water	8260D SIM	
MB 240-565607/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-565607/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181596-F-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-181596-I-5 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-181397-1

Date Collected: 03/02/23 00:00

Matrix: Water

Date Received: 03/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565039	HMB	EET CAN	03/11/23 16:27

Client Sample ID: MW-58_030223

Lab Sample ID: 240-181397-2

Date Collected: 03/02/23 12:12

Matrix: Water

Date Received: 03/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565039	HMB	EET CAN	03/11/23 16:51
Total/NA	Analysis	8260D SIM		1	565607	BAJ	EET CAN	03/16/23 12:33

Client Sample ID: MW-19_030223

Lab Sample ID: 240-181397-3

Date Collected: 03/02/23 13:25

Matrix: Water

Date Received: 03/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565039	HMB	EET CAN	03/11/23 17:16
Total/NA	Analysis	8260D SIM		1	565304	BAJ	EET CAN	03/14/23 18:14

Client Sample ID: MW-29_030223

Lab Sample ID: 240-181397-4

Date Collected: 03/02/23 15:00

Matrix: Water

Date Received: 03/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565039	HMB	EET CAN	03/11/23 17:40
Total/NA	Analysis	8260D SIM		1	565304	BAJ	EET CAN	03/14/23 17:01

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181397-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23 *
Ohio VAP	State	CL0024	02-27-23 *
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-228-2763

Client Contact
 Company Name: Arcadis
 Address: 28550 Cabot Drive, Suite 500
 City/State/Zip: Novi, MI, 48377
 Phone: 248-994-2240
 Project Name: Ford I, TP On-Site
 Project Number: 30167538.401.03
 PO # 30167538.401.03

Regulatory program: DW NPDES RCRA Other
 Client Project Manager: Kris Hinskey
 Telephone: 248-994-2240
 Email: krisofster.hinskey@arcadis.com
 Site Contact: Christina Weaver
 Telephone: 330-497-9396
 Lab Contact: Mike DeMontico

Analysis Turnaround Time
 TAT if different from below
 3 weeks
 2 weeks
 1 week
 2 days
 1 day
Analysis: 1-DCE 8260B, Composite-C / Grab-C, 1,4-DCE 8260B, Trans-1,2-DCE 8260B, PCE 8260B, TCE 8260B, Vinyl Chloride 8260B, 1,4-Dioxane 8260B SIM

Sample Identification	Sample Date	Sample Time	Matrix			Containers & Preservatives						Filtered Sample (Y/N)	Sample Specific Notes / Special Instructions:	
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH			Lead/NaOH
TRIP BLANK_71	3/2/23	---	1											1 Trip Blank
MW-58-030223	3/2/23	12:12	6											3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-19-030223	3/2/23	13:25	6											4
MW-29-030223	3/2/23	15:00	6											4



Possible Hazard Identification
 Non-Hazard Irritant Poison B Inknown
Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jfomalia@cadenaco.com. Cadena #E203728
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
<i>Justin Jynard</i>	Arcadis	03/02/23 16:55	NOVI cold storage	arcadis	03/02/23 16:55
<i>Christina Weaver</i>	ARCADIS	3/3/23 1230	<i>Christina Weaver</i>	ARCADIS	3/3/23 1230
<i>Christina Weaver</i>	ARCADIS	3/3/23 12:40	<i>Christina Weaver</i>	ARCADIS	3/3/23 1230

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months



Eurofins - Canton Sample Receipt Form/Narrative Login # : _____
Barberton Facility

Client Ascadi's Site Name _____ Cooler unpacked by: Charlie K
Cooler Received on 3-4-23 Opened on 3-4-23
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____


Eurofins Cooler # PLC Foam Box _____ Client Cooler _____ Box _____ Other _____
Packing material used: Bubble Wrap _____ Foam ~~Plastic Bag~~ _____ None _____ Other _____
COOLANT: Water Blue Ice _____ Dry Ice _____ Water _____ None _____

See Multiple Cooler Form

1. Cooler temperature upon receipt
IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. 2.4 °C Corrected Cooler Temp. 2.3 °C
IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC293086
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Control Yes No NA
17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



March 20, 2023

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30167538.401.03- onsite groundwater
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Barberton
Laboratory submittal: 181397-1
Sample date: 2023-03-02
Report received by CADENA: 2023-03-20
Initial Data Verification completed by CADENA: 2023-03-20
Number of Samples:4
Sample Matrices:Water and trip blank
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 181397-1

Analyte	Cas No.	Sample Name: TRIP BLANK_71				MW-58_030223				MW-19_030223				MW-29_030223			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
		2401813971				2401813972				2401813973				2401813974			
		3/2/2023				3/2/2023				3/2/2023				3/2/2023			

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.50	1.0	ug/l	J	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.72	1.0	ug/l	J	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.88	1.0	ug/l	J	0.48	1.0	ug/l	J

OSW-8260DSIM

1,4-Dioxane	123-91-1					2.5	2.0	ug/l	---	170	2.0	ug/l	---	5.2	2.0	ug/l	---
-------------	----------	--	--	--	--	-----	-----	------	-----	-----	-----	------	-----	-----	-----	------	-----