

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Kristoffer Hinskey
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/22/2023 7:53:05 AM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-181766-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/22/2023 7:53:05 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	15
QC Sample Results	16
QC Association Summary	23
Lab Chronicle	24
Certification Summary	25
Chain of Custody	26
Receipt Checklists	28

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Job ID: 240-181766-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-181766-1**

Receipt

The samples were received on 3/11/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-181766-1	TRIP BLANK_65	Water	03/09/23 00:00	03/11/23 08:00
240-181766-2	MW-212S_030923	Water	03/09/23 10:55	03/11/23 08:00
240-181766-3	MW-213S_030923	Water	03/09/23 12:05	03/11/23 08:00
240-181766-4	MW-43_030923	Water	03/09/23 13:15	03/11/23 08:00
240-181766-5	MW-52_030923	Water	03/09/23 15:10	03/11/23 08:00
240-181766-6	MW-35_030923	Water	03/09/23 16:30	03/11/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-181766-1

No Detections.

Client Sample ID: MW-212S_030923

Lab Sample ID: 240-181766-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.0		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	0.61	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-213S_030923

Lab Sample ID: 240-181766-3

No Detections.

Client Sample ID: MW-43_030923

Lab Sample ID: 240-181766-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.92	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-52_030923

Lab Sample ID: 240-181766-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.7		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	1.5		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-35_030923

Lab Sample ID: 240-181766-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	3.1		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	5.4		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-181766-1

Date Collected: 03/09/23 00:00

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/23 16:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/23 16:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 16:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/23 16:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 16:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/15/23 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		03/15/23 16:30	1
4-Bromofluorobenzene (Surr)	87		56 - 136		03/15/23 16:30	1
Toluene-d8 (Surr)	93		78 - 122		03/15/23 16:30	1
Dibromofluoromethane (Surr)	99		73 - 120		03/15/23 16:30	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: MW-212S_030923

Lab Sample ID: 240-181766-2

Date Collected: 03/09/23 10:55

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/17/23 20:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120					03/17/23 20:23	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/23 22:21	1
cis-1,2-Dichloroethene	1.0		1.0	0.46	ug/L			03/15/23 22:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 22:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/23 22:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 22:21	1
Vinyl chloride	0.61	J	1.0	0.45	ug/L			03/15/23 22:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					03/15/23 22:21	1
4-Bromofluorobenzene (Surr)	84		56 - 136					03/15/23 22:21	1
Toluene-d8 (Surr)	92		78 - 122					03/15/23 22:21	1
Dibromofluoromethane (Surr)	95		73 - 120					03/15/23 22:21	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: MW-213S_030923

Lab Sample ID: 240-181766-3

Date Collected: 03/09/23 12:05

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/17/23 20:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		66 - 120					03/17/23 20:48	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/23 22:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/23 22:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 22:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/23 22:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 22:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/15/23 22:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					03/15/23 22:46	1
4-Bromofluorobenzene (Surr)	82		56 - 136					03/15/23 22:46	1
Toluene-d8 (Surr)	90		78 - 122					03/15/23 22:46	1
Dibromofluoromethane (Surr)	101		73 - 120					03/15/23 22:46	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: MW-43_030923

Lab Sample ID: 240-181766-4

Date Collected: 03/09/23 13:15

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.92	J	2.0	0.86	ug/L			03/18/23 15:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		66 - 120		03/18/23 15:58	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/17/23 12:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/17/23 12:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 12:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/17/23 12:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 12:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/17/23 12:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		03/17/23 12:48	1
4-Bromofluorobenzene (Surr)	92		56 - 136		03/17/23 12:48	1
Toluene-d8 (Surr)	98		78 - 122		03/17/23 12:48	1
Dibromofluoromethane (Surr)	100		73 - 120		03/17/23 12:48	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: MW-52_030923

Lab Sample ID: 240-181766-5

Date Collected: 03/09/23 15:10

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.7		2.0	0.86	ug/L			03/18/23 10:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120					03/18/23 10:18	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/23 23:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/23 23:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 23:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/23 23:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 23:11	1
Vinyl chloride	1.5		1.0	0.45	ug/L			03/15/23 23:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					03/15/23 23:11	1
4-Bromofluorobenzene (Surr)	82		56 - 136					03/15/23 23:11	1
Toluene-d8 (Surr)	92		78 - 122					03/15/23 23:11	1
Dibromofluoromethane (Surr)	99		73 - 120					03/15/23 23:11	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: MW-35_030923

Lab Sample ID: 240-181766-6

Date Collected: 03/09/23 16:30

Matrix: Water

Date Received: 03/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	3.1		2.0	0.86	ug/L			03/18/23 10:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		66 - 120					03/18/23 10:42	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/17/23 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/17/23 18:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/17/23 18:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 18:31	1
Vinyl chloride	5.4		1.0	0.45	ug/L			03/17/23 18:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137					03/17/23 18:31	1
4-Bromofluorobenzene (Surr)	83		56 - 136					03/17/23 18:31	1
Toluene-d8 (Surr)	89		78 - 122					03/17/23 18:31	1
Dibromofluoromethane (Surr)	101		73 - 120					03/17/23 18:31	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-181713-F-4 MS	Matrix Spike	86	94	95	96
240-181713-I-4 MSD	Matrix Spike Duplicate	86	96	97	95
240-181763-F-4 MS	Matrix Spike	106	91	97	94
240-181763-I-4 MSD	Matrix Spike Duplicate	105	91	93	99
240-181766-1	TRIP BLANK_65	109	87	93	99
240-181766-2	MW-212S_030923	109	84	92	95
240-181766-3	MW-213S_030923	113	82	90	101
240-181766-4	MW-43_030923	104	92	98	100
240-181766-4 MS	MW-43_030923	101	102	100	100
240-181766-4 MSD	MW-43_030923	98	100	99	100
240-181766-5	MW-52_030923	113	82	92	99
240-181766-6	MW-35_030923	92	83	89	101
LCS 240-565491/5	Lab Control Sample	101	92	93	94
LCS 240-565794/4	Lab Control Sample	99	101	98	99
LCS 240-565838/5	Lab Control Sample	91	98	99	98
MB 240-565491/8	Method Blank	106	84	92	97
MB 240-565794/7	Method Blank	103	94	98	98
MB 240-565838/10	Method Blank	98	88	92	104

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-181763-H-4 MSD	Matrix Spike Duplicate	91
240-181763-K-4 MS	Matrix Spike	83
240-181766-2	MW-212S_030923	86
240-181766-3	MW-213S_030923	90
240-181766-4	MW-43_030923	85
240-181766-4 MS	MW-43_030923	84
240-181766-4 MSD	MW-43_030923	82
240-181766-5	MW-52_030923	89
240-181766-6	MW-35_030923	90
LCS 240-565819/4	Lab Control Sample	83
LCS 240-565901/4	Lab Control Sample	83
MB 240-565819/6	Method Blank	85
MB 240-565901/6	Method Blank	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-565491/8
Matrix: Water
Analysis Batch: 565491

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/23 15:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/23 15:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 15:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/23 15:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/23 15:15	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/15/23 15:15	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		03/15/23 15:15	1
4-Bromofluorobenzene (Surr)	84		56 - 136		03/15/23 15:15	1
Toluene-d8 (Surr)	92		78 - 122		03/15/23 15:15	1
Dibromofluoromethane (Surr)	97		73 - 120		03/15/23 15:15	1

Lab Sample ID: LCS 240-565491/5
Matrix: Water
Analysis Batch: 565491

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	16.6		ug/L		83	63 - 134
cis-1,2-Dichloroethene	20.0	18.0		ug/L		90	77 - 123
Tetrachloroethene	20.0	20.2		ug/L		101	76 - 123
trans-1,2-Dichloroethene	20.0	19.3		ug/L		96	75 - 124
Trichloroethene	20.0	18.9		ug/L		95	70 - 122
Vinyl chloride	20.0	21.2		ug/L		106	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-181763-F-4 MS
Matrix: Water
Analysis Batch: 565491

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	15.5		ug/L		78	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	16.8		ug/L		84	66 - 128
Tetrachloroethene	1.0	U	20.0	18.0		ug/L		90	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	56 - 136
Trichloroethene	1.0	U	20.0	17.2		ug/L		86	61 - 124
Vinyl chloride	1.0	U	20.0	20.5		ug/L		103	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	97		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181763-F-4 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 565491

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-181763-I-4 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 565491

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1,1-Dichloroethene	1.0	U	20.0	16.3		ug/L		81	56 - 135	5	26
cis-1,2-Dichloroethene	1.0	U	20.0	17.3		ug/L		86	66 - 128	3	14
Tetrachloroethene	1.0	U	20.0	18.4		ug/L		92	62 - 131	2	20
trans-1,2-Dichloroethene	1.0	U	20.0	18.5		ug/L		93	56 - 136	3	15
Trichloroethene	1.0	U	20.0	17.9		ug/L		89	61 - 124	4	15
Vinyl chloride	1.0	U	20.0	21.7		ug/L		108	43 - 157	6	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: MB 240-565794/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 565794

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/17/23 12:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/17/23 12:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 12:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/17/23 12:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 12:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/17/23 12:23	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		03/17/23 12:23	1
4-Bromofluorobenzene (Surr)	94		56 - 136		03/17/23 12:23	1
Toluene-d8 (Surr)	98		78 - 122		03/17/23 12:23	1
Dibromofluoromethane (Surr)	98		73 - 120		03/17/23 12:23	1

Lab Sample ID: LCS 240-565794/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 565794

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	25.6		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	25.7		ug/L		103	77 - 123
Tetrachloroethene	25.0	26.0		ug/L		104	76 - 123
trans-1,2-Dichloroethene	25.0	25.3		ug/L		101	75 - 124
Trichloroethene	25.0	26.1		ug/L		104	70 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-565794/4

Matrix: Water

Analysis Batch: 565794

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	11.0		ug/L		88	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-181766-4 MS

Matrix: Water

Analysis Batch: 565794

Client Sample ID: MW-43_030923

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	25.9		ug/L		104	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	25.9		ug/L		104	66 - 128
Tetrachloroethene	1.0	U	25.0	25.8		ug/L		103	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	25.6		ug/L		102	56 - 136
Trichloroethene	1.0	U	25.0	25.3		ug/L		101	61 - 124
Vinyl chloride	1.0	U	12.5	12.1		ug/L		97	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 240-181766-4 MSD

Matrix: Water

Analysis Batch: 565794

Client Sample ID: MW-43_030923

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	25.5		ug/L		102	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	25.0	25.1		ug/L		101	66 - 128	3	14
Tetrachloroethene	1.0	U	25.0	25.6		ug/L		102	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	25.0	25.1		ug/L		100	56 - 136	2	15
Trichloroethene	1.0	U	25.0	24.9		ug/L		100	61 - 124	2	15
Vinyl chloride	1.0	U	12.5	11.1		ug/L		89	43 - 157	9	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-565838/10

Matrix: Water

Analysis Batch: 565838

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/17/23 16:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/17/23 16:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 16:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/17/23 16:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/17/23 16:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/17/23 16:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/17/23 16:33	1
4-Bromofluorobenzene (Surr)	88		56 - 136		03/17/23 16:33	1
Toluene-d8 (Surr)	92		78 - 122		03/17/23 16:33	1
Dibromofluoromethane (Surr)	104		73 - 120		03/17/23 16:33	1

Lab Sample ID: LCS 240-565838/5

Matrix: Water

Analysis Batch: 565838

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	23.8		ug/L		95	77 - 123
Tetrachloroethene	25.0	25.9		ug/L		104	76 - 123
trans-1,2-Dichloroethene	25.0	23.7		ug/L		95	75 - 124
Trichloroethene	25.0	23.5		ug/L		94	70 - 122
Vinyl chloride	12.5	12.7		ug/L		101	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-181713-F-4 MS

Matrix: Water

Analysis Batch: 565838

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	25.0	23.0		ug/L		92	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	66 - 128
Tetrachloroethene	1.0	U	25.0	23.7		ug/L		95	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.6		ug/L		90	56 - 136
Trichloroethene	1.0	U	25.0	22.0		ug/L		88	61 - 124
Vinyl chloride	1.0	U	12.5	12.1		ug/L		97	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	95		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181713-F-4 MS
Matrix: Water
Analysis Batch: 565838

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-181713-I-4 MSD
Matrix: Water
Analysis Batch: 565838

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	25.0	22.6		ug/L		91	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.8		ug/L		91	66 - 128	0	14
Tetrachloroethene	1.0	U	25.0	23.9		ug/L		95	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	56 - 136	1	15
Trichloroethene	1.0	U	25.0	22.1		ug/L		89	61 - 124	0	15
Vinyl chloride	1.0	U	12.5	12.1		ug/L		97	43 - 157	0	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-565819/6
Matrix: Water
Analysis Batch: 565819

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/17/23 13:06	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	85		66 - 120		03/17/23 13:06	1

Lab Sample ID: LCS 240-565819/4
Matrix: Water
Analysis Batch: 565819

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	10.0	10.9		ug/L		109	80 - 122

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		66 - 120

Lab Sample ID: 240-181763-H-4 MSD
Matrix: Water
Analysis Batch: 565819

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,4-Dioxane	2.0	U	10.0	11.4		ug/L		114	51 - 153	7	16

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		66 - 120

Lab Sample ID: 240-181763-K-4 MS
Matrix: Water
Analysis Batch: 565819

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	51 - 153

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		66 - 120

Lab Sample ID: MB 240-565901/6
Matrix: Water
Analysis Batch: 565901

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/18/23 09:54	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120		03/18/23 09:54	1

Lab Sample ID: LCS 240-565901/4
Matrix: Water
Analysis Batch: 565901

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.37		ug/L		94	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		66 - 120

Lab Sample ID: 240-181766-4 MS
Matrix: Water
Analysis Batch: 565901

Client Sample ID: MW-43_030923
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	0.92	J	10.0	13.8		ug/L		129	51 - 153

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		66 - 120

Lab Sample ID: 240-181766-4 MSD
Matrix: Water
Analysis Batch: 565901

Client Sample ID: MW-43_030923
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	0.92	J	10.0	13.3		ug/L		124	51 - 153	4	16

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-181766-4 MSD

Matrix: Water

Analysis Batch: 565901

Client Sample ID: MW-43_030923

Prep Type: Total/NA

<i>Surrogate</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
1,2-Dichloroethane-d4 (Surr)	82		66 - 120

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

GC/MS VOA

Analysis Batch: 565491

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181766-1	TRIP BLANK_65	Total/NA	Water	8260D	
240-181766-2	MW-212S_030923	Total/NA	Water	8260D	
240-181766-3	MW-213S_030923	Total/NA	Water	8260D	
240-181766-5	MW-52_030923	Total/NA	Water	8260D	
MB 240-565491/8	Method Blank	Total/NA	Water	8260D	
LCS 240-565491/5	Lab Control Sample	Total/NA	Water	8260D	
240-181763-F-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-181763-I-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 565794

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181766-4	MW-43_030923	Total/NA	Water	8260D	
MB 240-565794/7	Method Blank	Total/NA	Water	8260D	
LCS 240-565794/4	Lab Control Sample	Total/NA	Water	8260D	
240-181766-4 MS	MW-43_030923	Total/NA	Water	8260D	
240-181766-4 MSD	MW-43_030923	Total/NA	Water	8260D	

Analysis Batch: 565819

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181766-2	MW-212S_030923	Total/NA	Water	8260D SIM	
240-181766-3	MW-213S_030923	Total/NA	Water	8260D SIM	
MB 240-565819/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-565819/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181763-H-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-181763-K-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Analysis Batch: 565838

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181766-6	MW-35_030923	Total/NA	Water	8260D	
MB 240-565838/10	Method Blank	Total/NA	Water	8260D	
LCS 240-565838/5	Lab Control Sample	Total/NA	Water	8260D	
240-181713-F-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-181713-I-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 565901

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181766-4	MW-43_030923	Total/NA	Water	8260D SIM	
240-181766-5	MW-52_030923	Total/NA	Water	8260D SIM	
240-181766-6	MW-35_030923	Total/NA	Water	8260D SIM	
MB 240-565901/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-565901/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181766-4 MS	MW-43_030923	Total/NA	Water	8260D SIM	
240-181766-4 MSD	MW-43_030923	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-181766-1

Date Collected: 03/09/23 00:00

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565491	TES	EET CAN	03/15/23 16:30

Client Sample ID: MW-212S_030923

Lab Sample ID: 240-181766-2

Date Collected: 03/09/23 10:55

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565491	TES	EET CAN	03/15/23 22:21
Total/NA	Analysis	8260D SIM		1	565819	BAJ	EET CAN	03/17/23 20:23

Client Sample ID: MW-213S_030923

Lab Sample ID: 240-181766-3

Date Collected: 03/09/23 12:05

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565491	TES	EET CAN	03/15/23 22:46
Total/NA	Analysis	8260D SIM		1	565819	BAJ	EET CAN	03/17/23 20:48

Client Sample ID: MW-43_030923

Lab Sample ID: 240-181766-4

Date Collected: 03/09/23 13:15

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565794	BAJ	EET CAN	03/17/23 12:48
Total/NA	Analysis	8260D SIM		1	565901	BAJ	EET CAN	03/18/23 15:58

Client Sample ID: MW-52_030923

Lab Sample ID: 240-181766-5

Date Collected: 03/09/23 15:10

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565491	TES	EET CAN	03/15/23 23:11
Total/NA	Analysis	8260D SIM		1	565901	BAJ	EET CAN	03/18/23 10:18

Client Sample ID: MW-35_030923

Lab Sample ID: 240-181766-6

Date Collected: 03/09/23 16:30

Matrix: Water

Date Received: 03/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	565838	SAM	EET CAN	03/17/23 18:31
Total/NA	Analysis	8260D SIM		1	565901	BAJ	EET CAN	03/18/23 10:42

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-181766-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact		Client Project Manager: Kris Hinsley		Site Contact: Christina Weaver		Lab Contact: Mike DeMonico		TestAmerica Laboratories, Inc.	
Company Name: Arcadis		Telephone: 248-994-2240		Telephone: 248-994-2240		Telephone: 310-497-9396		COC No:	
Address: 28550 Cabot Drive, Suite 500		Email: kristoffer.hinsley@arcadis.com		Analysis Turnaround Time		Analyses		For lab use only	
City/State/Zip: Novi, MI, 48377		Sampler Name: <i>Patrick Enghaire</i>		TAT if different from below		1,4-Dioxane 8260B SIM		Walk-in client	
Phone: 248-994-2240		Method of Shipment/Carrier:		10 day		TCE 8260B		Lab sampling	
Project Name: Ford LTP On-Site		Shipping/Tracking No:		3 weeks		PCE 8260B		Job/SDG No:	
Project Number: 30167538-401.03				2 weeks		Trans-1,2-DCE 8260B			
PO # 30167538-401.03				1 week		cis-1,2-DCE 8260B			
				2 days		1,1-DCE 8260B			
				1 day		Composite C / Grab-G			

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite C / Grab-G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Sample Specific Notes / Special Instructions:
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl										
TRIP BLANK_65	3-9-23	---	1																	1 Trip Blank
MW-2125_030923		10:55	6																	3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-2135_030923		12:05																		"
MW-43_030923		13:15																		"
MW-43-MSD_030923		13:15																		MS/MSD
MW-43-MSD_030923		13:15																		MS/MSD
MW-52_030823		15:10																		"
MW-35_030923		16:30																		"

Possible Hazard Identification
 Non-Hazard Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
 Level IV Reporting requested.

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Relinquished by: <i>Y. Tomalia</i>	Company: Arcadis	Date/Time: 3-9-23 / 1750	Received by: <i>NOV Cold Storage</i>	Company: ARCADIS	Date/Time: 3-9-23 / 1750
Relinquished by: <i>Patrick Enghaire</i>	Company: ARCADIS	Date/Time: 3-10-23 / 0845	Received by: <i>CT</i>	Company: CT	Date/Time: 3-10-23 / 0845
Relinquished by: <i>Patrick Enghaire</i>	Company: CT	Date/Time: 3/10/23 1226	Received in Laboratory by: <i>M. Anandh Bl</i>	Company: CT	Date/Time: 3-11-23 8:00

240-181766 Chain of Custody



Eurofins - Canton Sample Receipt Form/Narrative
Barberton Facility

Login # : _____

Client Arcadis Site Name _____
 Cooler Received on 3-11-23 Opened on 3-11-23
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Cooler unpacked by:
Mandy

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____


Eurofins Cooler # 0217 Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. 0.4 °C Corrected Cooler Temp. 0.3 °C
 IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11. Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC293086
 14. Were VOAs on the COC? Yes No
 15. Were air bubbles >6 mm in any VOA vials? Yes  ← Larger than this. Yes No NA
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 240-181766-1

Login Number: 181766

List Number: 1

Creator: Rigdon, Jessica M

List Source: Eurofins Canton

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		



DATA VERIFICATION REPORT

March 23, 2023

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil

Project number: 30167538.401.03- onsite groundwater

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory submittal: 181766-1

Sample date: 2023-03-09

Report received by CADENA: 2023-03-23

Initial Data Verification completed by CADENA: 2023-03-23

Number of Samples:6

Sample Matrices:Water and trip blank

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 181766-1

Analyte	Cas No.	Sample Name: TRIP BLANK_65				MW-212S_030923				MW-213S_030923				MW-43_030923				MW-52_030923				MW-35_030923			
		Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid				
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																									
<u>OSW-8260D</u>																									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	1.0	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.61	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.5	1.0	ug/l	---	5.4	1.0	ug/l	---
<u>OSW-8260DSIM</u>																									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	0.92	2.0	ug/l	J	2.7	2.0	ug/l	---	3.1	2.0	ug/l	---