

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/8/2023 8:32:46 AM

## JOB DESCRIPTION

Ford LTP - Off Site

## JOB NUMBER

240-180978-1

# Eurofins Canton

## Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/8/2023 8:32:46 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	21
Lab Chronicle . . . . .	22
Certification Summary . . . . .	23
Chain of Custody . . . . .	24



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

---

**Job ID: 240-180978-1**

---

**Laboratory: Eurofins Canton**

---

**Narrative**

**Job Narrative  
240-180978-1**

**Receipt**

The samples were received on 2/25/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.4°C and 0.6°C

**GC/MS VOA**

Method 8260D: The MS/MSD for batch 563874 was not analyzed due to an instrument malfunction. TRIP BLANK\_23 (240-180978-1), MW-87\_022323 (240-180978-3) and MW-86\_022323 (240-180978-4)

Method 8260D\_SIM: The MS/MSD for batch 564027 was not analyzed due to an instrument malfunction. MW-87S\_022223 (240-180978-2), MW-87\_022323 (240-180978-3) and MW-86\_022323 (240-180978-4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-180978-1	TRIP BLANK_23	Water	02/22/23 00:00	02/25/23 08:00
240-180978-2	MW-87S_022223	Water	02/22/23 11:50	02/25/23 08:00
240-180978-3	MW-87_022323	Water	02/23/23 10:30	02/25/23 08:00
240-180978-4	MW-86_022323	Water	02/23/23 14:30	02/25/23 08:00
240-180978-5	MW-86S_022323	Water	02/23/23 15:30	02/25/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: TRIP BLANK\_23**

**Lab Sample ID: 240-180978-1**

No Detections.

**Client Sample ID: MW-87S\_022223**

**Lab Sample ID: 240-180978-2**

No Detections.

**Client Sample ID: MW-87\_022323**

**Lab Sample ID: 240-180978-3**

No Detections.

**Client Sample ID: MW-86\_022323**

**Lab Sample ID: 240-180978-4**

No Detections.

**Client Sample ID: MW-86S\_022323**

**Lab Sample ID: 240-180978-5**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: TRIP BLANK\_23**

**Lab Sample ID: 240-180978-1**

Date Collected: 02/22/23 00:00

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 19:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 19:22	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 19:22	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:22	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		62 - 137		03/01/23 19:22	1
4-Bromofluorobenzene (Surr)	124		56 - 136		03/01/23 19:22	1
Toluene-d8 (Surr)	98		78 - 122		03/01/23 19:22	1
Dibromofluoromethane (Surr)	116		73 - 120		03/01/23 19:22	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-87S\_022223**

**Lab Sample ID: 240-180978-2**

Date Collected: 02/22/23 11:50

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/03/23 23:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		66 - 120					03/03/23 23:29	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/23 13:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/23 13:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 13:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/23 13:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 13:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/23 13:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					03/02/23 13:03	1
4-Bromofluorobenzene (Surr)	117		56 - 136					03/02/23 13:03	1
Toluene-d8 (Surr)	96		78 - 122					03/02/23 13:03	1
Dibromofluoromethane (Surr)	116		73 - 120					03/02/23 13:03	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-87\_022323**

**Lab Sample ID: 240-180978-3**

Date Collected: 02/23/23 10:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/23 14:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		66 - 120					03/02/23 14:57	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 19:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 19:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 19:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 19:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		62 - 137					03/01/23 19:47	1
4-Bromofluorobenzene (Surr)	118		56 - 136					03/01/23 19:47	1
Toluene-d8 (Surr)	96		78 - 122					03/01/23 19:47	1
Dibromofluoromethane (Surr)	116		73 - 120					03/01/23 19:47	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-86\_022323**

**Lab Sample ID: 240-180978-4**

Date Collected: 02/23/23 14:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/23 15:22	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	88		66 - 120					03/02/23 15:22	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 20:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 20:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 20:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 20:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 20:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 20:12	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					03/01/23 20:12	1
4-Bromofluorobenzene (Surr)	120		56 - 136					03/01/23 20:12	1
Toluene-d8 (Surr)	96		78 - 122					03/01/23 20:12	1
Dibromofluoromethane (Surr)	116		73 - 120					03/01/23 20:12	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-86S\_022323**

**Lab Sample ID: 240-180978-5**

Date Collected: 02/23/23 15:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/06/23 19:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120					03/06/23 19:57	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 13:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 13:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 13:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 13:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 13:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 13:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					03/03/23 13:18	1
4-Bromofluorobenzene (Surr)	93		56 - 136					03/03/23 13:18	1
Toluene-d8 (Surr)	101		78 - 122					03/03/23 13:18	1
Dibromofluoromethane (Surr)	115		73 - 120					03/03/23 13:18	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-180978-1	TRIP BLANK_23	121	124	98	116
240-180978-2	MW-87S_022223	116	117	96	116
240-180978-2 MS	MW-87S-MS_022223	116	124	100	112
240-180978-2 MSD	MW-87S-MSD_022223	111	123	103	112
240-180978-3	MW-87_022323	119	118	96	116
240-180978-4	MW-86_022323	116	120	96	116
240-180978-5	MW-86S_022323	110	93	101	115
240-180978-5 MS	MW-86S-MS_022323	99	100	101	103
240-180978-5 MSD	MW-86S-MSD_022323	97	99	102	101
LCS 240-563874/5	Lab Control Sample	111	121	98	111
LCS 240-563959/5	Lab Control Sample	113	124	99	114
LCS 240-564153/5	Lab Control Sample	101	103	108	107
MB 240-563874/9	Method Blank	112	123	96	109
MB 240-563959/11	Method Blank	118	125	98	116
MB 240-564153/8	Method Blank	110	93	100	113

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-180978-2	MW-87S_022223	85
240-180978-2 MS	MW-87S-MS_022223	82
240-180978-2 MSD	MW-87S-MSD_022223	90
240-180978-3	MW-87_022323	95
240-180978-4	MW-86_022323	88
240-180978-5	MW-86S_022323	83
240-180978-5 MS	MW-86S-MS_022323	86
240-180978-5 MSD	MW-86S-MSD_022323	89
LCS 240-564027/4	Lab Control Sample	85
LCS 240-564197/4	Lab Control Sample	89
LCS 240-564390/4	Lab Control Sample	88
MB 240-564027/6	Method Blank	83
MB 240-564197/6	Method Blank	83
MB 240-564390/6	Method Blank	84

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-563874/9

Matrix: Water

Analysis Batch: 563874

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 14:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 14:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 14:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 14:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 14:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 14:23	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		03/01/23 14:23	1
4-Bromofluorobenzene (Surr)	123		56 - 136		03/01/23 14:23	1
Toluene-d8 (Surr)	96		78 - 122		03/01/23 14:23	1
Dibromofluoromethane (Surr)	109		73 - 120		03/01/23 14:23	1

Lab Sample ID: LCS 240-563874/5

Matrix: Water

Analysis Batch: 563874

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	19.1		ug/L		95	63 - 134
cis-1,2-Dichloroethene	20.0	18.8		ug/L		94	77 - 123
Tetrachloroethene	20.0	19.9		ug/L		99	76 - 123
trans-1,2-Dichloroethene	20.0	18.6		ug/L		93	75 - 124
Trichloroethene	20.0	18.9		ug/L		95	70 - 122
Vinyl chloride	20.0	18.5		ug/L		93	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	111		62 - 137
4-Bromofluorobenzene (Surr)	121		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	111		73 - 120

Lab Sample ID: MB 240-563959/11

Matrix: Water

Analysis Batch: 563959

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/23 09:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/23 09:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 09:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/23 09:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 09:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/23 09:57	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	118		62 - 137		03/02/23 09:57	1
4-Bromofluorobenzene (Surr)	125		56 - 136		03/02/23 09:57	1
Toluene-d8 (Surr)	98		78 - 122		03/02/23 09:57	1

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 240-563959/11**  
**Matrix: Water**  
**Analysis Batch: 563959**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	116		73 - 120		03/02/23 09:57	1

**Lab Sample ID: LCS 240-563959/5**  
**Matrix: Water**  
**Analysis Batch: 563959**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	21.4		ug/L		107	63 - 134
cis-1,2-Dichloroethene	20.0	20.9		ug/L		105	77 - 123
Tetrachloroethene	20.0	20.9		ug/L		104	76 - 123
trans-1,2-Dichloroethene	20.0	21.3		ug/L		106	75 - 124
Trichloroethene	20.0	21.1		ug/L		106	70 - 122
Vinyl chloride	20.0	21.7		ug/L		108	60 - 144

  

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	113		62 - 137
4-Bromofluorobenzene (Surr)	124		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	114		73 - 120

**Lab Sample ID: 240-180978-2 MS**  
**Matrix: Water**  
**Analysis Batch: 563959**

**Client Sample ID: MW-87S-MS\_022223**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	20.3		ug/L		101	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	18.2		ug/L		91	66 - 128
Tetrachloroethene	1.0	U	20.0	19.4		ug/L		97	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.8		ug/L		99	56 - 136
Trichloroethene	1.0	U	20.0	19.2		ug/L		96	61 - 124
Vinyl chloride	1.0	U	20.0	19.6		ug/L		98	43 - 157

  

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	116		62 - 137
4-Bromofluorobenzene (Surr)	124		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	112		73 - 120

**Lab Sample ID: 240-180978-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 563959**

**Client Sample ID: MW-87S-MSD\_022223**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
				Result	Qualifier						
1,1-Dichloroethene	1.0	U	20.0	20.6		ug/L		103	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	20.0	19.5		ug/L		97	66 - 128	7	14
Tetrachloroethene	1.0	U	20.0	20.7		ug/L		104	62 - 131	7	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.7		ug/L		98	56 - 136	1	15
Trichloroethene	1.0	U	20.0	19.5		ug/L		98	61 - 124	2	15

Eurofins Canton



# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-180978-2 MSD

Client Sample ID: MW-87S-MSD\_022223

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 563959

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Vinyl chloride	1.0	U	20.0	19.6		ug/L		98	43 - 157	0	24
<b>Surrogate</b>	<b>MSD %Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	111		62 - 137								
4-Bromofluorobenzene (Surr)	123		56 - 136								
Toluene-d8 (Surr)	103		78 - 122								
Dibromofluoromethane (Surr)	112		73 - 120								

Lab Sample ID: MB 240-564153/8

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 564153

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 12:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 12:54	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 12:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 12:54	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 12:54	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 12:54	1
<b>Surrogate</b>	<b>MB %Recovery</b>	<b>MB Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					03/03/23 12:54	1
4-Bromofluorobenzene (Surr)	93		56 - 136					03/03/23 12:54	1
Toluene-d8 (Surr)	100		78 - 122					03/03/23 12:54	1
Dibromofluoromethane (Surr)	113		73 - 120					03/03/23 12:54	1

Lab Sample ID: LCS 240-564153/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 564153

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	26.6		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	25.0		ug/L		100	77 - 123
Tetrachloroethene	25.0	27.7		ug/L		111	76 - 123
trans-1,2-Dichloroethene	25.0	25.4		ug/L		102	75 - 124
Trichloroethene	25.0	25.5		ug/L		102	70 - 122
Vinyl chloride	12.5	12.9		ug/L		103	60 - 144
<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	101		62 - 137				
4-Bromofluorobenzene (Surr)	103		56 - 136				
Toluene-d8 (Surr)	108		78 - 122				
Dibromofluoromethane (Surr)	107		73 - 120				

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-180978-5 MS

Matrix: Water

Analysis Batch: 564153

Client Sample ID: MW-86S-MS\_022323

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	1.0	U	25.0	24.8		ug/L		99		56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	24.1		ug/L		96		66 - 128
Tetrachloroethene	1.0	U	25.0	25.5		ug/L		102		62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	24.2		ug/L		97		56 - 136
Trichloroethene	1.0	U	25.0	23.8		ug/L		95		61 - 124
Vinyl chloride	1.0	U	25.0	26.0		ug/L		104		43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-180978-5 MSD

Matrix: Water

Analysis Batch: 564153

Client Sample ID: MW-86S-MSD\_022323

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	Limit
1,1-Dichloroethene	1.0	U	25.0	25.3		ug/L		101		56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.5		ug/L		94		66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	25.7		ug/L		103		62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		95		56 - 136	1	15
Trichloroethene	1.0	U	25.0	24.1		ug/L		96		61 - 124	1	15
Vinyl chloride	1.0	U	25.0	25.6		ug/L		102		43 - 157	2	24

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-564027/6

Matrix: Water

Analysis Batch: 564027

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/23 12:56	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	83		66 - 120		03/02/23 12:56	1

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-564027/4

Matrix: Water

Analysis Batch: 564027

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 122
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	85		66 - 120				

Lab Sample ID: MB 240-564197/6

Matrix: Water

Analysis Batch: 564197

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/03/23 15:22	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	83		66 - 120					03/03/23 15:22	1

Lab Sample ID: LCS 240-564197/4

Matrix: Water

Analysis Batch: 564197

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.65		ug/L		86	80 - 122
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	89		66 - 120				

Lab Sample ID: 240-180978-2 MS

Matrix: Water

Analysis Batch: 564197

Client Sample ID: MW-87S-MS\_022223

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.72		ug/L		87	51 - 153
<b>Surrogate</b>	<b>%Recovery</b>	<b>MS Qualifier</b>	<b>Limits</b>						
1,2-Dichloroethane-d4 (Surr)	82		66 - 120						

Lab Sample ID: 240-180978-2 MSD

Matrix: Water

Analysis Batch: 564197

Client Sample ID: MW-87S-MSD\_022223

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.66		ug/L		97	51 - 153	10	16
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	90		66 - 120								

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 240-564390/6**  
**Matrix: Water**  
**Analysis Batch: 564390**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/06/23 13:53	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		66 - 120					03/06/23 13:53	1

**Lab Sample ID: LCS 240-564390/4**  
**Matrix: Water**  
**Analysis Batch: 564390**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	88		66 - 120				

**Lab Sample ID: 240-180978-5 MS**  
**Matrix: Water**  
**Analysis Batch: 564390**

**Client Sample ID: MW-86S-MS\_022323**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	86		66 - 120						

**Lab Sample ID: 240-180978-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 564390**

**Client Sample ID: MW-86S-MSD\_022323**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	51 - 153	0	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	89		66 - 120								

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

## GC/MS VOA

### Analysis Batch: 563874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-1	TRIP BLANK_23	Total/NA	Water	8260D	
240-180978-3	MW-87_022323	Total/NA	Water	8260D	
240-180978-4	MW-86_022323	Total/NA	Water	8260D	
MB 240-563874/9	Method Blank	Total/NA	Water	8260D	
LCS 240-563874/5	Lab Control Sample	Total/NA	Water	8260D	

### Analysis Batch: 563959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-2	MW-87S_022223	Total/NA	Water	8260D	
MB 240-563959/11	Method Blank	Total/NA	Water	8260D	
LCS 240-563959/5	Lab Control Sample	Total/NA	Water	8260D	
240-180978-2 MS	MW-87S-MS_022223	Total/NA	Water	8260D	
240-180978-2 MSD	MW-87S-MSD_022223	Total/NA	Water	8260D	

### Analysis Batch: 564027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-3	MW-87_022323	Total/NA	Water	8260D SIM	
240-180978-4	MW-86_022323	Total/NA	Water	8260D SIM	
MB 240-564027/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564027/4	Lab Control Sample	Total/NA	Water	8260D SIM	

### Analysis Batch: 564153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-5	MW-86S_022323	Total/NA	Water	8260D	
MB 240-564153/8	Method Blank	Total/NA	Water	8260D	
LCS 240-564153/5	Lab Control Sample	Total/NA	Water	8260D	
240-180978-5 MS	MW-86S-MS_022323	Total/NA	Water	8260D	
240-180978-5 MSD	MW-86S-MSD_022323	Total/NA	Water	8260D	

### Analysis Batch: 564197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-2	MW-87S_022223	Total/NA	Water	8260D SIM	
MB 240-564197/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564197/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-180978-2 MS	MW-87S-MS_022223	Total/NA	Water	8260D SIM	
240-180978-2 MSD	MW-87S-MSD_022223	Total/NA	Water	8260D SIM	

### Analysis Batch: 564390

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-180978-5	MW-86S_022323	Total/NA	Water	8260D SIM	
MB 240-564390/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564390/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-180978-5 MS	MW-86S-MS_022323	Total/NA	Water	8260D SIM	
240-180978-5 MSD	MW-86S-MSD_022323	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: TRIP BLANK\_23**

**Lab Sample ID: 240-180978-1**

Date Collected: 02/22/23 00:00

Matrix: Water

Date Received: 02/25/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	563874	HMB	EET CAN	03/01/23 19:22

**Client Sample ID: MW-87S\_022223**

**Lab Sample ID: 240-180978-2**

Date Collected: 02/22/23 11:50

Matrix: Water

Date Received: 02/25/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	563959	HMB	EET CAN	03/02/23 13:03
Total/NA	Analysis	8260D SIM		1	564197	BAJ	EET CAN	03/03/23 23:29

**Client Sample ID: MW-87\_022323**

**Lab Sample ID: 240-180978-3**

Date Collected: 02/23/23 10:30

Matrix: Water

Date Received: 02/25/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	563874	HMB	EET CAN	03/01/23 19:47
Total/NA	Analysis	8260D SIM		1	564027	BAJ	EET CAN	03/02/23 14:57

**Client Sample ID: MW-86\_022323**

**Lab Sample ID: 240-180978-4**

Date Collected: 02/23/23 14:30

Matrix: Water

Date Received: 02/25/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	563874	HMB	EET CAN	03/01/23 20:12
Total/NA	Analysis	8260D SIM		1	564027	BAJ	EET CAN	03/02/23 15:22

**Client Sample ID: MW-86S\_022323**

**Lab Sample ID: 240-180978-5**

Date Collected: 02/23/23 15:30

Matrix: Water

Date Received: 02/25/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	564153	SAM	EET CAN	03/03/23 13:18
Total/NA	Analysis	8260D SIM		1	564390	BAJ	EET CAN	03/06/23 19:57

**Laboratory References:**

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

## Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

### Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23 *
Ohio VAP	State	CL0024	02-27-23 *
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact: Arcadis  
Address: 28550 Cabot Drive, Suite 500  
City/State/Zip: Novi, MI, 48377  
Phone: 248-994-2240

Client Project Manager: Krit Hinskey  
Telephone: 248-994-2240  
E-mail: kristoffer.hinskey@arcadis.com

Site Contact: Christina Weaver  
Telephone: 248-994-2240

Lab Contact: Mike DeMonico  
Telephone: 330-497-9396

Project Name: Ford LTP Off-Site  
Project Number: 30167538-402.04  
PO # 30167538-402.04

Sampler Name: *Patricia Labadie*  
Method of Shipment/Carrier:  
Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite=C/Grab=C	Analyses						Sample Specific Notes / Special Instructions:					
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl			NaOH	ZnAc	CuAc	Other:	1,1-DCE 8260B	Cis-1,2-DCE 8260B		Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM
TRIP BLANK_23	---	---	1																				1 Trip Blank	
MW-875-02223	2-22-23	1150	6																					3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-875-MS-02223		1150	6																					Run MS/MSD
MW-875-MSL-02223		1150	6																					Run MS/MSD
MW-87-02223	2-23-23	1030	6																					3 VOA for 8260B 3 VOA for 8260B SIM
MW-86-02223	2-23-23	1430	6																					"
MW-86S-02223		1530	6																					"
MW-86S-MS-022323			6																					Run MS/MSD
MW-86S-MSL-022323			6																					Run MS/MSD

Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Unknown  
 Poison B

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments:  
 Submit all results through Cadena at jtomalia@cedenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
<i>Patricia Labadie</i>	ARCADIS	2/23/23 1600	NOV (old stage)	ARCADIS	2/23/23 1600
<i>Christina Weaver</i>	ARCADIS	2/24/23 1600	<i>Christina Weaver</i>	ARCADIS	2/24/23 1600
<i>Christina Weaver</i>	ARCADIS	2/24/23 1600	<i>Christina Weaver</i>	ARCADIS	2/24/23 1600

TestAmerica Laboratories, Inc. All rights reserved.  
 TestAmerica is a registered trademark of TestAmerica Laboratories, Inc.

240-180978 Chain of Custody



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Barberton Facility

Client Arcadis

Site Name \_\_\_\_\_

Cooler unpacked by: Nancy Berger

Cooler Received on 2-25-23

Opened on 2-27-23

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_

Storage Location \_\_\_\_\_

Eurofins Cooler # ES ~~Foam Box~~ Client Cooler  Box  Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt  See Multiple Cooler Form
  - IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
  - IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
  - IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity each
  - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
  - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
  - Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:

VOAs  
Oil and Grease  
TOC

- 3. Shippers' packing slip attached to the cooler(s)? Yes No
  - 4. Did custody papers accompany the sample(s)? Yes No
  - 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
  - 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
  - 7. Did all bottles arrive in good condition (Unbroken)? Yes No
  - 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
  - 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
  - 10. Were correct bottle(s) used for the test(s) indicated? Yes No
  - 11. Sufficient quantity received to perform indicated analyses? Yes No
  - 12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC203864
  - 14. Were VOAs on the COC? Yes No
  - 15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
  - 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes No
  - 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Login # : \_\_\_\_\_

### Eurofins - Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)			Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	0.6	0.4	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	0.8	0.6	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

See Temperature Excursion Form

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

# DATA VERIFICATION REPORT



March 08, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30167538.402.04 off-site  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Barberton  
Laboratory submittal: 180978-1  
Sample date: 2023-02-22  
Report received by CADENA: 2023-03-08  
Initial Data Verification completed by CADENA: 2023-03-08  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC and SIM VOC QC batch MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 180978-1

Analyte	Cas No.	Sample Name: TRIP BLANK_23				Sample Name: MW-87S_022223				Sample Name: MW-87_022323				Sample Name: MW-86_022323				Sample Name: MW-86S_022323			
		Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid
<b>GC/MS VOC</b>																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-180978-1

CADENA Verification Report: 2023-03-08

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 48919R

Review Level: Tier III

Project: 30167538.601.01

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-180978-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_23	240-180978-1	Water	02/22/23		X	
MW-87S_022223	240-180978-2	Water	02/22/23		X	X
MW-87_022323	240-180978-3	Water	02/23/23		X	X
MW-86_022323	240-180978-4	Water	02/23/23		X	X
MW-86S_022323	240-180978-5	Water	02/23/23		X	X



## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: March 13, 2023

PEER REVIEW: Andrew Korycinski

DATE: March 15, 2023

# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**





## Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>												
Company Name: Arcadis		Client Project Manager: Kris Hinskey					Site Contact: Christina Weaver					Lab Contact: Mike DelMonico				COC No:								
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240					Telephone: 248-994-2240					Telephone: 330-497-9396				1 of 1 COCs								
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com					<b>Analysis Turnaround Time</b>					<b>Analyses</b>				For lab use only								
Phone: 248-994-2240		Sampler Name: <i>Patrick Labadie</i>					TAT if different from below					<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Walk-in client								
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:					10 day									Lab sampling								
Project Number: 30167538.402.04		Shipping/Tracking No:					Filtered Sample (Y/N) Composite-C / Grab-G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM					Job/SDG No:												
PO # 30167538.402.04												<b>Sample Identification</b>				Sample Specific Notes / Special Instructions:								
		Sample Date	Sample Time	<b>Matrix</b>					<b>Containers &amp; Preservatives</b>															
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NHOH	ZnAc/NaOH	Unpres	Other:									
TRIP BLANK_23		---	---	1							1					NG	X	X	X	X	X	X	X	1 Trip Blank
MW-875-022223		2-22-23	1150	6							6					NG	X	X	X	X	X	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-875-MS-022223		↓	1150	6							6					NG	X	X	X	X	X	X	X	Run MS/MSD
MW-875-MSD-022223		↓	1150	6							6					NG	X	X	X	X	X	X	X	Run MS/MSD
MW-87-022323		2-23-23	1030	6							6					NG	X	X	X	X	X	X	X	3 VOA for 8260B 3 VOA for 8260B SIM
MW-86-022323		2-23-23	1430	6							6					NG	X	X	X	X	X	X	X	"
MW-865-022323		↓	1530	6							6					NG								"
MW-865-MS-022323		↓	↓	6							6					NG								Run MS/MSD
MW-865-MSD-022323		↓	↓	6							6					NG								Run MS/MSD
<b>Possible Hazard Identification</b>										<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>														
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months														
<b>Special Instructions/QC Requirements &amp; Comments:</b>																								
Sample Address:																								
Submit all results through Cadena at jtomalia@cadenco.com. Cadena #E203631																								
Level IV Reporting requested.																								
Relinquished by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 2/23/23 1600		Received by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 2/23/23 1600		Relinquished by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 2/24/23/ 10:35								
Relinquished by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 2/24/23/		Received by: <i>[Signature]</i>		Company: EETA		Date/Time: 2/24/23/ 10:35		Relinquished by: <i>[Signature]</i>		Company: EETNC		Date/Time: 2-25-23 8:00								
Relinquished by: <i>[Signature]</i>		Company: EETA		Date/Time: 2/24/23 10:45		Received in Laboratory by: <i>[Signature]</i>		Company: EETNC		Date/Time: 2-25-23 8:00		Relinquished by: <i>[Signature]</i>		Company: EETNC		Date/Time: 2-25-23 8:00								

Page 703 of 705

03/08/2023

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: TRIP BLANK\_23**

**Lab Sample ID: 240-180978-1**

Date Collected: 02/22/23 00:00

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 19:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 19:22	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 19:22	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:22	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		62 - 137		03/01/23 19:22	1
4-Bromofluorobenzene (Surr)	124		56 - 136		03/01/23 19:22	1
Toluene-d8 (Surr)	98		78 - 122		03/01/23 19:22	1
Dibromofluoromethane (Surr)	116		73 - 120		03/01/23 19:22	1

**Client Sample ID: MW-87S\_022223**

**Lab Sample ID: 240-180978-2**

Date Collected: 02/22/23 11:50

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/03/23 23:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		66 - 120		03/03/23 23:29	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/23 13:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/23 13:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 13:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/23 13:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/23 13:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/23 13:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137		03/02/23 13:03	1
4-Bromofluorobenzene (Surr)	117		56 - 136		03/02/23 13:03	1
Toluene-d8 (Surr)	96		78 - 122		03/02/23 13:03	1
Dibromofluoromethane (Surr)	116		73 - 120		03/02/23 13:03	1

**Client Sample ID: MW-87\_022323**

**Lab Sample ID: 240-180978-3**

Date Collected: 02/23/23 10:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/23 14:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		66 - 120		03/02/23 14:57	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-87\_022323**

**Lab Sample ID: 240-180978-3**

Date Collected: 02/23/23 10:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 19:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 19:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 19:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 19:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 19:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		62 - 137		03/01/23 19:47	1
4-Bromofluorobenzene (Surr)	118		56 - 136		03/01/23 19:47	1
Toluene-d8 (Surr)	96		78 - 122		03/01/23 19:47	1
Dibromofluoromethane (Surr)	116		73 - 120		03/01/23 19:47	1

**Client Sample ID: MW-86\_022323**

**Lab Sample ID: 240-180978-4**

Date Collected: 02/23/23 14:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/23 15:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120		03/02/23 15:22	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/01/23 20:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/01/23 20:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 20:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/01/23 20:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/01/23 20:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/01/23 20:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137		03/01/23 20:12	1
4-Bromofluorobenzene (Surr)	120		56 - 136		03/01/23 20:12	1
Toluene-d8 (Surr)	96		78 - 122		03/01/23 20:12	1
Dibromofluoromethane (Surr)	116		73 - 120		03/01/23 20:12	1

**Client Sample ID: MW-86S\_022323**

**Lab Sample ID: 240-180978-5**

Date Collected: 02/23/23 15:30

Matrix: Water

Date Received: 02/25/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/06/23 19:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		66 - 120		03/06/23 19:57	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-180978-1

**Client Sample ID: MW-86S\_022323**

**Lab Sample ID: 240-180978-5**

**Date Collected: 02/23/23 15:30**

**Matrix: Water**

**Date Received: 02/25/23 08:00**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 13:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 13:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 13:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 13:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 13:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 13:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		03/03/23 13:18	1
4-Bromofluorobenzene (Surr)	93		56 - 136		03/03/23 13:18	1
Toluene-d8 (Surr)	101		78 - 122		03/03/23 13:18	1
Dibromofluoromethane (Surr)	115		73 - 120		03/03/23 13:18	1