PREPARED FOR

Attn: Kristoffer Hinskey ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Generated 3/14/2023 5:53:19 AM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-181211-1

Eurofins Canton 180 S. Van Buren Avenue Barberton OH 44203

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated 3/14/2023 5:53:19 AM

Authorized for release by Michael DelMonico, Project Manager I Michael.DelMonico@et.eurofinsus.com (330)497-9396

Λ

4

6

9

11

12

16

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site Laboratory Job ID: 240-181211-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	22
Lab Chronicle	23
Certification Summary	24
Chain of Custody	25

4

8

46

11

40

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Qualifiers

GC/MS VOA

Qualifier **Qualifier Description**

F2 MS/MSD RPD exceeds control limits

U Indicates the analyte was analyzed for but not detected.

Glossary

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry) EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) Limit of Quantitation (DoD/DOE)

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit MLMinimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present PQL Practical Quantitation Limit

PRES Presumptive QC **Quality Control**

Relative Error Ratio (Radiochemistry) RER

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Canton

Page 4 of 26

Case Narrative

Client: ARCADIS U.S., Inc.

Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Job ID: 240-181211-1

Laboratory: Eurofins Canton

Narrative

Job Narrative 240-181211-1

Receipt

The samples were received on 3/2/2023~8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.6° C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

4

5

6

7

0

9

10

13

Method Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP - Off Site

Job ID: 240-181211-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CAN
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CAN
5030C	Purge and Trap	SW846	EET CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

2

Δ

6

0

9

11

40

Sample Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP - Off Site

Job ID: 240-181211-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-181211-1	TRIP BLANK_156	Water	02/27/23 00:00	03/02/23 08:00
240-181211-2	MW-192S_022723	Water	02/27/23 10:15	03/02/23 08:00
240-181211-3	MW-78S_022723	Water	02/27/23 12:50	03/02/23 08:00
240-181211-4	MW-78_022823	Water	02/28/23 10:05	03/02/23 08:00
240-181211-5	MW-98S_022823	Water	02/28/23 11:20	03/02/23 08:00

_

4

5

6

Q

9

10

19

13

Detection Summary

Project/Site: Ford LTP - Off Site	
Client Sample ID: TRIP BLANK_156	Lab Sample ID: 240-181211-1
No Detections.	
Client Sample ID: MW-192S_022723	Lab Sample ID: 240-181211-2
No Detections.	
Client Sample ID: MW-78S_022723	Lab Sample ID: 240-181211-3
No Detections.	
Client Sample ID: MW-78_022823	Lab Sample ID: 240-181211-4
No Detections.	
Client Sample ID: MW-98S_022823	Lab Sample ID: 240-181211-5
No Detections.	

Job ID: 240-181211-1

This Detection Summary does not include radiochemical test results.

Client: ARCADIS U.S., Inc.

Eurofins Canton

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Date Received: 03/02/23 08:00

Client Sample ID: TRIP BLANK_156

Lab Sample ID: 240-181211-1 Date Collected: 02/27/23 00:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 15:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 15:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 15:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 15:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		62 - 137			-		03/08/23 15:12	1
4-Bromofluorobenzene (Surr)	79		56 ₋ 136					03/08/23 15:12	1
Toluene-d8 (Surr)	84		78 - 122					03/08/23 15:12	1
Dibromofluoromethane (Surr)	88		73 - 120					03/08/23 15:12	1

Client: ARCADIS U.S., Inc.

Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-192S_022723

Date Collected: 02/27/23 10:15 Date Received: 03/02/23 08:00

Tetrachloroethene

Lab Sample ID: 240-181211-2

03/08/23 17:42

Matrix: Water

Method: SW846 8260D SIM - Vola	tile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 15:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		66 - 120			_		03/08/23 15:55	1
Method: SW846 8260D - Volatile (Organic Comp	ounds by G	GC/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 17:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 17:42	1

1.0

0.44 ug/L

trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		03/08/23 17:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L		03/08/23 17:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L		03/08/23 17:42	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137				03/08/23 17:42	1
4-Bromofluorobenzene (Surr)	79		56 ₋ 136				03/08/23 17:42	1
Toluene-d8 (Surr)	85		78 - 122				03/08/23 17:42	1
Dibromofluoromethane (Surr)	88		73 - 120				03/08/23 17:42	1

1.0 U

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-78S_022723

Date Collected: 02/27/23 12:50 Date Received: 03/02/23 08:00 Lab Sample ID: 240-181211-3

Method: SW846 8260D SIM - V	olatile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 19:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		66 - 120			_		03/08/23 19:33	1

Method: SW846 8260D - Volati	le Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/10/23 15:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/10/23 15:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/10/23 15:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/10/23 15:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/10/23 15:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/10/23 15:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137			_		03/10/23 15:28	1
4-Bromofluorobenzene (Surr)	78		56 ₋ 136					03/10/23 15:28	1
Toluene-d8 (Surr)	83		78 - 122					03/10/23 15:28	1
Dibromofluoromethane (Surr)	86		73 - 120					03/10/23 15:28	1

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Date Received: 03/02/23 08:00

Client Sample ID: MW-78_022823

Lab Sample ID: 240-181211-4 Date Collected: 02/28/23 10:05

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/23 20:38	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		66 - 120			-		03/07/23 20:38	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 19:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 19:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 19:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1.2 Diablamathana d1 (Cum)			60 107			_		02/02/22 10:21	

Surrogate	%Recovery	Qualifier Limit	S Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83	62 - 1	37	03/03/23 19:21	1
4-Bromofluorobenzene (Surr)	113	56 - 1	36	03/03/23 19:21	1
Toluene-d8 (Surr)	100	78 - 1	22	03/03/23 19:21	1
Dibromofluoromethane (Surr)	93	73 - 1	20	03/03/23 19:21	1

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-98S_022823

Lab Sample ID: 240-181211-5 Date Collected: 02/28/23 11:20

Date Received:	03/02/23 08:00	
_		

Method: SW846 8260D SIM - Vola	Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 19:58	1
Surrogate	%Recovery	Qualifier	Limits			_	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		66 - 120					03/08/23 19:58	1
Method: SW846 8260D - Volatile (Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 19:45	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 19:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 19:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 19:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 19:45	1

Surrogate	%Recovery	Qualifier	Limits	_	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137			03/03/23 19:45	1
4-Bromofluorobenzene (Surr)	115		56 - 136			03/03/23 19:45	1
Toluene-d8 (Surr)	101		78 - 122			03/03/23 19:45	1
Dibromofluoromethane (Surr)	95		73 - 120			03/03/23 19:45	1

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

				Percent Sur	ogate Recovery (Acceptanc	e Limits)
		DCA	BFB	TOL	DBFM	
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)	
240-181211-1	TRIP BLANK_156	87	79	84	88	
240-181211-2	MW-192S_022723	85	79	85	88	
240-181211-3	MW-78S_022723	84	78	83	86	
240-181211-4	MW-78_022823	83	113	100	93	
240-181211-4 MS	MW-78-MS_022823	83	112	102	95	
240-181211-4 MSD	MW-78-MSD_022823	84	112	98	95	
240-181211-5	MW-98S_022823	85	115	101	95	
240-181238-B-4 MS	Matrix Spike	86	80	84	90	
240-181238-B-4 MSD	Matrix Spike Duplicate	84	79	82	88	
240-181238-C-4 MS	Matrix Spike	89	86	86	89	
240-181238-C-4 MSD	Matrix Spike Duplicate	88	84	86	90	
LCS 240-564118/5	Lab Control Sample	81	112	101	96	
LCS 240-564664/5	Lab Control Sample	84	81	85	87	
LCS 240-564965/5	Lab Control Sample	82	81	84	90	
MB 240-564118/10	Method Blank	82	113	100	90	
MB 240-564664/8	Method Blank	85	80	84	88	
MB 240-564965/8	Method Blank	83	74	84	87	

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

		DCA	Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	(66-120)	
240-181211-2	MW-192S_022723	95	
240-181211-3	MW-78S_022723	104	
240-181211-4	MW-78_022823	96	
240-181211-4 MS	MW-78-MS_022823	104	
240-181211-4 MSD	MW-78-MSD_022823	98	
240-181211-5	MW-98S_022823	97	
240-181309-G-6 MS	Matrix Spike	101	
240-181309-H-6 MSD	Matrix Spike Duplicate	114	
LCS 240-564495/4	Lab Control Sample	97	
LCS 240-564633/4	Lab Control Sample	103	
MB 240-564495/6	Method Blank	104	
MB 240-564633/6	Method Blank	97	

Eurofins Canton

2

3

6

10

12

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-564118/10

Matrix: Water

1,1-Dichloroethene cis-1,2-Dichloroethene Tetrachloroethene trans-1,2-Dichloroethene Trichloroethene Vinyl chloride

Analyte

Analysis Batch: 564118

Client Sample ID: Method Blank
Prep Type: Total/NA

03/03/23 12:38

MB	МВ							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1.0	U	1.0	0.49	ug/L			03/03/23 12:38	1
1.0	U	1.0	0.46	ug/L			03/03/23 12:38	1
1.0	U	1.0	0.44	ug/L			03/03/23 12:38	1
1.0	U	1.0	0.51	ug/L			03/03/23 12:38	1
1.0	U	1.0	0.44	ua/L			03/03/23 12:38	1

0.45 ug/L

1.0 U MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		62 - 137		03/03/23 12:38	1
4-Bromofluorobenzene (Surr)	113		56 - 136		03/03/23 12:38	1
Toluene-d8 (Surr)	100		78 - 122		03/03/23 12:38	1
Dibromofluoromethane (Surr)	90		73 - 120		03/03/23 12:38	1

1.0

Lab Sample ID: LCS 240-564118/5

Matrix: Water

Analysis Batch: 564118

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	22.2		ug/L		111	63 - 134	
cis-1,2-Dichloroethene	20.0	21.6		ug/L		108	77 - 123	
Tetrachloroethene	20.0	20.1		ug/L		101	76 - 123	
trans-1,2-Dichloroethene	20.0	22.5		ug/L		113	75 - 124	
Trichloroethene	20.0	20.8		ug/L		104	70 - 122	
Vinyl chloride	20.0	23.2		ug/L		116	60 - 144	

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		62 - 137
4-Bromofluorobenzene (Surr)	112		56 ₋ 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-181211-4 MS

Matrix: Water

Analysis Batch: 564118

Client Sample ID: MW-78-MS_022823 Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethene	1.0	U	20.0	21.3		ug/L		107	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	19.8		ug/L		99	66 - 128
Tetrachloroethene	1.0	U	20.0	18.4		ug/L		92	62 _ 131
trans-1,2-Dichloroethene	1.0	U	20.0	20.5		ug/L		102	56 - 136
Trichloroethene	1.0	U	20.0	18.7		ug/L		93	61 - 124
Vinyl chloride	1.0	U	20.0	20.5		ug/L		103	43 - 157

Surrogate	%Recovery Qualifie	r Limits
1,2-Dichloroethane-d4 (Surr)	83	62 - 137
4-Bromofluorobenzene (Surr)	112	56 - 136
Toluene-d8 (Surr)	102	78 - 122

Page 15 of 26

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181211-4 MS

Lab Sample ID: 240-181211-4 MSD

Matrix: Water

Analysis Batch: 564118

Client Sample ID: MW-78-MS_022823

Prep Type: Total/NA

MS MS

%Recovery Qualifier Surrogate Limits Dibromofluoromethane (Surr) 95 73 - 120

Client Sample ID: MW-78-MSD_022823

Prep Type: Total/NA

Matrix: Water

Analysis Batch: 564118

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	20.0	22.6		ug/L		113	56 - 135	6	26
cis-1,2-Dichloroethene	1.0	U	20.0	21.2		ug/L		106	66 - 128	6	14
Tetrachloroethene	1.0	U	20.0	19.4		ug/L		97	62 - 131	6	20
trans-1,2-Dichloroethene	1.0	U	20.0	21.5		ug/L		107	56 - 136	5	15
Trichloroethene	1.0	U	20.0	20.0		ug/L		100	61 - 124	7	15
Vinyl chloride	1.0	U	20.0	21.7		ug/L		109	43 - 157	6	24

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	112		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Client Sample ID: Method Blank

Prep Type: Total/NA

Analysis Batch: 564664

Matrix: Water

Lab Sample ID: MB 240-564664/8

	IVID	IVID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 14:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 14:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 14:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 14:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 14:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 14:47	1

MB MB

Surrogate	%Recovery Q	Qualifier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85	62 - 137		03/08/23 14:47	1
4-Bromofluorobenzene (Surr)	80	56 ₋ 136		03/08/23 14:47	1
Toluene-d8 (Surr)	84	78 - 122		03/08/23 14:47	1
Dibromofluoromethane (Surr)	88	73 - 120		03/08/23 14:47	1

Lab Sample ID: LCS 240-564664/5

Matrix: Water

Analysis Batch: 564664

Client Sample ID:	Lab Control Sample
	Prep Type: Total/NA

7,0.0 2	Spike	LCS	LCS				%Rec
Analyte	Added		Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethene	25.0	25.1		ug/L		100	63 - 134
cis-1,2-Dichloroethene	25.0	25.7		ug/L		103	77 - 123
Tetrachloroethene	25.0	25.2		ug/L		101	76 - 123
trans-1,2-Dichloroethene	25.0	25.4		ug/L		101	75 - 124
Trichloroethene	25.0	24.6		ug/L		98	70 - 122

Eurofins Canton

Page 16 of 26

3/14/2023

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-564664/5 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Matrix: Water

Analysis Batch: 564664

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Vinyl chloride	12.5	10.5		ug/L		84	60 - 144	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	81		56 ₋ 136
Toluene-d8 (Surr)	85		78 - 122
Dibromofluoromethane (Surr)	87		73 - 120

Lab Sample ID: 240-181238-B-4 MS

Matrix: Water

Analysis Batch: 564664

. 240-101230-D-4 MO	Chefft Gample ID. Matrix Opike
	Prep Type: Total/NA
· FCACCA	

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20	U	500	491		ug/L		98	56 - 135	
cis-1,2-Dichloroethene	20	U	500	490		ug/L		98	66 - 128	
Tetrachloroethene	20	U	500	485		ug/L		97	62 - 131	
trans-1,2-Dichloroethene	20	U	500	475		ug/L		95	56 - 136	
Trichloroethene	20	U	500	460		ug/L		92	61 - 124	
Vinyl chloride	20	U	250	199		ug/L		80	43 - 157	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		62 - 137
4-Bromofluorobenzene (Surr)	80		56 - 136
Toluene-d8 (Surr)	84		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab S

Matri

Analysis Batch: 564664

Sample ID: 240-181238-B-4 MSD	Client Sample ID: Matrix Spike Duplicate
rix: Water	Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20	U	500	473		ug/L		95	56 - 135	4	26
cis-1,2-Dichloroethene	20	U	500	479		ug/L		96	66 - 128	2	14
Tetrachloroethene	20	U	500	475		ug/L		95	62 - 131	2	20
trans-1,2-Dichloroethene	20	U	500	461		ug/L		92	56 - 136	3	15
Trichloroethene	20	U	500	445		ug/L		89	61 - 124	3	15
Vinyl chloride	20	U	250	194		ug/L		78	43 - 157	2	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	79		56 ₋ 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	88		73 - 120

Eurofins Canton

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-564965/8

Matrix: Water

Analysis Batch: 564965

Client Sample ID: Method Blank	•
Prep Type: Total/NA	4

MB MB Dil Fac Analyte Result Qualifier RLMDL Unit D Prepared Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.49 ug/L 03/10/23 14:14 cis-1,2-Dichloroethene 1.0 U 1.0 0.46 ug/L 03/10/23 14:14 Tetrachloroethene 1.0 U 1.0 0.44 ug/L 03/10/23 14:14 trans-1,2-Dichloroethene 1.0 U 1.0 03/10/23 14:14 0.51 ug/L Trichloroethene 1.0 U 1.0 0.44 ug/L 03/10/23 14:14 Vinyl chloride 1.0 U 1.0 0.45 ug/L 03/10/23 14:14

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		62 - 137		03/10/23 14:14	1
4-Bromofluorobenzene (Surr)	74		56 ₋ 136		03/10/23 14:14	1
Toluene-d8 (Surr)	84		78 - 122		03/10/23 14:14	1
Dibromofluoromethane (Surr)	87		73 - 120		03/10/23 14:14	1

Lab Sample ID: LCS 240-564965/5

Matrix: Water

Analysis Batch: 564965

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	25.3		ug/L		101	63 - 134	
cis-1,2-Dichloroethene	25.0	24.3		ug/L		97	77 - 123	
Tetrachloroethene	25.0	25.0		ug/L		100	76 - 123	
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124	
Trichloroethene	25.0	23.6		ug/L		94	70 - 122	
Vinyl chloride	12.5	10.4		ug/L		83	60 - 144	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		62 _ 137
4-Bromofluorobenzene (Surr)	81		56 ₋ 136
Toluene-d8 (Surr)	84		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Analysis Batch: 564965

Lab Sample ID: 240-181238-C-4 MS Client Sample ID: Matrix Spike **Matrix: Water** Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	10	U	250	247		ug/L		99	56 - 135	
cis-1,2-Dichloroethene	10	U	250	238		ug/L		95	66 - 128	
Tetrachloroethene	10	U	250	249		ug/L		100	62 - 131	
trans-1,2-Dichloroethene	10	U	250	236		ug/L		95	56 - 136	
Trichloroethene	10	U	250	224		ug/L		90	61 - 124	
Vinyl chloride	10	U	125	96.3		ug/L		77	43 - 157	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	86		56 - 136
Toluene-d8 (Surr)	86		78 - 122

Eurofins Canton

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site Job ID: 240-181211-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-181238-C-4 MS

Matrix: Water

Analysis Batch: 564965

Dibromofluoromethane (Surr)

Client Sample ID: Matrix Spike

Prep Type: Total/NA

MS MS Surrogate

%Recovery Qualifier Limits 89 73 - 120

Lab Sample ID: 240-181238-C-4 MSD

Matrix: Water

Analysis Batch: 564965

Client Sample ID: Matrix Spike Duplicate Prep Type: Total/NA

MSD MSD %Rec RPD Sample Sample Spike RPD Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits Limit 1,1-Dichloroethene 10 U 250 241 ug/L 96 56 - 135 26 cis-1,2-Dichloroethene 10 U 250 243 97 66 - 128 ug/L 2 14 Tetrachloroethene 10 U 250 246 ug/L 98 62 - 131 20 trans-1.2-Dichloroethene ug/L 10 U 250 232 93 56 - 136 15 Trichloroethene 10 U 250 227 ug/L 91 61 - 124 15 Vinyl chloride 10 U 125 94.3 ug/L 43 - 157 24

MSD MSD

MR MR

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 137
4-Bromofluorobenzene (Surr)	84		56 - 136
Toluene-d8 (Surr)	86		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-564495/6

Matrix: Water

Analysis Batch: 564495

Client Sample ID: Method Blank Prep Type: Total/NA

Client Sample ID: Lab Control Sample

Dil Fac

Analyte Result Qualifier RL MDL Unit Prepared Analyzed 1,4-Dioxane 2.0 U 2.0 0.86 ug/L 03/07/23 12:32

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 104 66 - 120 03/07/23 12:32

Lab Sample ID: LCS 240-564495/4

Matrix: Water			Prep Type: Total/NA
Analysis Batch: 564495			
	Spike	LCS LCS	%Rec

Analyte Added Result Qualifier Unit D %Rec Limits 1,4-Dioxane 10.0 11.8 ug/L 118 80 - 122

LCS LCS

%Recovery Qualifier Surrogate Limits 1,2-Dichloroethane-d4 (Surr) 66 - 120 97

Lab Sample ID: 240-181211-4 MS Client Sample ID: MW-78-MS 022823

Matrix: Water

Analysis Batch: 564495

_	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0	U	10.0	9.73		ug/L		97	51 - 153	

Eurofins Canton

Prep Type: Total/NA

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Job ID: 240-181211-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 120

Lab Sample ID: 240-181211-4 MSD Client Sample ID: MW-78-MSD_022823 Prep Type: Total/NA

Matrix: Water

Analysis Batch: 564495

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.35		ug/L		93	51 - 153	4	16

MSD MSD

Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 66 - 120 98

Lab Sample ID: MB 240-564633/6 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analysis Batch: 564633

мв мв

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 12:16	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		66 - 120		03/08/23 12:16	1

Lab Sample ID: LCS 240-564633/4 **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA

Analysis Batch: 564633

		Spike	LCS	LCS				%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	 	10.0	8.99		ug/L		90	80 - 122	

LCS LCS Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 103 66 - 120

Lab Sample ID: 240-181309-G-6 MS Client Sample ID: Matrix Spike Prep Type: Total/NA

Matrix: Water

Analysis Batch: 564633

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0	U F2	10.0	11.0		ug/L		110	51 - 153	

MS MS

Surrogate Limits %Recovery Qualifier 1,2-Dichloroethane-d4 (Surr) 66 - 120 101

Lab Sample ID: 240-181309-H-6 MSD

Matrix: Water

Analysis Batch: 564633			
	Sample Sample	Snike	MSD MSI

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U F2	10.0	13.4	F2	ug/L		134	51 - 153	20	16

Eurofins Canton

Prep Type: Total/NA

Client Sample ID: Matrix Spike Duplicate

QC Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-181309-H-6 MSD

Matrix: Water

Analysis Batch: 564633

MSD MSD

 Surrogate
 %Recovery
 Qualifier
 Limits

 1,2-Dichloroethane-d4 (Surr)
 114
 66 - 120

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

5

9

10

QC Association Summary

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

GC/MS VOA

Analysis Batch: 564118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181211-4	MW-78_022823	Total/NA	Water	8260D	
240-181211-5	MW-98S_022823	Total/NA	Water	8260D	
MB 240-564118/10	Method Blank	Total/NA	Water	8260D	
LCS 240-564118/5	Lab Control Sample	Total/NA	Water	8260D	
240-181211-4 MS	MW-78-MS_022823	Total/NA	Water	8260D	
240-181211-4 MSD	MW-78-MSD_022823	Total/NA	Water	8260D	

Analysis Batch: 564495

Lab Sample ID 240-181211-4	Client Sample ID MW-78_022823	Prep Type Total/NA	Matrix Water	Method 8260D SIM	Prep Batch
MB 240-564495/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564495/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181211-4 MS	MW-78-MS_022823	Total/NA	Water	8260D SIM	
240-181211-4 MSD	MW-78-MSD_022823	Total/NA	Water	8260D SIM	

Analysis Batch: 564633

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181211-2	MW-192S_022723	Total/NA	Water	8260D SIM	
240-181211-3	MW-78S_022723	Total/NA	Water	8260D SIM	
240-181211-5	MW-98S_022823	Total/NA	Water	8260D SIM	
MB 240-564633/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-564633/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-181309-G-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-181309-H-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 564664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181211-1	TRIP BLANK_156	Total/NA	Water	8260D	
240-181211-2	MW-192S_022723	Total/NA	Water	8260D	
MB 240-564664/8	Method Blank	Total/NA	Water	8260D	
LCS 240-564664/5	Lab Control Sample	Total/NA	Water	8260D	
240-181238-B-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-181238-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 564965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-181211-3	MW-78S_022723	Total/NA	Water	8260D	
MB 240-564965/8	Method Blank	Total/NA	Water	8260D	
LCS 240-564965/5	Lab Control Sample	Total/NA	Water	8260D	
240-181238-C-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-181238-C-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Eurofins Canton

Page 22 of 26

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK_156

Lab Sample ID: 240-181211-1 Date Collected: 02/27/23 00:00

Matrix: Water

Date Received: 03/02/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	564664	SAM	EET CAN	03/08/23 15:12

Lab Sample ID: 240-181211-2 Client Sample ID: MW-192S_022723

Matrix: Water

Date Collected: 02/27/23 10:15 Date Received: 03/02/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	564664	SAM	EET CAN	03/08/23 17:42
Total/NA	Analysis	8260D SIM		1	564633	BAJ	EET CAN	03/08/23 15:55

Lab Sample ID: 240-181211-3 Client Sample ID: MW-78S_022723

Date Collected: 02/27/23 12:50 **Matrix: Water**

Date Received: 03/02/23 08:00

Batch Batch Dilution Batch Prepared Factor Prep Type Туре Method Run **Number Analyst** or Analyzed Lab 03/10/23 15:28 Total/NA 8260D 564965 SAM Analysis **EET CAN** 03/08/23 19:33 Total/NA Analysis 8260D SIM 564633 BAJ EET CAN 1

Client Sample ID: MW-78_022823 Lab Sample ID: 240-181211-4

Date Collected: 02/28/23 10:05 **Matrix: Water**

Date Received: 03/02/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	564118	НМВ	EET CAN	03/03/23 19:21
Total/NA	Analysis	8260D SIM		1	564495	BAJ	EET CAN	03/07/23 20:38

Client Sample ID: MW-98S_022823 Lab Sample ID: 240-181211-5

Date Collected: 02/28/23 11:20 **Matrix: Water**

Date Received: 03/02/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	564118	НМВ	EET CAN	03/03/23 19:45
Total/NA	Analysis	8260D SIM		1	564633	BAJ	EET CAN	03/08/23 19:58

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

3/14/2023

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1 Project/Site: Ford LTP - Off Site

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23 *
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23 *
Illinois	NELAP	200004	07-31-23
lowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23 *
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-23 *
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23 *
Ohio VAP	State	CL0024	02-27-23 *
Oregon	NELAP	4062	02-28-24
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

 $^{^{\}star}\,\text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

TestAmerica

Chain of Custody Record

MICHIGAN 190

3-0/1-0

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

TestAmerica Laboratories, Inc COC No: COLUMN MS (MSD 3 VOAs for 8260B 3 VOAs for 8260B SIM Sample Specific Notes / Special Instructions: 1 Trip Blank or lab use onl /alk-in client ab sampling lob/SDG No Sample Disposal (A fee may be assessed if samples are retained longer than I month)
Return to Client P Disposal By Lab Archive For Mo X X × MIS 80628 SIExoid-4. X \times ab Contact: Mike DelMonico X × Vinyl Chloride 8260B Telephone: 330-497-9396 X LCE 8500B \times CE 8590B \times X X \times NOXXX × VICIX XX \times rans-1,2-DCE 8260B MW-107S_022823 revised X COC C.Weaver 3/6/2023 × 1-DCE 8500B G <u>ی</u> D=dgra / D=stiteqmoD Z Cancel Sample Site Contact: Christina Weaver Analysis Turnaround Tim Unpres 3 weeks l week 2 days 2 weeks Telephone: 248-994-2240 day HOSN HORN 0 0 0 HCI 5 و 0 10 day EONE HSZO4 :Todic MΩ bilo inamiba RON SUKARKIA 0 Smail: kristoffer.hinskey@arcadis.com snoonby 3 0 C. 9 9 Client Project Manager: Kris Hinskey ıi⊁ Regulatory program: Sample Time Method of Shipment/Carrier: 1250 1005 2/18/12 1005 (015 2001 5218212 22 1210 Sample Address: BREWSTER, BEACO DARTION Submit all results through Cadena at Jiomalia@cadenaco.com. Cadena #E203631 Felephone: 248-994-2240 Shipping/Tracking No: 2/24/23 2/28/13 2/28/23 SAM 2/13/123 212812 Sampler Name Sample Date 2/12/13 Skin Irritant MW-78-MSD_022873 MW-78-MS_072873 ANN-1078_02823 MW-785_02773 Special Instructions/QC Requirements & Comments: MW-985_02823 MW-78_672823 MW-1925_072723 Sample Identification Client Contact Address: 28550 Cabot Drive, Suite 500 TRIP BLANK_ 156 Project Number: 30167538.402.04 Project Name: Ford LTP Off-Site Possible Hazard Identification City/State/Zip: Novi, MI, 48377 Company Name: Arcadis PO # 30167538.402.04 Phone: 248-994-2240 Page 25 of 26

240-181211 Chain of Custody

3

2

150

728123,

PRCAPAS

ARCA DE

eccived by

0151

Date/Time: 7/28/13

1030

ARCAUTS ARCHOIS

Company: Company:

SAM SUKPRIP

Level IV Reporting requested.

3/1/23 10:3D

SEIR

©2008. TestAmenca Laboratories, Inc. Altrights reserved. TestAmenca & Design 1" are trademarks of TestAmenca Laboratories.

Matte

Relinquished by: Relinquished by: Relinquished by

Eurofins - Canton Sample Barberton Facility	Receipt Form/Narrativ	re .	Login #	:
Client Arcadi S	Site	Name		Cooler unpacked by:
	A ()	0 0 0	0	Kee 1.
Cooler Received on 3-2-	Ope Ope	ned on 5-2-2	5	Jamy 1990
FedEx: 1 ⁿ Grd Exp UPS		t Drop Off Eurofins		ther
Receipt After-hours: Drop-of			age Location	
			Other	
Packing material used		Plastic Bag None	Other _	
COOLANT: Wet				
1. Cooler temperature upon-			lultiple Cooler F	
IR GUN # IR-13 (CF -0. IR GUN # IR-16 (CF -0.			rected Cooler rected Cooler	
IR GUN # IR-17 (CF -0.			rected Cooler	
			1	
2. Were tamper/custody seals			$\overline{}$	Tests that are not
	utside of the cooler(s) sign cals on the bottle(s) or bot		Ye	Captage in part of
		-		Receiving:
3. Shippers' packing slip attac	eals intact and uncompron	11500 /	Ye	
Did custody papers accomp			Ye	No VOAs OH and Grease
 Were the custody papers re 	-	e annongiate place?	Va.	No TOC
6. Was/were the person(s) wh			നന 🔏	No
7. Did all bottles arrive in good	-	outly issuitable on the	We	
8. Could all bottle labels (ID/		with the COC?	X TRAGE	
9. For each sample, does the				
10. Were correct bottle(s) used				KKN ON
11. Sufficient quantity received			Y	
12. Are these work share samp	_	-	Yes	
If yes, Questions 13-17 ha				
13. Were all preserved sample			Yes	No NA DH Strip Lot# HC203864
14. Were VOAs on the COC?				No
15. Were air bubbles >6 mm i		Larger than this.	TID Yes	No NA
16. Was a VOA trip blank pre		Blank Lot #		No
17. Was a LL Hg or Me Hg tr	ip blank present?		Yes	No
Contacted PM	_ Date	by	via Verbal V	oice Mail Other
Concerning				
18. CHAIN OF CUSTODY	& SAMPLE DISCREPA	NCIES Dadditional	next page	Samples processed by:
	1 1 1 1 1			
DO Ina	- Vaiold	15-6	i	
-AO trip	blank-	156		
-AO trip	blank-	156		
AO Trip	1925 are	+(1, 147 W	re sul	Ewic.
-AO trip	1925 are	+(1, 147 W	re sw	fwic.
	1925 Ne	156 tc, ruz w	re sw	Ewic.
19. SAMPLE CONDITION				
19. SAMPLE CONDITION Sample(s)	were n	eceived after the recomm	nended holdin	g time had expired.
19. SAMPLE CONDITION Sample(s) Sample(s)	were n	eceived after the recomm	nended holdin	g time had expired. n a broken container.
19. SAMPLE CONDITION Sample(s) Sample(s)	were n	eceived after the recomm	nended holdin	g time had expired. n a broken container.
19. SAMPLE CONDITION Sample(s) Sample(s) Sample(s)	were n	eceived after the recomm	nended holdin	g time had expired. n a broken container.
19. SAMPLE CONDITION Sample(s) Sample(s) Sample(s) 20. SAMPLE PRESERVATION	were n	eceived after the recomn Were received with bub	nended holdin vere received i ble >6 mm in	ng time had expired. n a broken container. diameter. (Notify PM)
19. SAMPLE CONDITION Sample(s) Sample(s) Sample(s) 20. SAMPLE PRESERVATION	were n	eceived after the recomn Were received with bub	nended holdin vere received i ble >6 mm in	g time had expired. n a broken container.
19. SAMPLE CONDITION Sample(s) Sample(s) Sample(s) 20. SAMPLE PRESERVATION	were n	eceived after the recomn Were received with bub	nended holdin vere received i ble >6 mm in	ng time had expired. n a broken container. diameter. (Notify PM)
19. SAMPLE CONDITION Sample(s) Sample(s) Sample(s) 20. SAMPLE PRESERVATION	ON Preservative(s) added/Lor	eceived after the recomm were received with bub number(s):	nended holdin vere received i ble >6 mm in were furth	g time had expired. n a broken container. diameter. (Notify PM) ner preserved in the laboratory.

DATA VERIFICATION REPORT



March 14, 2023

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory submittal: 181211-1 Sample date: 2023-02-27 2023-02-28 Report received by CADENA: 2023-03-14

Initial Data Verification completed by CADENA: 2023-03-14

Number of Samples:5 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC SIM QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI $48108\ 517\text{-}819\text{-}0356$

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Barberton

Laboratory Submittal: 181211-1

		Sample Name: Lab Sample ID:		2111	i		2401812		23		MW-785	2113	3		240181				MW-989	2115	3	
		Sample Date:	2/27/20			14-11-1	2/27/20			14-11-1	2/27/20			V-11-1	2/28/20				2/28/20			V-11-1
				Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																						
OSW-8260	<u>)D</u>																					
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
OSW-8260	<u>DDSIM</u>																					
	1,4-Dioxane	123-91-1					ND	2.0	ug/l													



Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-181211-1

CADENA Verification Report: 2023-03-14

Analyses Performed By: Eurofins North Canton, Ohio

Report # 49029R Review Level: Tier III Project: 30167538.601.01

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-181211-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

			Sample Collection		Analysis			
Sample ID	Lab ID	Matrix	Date	Parent Sample	VOC	VOC SIM		
TRIP BLANK_156	240-181211-1	Water	02/28/23		Х			
MW-192S_022723	240-181211-2	Water	02/27/23		Х	Х		
MW-78S_022723	240-181211-3	Water	02/27/23		Х	Х		
MW-78_022823	240-181211-4	Water	02/28/23		Х	Х		
MW-98S_022823	240-181211-5	Water	02/28/23		Х	Х		

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Rep	orted		mance ptable	Not
	No	Yes	No	Yes	Required
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		Х		Х	
Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
Sample preparation/extraction/analysis dates		Х		Х	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		Х	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Rep	orted		rmance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (G	C/MS)				
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation					-
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
lon abundance criteria for each instrument used		Х		Х	
Field Duplicate RPD	Х				Х
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE:

DATE: March 22, 2023

PEER REVIEW: Andrew Korycinski

DATE: March 22, 2023

NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

MICHIGAN 190

0-7/0-6

Chain of Custody Record

<u>TestAmerica</u>

	America Labora								200							-2/63						_	Te	HE LEADER IN ENVIRONMENTAL TESTING
Client Contact	Regular	tory program:			DW	′	T N	PDES			RCI	RA	1	Oth	er									
Company Name: Arcadis	Client Project	Manager: Kris	Hinsl	key			Site C	ontact:	: Chi	ristina	a We	aver			_	Lab (Conta	t: Mi	ce Del	Monic	00			TestAmerica Laboratories, Inc.
Address: 28550 Cabot Drive, Suite 500	T-1	004 2240					7:1:-		140.0	204.22	3.40													
City/State/Zip: Novi, MI, 48377	Telephone: 248	1-994-2240						hone: 2								lele	onone:	330-4	97-93	196				1 of 1 COCs
Phone: 248-994-2240	Email: kristoff	er.hinskey@ar	cadis	.com			A	nalysis	Tur	narou	ind 1	Time	-		F	1			A	naly	ses			For lab use only
	Sampler Name	:					TATit	different														1 1 1		Walk-in client
Project Name: Ford LTP Off-Site	SAM	SUKA	87	47			10	day		3 we														
Project Number: 30167538.402.04	Method of Ship						1 "	uay	T	I we	eek		9	l _o							StM			Lab sampling
PO # 30167538.402.04	Shipping/Track	cing No:					ł			2 da 1 da			1/2	Grab		<u>8</u>	8260B			8260B	B S			Job/SDG No:
		1			Matrix		.						mple (Y / N)	0/3	90 90 90	cis-1,2-DCE 8260B	CE 8			e 82	8260B			Joors Da No.
					MAILIX			Containe	ers &	Prese	rvau	ives	S		1,1-DCE 8260B	OCE	Trans-1,2-DCE	8260B	90B	Vinyl Chloride	1,4-Dioxane			
				Aqueous	Sediment	Other:	H2SO4	E _ E	NaOH	2 1	Unpres	Other:	Filtered	Composite	Ö	1.2-	ns-1	E 82	TCE 8260B	2 2	Î			Sample Specific Notes / Special Instructions:
Sample Identification	Sample Date	Sample Time	¥	Αď	Solid Solid	ŏ	2	HC1	Z	ZnAc	5	5	<u> </u>	ర	E	Cis	Tra	PCE	2	> =	4.			Special first actions:
TRIP BLANK_ 156	2/27/23			1				1					N	IG	X	X	X	X	X	X				1 Trip Blank
MW-1925_022723	2/27/23	1015		5				5					1	16	X	X	X	X	X	X	×			3 VOAs for 8260B 3 VOAs for 8260B SIM
J MW-785_027723	2/27/23	1250		6				6					N	G	X	X	X	X	X	X	X			
MW-78_022823	2/28/23	1005		6				6	,				N	6	X	X	X	X	X	X	×			
MW-78-MS_022823	2/28/23	1005		6				6	,				V	G	X	X	K	K	X	X	X			COLLOLOT MS/MSD
3 MW-78-MSD_022873	2/28/23	1005		6				6					N	6	X	X	X	X	X	X	X			1 1
MW-98S_022823	2/28/23	1120		6				6					W	C	X	X	X	X	X	X	X			
MW-1675_022823	2/22/23	1210		6				6	,	_			N	6	X	X	X	X	X	X	X			
							1		-			l San								\top				
		-	\vdash	\vdash		-	+	+		ΜV	V-10	07S_	022	823	3 rev	isec	-		-	-	\vdash			
										CO	CC	C.We	ave	er 3/	6/20	23								
Possible Hazard Identification ✓ Non-Hazard Flammable Skin Irrita	ant Poise	on B	Unk	nown			Sai			sal (A		may be				oles ar		ined le		than 1		nth) Months		
Special Instructions/QC Requirements & Comments:							-	Ken	uma	O CHC	III.	,,,	Dispo	osai D	y Lau		/	ucniv	ror			wontns		
Sample Address: BREWSTER, BEACC Submit all results through Cadena at jtomalia@cadenacc	U CAP	TOL 6	20	2																				
Level IV Reporting requested.	COIN. Cadella	+E203031																						
Relinquished by:	Company:	()- (A - C	-	Date	Time:	11-2	1.,		Red	ceived	by:		10	- ^	_		_		Com	pany:	7	1222	~	Date/Time:
SAM SUKARTA Relinquished by:	Company:	RCADI	>_	Data	178	3173	1:	510	D.	ceived	l la		4K	CH	D	5	STI	PXC	-			ARCAO	$\overline{\mathcal{C}}$	2/28/23/1510
(Amart)	Company.	FRCAU	S	Date	Time:	23	10	30	, I				as	-6	a	4	-		Com	pany:		TA		Date/Time: 3/1/23/ 1030
Relinquished by:	Company:	_ ^		Date	Time:				126	ceive	in I	aborat	tory t	oy:	1	<u> </u>			Con	pany;		- 120		Date/Times
3 Matte	LE	IH		3)	1/2	3 10	:3	0		7	16	<u> </u>	~	V	Y	تعر	L	,		26	5 1	TOC		3-2-23 800
©2008 TestAmerica Laboratories for All nobts reserved														()		U								KAR 2 45 - 1

1 C2008. TestAmerica Laboratories, Inc., All rights reserved TasiAmerica & Dissign ¹⁶ are trademarks of 1 esiAmerica Laboratories. In 1200 March 1200 Ma

240-181211 Chain of Custody

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK_156

Lab Sample ID: 240-181211-1 Date Collected: 02/27/23 00:00 **Matrix: Water**

Date Received: 03/02/23 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 15:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 15:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 15:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 15:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 15:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		62 - 137					03/08/23 15:12	1
4-Bromofluorobenzene (Surr)	79		56 ₋ 136					03/08/23 15:12	1
Toluene-d8 (Surr)	84		78 - 122					03/08/23 15:12	1
Dibromofluoromethane (Surr)	88		73 - 120					03/08/23 15:12	1

Client Sample ID: MW-192S 022723

Date Collected: 02/27/23 10:15

1,4-Dioxane

Date Collected. 02/21/23 10.	10					IVIALII	x. walei
Date Received: 03/02/23 08:	00						
Method: SW846 8260D SIN	I - Volatile Organic Compou	ınds (GC/N	NS)				
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac

%Recovery Qualifier Surrogate Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 03/08/23 15:55 95 66 - 120

2.0

0.86 ug/L

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

2.0 U

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
						_	Tropurcu		
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/23 17:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/23 17:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 17:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/23 17:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/23 17:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/23 17:42	1

Surrogate	%Recovery Quality	fier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85	62 - 137		03/08/23 17:42	1
4-Bromofluorobenzene (Surr)	79	56 ₋ 136		03/08/23 17:42	1
Toluene-d8 (Surr)	85	78 - 122		03/08/23 17:42	1
Dibromofluoromethane (Surr)	88	73 - 120		03/08/23 17:42	1

Client Sample ID: MW-78S 022723

Date Collected: 02/27/23 12:50

Date Received: 03/02/23 08:00

Lab Sample ID: 240-181211-3

Lab Sample ID: 240-181211-2

03/08/23 15:55

Method: SW846 8260D SIM - V	olatile Organic C	compounds	(GC/MS)
-----------------------------	-------------------	-----------	---------

Analyte 1,4-Dioxane	2.0	Qualifier U	RL 2.0	MDL 0.86	Unit ug/L	<u>D</u>	Prepared	Analyzed 03/08/23 19:33	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			_	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		66 - 120					03/08/23 19:33	1

Client: ARCADIS U.S., Inc. Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-78S_022723 Lab Sample ID: 240-181211-3

Date Collected: 02/27/23 12:50 **Matrix: Water** Date Received: 03/02/23 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/10/23 15:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/10/23 15:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/10/23 15:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/10/23 15:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/10/23 15:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/10/23 15:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137					03/10/23 15:28	1
4-Bromofluorobenzene (Surr)	78		56 ₋ 136					03/10/23 15:28	1
Toluene-d8 (Surr)	83		78 - 122					03/10/23 15:28	1
Dibromofluoromethane (Surr)	86		73 - 120					03/10/23 15:28	1

Lab Sample ID: 240-181211-4 Client Sample ID: MW-78_022823 **Matrix: Water**

Date Collected: 02/28/23 10:05 Date Received: 03/02/23 08:00

Method: SW846 8260D SIM	l - Volatile Orga	anic Comp	ounds (GC/N	1S)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/23 20:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96	-	66 - 120			_		03/07/23 20:38	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 19:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 19:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 19:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 19:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		62 - 137		03/03/23 19:21	1
4-Bromofluorobenzene (Surr)	113		56 - 136		03/03/23 19:21	1
Toluene-d8 (Surr)	100		78 - 122		03/03/23 19:21	1
Dibromofluoromethane (Surr)	93		73 - 120		03/03/23 19:21	1

Client Sample ID: MW-98S 022823 Lab Sample ID: 240-181211-5

Date Collected: 02/28/23 11:20 Date Received: 03/02/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/23 19:58	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	97		66 - 120					03/08/23 19:58	1	

Client: ARCADIS U.S., Inc.

Job ID: 240-181211-1

Project/Site: Ford LTP - Off Site

Date Collected: 02/28/23 11:20

Matrix: Water

Date Received: 03/02/23 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/23 19:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/23 19:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/23 19:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/23 19:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/23 19:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137					03/03/23 19:45	1
4-Bromofluorobenzene (Surr)	115		56 - 136					03/03/23 19:45	1
Toluene-d8 (Surr)	101		78 - 122					03/03/23 19:45	1
Dibromofluoromethane (Surr)	95		73 - 120					03/03/23 19:45	