

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 6/4/2023 10:19:12 PM

**JOB DESCRIPTION**

Ford LTP - Off Site

**JOB NUMBER**

240-185733-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
6/4/2023 10:19:12 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18
Receipt Checklists . . . . .	22

# Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

---

**Job ID: 240-185733-1**

---

**Laboratory: Eurofins Cleveland**

---

**Narrative**

**Job Narrative  
240-185733-1**

**Receipt**

The samples were received on 5/20/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.2°C and 1.8°C

**GC/MS VOA**

Method 8260D: The continuing calibration verification (CCV) associated with batch 460-911906 recovered above the upper control limit for cis-1,2-Dichloroethene and trans-1,2-Dichloroethene. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8260D: The laboratory control sample (LCS) for analytical batch 460-911906 recovered outside control limits for the following analyte: cis-1,2-Dichloroethene. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported.

Method 8260D\_SIM: Internal standard (ISTD) response for Fluorobenzene for the following sample in analytical batch 460-911865 was outside acceptance criteria: MW-157S\_051723 (240-185733-2). This ISTD does not correspond to any of the requested target compounds reported from this analytical batch; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-185733-1	TRIP BLANK_71	Water	05/17/23 00:00	05/20/23 08:00
240-185733-2	MW-157S_051723	Water	05/17/23 11:35	05/20/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

---

**Client Sample ID: TRIP BLANK\_71**

**Lab Sample ID: 240-185733-1**

No Detections.

---

**Client Sample ID: MW-157S\_051723**

**Lab Sample ID: 240-185733-2**

No Detections.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

**Client Sample ID: TRIP BLANK\_71**

**Lab Sample ID: 240-185733-1**

Date Collected: 05/17/23 00:00

Matrix: Water

Date Received: 05/20/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/23 08:01	1
cis-1,2-Dichloroethene	1.0	U *+	1.0	0.46	ug/L			05/28/23 08:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 08:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/28/23 08:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 08:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/23 08:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 128		05/28/23 08:01	1
Dibromofluoromethane (Surr)	101		77 - 124		05/28/23 08:01	1
Toluene-d8 (Surr)	97		80 - 120		05/28/23 08:01	1
4-Bromofluorobenzene	101		76 - 120		05/28/23 08:01	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

**Client Sample ID: MW-157S\_051723**

**Lab Sample ID: 240-185733-2**

Date Collected: 05/17/23 11:35

Matrix: Water

Date Received: 05/20/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/27/23 08:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		75 - 133					05/27/23 08:38	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/23 12:33	1
cis-1,2-Dichloroethene	1.0	U *	1.0	0.46	ug/L			05/28/23 12:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 12:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/28/23 12:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 12:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/23 12:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 128					05/28/23 12:33	1
Dibromofluoromethane (Surr)	104		77 - 124					05/28/23 12:33	1
Toluene-d8 (Surr)	95		80 - 120					05/28/23 12:33	1
4-Bromofluorobenzene	105		76 - 120					05/28/23 12:33	1

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-128)	DBFM (77-124)	TOL (80-120)	BFB (76-120)
240-185730-A-2 MS	Matrix Spike	86	96	97	104
240-185730-A-2 MSD	Matrix Spike Duplicate	85	96	109	110
240-185733-1	TRIP BLANK_71	99	101	97	101
240-185733-2	MW-157S_051723	94	104	95	105
LCS 460-911906/2	Lab Control Sample	88	101	91	116
MB 460-911906/6	Method Blank	98	103	97	105

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB (75-133)
240-185733-2	MW-157S_051723	99
LCS 460-911865/2	Lab Control Sample	86
LCSD 460-911865/3	Lab Control Sample Dup	94
MB 460-911865/6	Method Blank	95

### Surrogate Legend

BFB = 4-Bromofluorobenzene

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-911906/6

Matrix: Water

Analysis Batch: 911906

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/23 06:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/28/23 06:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 06:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/28/23 06:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 06:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/23 06:07	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		70 - 128		05/28/23 06:07	1
Dibromofluoromethane (Surr)	103		77 - 124		05/28/23 06:07	1
Toluene-d8 (Surr)	97		80 - 120		05/28/23 06:07	1
4-Bromofluorobenzene	105		76 - 120		05/28/23 06:07	1

Lab Sample ID: LCS 460-911906/2

Matrix: Water

Analysis Batch: 911906

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	23.9		ug/L		120	68 - 133
cis-1,2-Dichloroethene	20.0	24.7	*+	ug/L		123	78 - 121
Tetrachloroethene	20.0	22.1		ug/L		111	70 - 127
trans-1,2-Dichloroethene	20.0	25.2		ug/L		126	74 - 126
Trichloroethene	20.0	23.7		ug/L		119	71 - 121
Vinyl chloride	20.0	23.2		ug/L		116	55 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	88		70 - 128
Dibromofluoromethane (Surr)	101		77 - 124
Toluene-d8 (Surr)	91		80 - 120
4-Bromofluorobenzene	116		76 - 120

Lab Sample ID: 240-185730-A-2 MS

Matrix: Water

Analysis Batch: 911906

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	20.0		ug/L		100	68 - 133
cis-1,2-Dichloroethene	1.0	U *+	20.0	19.8		ug/L		99	78 - 121
Tetrachloroethene	1.0	U	20.0	21.2		ug/L		106	70 - 127
trans-1,2-Dichloroethene	1.0	U	20.0	19.5		ug/L		98	74 - 126
Trichloroethene	1.0	U	20.0	19.3		ug/L		96	71 - 121
Vinyl chloride	1.0	U F1	20.0	26.6		ug/L		133	55 - 144

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		70 - 128
Dibromofluoromethane (Surr)	96		77 - 124
Toluene-d8 (Surr)	97		80 - 120

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-185730-A-2 MS**  
**Matrix: Water**  
**Analysis Batch: 911906**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
4-Bromofluorobenzene	104		76 - 120

**Lab Sample ID: 240-185730-A-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 911906**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	20.0	20.4		ug/L		102	68 - 133	2	30	
cis-1,2-Dichloroethene	1.0	U *	20.0	21.1		ug/L		105	78 - 121	6	30	
Tetrachloroethene	1.0	U	20.0	24.8		ug/L		124	70 - 127	16	30	
trans-1,2-Dichloroethene	1.0	U	20.0	20.6		ug/L		103	74 - 126	5	30	
Trichloroethene	1.0	U	20.0	20.4		ug/L		102	71 - 121	6	30	
Vinyl chloride	1.0	U F1	20.0	29.1	F1	ug/L		145	55 - 144	9	30	

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	85		70 - 128
Dibromofluoromethane (Surr)	96		77 - 124
Toluene-d8 (Surr)	109		80 - 120
4-Bromofluorobenzene	110		76 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 460-911865/6**  
**Matrix: Water**  
**Analysis Batch: 911865**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/27/23 07:29	1

	<i>MB</i>	<i>MB</i>						
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>		
4-Bromofluorobenzene	95		75 - 133		05/27/23 07:29	1		

**Lab Sample ID: LCS 460-911865/2**  
**Matrix: Water**  
**Analysis Batch: 911865**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	5.00	4.57		ug/L		91	57 - 124	

	<i>LCS</i>	<i>LCS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
4-Bromofluorobenzene	86		75 - 133

**Lab Sample ID: LCSD 460-911865/3**  
**Matrix: Water**  
**Analysis Batch: 911865**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	
		Result	Qualifier				Limits	RPD	Limit	
1,4-Dioxane	5.00	5.01		ug/L		100	57 - 124	9	30	

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>LCSD</i>	<i>LCSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
4-Bromofluorobenzene	94		75 - 133

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# QC Association Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## GC/MS VOA

### Analysis Batch: 911865

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185733-2	MW-157S_051723	Total/NA	Water	8260D SIM	
MB 460-911865/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-911865/2	Lab Control Sample	Total/NA	Water	8260D SIM	
LCSD 460-911865/3	Lab Control Sample Dup	Total/NA	Water	8260D SIM	

### Analysis Batch: 911906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185733-1	TRIP BLANK_71	Total/NA	Water	8260D	
240-185733-2	MW-157S_051723	Total/NA	Water	8260D	
MB 460-911906/6	Method Blank	Total/NA	Water	8260D	
LCS 460-911906/2	Lab Control Sample	Total/NA	Water	8260D	
240-185730-A-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-185730-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	



# Lab Chronicle

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

**Client Sample ID: TRIP BLANK\_71**

**Lab Sample ID: 240-185733-1**

Date Collected: 05/17/23 00:00

Matrix: Water

Date Received: 05/20/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911906	SZD	EET EDI	05/28/23 08:01

**Client Sample ID: MW-157S\_051723**

**Lab Sample ID: 240-185733-2**

Date Collected: 05/17/23 11:35

Matrix: Water

Date Received: 05/20/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911906	SZD	EET EDI	05/28/23 12:33
Total/NA	Analysis	8260D SIM		1	911865	SZD	EET EDI	05/27/23 08:38

**Laboratory References:**

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900





# Accreditation/Certification Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

## Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

1.8/1.8

# Chain of Custody Record



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact  
 Company Name: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240

Client Project Manager: Kris Hinsky  
 Telephone: 248-994-2240  
 Email: kristoffer.hinsky@arcadis.com

Site Contact: Christina Weaver  
 Telephone: 248-994-2240  
 Lab Contact: Mike DeMonico  
 Telephone: 330-497-9396

Sampler Name: Sen Turner  
 Method of Shipment/Carrier:  
 Shipping/Tracking No:

Analysis Turnaround Time  
 TAT if different from below:  
 10 day  3 weeks  
 2 weeks  
 1 week  
 2 days  
 1 day

Sample Date	Sample Time	Matrix				Containers & Preservatives				Other:				
		Air	Aqueous	Sediment	Solid	H2SO4	HNO3	HCl	NaOH		Zinc Acetate	Lapres:		
5/17/23	---	1						1						
+	1135	6						6						

Sample Identification	Filtered Sample (Y/N)	Composite C/Grab-C	Analyses						Sample Specific Notes / Special Instructions:
			1,1-DCE 8260B	CIS-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	
TRIP BLANK_71	NG	X	X	X	X	X	X	X	1 Trip Blank
MW-1575-051723	NG	X	X	X	X	X	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM

240-185733 Chain of Custody

MICHIGAN  
190

Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments:  
 Sample Address: 12067 Boston Post  
 Submit all results through Cadena at jromalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
<i>Sen Turner</i>	5/18/23 12:30	ARCADIS	NOVI COTA STORAGE	5/18/23 12:30	ARCADIS
<i>Christina Weaver</i>	5/19/23 11:00	ARCADIS	<i>Sen Turner</i>	5/19/23 11:00	EETA
<i>Sen Turner</i>	5/19/23 11:00	EETA	Received in Laboratory by: <i>Mandy Bl</i>	5/20/23 8:00	BLMC



**Eurofins - Canton Sample Receipt Form/Narrative** Login # : \_\_\_\_\_  
**Barberton Facility**

Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by: Mandy  
Cooler Received on 5-20-23 Opened on 5-20-23  
FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other \_\_\_\_\_


Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # 2021K Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN # 22 (CF FO °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_  Yes  No  
- Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  
- Were tamper/custody seals intact and uncompromised?  Yes  No  NA

3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
4. Did custody papers accompany the sample(s)?  Yes  No  
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  
9. For each sample, does the COC specify preservatives  (Y/N), # of containers  (Y/N), and sample type of grab/comp  (Y/N)?  
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
11. Sufficient quantity received to perform indicated analyses?  Yes  No  
12. Are these work share samples and all listed on the COC?  Yes  No  
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC208070  
14. Were VOAs on the COC?  Yes  No  
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  Larger than this.  
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No  
17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**19. SAMPLE CONDITION**  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Eurofins - Canton Sample Receipt Multiple Cooler Form				
Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client Box Other	IR GUN #: 22	1.8	1.8	Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: 22	1.2	1.2	Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form







## Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 240-185733-1

**Login Number: 185733**

**List Number: 2**

**Creator: Rivera, Kenneth**

**List Source: Eurofins Edison**

**List Creation: 05/25/23 10:14 AM**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	2059440
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.2°C, IR #9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# DATA VERIFICATION REPORT



June 05, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30167538.402.04 off-site  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 185733-1  
Sample date: 2023-05-17  
Report received by CADENA: 2023-06-05  
Initial Data Verification completed by CADENA: 2023-06-05  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch LCS recovery was outlying biased high for the following analyte: CIS-1,2-DICHLOROETHENE. Associated client sample results were non-detect so qualification was not required based on this high bias QC outlier.

GCMS VOC QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

GCMS VOC SIM QC batch INTERNAL STANDARD response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356



## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 185733-1

Sample Name: TRIP BLANK\_71 MW-157S\_051723  
 Lab Sample ID: 2401857331 2401857332  
 Sample Date: 5/17/2023 5/17/2023

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-185733-1

CADENA Verification Report: 2023-06-05

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 50148R

Review Level: Tier III

Project: 30167538.402.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-185733-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_71	240-185733-1	Water	05/17/23		X	
MW-157S_051723	240-185733-2	Water	05/17/23		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
TRIP BLANK_71 MW-157S_051723	Continuous Calibration Verification %D	trans-1,2-Dichloroethene	+20.5%
		cis-1,2-Dichloroethene	+21.9%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 <sup>1</sup>	Non-detect	R
		Detect	J
RRF >0.05 or RRF >0.01 <sup>1</sup>	Non-detect	No Action	

## DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
		Detect	
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

<sup>1</sup>RRF of 0.01 only applies to compounds which are typically poor responding compounds

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.



## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: June 20, 2023

---

PEER REVIEW: Andrew Korycinski

DATE: June 21, 2023

---

**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**




1.8/1.8

### Chain of Custody Record

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>			<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other																									
Company Name: Arcadis			Client Project Manager: Kris Hinskey					Site Contact: Christina Weaver					Lab Contact: Mike DelMonico					TestAmerica Laboratories, Inc.										
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240					Telephone: 248-994-2240					Telephone: 330-497-9396					COC No:										
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com					<b>Analysis Turnaround Time</b>					<b>Analyses</b>					1 of 1 COCs										
Phone: 248-994-2240			Sampler Name: <u>Sam Turner</u>					TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					<input type="checkbox"/> Filtered Sample (Y/N) <input type="checkbox"/> Composite-C / Grab-G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM					For lab use only										
Project Name: Ford LTP Off-Site			Method of Shipment/Carrier:					Walk-in client										Lab sampling										
Project Number: 30167538.402.04			Shipping/Tracking No:					Job/SDG No:					Sample Specific Notes / Special Instructions:															
PO # 30167538.402.04																												
Sample Identification			Sample Date	Sample Time	Matrix					Containers & Preservatives					Analyses													
					Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite-C / Grab-G		1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	
TRIP BLANK_71			5/17/23	--									1						NG	X	X	X	X	X	X			1 Trip Blank
mw-1575-051723			↓	1135									6						NG	X	X	X	X	X	X			3 VOAs for 8260B 3 VOAs for 8260B SIM



MICHIGAN  
190

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  
**Sample Disposal** (A fee may be assessed if samples are retained longer than 1 month)  
 Return to Client  Disposal By Lab  Archive For \_\_\_ Months

**Special Instructions/QC Requirements & Comments:**  
 Sample Address: 12067 Boston Post  
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by: <u>SA Turner</u>	Company: Arcadis	Date/Time: 5/18/23 12:30	Received by: Novi City Storage	Company: Arcadis	Date/Time: 5/18/23 12:30
Relinquished by: <u>[Signature]</u>	Company: ARCADIS	Date/Time: 5/19/23 1100	Received by: <u>[Signature]</u>	Company: EETA	Date/Time: 5/19/23 1100
Relinquished by: <u>[Signature]</u>	Company: EETA	Date/Time: 5/19/23 11:00	Received in Laboratory by: Mandaly-Ble	Company: EETA	Date/Time: 5-20-23 8:00

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185733-1

**Client Sample ID: TRIP BLANK\_71**

**Lab Sample ID: 240-185733-1**

Date Collected: 05/17/23 00:00

Matrix: Water

Date Received: 05/20/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/23 08:01	1
cis-1,2-Dichloroethene	1.0	<del>U</del> ** UJ	1.0	0.46	ug/L			05/28/23 08:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 08:01	1
trans-1,2-Dichloroethene	1.0	<del>U</del> UJ	1.0	0.51	ug/L			05/28/23 08:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 08:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/23 08:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 128		05/28/23 08:01	1
Dibromofluoromethane (Surr)	101		77 - 124		05/28/23 08:01	1
Toluene-d8 (Surr)	97		80 - 120		05/28/23 08:01	1
4-Bromofluorobenzene	101		76 - 120		05/28/23 08:01	1

**Client Sample ID: MW-157S\_051723**

**Lab Sample ID: 240-185733-2**

Date Collected: 05/17/23 11:35

Matrix: Water

Date Received: 05/20/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/27/23 08:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		75 - 133		05/27/23 08:38	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/23 12:33	1
cis-1,2-Dichloroethene	1.0	<del>U</del> ** UJ	1.0	0.46	ug/L			05/28/23 12:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 12:33	1
trans-1,2-Dichloroethene	1.0	<del>U</del> UJ	1.0	0.51	ug/L			05/28/23 12:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/23 12:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/23 12:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 128		05/28/23 12:33	1
Dibromofluoromethane (Surr)	104		77 - 124		05/28/23 12:33	1
Toluene-d8 (Surr)	95		80 - 120		05/28/23 12:33	1
4-Bromofluorobenzene	105		76 - 120		05/28/23 12:33	1