

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 5/18/2023 1:17:58 AM

## JOB DESCRIPTION

Ford LTP - Off Site

## JOB NUMBER

240-184623-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
5/18/2023 1:17:58 AM

Authorized for release by  
Michael DelMonico, Project Manager I  
[Michael.DelMonico@et.eurofinsus.com](mailto:Michael.DelMonico@et.eurofinsus.com)  
(330)497-9396

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Method Summary . . . . .         | 6  |
| Sample Summary . . . . .         | 7  |
| Detection Summary . . . . .      | 8  |
| Client Sample Results . . . . .  | 9  |
| Surrogate Summary . . . . .      | 11 |
| QC Sample Results . . . . .      | 12 |
| QC Association Summary . . . . . | 14 |
| Lab Chronicle . . . . .          | 15 |
| Certification Summary . . . . .  | 16 |
| Chain of Custody . . . . .       | 17 |
| Receipt Checklists . . . . .     | 20 |



## Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

### Qualifiers

#### GC/MS VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

## Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

**Job ID: 240-184623-1**

**Laboratory: Eurofins Cleveland**

### Narrative

#### Job Narrative 240-184623-1

#### Receipt

The samples were received on 5/4/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.2°C and 1.6°C

#### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

| Method    | Method Description                  | Protocol | Laboratory |
|-----------|-------------------------------------|----------|------------|
| 8260D     | Volatile Organic Compounds by GC/MS | SW846    | EET EDI    |
| 8260D SIM | Volatile Organic Compounds (GC/MS)  | SW846    | EET EDI    |
| 5030C     | Purge and Trap                      | SW846    | EET EDI    |

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

## Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 240-184623-1  | TRIP BLANK_154   | Water  | 05/02/23 00:00 | 05/04/23 08:00 |
| 240-184623-2  | MW-182S_050223   | Water  | 05/02/23 10:25 | 05/04/23 08:00 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

## Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

**Client Sample ID: TRIP BLANK\_154**

**Lab Sample ID: 240-184623-1**

No Detections.

**Client Sample ID: MW-182S\_050223**

**Lab Sample ID: 240-184623-2**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

Client Sample ID: TRIP BLANK\_154

Lab Sample ID: 240-184623-1

Date Collected: 05/02/23 00:00

Matrix: Water

Date Received: 05/04/23 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 05/11/23 20:44 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/11/23 20:44 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 05/11/23 20:44 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 93        |           | 70 - 128 |          | 05/11/23 20:44 | 1       |
| Dibromofluoromethane (Surr)  | 92        |           | 77 - 124 |          | 05/11/23 20:44 | 1       |
| Toluene-d8 (Surr)            | 111       |           | 80 - 120 |          | 05/11/23 20:44 | 1       |
| 4-Bromofluorobenzene         | 90        |           | 76 - 120 |          | 05/11/23 20:44 | 1       |

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

Client Sample ID: MW-182S\_050223

Lab Sample ID: 240-184623-2

Date Collected: 05/02/23 10:25

Matrix: Water

Date Received: 05/04/23 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte              | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane          | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 05/07/23 04:51 | 1       |
| Surrogate            | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene | 105       |           | 75 - 133 |      |      |   |          | 05/07/23 04:51 | 1       |

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 05/12/23 00:03 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 05/12/23 00:03 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 94        |           | 70 - 128 |      |      |   |          | 05/12/23 00:03 | 1       |
| Dibromofluoromethane (Surr)  | 93        |           | 77 - 124 |      |      |   |          | 05/12/23 00:03 | 1       |
| Toluene-d8 (Surr)            | 114       |           | 80 - 120 |      |      |   |          | 05/12/23 00:03 | 1       |
| 4-Bromofluorobenzene         | 94        |           | 76 - 120 |      |      |   |          | 05/12/23 00:03 | 1       |

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID                      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                  |                 |                 |
|------------------------------------|------------------------|--|------------------|-----------------|-----------------|
|                                    |                        | DCA<br>(70-128)                                | DBFM<br>(77-124) | TOL<br>(80-120) | BFB<br>(76-120) |
| 240-184623-1                       | TRIP BLANK_154         | 93   | 92               | 111             | 90              |
| 240-184623-2                       | MW-182S_050223         | 94   | 93               | 114             | 94              |
| LCS 460-908766/4                   | Lab Control Sample     | 89   | 86               | 109             | 91              |
| LCSD 460-908766/5                  | Lab Control Sample Dup | 95   | 95               | 112             | 96              |
| MB 460-908766/10                   | Method Blank           | 96   | 97               | 117             | 81              |
| <b>Surrogate Legend</b>            |                        |  |                  |                 |                 |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |  |                  |                 |                 |
| DBFM = Dibromofluoromethane (Surr) |                        |  |                  |                 |                 |
| TOL = Toluene-d8 (Surr)            |                        |  |                  |                 |                 |
| BFB = 4-Bromofluorobenzene         |                        |  |                  |                 |                 |

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID              | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |  |  |  |
|----------------------------|------------------------|--|--|--|--|
|                            |                        | BFB<br>(75-133)                                |  |  |  |
| 240-184623-2               | MW-182S_050223         | 105  |  |  |  |
| LCS 460-907549/4           | Lab Control Sample     | 107  |  |  |  |
| LCSD 460-907549/5          | Lab Control Sample Dup | 108  |  |  |  |
| MB 460-907549/8            | Method Blank           | 105  |  |  |  |
| <b>Surrogate Legend</b>    |                        |  |  |  |  |
| BFB = 4-Bromofluorobenzene |                        |  |  |  |  |

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-908766/10

Matrix: Water

Analysis Batch: 908766

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                  | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0       | U            | 1.0 | 0.49 | ug/L |   |          | 05/11/23 18:53 | 1       |
| cis-1,2-Dichloroethene   | 1.0       | U            | 1.0 | 0.46 | ug/L |   |          | 05/11/23 18:53 | 1       |
| Tetrachloroethene        | 1.0       | U            | 1.0 | 0.44 | ug/L |   |          | 05/11/23 18:53 | 1       |
| trans-1,2-Dichloroethene | 1.0       | U            | 1.0 | 0.51 | ug/L |   |          | 05/11/23 18:53 | 1       |
| Trichloroethene          | 1.0       | U            | 1.0 | 0.44 | ug/L |   |          | 05/11/23 18:53 | 1       |
| Vinyl chloride           | 1.0       | U            | 1.0 | 0.45 | ug/L |   |          | 05/11/23 18:53 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 96           |              | 70 - 128 |          | 05/11/23 18:53 | 1       |
| Dibromofluoromethane (Surr)  | 97           |              | 77 - 124 |          | 05/11/23 18:53 | 1       |
| Toluene-d8 (Surr)            | 117          |              | 80 - 120 |          | 05/11/23 18:53 | 1       |
| 4-Bromofluorobenzene         | 81           |              | 76 - 120 |          | 05/11/23 18:53 | 1       |

Lab Sample ID: LCS 460-908766/4

Matrix: Water

Analysis Batch: 908766

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1,1-Dichloroethene       | 20.0        | 19.5       |               | ug/L |   | 98   | 68 - 133    |
| cis-1,2-Dichloroethene   | 20.0        | 20.3       |               | ug/L |   | 101  | 78 - 121    |
| Tetrachloroethene        | 20.0        | 22.5       |               | ug/L |   | 112  | 70 - 127    |
| trans-1,2-Dichloroethene | 20.0        | 19.5       |               | ug/L |   | 97   | 74 - 126    |
| Trichloroethene          | 20.0        | 19.8       |               | ug/L |   | 99   | 71 - 121    |
| Vinyl chloride           | 20.0        | 18.5       |               | ug/L |   | 92   | 55 - 144    |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 89            |               | 70 - 128 |
| Dibromofluoromethane (Surr)  | 86            |               | 77 - 124 |
| Toluene-d8 (Surr)            | 109           |               | 80 - 120 |
| 4-Bromofluorobenzene         | 91            |               | 76 - 120 |

Lab Sample ID: LCSD 460-908766/5

Matrix: Water

Analysis Batch: 908766

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| 1,1-Dichloroethene       | 20.0        | 18.8        |                | ug/L |   | 94   | 68 - 133    | 4   | 30        |
| cis-1,2-Dichloroethene   | 20.0        | 20.5        |                | ug/L |   | 102  | 78 - 121    | 1   | 30        |
| Tetrachloroethene        | 20.0        | 20.9        |                | ug/L |   | 105  | 70 - 127    | 7   | 30        |
| trans-1,2-Dichloroethene | 20.0        | 19.2        |                | ug/L |   | 96   | 74 - 126    | 1   | 30        |
| Trichloroethene          | 20.0        | 18.4        |                | ug/L |   | 92   | 71 - 121    | 7   | 30        |
| Vinyl chloride           | 20.0        | 17.1        |                | ug/L |   | 85   | 55 - 144    | 8   | 30        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | Limits   |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 95             |                | 70 - 128 |
| Dibromofluoromethane (Surr)  | 95             |                | 77 - 124 |
| Toluene-d8 (Surr)            | 112            |                | 80 - 120 |

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-908766/5

Matrix: Water

Analysis Batch: 908766

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

|                      | LCSD      | LCSD      |          |
|----------------------|-----------|-----------|----------|
| Surrogate            | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene | 96        |           | 76 - 120 |

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-907549/8

Matrix: Water

Analysis Batch: 907549

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte     | MB  | MB | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|-----|----|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U  | 2.0 | 0.86 | ug/L |   |          | 05/07/23 00:11 | 1       |

| Surrogate            | MB  | MB | Limits   | Prepared | Analyzed       | Dil Fac |
|----------------------|-----|----|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 105 |    | 75 - 133 |          | 05/07/23 00:11 | 1       |

Lab Sample ID: LCS 460-907549/4

Matrix: Water

Analysis Batch: 907549

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte     | Spike | LCS  | LCS | Unit | D | %Rec | %Rec     |
|-------------|-------|------|-----|------|---|------|----------|
| 1,4-Dioxane | 5.00  | 4.09 |     | ug/L |   | 82   | 57 - 124 |

| Surrogate            | LCS | LCS | Limits   |
|----------------------|-----|-----|----------|
| 4-Bromofluorobenzene | 107 |     | 75 - 133 |

Lab Sample ID: LCSD 460-907549/5

Matrix: Water

Analysis Batch: 907549

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte     | Spike | LCSD | LCSD | Unit | D | %Rec | %Rec     | RPD | RPD |
|-------------|-------|------|------|------|---|------|----------|-----|-----|
| 1,4-Dioxane | 5.00  | 4.20 |      | ug/L |   | 84   | 57 - 124 | 2   | 30  |

| Surrogate            | LCSD | LCSD | Limits   |
|----------------------|------|------|----------|
| 4-Bromofluorobenzene | 108  |      | 75 - 133 |

## QC Association Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

### GC/MS VOA

#### Analysis Batch: 907549

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|-------------------|------------------------|-----------|--------|-----------|------------|
| 240-184623-2      | MW-182S_050223         | Total/NA  | Water  | 8260D SIM |            |
| MB 460-907549/8   | Method Blank           | Total/NA  | Water  | 8260D SIM |            |
| LCS 460-907549/4  | Lab Control Sample     | Total/NA  | Water  | 8260D SIM |            |
| LCSD 460-907549/5 | Lab Control Sample Dup | Total/NA  | Water  | 8260D SIM |            |

#### Analysis Batch: 908766

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 240-184623-1      | TRIP BLANK_154         | Total/NA  | Water  | 8260D  |            |
| 240-184623-2      | MW-182S_050223         | Total/NA  | Water  | 8260D  |            |
| MB 460-908766/10  | Method Blank           | Total/NA  | Water  | 8260D  |            |
| LCS 460-908766/4  | Lab Control Sample     | Total/NA  | Water  | 8260D  |            |
| LCSD 460-908766/5 | Lab Control Sample Dup | Total/NA  | Water  | 8260D  |            |

Lab Chronicle

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

Client Sample ID: TRIP BLANK\_154  
Date Collected: 05/02/23 00:00  
Date Received: 05/04/23 08:00

Lab Sample ID: 240-184623-1  
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 908766       | EMM     | EET EDI | 05/11/23 20:44       |

Client Sample ID: MW-182S\_050223  
Date Collected: 05/02/23 10:25  
Date Received: 05/04/23 08:00

Lab Sample ID: 240-184623-2  
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 908766       | EMM     | EET EDI | 05/12/23 00:03       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 907549       | KLB     | EET EDI | 05/07/23 04:51       |

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

## Accreditation/Certification Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

### Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority                         | Program             | Identification Number | Expiration Date |
|-----------------------------------|---------------------|-----------------------|-----------------|
| Connecticut                       | State               | PH-0818               | 01-30-24        |
| DE Haz. Subst. Cleanup Act (HSCA) | State               | N/A                   | 01-01-24        |
| Georgia                           | State               | 12028 (NJ)            | 06-30-23        |
| Massachusetts                     | State               | M-NJ312               | 06-30-23        |
| New Jersey                        | NELAP               | 12028                 | 06-30-23        |
| New York                          | NELAP               | 11452                 | 04-01-24        |
| Pennsylvania                      | NELAP               | 68-00522              | 03-01-24        |
| Rhode Island                      | State               | LAO00376              | 12-30-23        |
| USDA                              | US Federal Programs | P330-20-00244         | 11-03-23        |



# Chain of Custody Record

TestAmerica

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

1.2/1.2

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>Company Name:</b> Arcadis<br><b>Address:</b> 28550 Cabot Drive, Suite 500<br><b>City/State/Zip:</b> Novi, MI, 48377<br><b>Phone:</b> 248-994-2240<br><b>Project Name:</b> Ford LTP Off-Site<br><b>Project Number:</b> 30167538.402.04<br><b>PO #</b> 30167538.402.04 |  | <b>Client Contact</b><br><b>Regulatory program:</b> DW NPDES RCRA Other<br><b>Client Project Manager:</b> Kris Hinskey<br><b>Telephone:</b> 248-994-2240<br><b>Email:</b> kris@hinskey.com<br><b>Sampler Name:</b> Kent Kasper<br><b>Method of Shipment/Carrier:</b><br><b>Shipping/Tracking No:</b> |  | <b>Site Contact:</b> Christina Weaver<br><b>Telephone:</b> 248-994-2240<br><b>Analyses Turnaround Time</b><br>TAT if different from below:<br>10 day 3 weeks<br>1 week 2 weeks<br>2 days 1 day  |  | <b>Lab Contact:</b> Mike DelMontico<br><b>Telephone:</b> 330-497-9396<br><b>COC No:</b>          |  |
| <b>Sample Identification</b><br>TRIP BLANK_154<br>NW-1825-050223  |  | <b>Matrix</b><br>Air 1<br>Aqueous 6<br>Sediment<br>Solid<br>Other:   |  | <b>Containers &amp; Preservatives</b><br>H2SO4<br>HNO3<br>HCl<br>NaOH<br>NaCl<br>Unpres<br>Other:   |  | <b>Filtered Sample (Y/N)</b><br>NG<br>NG   |  |
| <b>Sample Date</b> 5/2/23<br><b>Sample Time</b> 1025  |  | <b>Analyses</b><br>1,1-DCE 8260B X<br>cis-1,2-DCE 8260B X<br>Trans-1,2-DCE 8260B X<br>PCE 8260B X<br>TCE 8260B X<br>Vinyl Chloride 8260B X<br>1,4-Dioxane 8260B SIM X  |  | <b>Sample Specific Notes / Special Instructions:</b><br>1 Trip Blank<br>3 VOAs for 8260B<br>3 VOAs for 8260B SIM  |  | <b>Job/SDG No:</b><br>MICHIGAN 190   |  |
| <b>Possible Hazard Identification</b><br><input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown                                    |  | <b>Special Instructions/QC Requirements &amp; Comments:</b><br>Sample Address: 34766 Skendish<br>Submit all results through Cadena at jromalis@cadena.com. Cadena #E203631<br>Level IV Reporting requested.  |  | <b>Sample Disposal</b> (A fee may be assessed if samples are retained longer than 1 month)<br><input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months |  | <b>Barcode</b><br>240-184623 Chain of Custody  |  |
| <b>Relinquished by:</b> Kent Kasper<br><b>Relinquished by:</b> [Signature]<br><b>Relinquished by:</b> [Signature]   |  | <b>Company:</b> Arcadis<br><b>Company:</b> ARCADIS<br><b>Company:</b> EETA   |  | <b>Received by:</b> Novis Cold Storage<br><b>Received by:</b> [Signature]<br><b>Received in Laboratory by:</b> [Signature]  |  | <b>Date/Time:</b> 5/2/23 1700<br><b>Date/Time:</b> 5/3/23 1237<br><b>Date/Time:</b> 5/3/23 12:40 |  |
| <b>Relinquished by:</b> [Signature]   |  | <b>Company:</b> EETA   |  | <b>Date/Time:</b> 5/2/23 1700<br><b>Date/Time:</b> 5/3/23 1237<br><b>Date/Time:</b> 5/4/23 800  |  | <b>Company:</b> Arcadis<br><b>Company:</b> EETA<br><b>Company:</b> P.E.T.N.C.                    |  |

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

|   |  |  |  |   |  |
|---|--|--|--|---|--|
| <b>Eurofins - Canton Sample Receipt Form/Narrative</b>  |  |  |  | Login # : <u>184623</u>   |  |
| <b>Barberton Facility</b>   |  |  |  |   |  |
| Client <u>Arcadis</u>   |  | Site Name _____  |  | Cooler unpacked by: <u>Rachelle Haidet</u>  |  |
| Cooler Received on <u>5/4/23</u>  |  | Opened on <u>5/4/23</u>  |  |   |  |
| FedEx: 1 <sup>st</sup> Grd Exp UPS FAS <u>Clipper</u>   |  | Client Drop Off Eurofins Courier Other _____   |  |   |  |
| <b>Receipt After-hours: Drop-off Date/Time</b>  |  |  |  | <b>Storage Location</b>   |  |
| Eurofins Cooler # <u>EC</u>   |  | Foam Box _____   |  | Client Cooler Box Other _____   |  |
| Packing material used: <u>Bubble Wrap</u>   |  | Foam Plastic Bag None Other _____  |  |   |  |
| COOLANT: <u>Wet Ice</u>   |  | Blue Ice Dry Ice Water None  |  |   |  |
| 1. Cooler temperature upon receipt  |  | <input checked="" type="checkbox"/> See Multiple Cooler Form                           |  |   |  |
| IR GUN # <u>22</u>  |  | (CF <u>10</u> °C)  |  | Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C                              |  |
| 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u>  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  | <b>Tests that are not checked for pH by Receiving:</b><br><br>VOAs<br>Oil and Grease<br>TOC |  |
| -Were the seals on the outside of the cooler(s) signed & dated?   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |  |   |  |
| -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?   |  | <input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> NA |  |   |  |
| -Were tamper/custody seals intact and uncompromised?  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> NA |  |   |  |
| 3. Shippers' packing slip attached to the cooler(s)?  |  | <input type="radio"/> Yes <input checked="" type="radio"/> No                          |  |   |  |
| 4. Did custody papers accompany the sample(s)?  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 5. Were the custody papers relinquished & signed in the appropriate place?  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 6. Was/were the person(s) who collected the samples clearly identified on the COC?  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 7. Did all bottles arrive in good condition (Unbroken)?   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 9. For each sample, does the COC specify preservatives ( <input checked="" type="radio"/> Y/ <input type="radio"/> N), # of containers ( <input checked="" type="radio"/> Y/ <input type="radio"/> N), and sample type of grab/comp ( <input checked="" type="radio"/> Y/ <input type="radio"/> N)? |  |  |  |   |  |
| 10. Were correct bottle(s) used for the test(s) indicated?  |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 11. Sufficient quantity received to perform indicated analyses?   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 12. Are these work share samples and all listed on the COC?   |  | <input type="radio"/> Yes <input checked="" type="radio"/> No                          |  |   |  |
| If yes, Questions 13-17 have been checked at the originating laboratory.  |  |  |  |   |  |
| 13. Were all preserved sample(s) at the correct pH upon receipt?  |  | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> NA |  | pH Strip Lot# <u>HC208070</u>   |  |
| 14. Were VOAs on the COC?   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 15. Were air bubbles >6 mm in any VOA vials?  Larger than this.   |  | <input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> NA |  |   |  |
| 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____   |  | <input checked="" type="radio"/> Yes <input type="radio"/> No                          |  |   |  |
| 17. Was a LL Hg or Me Hg trip blank present? _____  |  | <input type="radio"/> Yes <input checked="" type="radio"/> No                          |  |   |  |
| Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____  |  |  |  |   |  |
| Concerning _____  |  |  |  |   |  |

|  |  |   |                             |
|--|--|---|-----------------------------|
| <b>18. CHAIN OF CUSTODY &amp; SAMPLE DISCREPANCIES</b> |  | <input type="checkbox"/> additional next page                 | Samples processed by: _____ |
|  |  |   |                             |
|  |  |   |                             |
|  |  |   |                             |
|  |  |   |                             |
| <b>19. SAMPLE CONDITION</b>                            |  |   |                             |
| Sample(s) _____  |  | were received after the recommended holding time had expired. |                             |
| Sample(s) _____  |  | were received in a broken container.                          |                             |
| Sample(s) _____  |  | were received with bubble >6 mm in diameter. (Notify PM)      |                             |
| <b>20. SAMPLE PRESERVATION</b>                         |  |   |                             |
| Sample(s) _____  |  | were further preserved in the laboratory.                     |                             |
| Time preserved: _____                                  |  | Preservative(s) added/Lot number(s): _____                    |                             |
| VOA Sample Preservation - Date/Time VOAs Frozen: _____ |  |   |                             |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

[illegible]

WJ-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

## Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 240-184623-1

Login Number: 184623

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 05/05/23 12:42 PM

| Question   | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A    |         |
| The cooler's custody seal, if present, is intact.                                | N/A    |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.  | True   |         |
| Cooler Temperature is acceptable.  | True   |         |
| Cooler Temperature is recorded.  | True   |         |
| COC is present.  | True   |         |
| COC is filled out in ink and legible.  | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.   | True   |         |
| Containers are not broken or leaking.  | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.  | True   |         |
| Sample bottles are completely filled.  | True   |         |
| Sample Preservation Verified.  | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |
| Multiphasic samples are not present.   | True   |         |
| Samples do not require splitting or compositing.                                 | True   |         |
| Residual Chlorine Checked.   | N/A    |         |

# DATA VERIFICATION REPORT



May 18, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 184623-1

Sample date: 2023-05-02

Report received by CADENA: 2023-05-18

Initial Data Verification completed by CADENA: 2023-05-18

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist



## CADENA Valid Qualifiers

| Valid Qualifiers | Description  |
|------------------|--|
| <                | Less than the reported concentration.  |
| >                | Greater than the reported concentration.   |
| B                | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E                | The analyte / Compound reported exceeds the calibration range and is considered estimated.   |
| EMPC             | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.  |
| J                | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.                     |
| J-               | The result is an estimated quantity, but the result may be biased low.   |
| JB               | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED   |
| JH               | The sample result is considered estimated and is potentially biased high.  |
| JL               | The sample result is considered estimated and is potentially biased low.   |
| JUB              | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED  |
| NJ               | Tentatively identified compound with approximated concentration.   |
| R                | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)  |
| TNTC             | Too Numerous to Count - Asbestos and Microbiological Results.  |
| U                | Indicates that the analyte / compound was analyzed for, but not detected.  |
| UB               | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.   |
| UJ               | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.  |

# Analytical Results Summary

**CADENA Project ID:** E203631

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 184623-1

**Sample Name:** TRIP BLANK\_154

MW-182S\_050223

**Lab Sample ID:** 2401846231

2401846232

**Sample Date:** 5/2/2023

5/2/2023

| Analyte | Cas No. | Sample Name: TRIP BLANK_154 |       |       |                 | MW-182S_050223 |       |       |                 |
|---------|---------|-----------------------------|-------|-------|-----------------|----------------|-------|-------|-----------------|
|         |         | Result                      | Limit | Units | Valid Qualifier | Result         | Limit | Units | Valid Qualifier |

## GC/MS VOC

### OSW-8260D

|                          |          |    |     |      |     |    |     |      |     |
|--------------------------|----------|----|-----|------|-----|----|-----|------|-----|
| 1,1-Dichloroethene       | 75-35-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| cis-1,2-Dichloroethene   | 156-59-2 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Tetrachloroethene        | 127-18-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| trans-1,2-Dichloroethene | 156-60-5 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Trichloroethene          | 79-01-6  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Vinyl chloride           | 75-01-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |

### OSW-8260DSIM

|             |          |  |  |  |  |    |     |      |     |
|-------------|----------|--|--|--|--|----|-----|------|-----|
| 1,4-Dioxane | 123-91-1 |  |  |  |  | ND | 2.0 | ug/l | --- |
|-------------|----------|--|--|--|--|----|-----|------|-----|

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-184623-1

CADENA Verification Report: 2023-05-18

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 49772R

Review Level: Tier III

Project: 30167538.402.02



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-184623-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

| Sample ID      | Lab ID       | Matrix | Sample Collection Date | Parent Sample | Analysis |         |
|----------------|--------------|--------|------------------------|---------------|----------|---------|
|                |              |        |                        |               | VOC      | VOC SIM |
| TRIP BLANK_154 | 240-184623-1 | Water  | 05/02/23               |               | X        |         |
| MW-182S_050223 | 240-184623-2 | Water  | 05/02/23               |               | X        | X       |

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

| Items Reviewed   | Reported |     | Performance Acceptable |     | Not Required |
|--|----------|-----|------------------------|-----|--------------|
|  | No       | Yes | No                     | Yes |              |
| 1. Sample receipt condition  |          | X   |                        | X   |              |
| 2. Requested analyses and sample results                               |          | X   |                        | X   |              |
| 3. Master tracking list  |          | X   |                        | X   |              |
| 4. Methods of analysis   |          | X   |                        | X   |              |
| 5. Reporting limits  |          | X   |                        | X   |              |
| 6. Sample collection date  |          | X   |                        | X   |              |
| 7. Laboratory sample received date                                     |          | X   |                        | X   |              |
| 8. Sample preservation verification (as applicable)                    |          | X   |                        | X   |              |
| 9. Sample preparation/extraction/analysis dates                        |          | X   |                        | X   |              |
| 10. Fully executed Chain-of-Custody (COC) form                         |          | X   |                        | X   |              |
| 11. Narrative summary of Quality Assurance or sample problems provided |          | X   |                        | X   |              |
| 12. Data Package Completeness and Compliance                           |          | X   |                        | X   |              |

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U     The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B     The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E     The compound was quantitated above the calibration range.
  - D     Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J     The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ    The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB    Analyte considered non-detect at the listed value due to associated blank contamination.
  - R     The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

| Method                 | Matrix | Holding Time                        | Preservation                    |
|------------------------|--------|-------------------------------------|---------------------------------|
| SW-846 8260D/8260D-SIM | Water  | 14 days from collection to analysis | Cool to < 6 °C; pH < 2 with HCl |

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

| VOCs: 8260D/8260D-SIM                                       | Reported |     | Performance Acceptable |     | Not Required |
|---|----------|-----|------------------------|-----|--------------|
|   | No       | Yes | No                     | Yes |              |
| GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)                |          |     |                        |     |              |
| Tier II Validation  |          |     |                        |     |              |
| Holding times/Preservation                                  |          | X   |                        | X   |              |
| Tier III Validation   |          |     |                        |     |              |
| System performance and column resolution                    |          | X   |                        | X   |              |
| Initial calibration %RSDs                                   |          | X   |                        | X   |              |
| Continuing calibration RRFs                                 |          | X   |                        | X   |              |
| Continuing calibration %Ds                                  |          | X   |                        | X   |              |
| Instrument tune and performance check                       |          | X   |                        | X   |              |
| Ion abundance criteria for each instrument used             |          | X   |                        | X   |              |
| Field Duplicate RPD   | X        |     |                        |     | X            |
| Internal standard   |          | X   |                        | X   |              |
| Compound identification and quantitation                    |          |     |                        |     |              |
| A. Reconstructed ion chromatograms                          |          | X   |                        | X   |              |
| B. Quantitation Reports                                     |          | X   |                        | X   |              |
| C. RT of sample compounds within the established RT windows |          | X   |                        | X   |              |
| D. Transcription/calculation errors present                 |          | X   |                        | X   |              |
| E. Reporting limits adjusted to reflect sample dilutions    |          | X   |                        | X   |              |

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Dilip Kumar

SIGNATURE: 

---

DATE: June 12, 2023

---

PEER REVIEW: Andrew Korycinski

DATE: June 21, 2023

---

**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**





# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS





# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-184623-1

Client Sample ID: TRIP BLANK\_154

Lab Sample ID: 240-184623-1

Date Collected: 05/02/23 00:00

Matrix: Water

Date Received: 05/04/23 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 05/11/23 20:44 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/11/23 20:44 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/11/23 20:44 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 05/11/23 20:44 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 93        |           | 70 - 128 |          | 05/11/23 20:44 | 1       |
| Dibromofluoromethane (Surr)  | 92        |           | 77 - 124 |          | 05/11/23 20:44 | 1       |
| Toluene-d8 (Surr)            | 111       |           | 80 - 120 |          | 05/11/23 20:44 | 1       |
| 4-Bromofluorobenzene         | 90        |           | 76 - 120 |          | 05/11/23 20:44 | 1       |

Client Sample ID: MW-182S\_050223

Lab Sample ID: 240-184623-2

Date Collected: 05/02/23 10:25

Matrix: Water

Date Received: 05/04/23 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0    | U         | 2.0 | 0.86 | ug/L |   |          | 05/07/23 04:51 | 1       |

| Surrogate            | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|----------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 105       |           | 75 - 133 |          | 05/07/23 04:51 | 1       |

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 05/12/23 00:03 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/12/23 00:03 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 05/12/23 00:03 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 05/12/23 00:03 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 94        |           | 70 - 128 |          | 05/12/23 00:03 | 1       |
| Dibromofluoromethane (Surr)  | 93        |           | 77 - 124 |          | 05/12/23 00:03 | 1       |
| Toluene-d8 (Surr)            | 114       |           | 80 - 120 |          | 05/12/23 00:03 | 1       |
| 4-Bromofluorobenzene         | 94        |           | 76 - 120 |          | 05/12/23 00:03 | 1       |