

**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Kristoffer Hinskey ARCADIS US Inc 28550 Cabot Drive Suite 500 Novi, Michigan 48377 Generated 5/18/2023 4:05:10 PM

# JOB DESCRIPTION

Ford LTP - Off Site

# **JOB NUMBER**

240-184783-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203





# **Eurofins Cleveland**

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

low

Generated 5/18/2023 4:05:10 PM

Authorized for release by Michael DelMonico, Project Manager I Michael.DelMonico@et.eurofinsus.com (330)497-9396

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17
Receipt Checklists	21

## Qualifiers

GC/MS	VOA

Qualifiers		3
GC/MS VOA		
Qualifier	Qualifier Description	
U	Indicates the analyte was analyzed for but not detected.	
Glossary		5
Abbreviation	These commonly used abbreviations may or may not be present in this report.	6
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	
CFU	Colony Forming Unit	0
CNF	Contains No Free Liquid	0
DER	Duplicate Error Ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	9
DL	Detection Limit (DoD/DOE)	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision Level Concentration (Radiochemistry)	
EDL	Estimated Detection Limit (Dioxin)	
LOD	Limit of Detection (DoD/DOE)	
LOQ	Limit of Quantitation (DoD/DOE)	
MCL	EPA recommended "Maximum Contaminant Level"	
MDA	Minimum Detectable Activity (Radiochemistry)	
MDC	Minimum Detectable Concentration (Radiochemistry)	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
MPN	Most Probable Number	
MQL	Method Quantitation Limit	
NC	Not Calculated	
ND	Not Detected at the reporting limit (or MDL or EDL if shown)	
NEG	Negative / Absent	
POS	Positive / Present	
PQL	Practical Quantitation Limit	
PRES	Presumptive	
QC	Quality Control	
RER	Relative Error Ratio (Radiochemistry)	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	
TNTC	Too Numerous To Count	

#### Job ID: 240-184783-1

#### Laboratory: Eurofins Cleveland

Narrative

#### Job Narrative 240-184783-1

#### Receipt

The samples were received on 5/5/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.0°C and 1.8°C

#### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Method Summary**

#### Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

#### **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

# Sample Summary

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-184783-1	TRIP BLANK_174	Water	05/03/23 00:00	05/05/23 08:00
240-184783-2	MW-109S_050323	Water	05/03/23 14:08	05/05/23 08:00

Detection	Summary

#### Client Sample ID: TRIP BLANK\_174

No Detections.

### Client Sample ID: MW-109S\_050323

No Detections.

Lab Sample ID: 240-184783-1

Lab Sample ID: 240-184783-2

This Detection Summary does not include radiochemical test results.

#### Client Sample ID: TRIP BLANK\_174 Date Collected: 05/03/23 00:00 Date Received: 05/05/23 08:00

# Lab Sample ID: 240-184783-1

Matrix: Water

5

8

Method: SW846 8260D - Vo			-						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/12/23 14:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/12/23 14:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 14:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/12/23 14:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 14:29	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/12/23 14:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		70 - 128					05/12/23 14:29	1
Dibromofluoromethane (Surr)	105		77 - 124					05/12/23 14:29	1
Toluene-d8 (Surr)	107		80 - 120					05/12/23 14:29	1
4-Bromofluorobenzene	105		76 - 120					05/12/23 14:29	1

#### Client Sample ID: MW-109S\_050323 Date Collected: 05/03/23 14:08 Date Received: 05/05/23 08:00

# Lab Sample ID: 240-184783-2

Matrix: Water

5 6 7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/16/23 11:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		75 - 133					05/16/23 11:31	1
Method: SW846 8260D - Vo	latile Organic	Compound	ds bv GC/MS						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/12/23 18:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/12/23 18:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 18:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/12/23 18:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 18:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/12/23 18:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 128					05/12/23 18:32	1
Dibromofluoromethane (Surr)	103		77 - 124					05/12/23 18:32	1
Toluene-d8 (Surr)	100		80 - 120					05/12/23 18:32	1
4-Bromofluorobenzene	102		76 - 120					05/12/23 18:32	1

## **Surrogate Summary**

Г

#### Method: 8260D - Volatile Organic Compounds by GC/MS Matrix: Water

Prep Type: Total/NA Recovery (Acceptance Limits)

			Pe	ercent Surre	ogate Recovery (Ad	ceptance Limits)	
		DCA	DBFM	TOL	BFB		
Lab Sample ID	Client Sample ID	(70-128)	(77-124)	(80-120)	(76-120)		
240-184783-1	TRIP BLANK_174	103	105	107	105		
240-184783-2	MW-109S_050323	97	103	100	102		
_CS 460-908741/4	Lab Control Sample	97	97	104	98		
_CSD 460-908741/5	Lab Control Sample Dup	101	99	105	101		
MB 460-908741/9	Method Blank	99	98	103	94		
Surrogate Legend							
DCA = 1,2-Dichloroet	( )						
DBFM = Dibromofluo	romethane (Surr)						
TOL = Toluene-d8 (Si	urr)						
BFB = 4-Bromofluoro	benzene						
lethod: 8260D S	SIM - Volatile Organic (	Compoun	ds (GC/	MS)			
atrix: Water						Prep Type: Total	/NA
			Pe	ercent Surro	ogate Recovery (Ad	ceptance Limits)	
		BFB					
ab Sample ID	Client Sample ID	(75-133)					
240-184783-2	MW-109S_050323	93					
LCS 460-909423/3	Lab Control Sample	96					
LCSD 460-909423/4	Lab Control Sample Dup	91					

92

#### Surrogate Legend

MB 460-909423/7

BFB = 4-Bromofluorobenzene

Method Blank

### Method: 8260D - Volatile Organic Compounds by GC/MS

#### Lab Sample ID: MB 460-908741/9 Matrix: Water

### Analysis Batch: 908741

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/12/23 11:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/12/23 11:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 11:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/12/23 11:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 11:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/12/23 11:09	1

	MB	МВ				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 128		05/12/23 11:09	1
Dibromofluoromethane (Surr)	98		77 - 124		05/12/23 11:09	1
Toluene-d8 (Surr)	103		80 - 120		05/12/23 11:09	1
4-Bromofluorobenzene	94		76 - 120		05/12/23 11:09	1

#### Lab Sample ID: LCS 460-908741/4 Matrix: Water Analysis Batch: 908741

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	19.6		ug/L		98	68 - 133	
cis-1,2-Dichloroethene	20.0	20.7		ug/L		104	78 - 121	
Tetrachloroethene	20.0	20.9		ug/L		104	70 - 127	
trans-1,2-Dichloroethene	20.0	19.8		ug/L		99	74 - 126	
Trichloroethene	20.0	19.3		ug/L		96	71_121	
Vinyl chloride	20.0	20.5		ug/L		102	55 - 144	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 128
Dibromofluoromethane (Surr)	97		77 - 124
Toluene-d8 (Surr)	104		80 - 120
4-Bromofluorobenzene	98		76 - 120

#### Lab Sample ID: LCSD 460-908741/5 Matrix: Water Analysis Batch: 908741

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20.0	19.7		ug/L		99	68 - 133	1	30
cis-1,2-Dichloroethene	20.0	21.2		ug/L		106	78 - 121	2	30
Tetrachloroethene	20.0	21.6		ug/L		108	70 - 127	4	30
trans-1,2-Dichloroethene	20.0	20.4		ug/L		102	74 - 126	3	30
Trichloroethene	20.0	19.3		ug/L		97	71_121	0	30
Vinyl chloride	20.0	20.7		ug/L		104	55 - 144	1	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 128
Dibromofluoromethane (Surr)	99		77 - 124
Toluene-d8 (Surr)	105		80 - 120

#### Client Sample ID: Lab Control Sample Prep Type: Total/NA

Job ID: 240-184783-1

Prep Type: Total/NA

**Client Sample ID: Method Blank** 

Client Sample ID: Lab	Control Sample Dup Prep Type: Total/NA

## **QC Sample Results**

		C	QC Samp	le Resi	ults						
Client: ARCADIS US Inc Project/Site: Ford LTP - Off S	Site								Job ID: 2	:40-184	783-1
lethod: 8260D - Volati	le Organic	c Comp	ounds by	GC/MS (	(Contin	ued)					
Lab Sample ID: LCSD 460 Matrix: Water Analysis Batch: 908741	-908741/5				C	Client Sa	ample	ID: Lab	Control Prep Ty		
Alldiysis Daton. 300741	I CSD	LCSD									
Surrogate	%Recovery		Limits								
4-Bromofluorobenzene	101		76 - 120								
/lethod: 8260D SIM - V	/olatile Org	ganic C	ompound	s (GC/M	S)						
Lab Sample ID: MB 460-90	09423/7						Clie	ent Sam	ple ID: M		
Matrix: Water									Prep Ty	pe: Tot	tal/NA
Analysis Batch: 909423		МВ МВ									
Analyte	Re	esult Qualif	fier	RL I	MDL Unit		D P	repared	Analyz	zed	Dil Fac
1,4-Dioxane		2.0 U			0.86 ug/L		<u> </u>	lopu.c.	05/16/23		1
		MB MB									
Surrogate	%Reco	very Qualif	ifier Limit	ts			P	Prepared	Analyz	zed	Dil Fac
4-Bromofluorobenzene		92	75 - 1	/33				<u>.</u>	05/16/23		1
Lab Sample ID: LCS 460-9	000423/3					Clie	ent Sar	mnle ID	: Lab Cor	atrol Sa	emnle
Matrix: Water						•	in ou.	inpic ie	Prep Ty		
Analysis Batch: 909423											
			Spike	_	LCS				%Rec		
Analyte	. <u> </u>		Added		Qualifier		D	%Rec	Limits		
1,4-Dioxane			5.00	5.34		ug/L		107	57 - 124		
	LCS										
Surrogate	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene	96		75 - 133								
Lab Sample ID: LCSD 460	-909423/4				c	Client Sa	ample	ID: Lab		Sample	e Dup
Matrix: Water									Prep Ty		
Analysis Batch: 909423											
			Spike		LCSD	11 14			%Rec		RPD
A 1.4.			Added	Result	Qualifier	Unit	D		Limits	RPD	Limit
Analyte			5.00	5.66				113	57 124	6	- 30
Analyte 1,4-Dioxane			5.00	5.66		ug/L		113	57 - 124	6	30
	LCSD %Recovery	LCSD	5.00	5.66		ug/L		113	57 - 124	6	30

### **GC/MS VOA**

#### Analysis Batch: 908741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184783-1	TRIP BLANK_174	Total/NA	Water	8260D	
240-184783-2	MW-109S_050323	Total/NA	Water	8260D	
MB 460-908741/9	Method Blank	Total/NA	Water	8260D	
LCS 460-908741/4	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-908741/5	Lab Control Sample Dup	Total/NA	Water	8260D	
Analysis Batch: 909	423				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Bato
240-184783-2	MW-109S_050323	Total/NA	Water	8260D SIM	
MB 460-909423/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-909423/3	Lab Control Sample	Total/NA	Water	8260D SIM	
LCSD 460-909423/4	Lab Control Sample Dup	Total/NA	Water	8260D SIM	

**Eurofins Cleveland** 

Job ID: 240-184783-1

Lab Sample ID: 240-184783-1

#### Client Sample ID: TRIP BLANK\_174 Date Collected: 05/03/23 00:00 Date Received: 05/05/23 08:00

	Batch	Batch		Dilution	Batch			Prepared	
Prep Туре	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed	
Total/NA	Analysis	8260D		1	908741	MZS	EET EDI	05/12/23 14:29	
Client Sam	ple ID: MW	/-109S_050323					Lab	Sample ID: 240-184	783-2
Date Collecte	d: 05/03/23 1	4:08						Matrix	: Wate
Date Receive	d: 05/05/23 0	8:00							
_	Batch	Batch		Dilution	Batch			Prepared	

Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed	
Total/NA	Analysis	8260D		1	908741	MZS	EET EDI	05/12/23 18:32	
Total/NA	Analysis	8260D SIM		1	909423	SZD	EET EDI	05/16/23 11:31	

#### Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site Job ID: 240-184783-1

#### Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

	Chain TestAmerica Laboratory location: Brighton 10448 Citato	Chain of Custody Record 10448 Citation Drive, Sulte 2007 Brighton, MI 48116 / 810-229-2763	/ 810-229-2763	TestAmerica
Client Contact	i in	L NPDES L RCRA	Other	
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Christina Weaver	Lab Contact: Mike DelMonico	TestAmerica Laboratories, Inc.
Address: 28550 Cabot Drive, Suite 500				
City/State/Zip: Novi, MI, 48377	1 crephone: 248-554-2240	l elephone: 248-994-2240	Telephone: 330-497-9396	1 of 1 COCs
Physics 248-094-2740	Email: kristoffer.hinskey@arcadis.com	Analysis lurnaround Time	Analyses	For lab use only
Project Name: Ford LTP Off-Site Project Number: 30167538,402.04	Sampler Name: Kuc Ferler Method of Shipmenu Carrier:	TAT if different from below 3 weeks 10 day is 2 weeks 1 week 2 dave	3 08 <b></b>	Walk-in client Lab sampling
PO#30167538.402.04	Shipping/Tracking No: Matrix	dves	qe 8500E E 8500E E 8500B E 8500B E 9500B	Job/SDG No:
Sample Identification	Sample Time Air	<u></u>	Composite: 1, 1-DCE 82 cis-1, 2-DCF PCE 82608 TCE 82608 TCE 82608 7CE 82608 7CE 82608	Sample Specific Notes / Special Instructions:
• TRIP BLANK 74	1 [2]	Z	G X X X X X X	1 Trip Blank
« MW-1092 - 050323	9 Pobl Ezeoka	9	4XXXXXX	3 VOAs for 8260B 3 VOAs for 8260B SIM
				INV
	240-1	240-184783 Chain of Custody	130	
Possible Hazard Identification		Samole Disposal ( A fee may be asses	sed if sum by are retained inner than 1 months	
ammable $\pi_{ents} \& Commen \\ \mathcal{RO} & \mathcal{RO} & \mathcal{O} \\ \mathcal{RO} & \mathcal{O} \\ \mathcal{Aen at jtomalia}$	r Skin Irritant Poison B Unknown B: CF Ou SF @cadenaco.com. Cadena #E203631	E Return to Client 💌 Dispos	E Return to Chem V Disposal By Lab C Archive For Months	
Relinding Temelry	Company: Com	16:30 Recorden cold	d Shongy Compression	Dave(Type: 05/64/23 1630
Relinquished by Relinquished by	S S/H 173	14	AND .	33
CODA Testiment increation, Inc. Mitthe restront contential Dampi vare scientials of redutiments accenters, Inc.	6316	mount it at a		mil (7.5.5

5/18/2023

Page 17 of 21

Eurofins - Canton Sample Receipt Form/Narrative	Login # :	184783
Barberton Facility		
Client AYCOUS Site Name		Cooler unpacked by:
Cooler Received on 5.5.23 Opened on	5.5-23	Manduly Bl
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop		her
Receipt After-hours: Drop-off Date/Time	Storage Location	
Eurofins Cooler # Foam Box Client Cooler Packing material used: Bubble Wrap Foam Plasti	Box Other	
COOLANT: Wefice Blue Ice Dry Ice	-	
1. Cooler temperature upon receipt	See Multiple Cooler Fo	orm
		Corrected Cooler Temp. °C
	~	
<ol> <li>Were tamper/custody seals on the outside of the cooler(s)?</li> <li>Were the seals on the outside of the cooler(s) signed &amp;</li> </ol>		No. NA Tests that are not
-Were tamper/custody seals on the bottle(s) or bottle kits		checked for ph by
-Were tamper/custody seals intact and uncompromised?	(Lang)	
3. Shippers' packing slip attached to the cooler(s)?	Ya	
4. Did custody papers accompany the sample(s)?		s No Oil and Grease
5. Were the custody papers relinquished & signed in the appro-	· · · · · · · · · · · · · · · · · · ·	No
6. Was/were the person(s) who collected the samples clearly i	dentified on the COC?	No
<ol> <li>Did all bottles arrive in good condition (Unbroken)?</li> <li>Could all bottle labels (ID/Date/Time) be reconciled with the second s</li></ol>		No
9. For each sample, does the COC specify preservatives (Y)N		
10. Were correct bottle(s) used for the test(s) indicated?		No
11. Sufficient quantity received to perform indicated analyses?	Ke la	s No
12. Are these work share samples and all listed on the COC?	Ye	s 😡
If yes, Questions 13-17 have been checked at the originatin		G
13. Were all preserved sample(s) at the correct pH upon receipt	? Ye	s No (NA pH Strip Lot# HC208070
<ul> <li>14. Were VOAs on the COC?</li> <li>15. Were air bubbles &gt;6 mm in any VOA vials?</li> </ul>	veger than this Ve	s No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank		
17. Was a LL Hg or Me Hg trip blank present?		s No
Contacted PM Date by		Vaice Mail Other
Contacted FM Date by _		Voice Mair Other
Concerning		
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIE	s additional next page	Samples processed by:
19. SAMPLE CONDITION		
Sample(s) were receive		
Sample(s)		
Sample(s)were	received with bubble >6 mm	in diameter. (Notify PM)
20. SAMPLE PRESERVATION		
Sample(c)		the preserved in the laboratory
Sample(s) Time preserved:Preservative(s) added/Lot num	were ful	rther preserved in the laboratory.
VOA Sample Preservation - Date/Time VOAs Frozen:		

WI-NC-099

Login #: 184783

Cooler Description	IR Gun #	Observed	Corrected	Coolant
(Circle)		Temp °C	Temp °C	(Circle)
EC Client Box Other	(Circle) IR GUN #: 22	1.0	1.0	Wet Ice Blue Ice Dry
9	IR GUN #: 20	1.8		Wet ice Blue ice Dry
	IR GUN #:	1.8	/. 8	Water None Wetice Blueice Dry
EC Client Box Other	IR GUN #:	- • • • • • • • • • • • • • • • • • • •		Water None
EC Client Box Other				Water None
EC Client Box Other	IR GUN #:			Wetice Blueice Dry i Water None
EC Client Box Other	IR GUN #:			Wetice Blue ice Dry i Water None
EC Client Box Other	IR GUN #:			Wetice Blue ice Dry i Water None
EC Client Box Other	IR GUN #:			Welice Blueice Dry I
EC Client Box Other	IR GUN #:			Water None Wet ice Blue ice Dry i
	IR GUN #:			Water None Wet ice Blue ice Dry k
EC Client Box Other	IR GUN #:			Water None Wet Ice Blue Ice Dry k
EC Client Box Other				Water None Wet ice Blue ice Dry i
EC Client Box Other	IR GUN #:			Water None
EC Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry I Water None
EC Client Box Other	IR GUN #:			Wet ice Blue ice Dry i Water None
EC Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry k Water Hone
EC Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry I Water None
EC Client Box Other	IR GUN #:			Wetice Blue ice Dry le
EC Client Box Other	IR GUN #:			Water None Wet Ice Blue Ice Dry k
EC Client Box Other	IR GUN #:			Water None Wet Ice Blue Ice Dry k
	IR GUN #:		-	Water None Wet ice Blue ice Dry k
EC Client Box Other	IR GUN #:			Water None Wetice Blue ice Dry k
EC Client Box Other				Water None
EC Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry k Water None
EC Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry k Water None
EC Client Box Other	IR GUN #:			Wet ice Blue ice Dry ic Water None
EC Client Box Other	IR GUN #:			Wellice Blue Ice Dry Ic Water None
EC Client Box Other	IR GUN #:			Wet ice Blue ice Dry ic
C Client Box Other	IR GUN #:			Water None Wet ice Blue ice Dry ic
	IR GUN #:			Water None Wet Ice Blue Ice Dry Ic
EC Client Box Other	IR GUN #:			Water None Wet Ice Blue Ice Dry Ic
EC Client Box Other				Water None Wet ice Blue ice Dry ic
C Client Box Other	IR GUN #:			Water None
C Client Box Other	IR GUN #:			Wet Ice Blue Ice Dry ice Water None
EC Client Box Other	IR GUN #:			Weilce Bluelce Dry ka Water None
C Client Box Other	IR GUN #:			Wet ice Blue ice Dry ice Water None
EC Client Box Other	IR GUN #:		and a second	Wet Ice Blue Ice Dry Ice

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

13

urofins Cleveland	0 S. Van Buren Avenue	
Eur	180 S	

Chain of Custody Record



🐝 eurofins

Barberton, OH 44203 Phone: 330-497-9396 Fax: 330-497-0772						2642	Environment Testing
Client Information (Sub Contract Lab)	Sampler:			Lab PM: DelMonico, Michael	o, Michael	Carrier Tracking No(s):	COC No: 240-167789.1
Client Contact: Shipping/Receiving	Phone:			E-Mail: Michael.D	E-Mail: Michael.DelMonico@et.eurofinsus.com	State of Origin: Michigan	Page: Page 1 of 1
Company: Eurofins Environment Testing Northeast,				Accre	Accreditations Required (See note):		Job #: 240-184783-1
Address: 777 New Durham Road, ,	Due Date Requested: 5/18/2023				Analysis Requested	equested	
City: Edison State, Zip: NJ. 08817	TAT Requested (days):	÷					B - NOH C - Zh AOH C - Zh Acetate D - Nitric Acid C - NaHSO4 C - NAHSO4
Phone	PO #			(0	(ts		
	:# OM						I - Ice J - DI Water
Project Name: Ford LTP - Off Site	Project #: 24015353						
Site:	SSOW#:			tures	A (00)		of co
Sample Identification - Client ID (Lab ID)	Sample Date	Sample (C Time G	Sample Type (C=comp, G=grab)	Matrix (W-water S=solid. S=solid. BT=Teaue, A-At)	8560D/2030C (N		Total Number Special Instructions/Note:
	X		Preservation Code:				X
TRIP BLANK_174 (240-184783-1)	5/3/23	Eastern		Water	×		1
MW-109S_050323 (240-184783-2)	5/3/23	14:08 Fastern		Water	× ×		9
Note: Since laboratory accreditations are subject to change. Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratory or other instructions will be provided. Any changes the consistence of the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes the consistence of the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes the consistence of the Eurofine Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes the consistence of the Eurofine Environment Testing North Central, LLC laboratory or other instructions will be provided.	ironment Testing North Central listed above for analysis/lests/n	, LLC places th natrix being ana	e ownership (	of method, analyte & mples must be shipp	accreditation compliance upon our su	Scontract laboratories. This sample shi	es the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the grant/zed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to
			ne senera		ample Disposal ( A fee may I	ment to date, return the signed chain of custopy attesting to said compliance to curomis Environment resing norm Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)	o euronins Environment Lesting Norm Central, LLC. tained longer than 1 month)
Deliverable Requested: I, II, III, IV, Other (specify)	Primary Deliverable Rank: 2	le Rank: 2		S	Special Instructions/QC Requirements	oosal By Lab	Archive For Months
Empty KithRelinquished by:		Date:		Time:		Method of Shipment:	16121
		123	C	JUL - JUL	Received by:	0	
r Relinauished by:	Date/Time:		0	Company	Received by:		
8 Relinquished by:	Date/Time:		0	Company	Received by:	Date/Time:	Company
Custody Seals Intact: Custody Seal No.: ∆ Yes ∆ No	-				Cooler Temperature(s) °C and Other Remarks.	r Remarks:	
				-1		7 8 9 1(	1 2 3 4 5 6
					1 2 3 4		

### Login Sample Receipt Checklist

#### Client: ARCADIS US Inc

#### Login Number: 184783 List Number: 2 Creator: Armbruster, Chris

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

#### Job Number: 240-184783-1

List Source: Eurofins Edison

List Creation: 05/09/23 01:20 PM

# **DATA VERIFICATION REPORT**



May 18, 2023

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631 Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater Project number: 30167538.402.04 off-site Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland Laboratory submittal: 184783-1 Sample date: 2023-05-03 Report received by CADENA: 2023-05-18 Initial Data Verification completed by CADENA: 2023-05-18 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

No minor QC exceptions or missing information were noted.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <u>http://clms.cadenaco.com/index.cfm</u>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

# **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than $5x$ (or $10x$ for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than $10x$ the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland Laboratory Submittal: 184783-1

		Sample Name: Lab Sample ID: Sample Date:	TRIP BLA 2401847 5/3/202	7831			MW-109 2401847 5/3/202	7832	23	
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC	_									
<u>OSW-8260</u> [										
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
<u>OSW-8260</u> [	DSIM									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



# Ford Motor Company – Livonia Transmission Project

# **Data Review**

# Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-184783-1 CADENA Verification Report: 2023-05-18

Analyses Performed By: Eurofins North Canton, Ohio

Report # 49782R Review Level: Tier III Project: 30167538.402.02

# **SUMMARY**

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-184783-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

			Sample Collection		Ana	lysis
Sample ID	Lab ID	Matrix	Date	Parent Sample	voc	VOC SIM
TRIP BLANK_174	240-184783-1	Water	05/03/23		Х	
MW-109S_050323	240-184783-2	Water	05/03/23		Х	Х

### DATA REVIEW

#### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Rep	orted		mance ptable	Not
	No	Yes	No	Yes	Required
1. Sample receipt condition		Х		Х	
2. Requested analyses and sample results		Х		Х	
3. Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
9. Sample preparation/extraction/analysis dates		Х		Х	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
11. Narrative summary of Quality Assurance or sample problems provided		х		Х	
12. Data Package Completeness and Compliance		Х		Х	

#### **DATA REVIEW**

#### **ORGANIC ANALYSIS INTRODUCTION**

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

#### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCI

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

#### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

#### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

#### DATA REVIEW

#### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

#### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

#### DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Rep	orted		rmance ptable	Not Required
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (G	C/MS)				
Tier II Validation					
Holding times/Preservation		Х		X	
Tier III Validation					
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
lon abundance criteria for each instrument used		Х		Х	
Field Duplicate RPD	Х				Х
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	
Notes:					

%RSD Relative standard deviation

%R Percent recovery


- RPD Relative percent difference
- %D Percent difference

VALIDATION PERFORMED BY:	Dilip Kumar
SIGNATURE:	Pertmit
DATE:	June 19, 2023


PEER REVIEW: Andrew Korycinski

DATE: June 21, 2023

# NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS



# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



### **Chain of Custody Record**



THE LEADER IN ENVIRONMENTAL TEST

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

ompany Name: Arcadis			_					_			RCR/										TestA	America Laborat	tories,
ddress: 28550 Cabot Drive, Suite 500	Client Project	Manager: Kris	Hinsk	ey			Site C	ontaci	t: Ch	ristins	a Wear	ver			Lat	Conta	ict: M	ike De	Monie	0	COC		
	Telephone: 248	-994-2240	-				Telepl	hone:	248-	994-22	40				Tel	ephon	: 330-	497-93	96				
y/State/Zip: Novi, MI, 48377	Email: kristoff	er.hinskey@ar	cadis	com			A	nalysi	is Tur	marou	nd Tin	ne		-			_		naly	606	For In	1 of 1 C b use only	COCs
me: 248-994-2240					_												1				roria	o use only	
iject Name: Ford LTP Off-Site	Sampler Name	huid	Fo	NO	10		TAT if	differen	nt from	n below 3 we	eeks L			6							Walk-	in client	
			10	ne	irn		10	day	10	2 we	eks										Lab sa	ampling	
ject Number: 30167538.402.04	Method of Ship	ment/Carrier:								l we 2 day			2	9		0			_	N.S.		1.	
# 30167538.402.04	Shipping/Track	ding No:							r	l da			Sample (Y / N)	Grap	82608	8260B			82608	82608	Job/Si	DG No:	
				М	atrix			ontair	ners &	& Prese	rvative	*	mple	R260B		- H			de 8	826			
				1	T				T				d Sa	site=	cis-1,2-DCE	Irans-1,2-DCE	PCE 8260B	8260B	Chloride	1,4-Dioxane			_
				acous	10	Other:	H2SO4	HCI	NaOH		Unpres	Other:	tere	Composition of the composition o	2 - 2	US-1	E 82	82	VI CI	0 0		Sample Specific N	
Sample Identification	Sample Date	Sample Time	Air	Aque	Solid	ō	EH I	HCI	N	ZaAc	5	õ	Filte	Com 1 1-1	Cisi -	Tra	2	TCE	Vinyt	4		Special Instruct	IORS:
TRIP BLANK 124	05/03/23			1				1					N	G)	< X	X	X	X	X		1	Trip Blank	
TRIP BLANK_ 17-4 1W-1095_050323	125/03/		$\vdash$						-	+				-	-				R.		<b>↓ ↓ ·</b>		
MW-1095_050363	05/03/23	1408		b				k	0				P	6   X		ЧX	X	X	X			VOAs for 8260 VOAs for 8260	
	1				1			+	+	+	$\vdash$	-				+	1		+			VOAS 101 0200	B 311
												ĺ		Í									
			+		+			+	+	+						-	+	+	-	+ + + + -			
			$\mathbf{t}$		+	1000010	LO STATE O							1	-	+	1	1					
					_												1						
																			-	ATTTC AT	T		
					-											+	+-	+N	41	CHIGAI	N		
						240-18	34783	3 Cha	ain o	of Cus	stody									190			
														1	1	1	1	1	1				
					-			-	-														
ossible Hazard Identification				1	-		Sar	nple D	Dispos	sal ( A	fee m	av be a	ssesse	d if sar	mples a	re ret:	ined b	nnger	than 1	month)			
Non-Hazard Flammable Skin Ir	ritant 🔽 Poise	on B	Unkr	nown			1			o Clien		P D					Archiv			Months			
ial Instructions/QC Requirements & Comments: aple Address: 34490 Be a Low St	-																						
mit all results through Cadena at jtomalia@cadena	aco.com. Cadena #	E203631																					
el IV Reporting requested.					_		-		_														
encience terrein	Arcus	lis		Date/Ti	me. /	22	1.6	:30	Re	000	BIN	Co	510	1 (	hor	ne		Com	Ary:	cadis	Date/	103/23	16
ngaished by	Company:			Date/Ti	me:	23			Re	ceived	by:	-/	9	- 3		2	(	Com	pany:	uny	Date/	103/23	1.10
founder	ARCAI	)IS		5/4	123		10	35		C	7	$\sqrt{V}$	10	t	AC	>		L	F	TA.	S/	4/72/	103
	Company:	= 1		Date/Ti	ime:	31			Re	ceived	In La	borato	y by:	~							Date/	Time	8:00
nquished by:	1 1 1																						

#### **Eurofins Cleveland**

180 S. Van Buren Avenue

# **Chain of Custody Record**



Seurofins Environment Testing

Barberton, OH 44203 Phone: 330-497-9396 Fax: 330-497-0772

Client Information (Sub Contract Lab)	Sampler:					PM: Monico, Michael					Ca						COC No: 240-167789.1		
Client Contact: Shipping/Receiving	Phone:			E-M		Dell	Aonic	n@et	eurofi	neue	com		ate of (					Page: Page 1 of 1	
Company:	1			IVIIC		hael.DelMonico@et.eurofinsus.com Michigan Accreditations Required (See note):							Job #:						
Eurofins Environment Testing Northeast, Address:	IDue Date Descus	-			240-184783-1 Preservation Codes:														
777 New Durham Road, ,	Due Date Request 5/18/2023	ea:				Analysis Requested						d				A - HCL	M - Hexane		
City: Edison	TAT Requested (d	ays):																B - NaOH	N - None O - AsNaO2
State, Zip:	-																100	C - Zn Acetate D - Nitric Acid	P - Na2O4S Q - Na2SO3
NJ, 08817																		E - NaHSO4 F - MeOH	R - Na2S2O3
Phone: 732-549-3900(Tel) 732-549-3679(Fax)	PO #:				0		List)											G - Amchlor H - Ascorbic Acid	S - H2SO4 T - TSP Dodecahydrate
Email:	WO #:				Ž	0												I - Ice	U - Acetone V - MCAA
Project Name:	Project #:				-13	or No)	(Short										Len C	J - DI Water K - EDTA	W - pH 4-5 Y - Trizma
Ford LTP - Off Site	24015353				Š	Field Filtered Sample (Yes of Perform MS/MSD (Yes of 3260D/5030C (MOD) VOCs 3260D_SIM/5030C 3260D_SIM/5030C						contai			Intal	L - EDA	Z - other (specify)		
Site:	SSOW#:				Ē	SD (									of co				
				Matrix	3	See.	Ŭ,	8260D_SIM/5030C									-		
			Sample Type	(W=water, S=solid,		E	2030										Num		
		Sample	(C=comp,	=waste/oil, ST=Tissue,		Ł	i log	8									Total A		
Sample Identification - Client ID (Lab ID)	Sample Date	Time	G=grab) Preservatio	A=Air)		ě.	8	83									Ĕ	Special I	nstructions/Note:
	5/0/00		Preservatio		N						-					19.3	K		
5RIP BLANK_174 (240-184783-1)	5/3/23	Eastern		Water	++	$\rightarrow$	×	_			_		_				1		
MW-109S_050323 (240-184783-2)	5/3/23	14:08 Eastern		Water			X	x									6	5	
64-DD					П												15		
0					Ħ	-	+					+	+	+-					
					++	+	+		+	+	+		+	+	╋╌┨				
					++	-	-		-		$\rightarrow$		-	-					
					Ш														
																	1		
					$^{\dagger}$								+	1					·····
					++	+	+		+	+	+	+	+	+-					·····
	<u> </u>				11							_							
Note: Since laboratory accreditations are subject to change, Eurofins Environme laboratory does not currently maintain accreditation in the State of Origin listed a	bove for analysis/test	s/matrix being	analyzed, the san	ples must	be shir	bedd	back to	o the Eu	rofins I	Environi	ment 1	Testina	North (	Central	LLC la	aborator	v or oth	her instructions will be	provided Any changes to
accreditation status should be brought to Eurofins Environment Testing North Co	entral, LLC attention in	nmediately. If	all requested acc	editations	are cu	ment t	to date	, return	the sig	ned Ch	ain of	Custod	y attest	ing to :	said co	mplianc	e to Eu	urofins Environment T	esting North Central, LLC.
Possible Hazard Identification					T	Sam					nay L	_				es are		ned longer than	1 month)
Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify)	Drimon ( Dolivon	able Deale	2					urn To					posal	By L	ab	L	Arc	chive For	Months
	Primary Deliver	able Rank:	2			Spec	ciai in	structi	ons/C	JC Ke	quire	ments	5:						
Empty Kit/Relinquished by:		Date:			Tim								Me	thod of	Shipm	ient:	F	elev	
Relinguisted by:	Pototime:	12	22 12	npany C	KI	F	Receive	ed by:			1				Date/	Time:		(0)30	Company
Relinquished by:	Date/Time:			npany	a	<b>-</b>  F	Receive	ed by:	20	in	51	~			Date/		25	10/50	Company
Relinquished by: Relinquished by: Custody Seals Intact: Custody Seal No.:	Date/Time:			002011			Pacei	od bur							Deta	Time			
			Co	npany			Receive	өа ру:							Date/	ı me:			Company
Custody Seals Intact: Custody Seal No.:						C	Cooler	Tempera	ature(s	s) °C and	d Othe	er Rema	irks:						
Δ Yes Δ No				R)	9	_ <u></u>	2-1	è	12	2.1	C		_						

### Client Sample ID: TRIP BLANK\_174

#### Date Collected: 05/03/23 00:00

Date Received: 05/05/23 08:00

Т	
L	Method: SW846 8260D - Volatile Organic Compounds by GC/MS
Т	
н	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/12/23 14:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/12/23 14:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 14:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/12/23 14:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 14:29	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/12/23 14:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		70 - 128		05/12/23 14:29	1
Dibromofluoromethane (Surr)	105		77 - 124		05/12/23 14:29	1
Toluene-d8 (Surr)	107		80 - 120		05/12/23 14:29	1
4-Bromofluorobenzene	105		76 - 120		05/12/23 14:29	1

#### Client Sample ID: MW-109S\_050323 Date Collected: 05/03/23 14:08 Date Received: 05/05/23 08:00

Toluene-d8 (Surr)

4-Bromofluorobenzene

Lab Sample ID: 240-184783-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/16/23 11:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		75 - 133			-		05/16/23 11:31	1

#### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

100

102

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/12/23 18:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/12/23 18:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 18:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/12/23 18:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/12/23 18:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/12/23 18:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 128			-		05/12/23 18:32	1
Dibromofluoromethane (Surr)	103		77 - 124					05/12/23 18:32	1

80 - 120

76 - 120

05/12/23 18:32

05/12/23 18:32

1

1

### Lab Sample ID: 240-184783-1 Matrix: Water