

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 5/21/2023 8:23:05 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-185155-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/21/2023 8:23:05 PM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)497-9396

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Method Summary 6

Sample Summary 7

Detection Summary 8

Client Sample Results 9

Surrogate Summary 14

QC Sample Results 15

QC Association Summary 19

Lab Chronicle 20

Certification Summary 21

Chain of Custody 22

Receipt Checklists 26



Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Job ID: 240-185155-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-185155-1

Receipt

The samples were received on 5/11/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.0°C and 1.2°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-185155-1	TRIP BLANK_65	Water	05/08/23 00:00	05/11/23 08:00
240-185155-2	MW-24_050823	Water	05/08/23 10:55	05/11/23 08:00
240-185155-3	MW-36_050823	Water	05/08/23 12:20	05/11/23 08:00
240-185155-4	MW-07_050823	Water	05/08/23 13:37	05/11/23 08:00
240-185155-5	MW-222S_050823	Water	05/08/23 14:46	05/11/23 08:00

Detection Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-185155-1

No Detections.

Client Sample ID: MW-24_050823

Lab Sample ID: 240-185155-2

No Detections.

Client Sample ID: MW-36_050823

Lab Sample ID: 240-185155-3

No Detections.

Client Sample ID: MW-07_050823

Lab Sample ID: 240-185155-4

No Detections.

Client Sample ID: MW-222S_050823

Lab Sample ID: 240-185155-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-185155-1

Date Collected: 05/08/23 00:00

Matrix: Water

Date Received: 05/11/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/19/23 20:56	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/19/23 20:56	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 20:56	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/19/23 20:56	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 20:56	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/19/23 20:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 128		05/19/23 20:56	1
Dibromofluoromethane (Surr)	89		77 - 124		05/19/23 20:56	1
Toluene-d8 (Surr)	103		80 - 120		05/19/23 20:56	1
4-Bromofluorobenzene	90		76 - 120		05/19/23 20:56	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: MW-24_050823

Lab Sample ID: 240-185155-2

Date Collected: 05/08/23 10:55

Matrix: Water

Date Received: 05/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/19/23 13:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133					05/19/23 13:55	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/19/23 21:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/19/23 21:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 21:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/19/23 21:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 21:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/19/23 21:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		70 - 128					05/19/23 21:41	1
Dibromofluoromethane (Surr)	88		77 - 124					05/19/23 21:41	1
Toluene-d8 (Surr)	101		80 - 120					05/19/23 21:41	1
4-Bromofluorobenzene	93		76 - 120					05/19/23 21:41	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: MW-36_050823

Lab Sample ID: 240-185155-3

Date Collected: 05/08/23 12:20

Matrix: Water

Date Received: 05/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/19/23 14:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133					05/19/23 14:16	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/19/23 22:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/19/23 22:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 22:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/19/23 22:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 22:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/19/23 22:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		70 - 128					05/19/23 22:04	1
Dibromofluoromethane (Surr)	90		77 - 124					05/19/23 22:04	1
Toluene-d8 (Surr)	101		80 - 120					05/19/23 22:04	1
4-Bromofluorobenzene	94		76 - 120					05/19/23 22:04	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: MW-07_050823

Lab Sample ID: 240-185155-4

Date Collected: 05/08/23 13:37

Matrix: Water

Date Received: 05/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/19/23 14:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133					05/19/23 14:38	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/20/23 01:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/20/23 01:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/20/23 01:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/20/23 01:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/20/23 01:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/20/23 01:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		70 - 128					05/20/23 01:28	1
Dibromofluoromethane (Surr)	88		77 - 124					05/20/23 01:28	1
Toluene-d8 (Surr)	102		80 - 120					05/20/23 01:28	1
4-Bromofluorobenzene	96		76 - 120					05/20/23 01:28	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: MW-222S_050823

Lab Sample ID: 240-185155-5

Date Collected: 05/08/23 14:46

Matrix: Water

Date Received: 05/11/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/19/23 14:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		75 - 133					05/19/23 14:59	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/20/23 01:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/20/23 01:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/20/23 01:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/20/23 01:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/20/23 01:51	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/20/23 01:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		70 - 128					05/20/23 01:51	1
Dibromofluoromethane (Surr)	88		77 - 124					05/20/23 01:51	1
Toluene-d8 (Surr)	103		80 - 120					05/20/23 01:51	1
4-Bromofluorobenzene	96		76 - 120					05/20/23 01:51	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA	DBFM	TOL	BFB
		(70-128)	(77-124)	(80-120)	(76-120)
240-185155-1	TRIP BLANK_65	118	89	103	90
240-185155-2	MW-24_050823	117	88	101	93
240-185155-2 MS	MW-24-MS_050823	112	81	102	98
240-185155-2 MSD	MW-24-MSD_050823	112	82	101	99
240-185155-3	MW-36_050823	120	90	101	94
240-185155-3 MS	MW-36-MS_050823	113	82	104	98
240-185155-3 MSD	MW-36-MSD_050823	111	83	101	97
240-185155-4	MW-07_050823	121	88	102	96
240-185155-5	MW-222S_050823	121	88	103	96
LCS 460-910294/3	Lab Control Sample	111	84	105	87
MB 460-910294/8	Method Blank	119	90	104	87
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					
DBFM = Dibromofluoromethane (Surr)					
TOL = Toluene-d8 (Surr)					
BFB = 4-Bromofluorobenzene					

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	BFB			
		(75-133)			
240-185155-2	MW-24_050823	95			
240-185155-2 MS	MW-24-MS_050823	94			
240-185155-2 MSD	MW-24-MSD_050823	95			
240-185155-3	MW-36_050823	95			
240-185155-3 MS	MW-36-MS_050823	92			
240-185155-3 MSD	MW-36-MSD_050823	94			
240-185155-4	MW-07_050823	96			
240-185155-5	MW-222S_050823	97			
LCS 460-910164/2	Lab Control Sample	98			
LCSD 460-910164/3	Lab Control Sample Dup	97			
MB 460-910164/6	Method Blank	95			
Surrogate Legend					
BFB = 4-Bromofluorobenzene					

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-910294/8

Matrix: Water

Analysis Batch: 910294

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/19/23 19:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/19/23 19:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 19:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/19/23 19:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/19/23 19:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/19/23 19:25	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		70 - 128		05/19/23 19:25	1
Dibromofluoromethane (Surr)	90		77 - 124		05/19/23 19:25	1
Toluene-d8 (Surr)	104		80 - 120		05/19/23 19:25	1
4-Bromofluorobenzene	87		76 - 120		05/19/23 19:25	1

Lab Sample ID: LCS 460-910294/3

Matrix: Water

Analysis Batch: 910294

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	19.9		ug/L		99	68 - 133
cis-1,2-Dichloroethene	20.0	19.6		ug/L		98	78 - 121
Tetrachloroethene	20.0	17.4		ug/L		87	70 - 127
trans-1,2-Dichloroethene	20.0	19.8		ug/L		99	74 - 126
Trichloroethene	20.0	20.0		ug/L		100	71 - 121
Vinyl chloride	20.0	23.3		ug/L		116	55 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 128
Dibromofluoromethane (Surr)	84		77 - 124
Toluene-d8 (Surr)	105		80 - 120
4-Bromofluorobenzene	87		76 - 120

Lab Sample ID: 240-185155-2 MS

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-24-MS_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	15.2		ug/L		76	68 - 133
cis-1,2-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	78 - 121
Tetrachloroethene	1.0	U	20.0	15.8		ug/L		79	70 - 127
trans-1,2-Dichloroethene	1.0	U	20.0	17.1		ug/L		86	74 - 126
Trichloroethene	1.0	U	20.0	16.9		ug/L		85	71 - 121
Vinyl chloride	1.0	U	20.0	24.2		ug/L		121	55 - 144

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	112		70 - 128
Dibromofluoromethane (Surr)	81		77 - 124
Toluene-d8 (Surr)	102		80 - 120

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-185155-2 MS

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-24-MS_050823

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	98		76 - 120

Lab Sample ID: 240-185155-2 MSD

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-24-MSD_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	16.0		ug/L		80	68 - 133	5	30
cis-1,2-Dichloroethene	1.0	U	20.0	19.2		ug/L		96	78 - 121	7	30
Tetrachloroethene	1.0	U	20.0	16.0		ug/L		80	70 - 127	1	30
trans-1,2-Dichloroethene	1.0	U	20.0	17.7		ug/L		89	74 - 126	4	30
Trichloroethene	1.0	U	20.0	17.1		ug/L		85	71 - 121	1	30
Vinyl chloride	1.0	U	20.0	25.6		ug/L		128	55 - 144	6	30

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	112		70 - 128
Dibromofluoromethane (Surr)	82		77 - 124
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene	99		76 - 120

Lab Sample ID: 240-185155-3 MS

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-36-MS_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	18.8		ug/L		94	68 - 133		
cis-1,2-Dichloroethene	1.0	U	20.0	18.1		ug/L		91	78 - 121		
Tetrachloroethene	1.0	U	20.0	16.7		ug/L		84	70 - 127		
trans-1,2-Dichloroethene	1.0	U	20.0	18.2		ug/L		91	74 - 126		
Trichloroethene	1.0	U	20.0	16.8		ug/L		84	71 - 121		
Vinyl chloride	1.0	U	20.0	23.2		ug/L		116	55 - 144		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	113		70 - 128
Dibromofluoromethane (Surr)	82		77 - 124
Toluene-d8 (Surr)	104		80 - 120
4-Bromofluorobenzene	98		76 - 120

Lab Sample ID: 240-185155-3 MSD

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-36-MSD_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	20.7		ug/L		103	68 - 133	9	30
cis-1,2-Dichloroethene	1.0	U	20.0	20.0		ug/L		100	78 - 121	10	30
Tetrachloroethene	1.0	U	20.0	17.7		ug/L		89	70 - 127	6	30
trans-1,2-Dichloroethene	1.0	U	20.0	20.2		ug/L		101	74 - 126	10	30
Trichloroethene	1.0	U	20.0	19.2		ug/L		96	71 - 121	13	30

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-185155-3 MSD

Matrix: Water

Analysis Batch: 910294

Client Sample ID: MW-36-MSD_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Vinyl chloride	1.0	U	20.0	26.3		ug/L		131	55 - 144	12	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	111		70 - 128								
Dibromofluoromethane (Surr)	83		77 - 124								
Toluene-d8 (Surr)	101		80 - 120								
4-Bromofluorobenzene	97		76 - 120								

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-910164/6

Matrix: Water

Analysis Batch: 910164

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/19/23 08:52	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133					05/19/23 08:52	1

Lab Sample ID: LCS 460-910164/2

Matrix: Water

Analysis Batch: 910164

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	5.00	5.04		ug/L		101	57 - 124		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene	98		75 - 133						

Lab Sample ID: LCSD 460-910164/3

Matrix: Water

Analysis Batch: 910164

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	5.00	5.79		ug/L		116	57 - 124	14	30
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	97		75 - 133						

Lab Sample ID: 240-185155-2 MS

Matrix: Water

Analysis Batch: 910164

Client Sample ID: MW-24-MS_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	2.0	U	5.00	5.10		ug/L		102	57 - 124		

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-185155-2 MS

Matrix: Water

Analysis Batch: 910164

Client Sample ID: MW-24-MS_050823

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	94		75 - 133

Lab Sample ID: 240-185155-2 MSD

Matrix: Water

Analysis Batch: 910164

Client Sample ID: MW-24-MSD_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	5.00	4.83		ug/L		97	57 - 124	5	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene	95		75 - 133								

Lab Sample ID: 240-185155-3 MS

Matrix: Water

Analysis Batch: 910164

Client Sample ID: MW-36-MS_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	2.0	U	5.00	5.33		ug/L		107	57 - 124		
Surrogate	MS %Recovery	MS Qualifier	Limits								
4-Bromofluorobenzene	92		75 - 133								

Lab Sample ID: 240-185155-3 MSD

Matrix: Water

Analysis Batch: 910164

Client Sample ID: MW-36-MSD_050823

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	5.00	5.92		ug/L		118	57 - 124	10	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene	94		75 - 133								

QC Association Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

GC/MS VOA

Analysis Batch: 910164

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185155-2	MW-24_050823	Total/NA	Water	8260D SIM	
240-185155-3	MW-36_050823	Total/NA	Water	8260D SIM	
240-185155-4	MW-07_050823	Total/NA	Water	8260D SIM	
240-185155-5	MW-222S_050823	Total/NA	Water	8260D SIM	
MB 460-910164/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-910164/2	Lab Control Sample	Total/NA	Water	8260D SIM	
LCSD 460-910164/3	Lab Control Sample Dup	Total/NA	Water	8260D SIM	
240-185155-2 MS	MW-24-MS_050823	Total/NA	Water	8260D SIM	
240-185155-2 MSD	MW-24-MSD_050823	Total/NA	Water	8260D SIM	
240-185155-3 MS	MW-36-MS_050823	Total/NA	Water	8260D SIM	
240-185155-3 MSD	MW-36-MSD_050823	Total/NA	Water	8260D SIM	

Analysis Batch: 910294

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185155-1	TRIP BLANK_65	Total/NA	Water	8260D	
240-185155-2	MW-24_050823	Total/NA	Water	8260D	
240-185155-3	MW-36_050823	Total/NA	Water	8260D	
240-185155-4	MW-07_050823	Total/NA	Water	8260D	
240-185155-5	MW-222S_050823	Total/NA	Water	8260D	
MB 460-910294/8	Method Blank	Total/NA	Water	8260D	
LCS 460-910294/3	Lab Control Sample	Total/NA	Water	8260D	
240-185155-2 MS	MW-24-MS_050823	Total/NA	Water	8260D	
240-185155-2 MSD	MW-24-MSD_050823	Total/NA	Water	8260D	
240-185155-3 MS	MW-36-MS_050823	Total/NA	Water	8260D	
240-185155-3 MSD	MW-36-MSD_050823	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Client Sample ID: TRIP BLANK_65

Lab Sample ID: 240-185155-1

Date Collected: 05/08/23 00:00

Matrix: Water

Date Received: 05/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	910294	SZD	EET EDI	05/19/23 20:56

Client Sample ID: MW-24_050823

Lab Sample ID: 240-185155-2

Date Collected: 05/08/23 10:55

Matrix: Water

Date Received: 05/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	910294	SZD	EET EDI	05/19/23 21:41
Total/NA	Analysis	8260D SIM		1	910164	SZD	EET EDI	05/19/23 13:55

Client Sample ID: MW-36_050823

Lab Sample ID: 240-185155-3

Date Collected: 05/08/23 12:20

Matrix: Water

Date Received: 05/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	910294	SZD	EET EDI	05/19/23 22:04
Total/NA	Analysis	8260D SIM		1	910164	SZD	EET EDI	05/19/23 14:16

Client Sample ID: MW-07_050823

Lab Sample ID: 240-185155-4

Date Collected: 05/08/23 13:37

Matrix: Water

Date Received: 05/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	910294	SZD	EET EDI	05/20/23 01:28
Total/NA	Analysis	8260D SIM		1	910164	SZD	EET EDI	05/19/23 14:38

Client Sample ID: MW-222S_050823

Lab Sample ID: 240-185155-5

Date Collected: 05/08/23 14:46

Matrix: Water

Date Received: 05/11/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	910294	SZD	EET EDI	05/20/23 01:51
Total/NA	Analysis	8260D SIM		1	910164	SZD	EET EDI	05/19/23 14:59

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - On Site

Job ID: 240-185155-1

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

Chain of Custody Record

TestAmerica

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program:		Site Contact: Christina Weaver		Lab Contact: Mike DelMonico		Analyses		Sample Specific Notes / Special Instructions:													
Company Name: Arcadis	Address: 28550 Cabot Drive, Suite 500	City/State/Zip: Novi, MI, 48377	Phone: 248-994-2240	Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	Site Contact: Christina Weaver	Lab Contact: Mike DelMonico	Telephone: 330-497-9396	For lab use only	Walk-in client	Lab sampling	Job/SDG No:												
Project Name: Ford LTP On-Site	Project Number: 30167538.401.03	PO # 30167538.401.03	Method of Shipment/Carrier:	Shipping/Tracking No:	Sample Date	Sample Time	Matrix	Containers & Preservatives	Filtered Sample (Y/N)	Composite C / Grab G	1,1-DCE 8260B	Cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM						
				Analysis Turnaround Time				Analysis															
				TAT if different from below																			
				10 day																			
				3 weeks																			
				2 weeks																			
				1 week																			
				2 days																			
				1 day																			
TRIP BLANK_ 65				---				1				NG				X				1 Trip Blank			
MW-24_050823				5/8/23 1055				6				NG				X				3 VOAs for 8260B 3 VOAs for 8260B SIM			
MW-24-MS_050823				5/8/23 1055				6				NG				X				Run MS/MSD			
MW-24-MSD-050823				5/8/23 1055				6				NG				X				Run MS/MSD			
MW-36-050823				5/8/23 1220				6				NG				X				Run MS/MSD			
MW-36-MS-050823				5/8/23 1220				6				NG				X				Run MS/MSD			
MW-36-MSD-050823				5/8/23 1220				6				NG				X				Run MS/MSD			
MW-07_050823				5/8/23 1337				6				NG				X				Run MS/MSD			
MW-2225_050823				5/8/23 1446				6				NG				X				Run MS/MSD			

Possible Hazard Identification
☒ Non-Hazard ☐ Irritant ☐ Flammable ☐ Poison B ☐ Unknown

Special Instructions/QC Requirements & Comments:

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Sammer Gwy	ARCADIS	5/8/23 1530	Noni Cold Storage	ARCADIS	5/8/23 1530
Christina Weaver	ARCADIS	5/10/23 1550	Jelly Mkr	EETA	5/10/23 1550
Jelly Mkr	EETA	5/10/23	Received in Laboratory by:	EETA	5-11-23 800

240-185155 Chain of Custody

Eurofins - Canton Sample Receipt Form/Narrative Login #: 185155
Barberton Facility

Client Arcadis Site Name _____ Cooler unpacked by Dany Roga
Cooler Received on 5-11-23 Opened on 5-11-23
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☒ See Multiple Cooler Form
IR GUN # 22 (CF 10.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity lead Yes No
- Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
- Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC208070
14. Were VOAs on the COC? Yes No NA
15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # covered Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers



Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)							Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:				
Client Contact: Shipping/Receiving							Phone:	DelMonico, Michael		240-167972.1				
Company: Eurofins Environment Testing Northeast,								E-Mail: Michael.DelMonico@eurofins.com	State of Origin: Michigan	Page: Page 1 of 1				
Address: 777 New Durham Road,								Accreditations Required (See note):		Job #: 240-185155-1				
City: Edison											Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Z - other (specify) Other:			
State, Zip: NJ, 08817														
Phone: 732-549-3900(Tel) 732-549-3679(Fax)							PO #:							
Email:							WO #:							
Project Name: Ford LTP - On Site							Project #: 24015353							
Site:							SSOW#:							
Sample Identification - Client ID (Lab ID)							Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=oils, BT=biota, A=air)	Analysis Requested	Total Number of containers	Special Instructions/Note:	
TRIP BLANK_65 (240-185155-1)							5/8/23	Eastern		Water			1	
MW-24_050823 (240-185155-2)							5/8/23	10:55 Eastern		Water	X	X	18	
MW-24-MS_050823 (240-185155-2MS)							5/8/23	10:55 Eastern	MS	Water	X	X	1	
MW-24-MSD_050823 (240-185155-2MSD)							5/8/23	10:55 Eastern	MSD	Water	X	X	1	
MW-36_050823 (240-185155-3)							5/8/23	12:20 Eastern		Water	X	X	18	
MW-36-MS_050823 (240-185155-3MS)							5/8/23	12:20 Eastern	MS	Water	X	X	1	
MW-36-MSD_050823 (240-185155-3MSD)							5/8/23	12:20 Eastern	MSD	Water	X	X	1	
MW-07_050823 (240-185155-4)							5/8/23	13:37 Eastern		Water	X	X	6	
MW-22S_050823 (240-185155-5)							5/8/23	14:46 Eastern		Water	X	X	6	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify)

Primary Deliverable Rank: 2

Empty Kit Relinquished by: [Signature]

Date: 5/11/23 17:10

Relinquished by: [Signature]

Date: 5/11/23 17:10

Relinquished by:

Date:

Relinquished by:

Date:

Custody Seal Intact: Yes A No

Custody Seal No.:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client ☐ Disposal By Lab ☒

Special Instructions/QC Requirements:

Method of Shipment: Fedex

Date/Time: 5/12/23 10:30

Received by: [Signature]

Date/Time: 5/12/23 10:30

Received by:

Date/Time:

Received by:

Date/Time:

Cooler Temperature(s) °C and Other Remarks:

Cooler Temperature(s) °C and Other Remarks:

Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 240-185155-1

Login Number: 185155

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 05/12/23 03:15 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

DATA VERIFICATION REPORT



May 25, 2023

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil

Project number: 30167538.401.03- onsite groundwater

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 185155-1

Sample date: 2023-05-08

Report received by CADENA: 2023-05-25

Initial Data Verification completed by CADENA: 2023-05-25

Number of Samples:5

Sample Matrices:Water and trip blank

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 185155-1

Analyte	Cas No.	Sample Name: TRIP BLANK_65				MW-24_050823				MW-36_050823				MW-07_050823				MW-222S_050823			
		Lab Sample ID: 2401851551				2401851552				2401851553				2401851554				2401851555			
		Sample Date: 5/8/2023				5/8/2023				5/8/2023				5/8/2023				5/8/2023			
		Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---