



ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 5/28/2023 8:54:10 PM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-185538-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/28/2023 8:54:10 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20
Receipt Checklists	24

Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Job ID: 240-185538-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative
240-185538-1

Receipt

The samples were received on 5/18/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.4°C and 0.6°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-185538-1	TRIP BLANK_132	Water	05/16/23 00:00	05/18/23 08:00
240-185538-2	MW-75D_051623	Water	05/16/23 10:15	05/18/23 08:00
240-185538-3	DUP-14	Water	05/16/23 00:00	05/18/23 08:00
240-185538-4	MW-75SR_051623	Water	05/16/23 08:45	05/18/23 08:00
240-185538-5	MW-101S_051623	Water	05/16/23 11:40	05/18/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: TRIP BLANK_132

Lab Sample ID: 240-185538-1

No Detections.

Client Sample ID: MW-75D_051623

Lab Sample ID: 240-185538-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.1		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	2.9		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: DUP-14

Lab Sample ID: 240-185538-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.1		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	3.0		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-75SR_051623

Lab Sample ID: 240-185538-4

No Detections.

Client Sample ID: MW-101S_051623

Lab Sample ID: 240-185538-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: TRIP BLANK_132

Lab Sample ID: 240-185538-1

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 03:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 03:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 03:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 03:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 03:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 03:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128		05/26/23 03:13	1
Dibromofluoromethane (Surr)	103		77 - 124		05/26/23 03:13	1
Toluene-d8 (Surr)	101		80 - 120		05/26/23 03:13	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 03:13	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: MW-75D_051623

Lab Sample ID: 240-185538-2

Date Collected: 05/16/23 10:15

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1		2.0	0.86	ug/L			05/23/23 00:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		75 - 133					05/23/23 00:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 05:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 05:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 05:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 05:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 05:52	1
Vinyl chloride	2.9		1.0	0.45	ug/L			05/26/23 05:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		70 - 128					05/26/23 05:52	1
Dibromofluoromethane (Surr)	107		77 - 124					05/26/23 05:52	1
Toluene-d8 (Surr)	99		80 - 120					05/26/23 05:52	1
4-Bromofluorobenzene	96		76 - 120					05/26/23 05:52	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: DUP-14

Lab Sample ID: 240-185538-3

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1		2.0	0.86	ug/L			05/23/23 00:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133					05/23/23 00:38	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 06:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 06:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 06:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:15	1
Vinyl chloride	3.0		1.0	0.45	ug/L			05/26/23 06:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		70 - 128					05/26/23 06:15	1
Dibromofluoromethane (Surr)	108		77 - 124					05/26/23 06:15	1
Toluene-d8 (Surr)	98		80 - 120					05/26/23 06:15	1
4-Bromofluorobenzene	97		76 - 120					05/26/23 06:15	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: MW-75SR_051623

Lab Sample ID: 240-185538-4

Date Collected: 05/16/23 08:45

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 01:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		75 - 133					05/23/23 01:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 06:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 06:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 06:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 06:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 128					05/26/23 06:38	1
Dibromofluoromethane (Surr)	110		77 - 124					05/26/23 06:38	1
Toluene-d8 (Surr)	99		80 - 120					05/26/23 06:38	1
4-Bromofluorobenzene	98		76 - 120					05/26/23 06:38	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: MW-101S_051623

Lab Sample ID: 240-185538-5

Date Collected: 05/16/23 11:40

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 01:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133					05/23/23 01:21	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 07:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 07:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 07:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 07:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 07:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 07:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128					05/26/23 07:01	1
Dibromofluoromethane (Surr)	102		77 - 124					05/26/23 07:01	1
Toluene-d8 (Surr)	100		80 - 120					05/26/23 07:01	1
4-Bromofluorobenzene	97		76 - 120					05/26/23 07:01	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-128)	DBFM (77-124)	TOL (80-120)	BFB (76-120)
240-185538-1	TRIP BLANK_132	107	103	101	97
240-185538-2	MW-75D_051623	110	107	99	96
240-185538-3	DUP-14	111	108	98	97
240-185538-4	MW-75SR_051623	112	110	99	98
240-185538-5	MW-101S_051623	107	102	100	97
LCS 460-911483/3	Lab Control Sample	101	95	103	96
LCS 460-911483/4	Lab Control Sample Dup	98	95	110	97
MB 460-911483/7	Method Blank	106	102	99	98

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB (75-133)
240-185467-E-2 MSD	Matrix Spike Duplicate	97
240-185467-F-2 MS	Matrix Spike	99
240-185538-2	MW-75D_051623	97
240-185538-3	DUP-14	95
240-185538-4	MW-75SR_051623	94
240-185538-5	MW-101S_051623	96
LCS 460-910713/2	Lab Control Sample	96
MB 460-910713/8	Method Blank	96

Surrogate Legend

BFB = 4-Bromofluorobenzene

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-911483/7

Matrix: Water

Analysis Batch: 911483

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 00:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 00:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 00:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 00:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 00:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 00:57	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		70 - 128		05/26/23 00:57	1
Dibromofluoromethane (Surr)	102		77 - 124		05/26/23 00:57	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 00:57	1
4-Bromofluorobenzene	98		76 - 120		05/26/23 00:57	1

Lab Sample ID: LCS 460-911483/3

Matrix: Water

Analysis Batch: 911483

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	19.2		ug/L		96	68 - 133
cis-1,2-Dichloroethene	20.0	19.3		ug/L		96	78 - 121
Tetrachloroethene	20.0	19.7		ug/L		99	70 - 127
trans-1,2-Dichloroethene	20.0	18.8		ug/L		94	74 - 126
Trichloroethene	20.0	21.6		ug/L		108	71 - 121
Vinyl chloride	20.0	20.1		ug/L		101	55 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		70 - 128
Dibromofluoromethane (Surr)	95		77 - 124
Toluene-d8 (Surr)	103		80 - 120
4-Bromofluorobenzene	96		76 - 120

Lab Sample ID: LCSD 460-911483/4

Matrix: Water

Analysis Batch: 911483

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
1,1-Dichloroethene	20.0	20.5		ug/L		102	68 - 133	7	30
cis-1,2-Dichloroethene	20.0	20.2		ug/L		101	78 - 121	5	30
Tetrachloroethene	20.0	22.0		ug/L		110	70 - 127	11	30
trans-1,2-Dichloroethene	20.0	20.0		ug/L		100	74 - 126	6	30
Trichloroethene	20.0	21.8		ug/L		109	71 - 121	1	30
Vinyl chloride	20.0	21.3		ug/L		107	55 - 144	6	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		70 - 128
Dibromofluoromethane (Surr)	95		77 - 124
Toluene-d8 (Surr)	110		80 - 120

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-911483/4
Matrix: Water
Analysis Batch: 911483

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	97		76 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-910713/8
Matrix: Water
Analysis Batch: 910713

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 18:52	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133		05/22/23 18:52	1

Lab Sample ID: LCS 460-910713/2
Matrix: Water
Analysis Batch: 910713

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	5.00	4.27		ug/L		85	57 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	96		75 - 133

Lab Sample ID: 240-185467-E-2 MSD
Matrix: Water
Analysis Batch: 910713

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.3		5.00	6.68		ug/L		88	57 - 124	0	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene	97		75 - 133

Lab Sample ID: 240-185467-F-2 MS
Matrix: Water
Analysis Batch: 910713

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.3		5.00	6.71		ug/L		89	57 - 124

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	99		75 - 133

QC Association Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

GC/MS VOA

Analysis Batch: 910713

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185538-2	MW-75D_051623	Total/NA	Water	8260D SIM	
240-185538-3	DUP-14	Total/NA	Water	8260D SIM	
240-185538-4	MW-75SR_051623	Total/NA	Water	8260D SIM	
240-185538-5	MW-101S_051623	Total/NA	Water	8260D SIM	
MB 460-910713/8	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-910713/2	Lab Control Sample	Total/NA	Water	8260D SIM	
240-185467-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-185467-F-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Analysis Batch: 911483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185538-1	TRIP BLANK_132	Total/NA	Water	8260D	
240-185538-2	MW-75D_051623	Total/NA	Water	8260D	
240-185538-3	DUP-14	Total/NA	Water	8260D	
240-185538-4	MW-75SR_051623	Total/NA	Water	8260D	
240-185538-5	MW-101S_051623	Total/NA	Water	8260D	
MB 460-911483/7	Method Blank	Total/NA	Water	8260D	
LCS 460-911483/3	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-911483/4	Lab Control Sample Dup	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: TRIP BLANK_132

Lab Sample ID: 240-185538-1

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911483	SZD	EET EDI	05/26/23 03:13

Client Sample ID: MW-75D_051623

Lab Sample ID: 240-185538-2

Date Collected: 05/16/23 10:15

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911483	SZD	EET EDI	05/26/23 05:52
Total/NA	Analysis	8260D SIM		1	910713	SZD	EET EDI	05/23/23 00:17

Client Sample ID: DUP-14

Lab Sample ID: 240-185538-3

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911483	SZD	EET EDI	05/26/23 06:15
Total/NA	Analysis	8260D SIM		1	910713	SZD	EET EDI	05/23/23 00:38

Client Sample ID: MW-75SR_051623

Lab Sample ID: 240-185538-4

Date Collected: 05/16/23 08:45

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911483	SZD	EET EDI	05/26/23 06:38
Total/NA	Analysis	8260D SIM		1	910713	SZD	EET EDI	05/23/23 01:00

Client Sample ID: MW-101S_051623

Lab Sample ID: 240-185538-5

Date Collected: 05/16/23 11:40

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911483	SZD	EET EDI	05/26/23 07:01
Total/NA	Analysis	8260D SIM		1	910713	SZD	EET EDI	05/23/23 01:21

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

Eurofins - Canton Sample Receipt Form/Narrative
Barborton Facility


Login # : 185538

Client Arcadis Site Name _____
Cooler Received on 05-18-23 Opened on 05-18-23
FedEx: 1st Grd Exp UPS ~~FAS~~ Clipper Client Drop Off Eurofins Courier Other

Cooler unpacked by:
Leah M. Smith

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box _____ Client Cooler _____ Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 22 (CF ±0.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
- Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- Shippers' packing slip attached to the cooler(s)? Yes No
- Did custody papers accompany the sample(s)? Yes No
- Were the custody papers relinquished & signed in the appropriate place? Yes No
- Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- Did all bottles arrive in good condition (Unbroken)? Yes No
- Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- Were correct bottle(s) used for the test(s) indicated? Yes No
- Sufficient quantity received to perform indicated analyses? Yes No
- Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.
- Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC208070
- Were VOAs on the COC? Yes No NA 5/18/23
- Were air bubbles >6 mm in any VOA vials? Yes No NA 5/18/23
Larger than this.  Yes No RH
- Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62112 Yes No NA
- Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) 1 - DOP - 14 were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 240-185538-1

Login Number: 185538

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 05/19/23 12:22 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



DATA VERIFICATION REPORT



May 31, 2023

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30167538.402.04 off-site
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 185538-1
Sample date: 2023-05-16
Report received by CADENA: 2023-05-31
Initial Data Verification completed by CADENA: 2023-05-31

Number of Samples:5

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 185538-1

Analyte	Cas No.	Sample Name: TRIP BLANK_132				Sample Name: MW-75D_051623				Sample Name: DUP-14				Sample Name: MW-75SR_051623				Sample Name: MW-101S_051623			
		Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	2.9	1.0	ug/l	---	3.0	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					2.1	2.0	ug/l	---	2.1	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---

Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-185538-1

CADENA Verification Report: 2023-05-31

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 49953R

Review Level: Tier III

Project: 30167538.402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-185538-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_132	240-185538-1	Water	05/16/23		X	
MW-75D_051623	240-185538-2	Water	05/16/23		X	X
DUP-14	240-185538-3	Water	05/16/23	MW-75D_051623	X	X
MW-75SR_051623	240-185538-4	Water	05/16/23		X	X
MW-101S_051623	240-185538-5	Water	05/16/23		X	X

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
MW-75D_051623 DUP-14 MW-75SR_051623 MW-101S_051623	Continuous Calibration Verification %D	1,4-Dioxane	+28.1%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification	
Initial and Continuing Calibration	RRF <0.05	Non-detect	R	
		Detect	J	
	RRF <0.01 ¹	Non-detect	R	
		Detect	J	
	RRF >0.05 or RRF >0.01 ¹		Non-detect	No Action

DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
		Detect	
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

¹RRF of 0.01 only applies to compounds which are typically poor responding compounds

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compounds	Sample Result (µg/L)	Duplicate Result (µg/L)	RPD
MW-75D_051623 / DUP-14	1,4-Dioxane	2.1	2.1	AC
	Vinyl chloride	2.9	3.0	AC

Note:

AC – Acceptable

The results between the parent sample and field duplicate were acceptable.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

DATE: June 16, 2023

PEER REVIEW: Andrew Korycinski

DATE: June 21, 2023

**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												TestAmerica Laboratories, Inc.									
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:									
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs									
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only									
Phone: 248-994-2240		Sampler Name: Kent Kasper				TAT if different from below				<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Walk-in client									
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:				10 day										Lab sampling							
Project Number: 30167538.402.04		Shipping/Tracking No:				Filtered Sample (V/N) Composite=C / Grab=G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM				Job/SDG No:													
PO # 30167538.402.04												Sample Specific Notes / Special Instructions:											
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives														
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:							
TRIP BLANK_ 132	5/16/23	---	1							1							NG	X	X	X	X	X	1 Trip Blank
MW-75D-051623	5/16/23	1015	6							6							NG	X	X	X	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM
DUP-14	5/16/23	-	6							6							NG	X	X	X	X	X	
MW-75SR-051623	5/16/23	0845	6							6							NG	X	X	X	X	X	
MW-1015-051623	5/16/23	1140	6							6							NG	X	X	X	X	X	
Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																			
Special Instructions/QC Requirements & Comments:																							
Sample Address: BELDEN AND PLYMOUTH ROW																							
Submit all results through Cadena at jtomialia@cadenaco.com. Cadena #E203631																							
Level IV Reporting requested.																							
Relinquished by: Kent Kasper				Company: Arcadis				Date/Time: 5/16/23 1254				Received by: Novi Cold Storage				Company: Arcadis				Date/Time: 5/16/23 1254			
Relinquished by: [Signature]				Company: ARCADIS				Date/Time: 5/17/23 / 0935				Received by: [Signature]				Company: EETA				Date/Time: 5/17/23 / 0935			
Relinquished by: [Signature]				Company: EETA				Date/Time: 5/17/23 935				Received in Laboratory by: Leah M. Smith				Company: EETNC				Date/Time: 05-18-23 800			



Page 540 of 544

05/31/2023

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: TRIP BLANK_132

Lab Sample ID: 240-185538-1

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 03:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 03:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 03:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 03:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 03:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 03:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128		05/26/23 03:13	1
Dibromofluoromethane (Surr)	103		77 - 124		05/26/23 03:13	1
Toluene-d8 (Surr)	101		80 - 120		05/26/23 03:13	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 03:13	1

Client Sample ID: MW-75D_051623

Lab Sample ID: 240-185538-2

Date Collected: 05/16/23 10:15

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1	J	2.0	0.86	ug/L			05/23/23 00:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		75 - 133		05/23/23 00:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 05:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 05:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 05:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 05:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 05:52	1
Vinyl chloride	2.9		1.0	0.45	ug/L			05/26/23 05:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		70 - 128		05/26/23 05:52	1
Dibromofluoromethane (Surr)	107		77 - 124		05/26/23 05:52	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 05:52	1
4-Bromofluorobenzene	96		76 - 120		05/26/23 05:52	1

Client Sample ID: DUP-14

Lab Sample ID: 240-185538-3

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1	J	2.0	0.86	ug/L			05/23/23 00:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133		05/23/23 00:38	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: DUP-14

Lab Sample ID: 240-185538-3

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 06:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 06:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 06:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:15	1
Vinyl chloride	3.0		1.0	0.45	ug/L			05/26/23 06:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		70 - 128		05/26/23 06:15	1
Dibromofluoromethane (Surr)	108		77 - 124		05/26/23 06:15	1
Toluene-d8 (Surr)	98		80 - 120		05/26/23 06:15	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 06:15	1

Client Sample ID: MW-75SR_051623

Lab Sample ID: 240-185538-4

Date Collected: 05/16/23 08:45

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U JJ	2.0	0.86	ug/L			05/23/23 01:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		75 - 133		05/23/23 01:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 06:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 06:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 06:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 06:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 06:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 128		05/26/23 06:38	1
Dibromofluoromethane (Surr)	110		77 - 124		05/26/23 06:38	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 06:38	1
4-Bromofluorobenzene	98		76 - 120		05/26/23 06:38	1

Client Sample ID: MW-101S_051623

Lab Sample ID: 240-185538-5

Date Collected: 05/16/23 11:40

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U JJ	2.0	0.86	ug/L			05/23/23 01:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133		05/23/23 01:21	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-185538-1

Client Sample ID: MW-101S_051623

Lab Sample ID: 240-185538-5

Date Collected: 05/16/23 11:40

Matrix: Water

Date Received: 05/18/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 07:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 07:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 07:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 07:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 07:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 07:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128		05/26/23 07:01	1
Dibromofluoromethane (Surr)	102		77 - 124		05/26/23 07:01	1
Toluene-d8 (Surr)	100		80 - 120		05/26/23 07:01	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 07:01	1