



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 5/28/2023 8:55:59 PM

## JOB DESCRIPTION

Ford LTP - Off Site

## JOB NUMBER

240-185547-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
5/28/2023 8:55:59 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	18
Lab Chronicle . . . . .	19
Certification Summary . . . . .	20
Chain of Custody . . . . .	21
Receipt Checklists . . . . .	25

# Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

---

**Job ID: 240-185547-1**

---

**Laboratory: Eurofins Cleveland**

---

**Narrative**

**Job Narrative**  
**240-185547-1**

**Receipt**

The samples were received on 5/18/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.4°C and 0.6°C

**GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900



# Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-185547-1	TRIP BLANK_129	Water	05/16/23 00:00	05/18/23 08:00
240-185547-2	MW-97S_051623	Water	05/16/23 09:50	05/18/23 08:00
240-185547-3	MW-77_051623	Water	05/16/23 10:45	05/18/23 08:00
240-185547-4	MW-77S_051623	Water	05/16/23 11:30	05/18/23 08:00
240-185547-5	MW-96S_051623	Water	05/16/23 12:30	05/18/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: TRIP BLANK\_129**

**Lab Sample ID: 240-185547-1**

No Detections.

**Client Sample ID: MW-97S\_051623**

**Lab Sample ID: 240-185547-2**

No Detections.

**Client Sample ID: MW-77\_051623**

**Lab Sample ID: 240-185547-3**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.50	J	1.0	0.46	ug/L	1		8260D	Total/NA

**Client Sample ID: MW-77S\_051623**

**Lab Sample ID: 240-185547-4**

No Detections.

**Client Sample ID: MW-96S\_051623**

**Lab Sample ID: 240-185547-5**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: TRIP BLANK\_129**

**Lab Sample ID: 240-185547-1**

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 20:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 20:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 20:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 20:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 20:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 20:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 128		05/26/23 20:16	1
Dibromofluoromethane (Surr)	101		77 - 124		05/26/23 20:16	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 20:16	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 20:16	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-97S\_051623**

**Lab Sample ID: 240-185547-2**

Date Collected: 05/16/23 09:50

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 12:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133					05/23/23 12:58	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 23:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 23:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 23:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 23:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128					05/26/23 23:18	1
Dibromofluoromethane (Surr)	103		77 - 124					05/26/23 23:18	1
Toluene-d8 (Surr)	101		80 - 120					05/26/23 23:18	1
4-Bromofluorobenzene	99		76 - 120					05/26/23 23:18	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-77\_051623**

**Lab Sample ID: 240-185547-3**

Date Collected: 05/16/23 10:45

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 13:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		75 - 133					05/23/23 13:20	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 23:41	1
<b>cis-1,2-Dichloroethene</b>	<b>0.50</b>	<b>J</b>	1.0	0.46	ug/L			05/26/23 23:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 23:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 23:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 128					05/26/23 23:41	1
Dibromofluoromethane (Surr)	102		77 - 124					05/26/23 23:41	1
Toluene-d8 (Surr)	103		80 - 120					05/26/23 23:41	1
4-Bromofluorobenzene	99		76 - 120					05/26/23 23:41	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-77S\_051623**

**Lab Sample ID: 240-185547-4**

Date Collected: 05/16/23 11:30

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 13:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		75 - 133					05/23/23 13:42	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/27/23 00:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/27/23 00:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/27/23 00:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/27/23 00:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/27/23 00:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/27/23 00:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 128					05/27/23 00:03	1
Dibromofluoromethane (Surr)	101		77 - 124					05/27/23 00:03	1
Toluene-d8 (Surr)	102		80 - 120					05/27/23 00:03	1
4-Bromofluorobenzene	99		76 - 120					05/27/23 00:03	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-96S\_051623**

**Lab Sample ID: 240-185547-5**

Date Collected: 05/16/23 12:30

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 09:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133					05/23/23 09:43	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 21:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 21:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 21:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 21:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 21:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 21:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		70 - 128					05/26/23 21:47	1
Dibromofluoromethane (Surr)	104		77 - 124					05/26/23 21:47	1
Toluene-d8 (Surr)	99		80 - 120					05/26/23 21:47	1
4-Bromofluorobenzene	96		76 - 120					05/26/23 21:47	1

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-128)	DBFM (77-124)	TOL (80-120)	BFB (76-120)
240-185547-1	TRIP BLANK_129	104	101	99	97
240-185547-2	MW-97S_051623	107	103	101	99
240-185547-3	MW-77_051623	105	102	103	99
240-185547-4	MW-77S_051623	105	101	102	99
240-185547-5	MW-96S_051623	103	104	99	96
240-185547-5 MS	MW-96S_051623	98	95	110	100
240-185547-5 MSD	MW-96S_051623	98	96	110	101
LCS 460-911732/3	Lab Control Sample	97	97	110	99
MB 460-911732/7	Method Blank	104	100	100	99

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
DBFM = Dibromofluoromethane (Surr)  
TOL = Toluene-d8 (Surr)  
BFB = 4-Bromofluorobenzene

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB (75-133)
240-185547-2	MW-97S_051623	96
240-185547-3	MW-77_051623	92
240-185547-4	MW-77S_051623	94
240-185547-5	MW-96S_051623	95
240-185547-5 MS	MW-96S_051623	89
240-185547-5 MSD	MW-96S_051623	90
LCS 460-910853/3	Lab Control Sample	99
LCS 460-910853/4	Lab Control Sample Dup	100
MB 460-910853/7	Method Blank	98

**Surrogate Legend**

BFB = 4-Bromofluorobenzene

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-911732/7

Matrix: Water

Analysis Batch: 911732

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 19:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 19:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 19:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 19:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 19:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 19:31	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		70 - 128		05/26/23 19:31	1
Dibromofluoromethane (Surr)	100		77 - 124		05/26/23 19:31	1
Toluene-d8 (Surr)	100		80 - 120		05/26/23 19:31	1
4-Bromofluorobenzene	99		76 - 120		05/26/23 19:31	1

Lab Sample ID: LCS 460-911732/3

Matrix: Water

Analysis Batch: 911732

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	18.8		ug/L		94	68 - 133
cis-1,2-Dichloroethene	20.0	19.5		ug/L		97	78 - 121
Tetrachloroethene	20.0	20.2		ug/L		101	70 - 127
trans-1,2-Dichloroethene	20.0	18.3		ug/L		92	74 - 126
Trichloroethene	20.0	19.8		ug/L		99	71 - 121
Vinyl chloride	20.0	20.0		ug/L		100	55 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		70 - 128
Dibromofluoromethane (Surr)	97		77 - 124
Toluene-d8 (Surr)	110		80 - 120
4-Bromofluorobenzene	99		76 - 120

Lab Sample ID: 240-185547-5 MS

Matrix: Water

Analysis Batch: 911732

Client Sample ID: MW-96S\_051623

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	19.2		ug/L		96	68 - 133
cis-1,2-Dichloroethene	1.0	U	20.0	19.9		ug/L		99	78 - 121
Tetrachloroethene	1.0	U	20.0	20.8		ug/L		104	70 - 127
trans-1,2-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	74 - 126
Trichloroethene	1.0	U	20.0	19.8		ug/L		99	71 - 121
Vinyl chloride	1.0	U	20.0	19.8		ug/L		99	55 - 144

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		70 - 128
Dibromofluoromethane (Surr)	95		77 - 124
Toluene-d8 (Surr)	110		80 - 120

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-185547-5 MS**  
**Matrix: Water**  
**Analysis Batch: 911732**

**Client Sample ID: MW-96S\_051623**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		76 - 120

**Lab Sample ID: 240-185547-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 911732**

**Client Sample ID: MW-96S\_051623**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	Limit
				Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	68 - 133	2	30	
cis-1,2-Dichloroethene	1.0	U	20.0	20.6		ug/L		103	78 - 121	4	30	
Tetrachloroethene	1.0	U	20.0	22.2		ug/L		111	70 - 127	6	30	
trans-1,2-Dichloroethene	1.0	U	20.0	20.0		ug/L		100	74 - 126	5	30	
Trichloroethene	1.0	U	20.0	20.3		ug/L		101	71 - 121	2	30	
Vinyl chloride	1.0	U	20.0	20.9		ug/L		104	55 - 144	5	30	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 128
Dibromofluoromethane (Surr)	96		77 - 124
Toluene-d8 (Surr)	110		80 - 120
4-Bromofluorobenzene	101		76 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 460-910853/7**  
**Matrix: Water**  
**Analysis Batch: 910853**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/23/23 07:55	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
4-Bromofluorobenzene	98		75 - 133		05/23/23 07:55	1

**Lab Sample ID: LCS 460-910853/3**  
**Matrix: Water**  
**Analysis Batch: 910853**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	5.00	5.34		ug/L		107	57 - 124	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	99		75 - 133

**Lab Sample ID: LCSD 460-910853/4**  
**Matrix: Water**  
**Analysis Batch: 910853**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
1,4-Dioxane	5.00	4.17		ug/L		83	57 - 124	25	30	

Eurofins Cleveland



# QC Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		75 - 133

Lab Sample ID: 240-185547-5 MS  
 Matrix: Water  
 Analysis Batch: 910853

Client Sample ID: MW-96S\_051623  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	5.00	6.10		ug/L		122	57 - 124

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	89		75 - 133

Lab Sample ID: 240-185547-5 MSD  
 Matrix: Water  
 Analysis Batch: 910853

Client Sample ID: MW-96S\_051623  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	5.00	5.51		ug/L		110	57 - 124	10	30

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	90		75 - 133

# QC Association Summary

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## GC/MS VOA

### Analysis Batch: 910853

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185547-2	MW-97S_051623	Total/NA	Water	8260D SIM	
240-185547-3	MW-77_051623	Total/NA	Water	8260D SIM	
240-185547-4	MW-77S_051623	Total/NA	Water	8260D SIM	
240-185547-5	MW-96S_051623	Total/NA	Water	8260D SIM	
MB 460-910853/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-910853/3	Lab Control Sample	Total/NA	Water	8260D SIM	
LCSD 460-910853/4	Lab Control Sample Dup	Total/NA	Water	8260D SIM	
240-185547-5 MS	MW-96S_051623	Total/NA	Water	8260D SIM	
240-185547-5 MSD	MW-96S_051623	Total/NA	Water	8260D SIM	

### Analysis Batch: 911732

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185547-1	TRIP BLANK_129	Total/NA	Water	8260D	
240-185547-2	MW-97S_051623	Total/NA	Water	8260D	
240-185547-3	MW-77_051623	Total/NA	Water	8260D	
240-185547-4	MW-77S_051623	Total/NA	Water	8260D	
240-185547-5	MW-96S_051623	Total/NA	Water	8260D	
MB 460-911732/7	Method Blank	Total/NA	Water	8260D	
LCS 460-911732/3	Lab Control Sample	Total/NA	Water	8260D	
240-185547-5 MS	MW-96S_051623	Total/NA	Water	8260D	
240-185547-5 MSD	MW-96S_051623	Total/NA	Water	8260D	



# Lab Chronicle

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: TRIP BLANK\_129**

**Lab Sample ID: 240-185547-1**

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911732	SZD	EET EDI	05/26/23 20:16

**Client Sample ID: MW-97S\_051623**

**Lab Sample ID: 240-185547-2**

Date Collected: 05/16/23 09:50

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911732	SZD	EET EDI	05/26/23 23:18
Total/NA	Analysis	8260D SIM		1	910853	SZD	EET EDI	05/23/23 12:58

**Client Sample ID: MW-77\_051623**

**Lab Sample ID: 240-185547-3**

Date Collected: 05/16/23 10:45

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911732	SZD	EET EDI	05/26/23 23:41
Total/NA	Analysis	8260D SIM		1	910853	SZD	EET EDI	05/23/23 13:20

**Client Sample ID: MW-77S\_051623**

**Lab Sample ID: 240-185547-4**

Date Collected: 05/16/23 11:30

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911732	SZD	EET EDI	05/27/23 00:03
Total/NA	Analysis	8260D SIM		1	910853	SZD	EET EDI	05/23/23 13:42

**Client Sample ID: MW-96S\_051623**

**Lab Sample ID: 240-185547-5**

Date Collected: 05/16/23 12:30

Matrix: Water

Date Received: 05/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	911732	SZD	EET EDI	05/26/23 21:47
Total/NA	Analysis	8260D SIM		1	910853	SZD	EET EDI	05/23/23 09:43

**Laboratory References:**

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

# Accreditation/Certification Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

## Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact: Arcadis  
Address: 28550 Cabot Drive, Suite 500  
City/State/Zip: Novi, MI, 48377  
Phone: 248-994-2240

Client Project Manager: Kris Hinskey  
Telephone: 248-994-2240  
Email: kristoffer.hinskey@arcadis.com

Site Contact: Christina Weaver  
Telephone: 248-994-2240

Lab Contact: Mike DelMonico  
Telephone: 330-497-9396

Company Name: Arcadis  
Address: 28550 Cabot Drive, Suite 500  
City/State/Zip: Novi, MI, 48377  
Phone: 248-994-2240

Project Name: Ford LTP Off-Site  
Project Number: 30167538.402.04  
PO # 30167538.402.04

Sampler Name: JOE FOJTIK  
Method of Shipment/Carrier:  
Shipping/Tracking No:

Analysis Turnaround Time:  
10 day  3 weeks  
1 week  2 weeks  
2 days  1 day

Containers & Preservatives:  
HCl  NaOH  ZnAc  NaOH  HNO3  H2SO4  Other:

Matrix:  
Aqueous  Solid  Other:

Filtered Sample (Y/N)  Composite=C/Grab-G

Analyses:  
1,4-Dioxane 8260B SIM  
TCE 8260B  
PCE 8260B  
Trans-1,2-DCE 8260B  
cis-1,2-DCE 8260B  
1,1-DCE 8260B

Sample Specific Notes / Special Instructions:  
1 Trip Blank  
3 VOAs for 8260B  
3 VOAs for 8260B SIM

Possible Hazard Identification:  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown

Special Instructions/QC Requirements & Comments:  
Sample Address: BOSTON POST  
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
Level IV Reporting requested.

Relinquished by: [Signature]  
Relinquished by: [Signature]

Relinquished by: [Signature]

Received by: [Signature]  
Received in Laboratory by: [Signature]

Company: Arcadis  
Date/Time: 5-16-23 / 1345

Company: Arcadis  
Date/Time: 5/17/23 / 0935

Company: Arcadis  
Date/Time: 5/17/23 / 935

Company: Arcadis  
Date/Time: 5-16-23 / 1345

Company: Arcadis  
Date/Time: 5/17/23 / 0935

Company: Arcadis  
Date/Time: 05-16-23 800



**Eurofins - Canton Sample Receipt Form/Narrative**  
**Barborton Facility**

Login # : 185547

Client Arcadis Site Name \_\_\_\_\_

Cooler unpacked by:  
Leah M. Smith

Cooler Received on 05-18-23 Opened on 05-18-23

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN # 22 (CF ±0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  
 -Were tamper/custody seals intact and uncompromised?  Yes  No
- 3. Shippers' packing slip attached to the cooler(s)?  Yes  No
- 4. Did custody papers accompany the sample(s)?  Yes  No
- 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
- 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
- 10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
- 11. Sufficient quantity received to perform indicated analyses?  Yes  No
- 12. Are these work share samples and all listed on the COC?  Yes  No  
 If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC208070
- 14. Were VOAs on the COC?  Yes  No
- 15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  
 Larger than this. ←
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62112  Yes  No
- 17. Was a LL Hg or Me Hg trip blank present?  Yes  No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_

---



---



---

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.


Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_





# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Lab P.M.: DelMonico, Michael	Sampler:	Lab No.: 240-168292.1								
Client Contact: Michael.DelMonico@et.eurofins.com		E-Mail: Michael.DelMonico@et.eurofins.com	Phone:	State of Origin: Michigan								
Shipping/Receiving:		Accreditations Required (See note):	Camer Tracking No(s):									
Company: Eurofins Environment Testing Northeast		Due Date Requested: 5/31/2023	Job #: 240-185547.1									
Address: 777 New Durham Road,		TAT Requested (days):	Preservation Codes:									
City: Edison	State, Zip: NJ, 08817	PO #:	A HCL									
Phone: 732-549-3900(Tel) 732-549-3679(Fax)	Email:	WO #:	M Hexane									
Project Name: Ford LTP - Off Site	Project #: 24015353	SSOW#:	N None									
Site:			O AsNaO2									
			P NaZOS									
			Q NaZSO3									
			R NaHSO4									
			S MeOH									
			T TSP Dodecahydrate									
			U Acetone									
			V MCAA									
			W pH 4-5									
			Y Trizma									
			Z other (specify)									
			Other									
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type (C-comp, G-grab)</b>	<b>Matrix (Water, Soild, Onwateroil, BTPASUR, A-AB)</b>	<b>Field Filled Sample (Yes or No)</b>	<b>Perform MS/MSD (Yes or No)</b>	<b>8260D_5030C (MD) VOCs (Short List)</b>	<b>8260D_SIM/5030C (MD) Local Method</b>	<b>Analysis Requested</b>	<b>Total Number of Containers</b>	<b>Special Instructions/Note:</b>
TRIP BLANK_129 (240-185547-1)		5/16/23	Eastern	Water	Water	X	X	X	X		1	
MW-97S_051623 (240-185547-2)		5/16/23	09:50 Eastern	Water	Water	X	X	X	X		6	
MW-77_051623 (240-185547-3)		5/16/23	10:45 Eastern	Water	Water	X	X	X	X		6	
MW-77S_051623 (240-185547-4)		5/16/23	11:30 Eastern	Water	Water	X	X	X	X		6	
MW-96S_051623 (240-185547-5)		5/16/23	12:30 Eastern	MS	Water	X	X	X	X		18	
MW-96S_051623 (240-185547-5MS)		5/16/23	12:30 Eastern	MSD	Water	X	X	X	X		1	
MW-96S_051623 (240-185547-5MSD)		5/16/23	12:30 Eastern	MSD	Water	X	X	X	X		1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.

**Possible Hazard Identification**  
 Unconfirmed  Return To Client  Disposal By Lab  Archive For  Months  
 Deliverable Requested I, II, III, IV Other (specify) Primary Deliverable Rank: 2

Empty Kit Relinquished by: *[Signature]* Date: 5/18/23 15:30  
 Relinquished by: *[Signature]* Date: 5/19/23 10:30  
 Relinquished by: *[Signature]* Date: *[Blank]*  
 Relinquished by: *[Signature]* Date: *[Blank]*

Cooler Temperature(s) °C and Other Remarks: 4.4°C





## Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 240-185547-1

**Login Number: 185547**

**List Number: 2**

**Creator: Armbruster, Chris**

**List Source: Eurofins Edison**

**List Creation: 05/19/23 12:22 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# DATA VERIFICATION REPORT



May 31, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30167538.402.04 off-site  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 185547-1  
Sample date: 2023-05-16  
Report received by CADENA: 2023-05-31  
Initial Data Verification completed by CADENA: 2023-05-31  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 185547-1

Analyte	Cas No.	Sample Name: TRIP BLANK_129				Sample Name: MW-97S_051623				Sample Name: MW-77_051623				Sample Name: MW-77S_051623				Sample Name: MW-96S_051623			
		Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid
<b>GC/MS VOC</b>																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.50	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-185547-1

CADENA Verification Report: 2023-05-31

Analyses Performed By:

Eurofins

North Canton, Ohio

Report # 49955R

Review Level: Tier III

Project: 30167538.402.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-185547-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_129	240-185547-1	Water	05/16/23		X	
MW-97S_051623	240-185547-2	Water	05/16/23		X	X
MW-77_051623	240-185547-3	Water	05/16/23		X	X
MW-77S_051623	240-185547-4	Water	05/16/23		X	X
MW-96S_051623	240-185547-5	Water	05/16/23		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.



## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
MW-97S_051623 MW-77_051623 MW-77S_051623 MW-96S_051623	Initial Calibration Verification %D	1,4-Dioxane	+28.1%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification	
Initial and Continuing Calibration	RRF <0.05	Non-detect	R	
		Detect	J	
	RRF <0.01 <sup>1</sup>	Non-detect	R	
		Detect	J	
	RRF >0.05 or RRF >0.01 <sup>1</sup>		Non-detect	No Action

## DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
		Detect	
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

<sup>1</sup>RRF of 0.01 only applies to compounds which are typically poor responding compounds

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: June 16, 2023

---

PEER REVIEW: Andrew Korycinski

DATE: June 21, 2023

---


**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												<b>TestAmerica Laboratories, Inc.</b>													
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:													
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs													
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				<b>Analysis Turnaround Time</b>				<b>Analyses</b>				For lab use only													
Phone: 248-994-2240		Sampler Name: <b>JOE FOJTIK</b>				TAT if different from below				Filtered Sample (Y/N) Composite=C / Grab=G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Walk-in client									
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:				<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day												Lab sampling									
Project Number: 30167538.402.04		Shipping/Tracking No:																Job/SDG No:									
PO # 30167538.402.04																											
<b>Sample Identification</b>		<b>Sample Date</b>		<b>Sample Time</b>		<b>Matrix</b>					<b>Containers &amp; Preservatives</b>					<b>Sample Specific Notes / Special Instructions:</b>											
						Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:									

TRIP BLANK_129	---	---	1																		1 Trip Blank	
MW-97s_051623	5-16-23	0950	6									6										3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-77_051623	5-16-23	1045	6									6										
MW-77s_051623	5-16-23	1130	6									6										
MW-96s_051623	5-16-23	1230	6									6										
MW-96s-MS_051623	5-16-23	1230	6									6										
MW-96s-MSD_051623	5-16-23	1230	6									6										



<b>Possible Hazard Identification</b>										<b>Sample Disposal (A fee may be assessed if samples are retained)</b>									
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Air									

**Special Instructions/QC Requirements & Comments:**  
 Sample Address: **BOSTON POST**  
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by:	Company: Arcadis	Date/Time: 5-16-23 / 1345	Received by: NOVI COLD STORAGE	Company: Arcadis	Date/Time: 5-16-23 / 1345
Relinquished by:	Company: ARCADIS	Date/Time: 5/17/23 / 0935	Received by:	Company: EETA	Date/Time: 5/17/23 / 0935
Relinquished by:	Company: EETA	Date/Time: 5/17/23 935	Received in Laboratory by: Leah M. Smith	Company: EETNL	Date/Time: 05-16-23 800

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: TRIP BLANK\_129**

**Lab Sample ID: 240-185547-1**

Date Collected: 05/16/23 00:00

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 20:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 20:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 20:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 20:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 20:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 20:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 128		05/26/23 20:16	1
Dibromofluoromethane (Surr)	101		77 - 124		05/26/23 20:16	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 20:16	1
4-Bromofluorobenzene	97		76 - 120		05/26/23 20:16	1

**Client Sample ID: MW-97S\_051623**

**Lab Sample ID: 240-185547-2**

Date Collected: 05/16/23 09:50

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	<del>U</del> JJ	2.0	0.86	ug/L			05/23/23 12:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		75 - 133		05/23/23 12:58	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 23:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 23:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 23:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 23:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 128		05/26/23 23:18	1
Dibromofluoromethane (Surr)	103		77 - 124		05/26/23 23:18	1
Toluene-d8 (Surr)	101		80 - 120		05/26/23 23:18	1
4-Bromofluorobenzene	99		76 - 120		05/26/23 23:18	1

**Client Sample ID: MW-77\_051623**

**Lab Sample ID: 240-185547-3**

Date Collected: 05/16/23 10:45

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	<del>U</del> JJ	2.0	0.86	ug/L			05/23/23 13:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		75 - 133		05/23/23 13:20	1

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-77\_051623**

**Lab Sample ID: 240-185547-3**

Date Collected: 05/16/23 10:45

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 23:41	1
<b>cis-1,2-Dichloroethene</b>	<b>0.50</b>	<b>J</b>	1.0	0.46	ug/L			05/26/23 23:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 23:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 23:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 23:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 128		05/26/23 23:41	1
Dibromofluoromethane (Surr)	102		77 - 124		05/26/23 23:41	1
Toluene-d8 (Surr)	103		80 - 120		05/26/23 23:41	1
4-Bromofluorobenzene	99		76 - 120		05/26/23 23:41	1

**Client Sample ID: MW-77S\_051623**

**Lab Sample ID: 240-185547-4**

Date Collected: 05/16/23 11:30

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	<del>U</del> JJ	2.0	0.86	ug/L			05/23/23 13:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		75 - 133		05/23/23 13:42	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/27/23 00:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/27/23 00:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/27/23 00:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/27/23 00:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/27/23 00:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/27/23 00:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 128		05/27/23 00:03	1
Dibromofluoromethane (Surr)	101		77 - 124		05/27/23 00:03	1
Toluene-d8 (Surr)	102		80 - 120		05/27/23 00:03	1
4-Bromofluorobenzene	99		76 - 120		05/27/23 00:03	1

**Client Sample ID: MW-96S\_051623**

**Lab Sample ID: 240-185547-5**

Date Collected: 05/16/23 12:30

Matrix: Water

Date Received: 05/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	<del>U</del> JJ	2.0	0.86	ug/L			05/23/23 09:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		75 - 133		05/23/23 09:43	1



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-185547-1

**Client Sample ID: MW-96S\_051623**

**Lab Sample ID: 240-185547-5**

**Date Collected: 05/16/23 12:30**

**Matrix: Water**

**Date Received: 05/18/23 08:00**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/26/23 21:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/26/23 21:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 21:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/26/23 21:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/26/23 21:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/26/23 21:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		70 - 128		05/26/23 21:47	1
Dibromofluoromethane (Surr)	104		77 - 124		05/26/23 21:47	1
Toluene-d8 (Surr)	99		80 - 120		05/26/23 21:47	1
4-Bromofluorobenzene	96		76 - 120		05/26/23 21:47	1