14

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey ARCADIS US Inc 28550 Cabot Drive Suite 500 Novi, Michigan 48377 Generated 5/28/2023 9:08:09 PM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-185406-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203



Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated 5/28/2023 9:08:09 PM

Authorized for release by Michael DelMonico, Project Manager I <u>Michael.DelMonico@et.eurofinsus.com</u> (330)497-9396

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site Laboratory Job ID: 240-185406-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19
Receipt Checklists	23

3

4

8

9

10

12

11

1

Definitions/Glossary

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Qualifiers

GC/MS VOA

Qualifier **Qualifier Description**

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
5.	D 4 1/2 1/2 1/2 D D/DOE)

DL

Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

Decision Level Concentration (Radiochemistry) DLC

Estimated Detection Limit (Dioxin) EDL LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive **Quality Control**

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin) **TEQ**

TNTC Too Numerous To Count

Eurofins Cleveland

5/28/2023

Page 4 of 23

Case Narrative

Client: ARCADIS US Inc

Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Job ID: 240-185406-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-185406-1

Receipt

The samples were received on 5/16/2023 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.7°C and 1.8°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

4

5

6

7

Ω

9

10

10

13

15

Method Summary

Client: ARCADIS US Inc

Project/Site: Ford LTP - Off Site

Job ID: 240-185406-1

Method **Method Description** Protocol Laboratory SW846 EET EDI 8260D Volatile Organic Compounds by GC/MS 8260D SIM Volatile Organic Compounds (GC/MS) SW846 EET EDI 5030C SW846 EET EDI Purge and Trap

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185406-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-185406-1	TRIP BLANK_127	Water	05/12/23 00:00	05/16/23 09:45
240-185406-2	MW-76S_051223	Water	05/12/23 10:10	05/16/23 09:45
240-185406-3	MW-76_051223	Water	05/12/23 11:00	05/16/23 09:45
240-185406-4	DUP-08	Water	05/12/23 00:00	05/16/23 09:45

-

4

O

10

11

12

14

15

Detection Summary

Project/Site: Ford LTP - Off Site Client Sample ID: TRIP BLANK_127 Lab Sample ID: 240-185406-1 No Detections. Client Sample ID: MW-76S_051223 Lab Sample ID: 240-185406-2 No Detections. Client Sample ID: MW-76_051223 Lab Sample ID: 240-185406-3 No Detections. Client Sample ID: DUP-08 Lab Sample ID: 240-185406-4 No Detections.

This Detection Summary does not include radiochemical test results.

Client: ARCADIS US Inc

Eurofins Cleveland

Job ID: 240-185406-1

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Date Received: 05/16/23 09:45

Client Sample ID: TRIP BLANK_127

Lab Sample ID: 240-185406-1 Date Collected: 05/12/23 00:00

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac 1.0 1,1-Dichloroethene 1.0 U 0.49 ug/L 05/23/23 21:22 cis-1,2-Dichloroethene 1.0 U 1.0 0.46 ug/L 05/23/23 21:22 Tetrachloroethene 1.0 U 1.0 0.44 ug/L 05/23/23 21:22 trans-1,2-Dichloroethene 1.0 U 1.0 0.51 ug/L 05/23/23 21:22 Trichloroethene 1.0 U 1.0 0.44 ug/L 05/23/23 21:22 Vinyl chloride 1.0 U 1.0 0.45 ug/L 05/23/23 21:22 %Recovery Qualifier Surrogate Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 87 70 - 128 05/23/23 21:22 Dibromofluoromethane (Surr) 97 05/23/23 21:22 77 - 124 05/23/23 21:22 Toluene-d8 (Surr) 86 80 - 120 4-Bromofluorobenzene 87 76 - 120 05/23/23 21:22

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

4-Bromofluorobenzene

Client Sample ID: MW-76S_051223

Date Collected: 05/12/23 10:10 Date Received: 05/16/23 09:45 Lab Sample ID: 240-185406-2 **Matrix: Water**

05/23/23 23:04

Method: SW846 8260D SIM - V	olatile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 09:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		75 - 133			-		05/22/23 09:49	1
- Method: SW846 8260D - Volati	le Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		70 - 128			-		05/23/23 23:04	1
Dibromofluoromethane (Surr)	96		77 - 124					05/23/23 23:04	1
Toluene-d8 (Surr)	85		80 - 120					05/23/23 23:04	1

76 - 120

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-76_051223

Lab Sample ID: 240-185406-3 Date Collected: 05/12/23 11:00

Matrix: Water

Date Received: 05/16/23 09:45

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 10:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene			75 - 133			_		05/22/23 10:11	1

Method: SW846 8260D - Volat	ile Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 128			-		05/23/23 23:25	1
Dibromofluoromethane (Surr)	96		77 - 124					05/23/23 23:25	1
Toluene-d8 (Surr)	87		80 - 120					05/23/23 23:25	1
4-Bromofluorobenzene	85		76 - 120					05/23/23 23:25	1

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Client Sample ID: DUP-08

Lab Sample ID: 240-185406-4 Date Collected: 05/12/23 00:00

Matrix: Water

Date Received: 05/16/23 09:45

Method: SW846 8260D SIM	- Volatile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 10:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		75 - 133			_		05/22/23 10:33	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 128			_		05/23/23 23:45	1
Dibromofluoromethane (Surr)	97		77 - 124					05/23/23 23:45	1
Toluene-d8 (Surr)	85		80 - 120					05/23/23 23:45	1
4-Bromofluorobenzene	86		76 - 120					05/23/23 23:45	1

Surrogate Summary

Client: ARCADIS US Inc Job ID: 240-185406-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

				Percent Sur	rrogate Reco
		DCA	DBFM	TOL	BFB
Lab Sample ID	Client Sample ID	(70-128)	(77-124)	(80-120)	(76-120)
240-185406-1	TRIP BLANK_127	87	97	86	87
240-185406-2	MW-76S_051223	92	96	85	87
240-185406-3	MW-76_051223	90	96	87	85
240-185406-4	DUP-08	90	97	85	86
LCS 460-910908/3	Lab Control Sample	86	90	90	96
LCSD 460-910908/4	Lab Control Sample Dup	86	90	91	92
MB 460-910908/9	Method Blank	85	94	84	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene

Project/Site: Ford LTP - Off Site

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Prep Type: Total/NA **Matrix: Water**

			Percent Surrogate Recovery (Acceptance Limits)
		BFB	
Lab Sample ID	Client Sample ID	(75-133)	
240-185406-2	MW-76S_051223	99	
240-185406-3	MW-76_051223	101	
240-185406-4	DUP-08	97	
240-185460-B-4 MS	Matrix Spike	99	
240-185460-M-4 MSD	Matrix Spike Duplicate	100	
LCS 460-910628/5	Lab Control Sample	102	
MB 460-910628/8	Method Blank	98	

Surrogate Legend

BFB = 4-Bromofluorobenzene

Eurofins Cleveland

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-910908/9

Matrix: Water

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Vinyl chloride

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

Analyte

Analysis Batch: 910908

Client Sample ID: Method Blank
Prep Type: Total/NA

05/23/23 20:22

MB MB Dil Fac Result Qualifier RL MDL Unit D Prepared Analyzed 1.0 U 1.0 0.49 ug/L 05/23/23 20:22 1.0 U 1.0 0.46 ug/L 05/23/23 20:22 1.0 U 05/23/23 20:22 1.0 0.44 ug/L 1.0 U 1.0 0.51 ug/L 05/23/23 20:22 1.0 U 1.0 0.44 ug/L 05/23/23 20:22

0.45 ug/L

1.0 U MB MB

Surrogate	%Recovery	Qualifier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85	70 - 128		05/23/23 20:22	1
Dibromofluoromethane (Surr)	94	77 - 124		05/23/23 20:22	1
Toluene-d8 (Surr)	84	80 - 120		05/23/23 20:22	1
4-Bromofluorobenzene	91	76 - 120		05/23/23 20:22	1

1.0

Lab Sample ID: LCS 460-910908/3

Matrix: Water

Analysis Batch: 910908

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits 87 68 - 133 1,1-Dichloroethene 20.0 17.3 ug/L 20.0 cis-1,2-Dichloroethene 16.6 ug/L 83 78 - 121 Tetrachloroethene 20.0 18.7 ug/L 93 70 - 127 74 - 126 trans-1,2-Dichloroethene 20.0 16.8 ug/L 84 Trichloroethene 20.0 17.8 89 71 - 121 ug/L Vinyl chloride 20.0 15.8 ug/L 79 55 - 144

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		70 - 128
Dibromofluoromethane (Surr)	90		77 - 124
Toluene-d8 (Surr)	90		80 - 120
4-Bromofluorobenzene	96		76 - 120

Lab Sample ID: LCSD 460-910908/4

Matrix: Water

Analysis Batch: 910908

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

	Spike	LCSD	LUSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20.0	18.6		ug/L		93	68 - 133	7	30
cis-1,2-Dichloroethene	20.0	18.0		ug/L		90	78 - 121	8	30
Tetrachloroethene	20.0	20.5		ug/L		102	70 - 127	9	30
trans-1,2-Dichloroethene	20.0	18.6		ug/L		93	74 - 126	10	30
Trichloroethene	20.0	19.0		ug/L		95	71 - 121	7	30
Vinyl chloride	20.0	17.1		ug/L		86	55 - 144	8	30

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86	70 - 128
Dibromofluoromethane (Surr)	90	77 - 124
Toluene-d8 (Surr)	91	80 - 120

Eurofins Cleveland

5/28/2023

Page 14 of 23

Job ID: 240-185406-1

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Method Blank

Client Sample ID: Matrix Spike

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Lab Control Sample Dup

Project/Site: Ford LTP - Off Site

Client: ARCADIS US Inc

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-910908/4

Matrix: Water

Analysis Batch: 910908

LCSD LCSD

Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 92 76 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-910628/8 Matrix: Water

Analysis Batch: 910628

MB MB

Analyte Result Qualifier RL MDL Unit D Dil Fac Prepared Analyzed 2.0 1,4-Dioxane 2.0 U 0.86 ug/L 05/22/23 08:23

MB MB

Surrogate %Recovery Qualifier Limits Dil Fac Prepared Analyzed 98 75 - 133 05/22/23 08:23 4-Bromofluorobenzene

Lab Sample ID: LCS 460-910628/5 Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Water

Analysis Batch: 910628

Spike LCS LCS %Rec Added Result Qualifier Limits Analyte Unit D %Rec 5.00 4.59 92 1,4-Dioxane 57 - 124 ug/L

LCS LCS

Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 75 - 133 102

Lab Sample ID: 240-185460-B-4 MS

Matrix: Water

Analysis Batch: 910628

Sample Sample Spike MS MS %Rec Analyte Result Qualifier Added Unit %Rec Limits Result Qualifier 1.4-Dioxane 2.0 U 5.00 4.31 86 57 - 124 ug/L

> MS MS

Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 99 75 - 133

Lab Sample ID: 240-185460-M-4 MSD

Matrix: Water

Analysis Batch: 910628

Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits RPD Limit 1,4-Dioxane 2.0 U 5.00 4.71 ug/L 94 57 - 124 30

MSD MSD

%Recovery Qualifier Limits Surrogate 75 - 133 4-Bromofluorobenzene 100

Eurofins Cleveland

5/28/2023

QC Association Summary

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

GC/MS VOA

Analysis Batch: 910628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185406-2	MW-76S_051223	Total/NA	Water	8260D SIM	
240-185406-3	MW-76_051223	Total/NA	Water	8260D SIM	
240-185406-4	DUP-08	Total/NA	Water	8260D SIM	
MB 460-910628/8	Method Blank	Total/NA	Water	8260D SIM	
LCS 460-910628/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-185460-B-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-185460-M-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 910908

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-185406-1	TRIP BLANK_127	Total/NA	Water	8260D	
240-185406-2	MW-76S_051223	Total/NA	Water	8260D	
240-185406-3	MW-76_051223	Total/NA	Water	8260D	
240-185406-4	DUP-08	Total/NA	Water	8260D	
MB 460-910908/9	Method Blank	Total/NA	Water	8260D	
LCS 460-910908/3	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-910908/4	Lab Control Sample Dup	Total/NA	Water	8260D	

5

6

8

3

10

12

13

14

15

Lab Chronicle

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Date Received: 05/16/23 09:45

Client Sample ID: TRIP BLANK_127

Lab Sample ID: 240-185406-1 Date Collected: 05/12/23 00:00

Matrix: Water

Batch Batch Dilution Batch Prepared Prep Type Туре Method Run Factor **Number Analyst** Lab or Analyzed 8260D EET EDI 05/23/23 21:22 Total/NA Analysis 910908 CJM

Client Sample ID: MW-76S_051223 Lab Sample ID: 240-185406-2

Date Collected: 05/12/23 10:10 **Matrix: Water**

Date Received: 05/16/23 09:45

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	910908	CJM	EET EDI	05/23/23 23:04
Total/NA	Analysis	8260D SIM		1	910628	SZD	EET EDI	05/22/23 09:49

Client Sample ID: MW-76_051223 Lab Sample ID: 240-185406-3

Date Collected: 05/12/23 11:00 **Matrix: Water**

Date Received: 05/16/23 09:45

Batch Batch Dilution Batch Prepared Prep Type Туре Method Run Factor **Number Analyst** or Analyzed Lab 05/23/23 23:25 Total/NA 8260D 910908 CJM Analysis EET EDI Total/NA 8260D SIM 910628 SZD 05/22/23 10:11 Analysis EET EDI 1

Client Sample ID: DUP-08 Lab Sample ID: 240-185406-4

Date Collected: 05/12/23 00:00 **Matrix: Water**

Date Received: 05/16/23 09:45

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	910908	CJM	EET EDI	05/23/23 23:45
Total/NA	Analysis	8260D SIM		1	910628	SZD	EET EDI	05/22/23 10:33

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Page 17 of 23

Accreditation/Certification Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-185406-1

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	01-30-24
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-24
Georgia	State	12028 (NJ)	06-30-23
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-23
New York	NELAP	11452	04-01-24
Pennsylvania	NELAP	68-00522	03-01-24
Rhode Island	State	LAO00376	12-30-23
USDA	US Federal Programs	P330-20-00244	11-03-23

3

4

O

9

10

46

14

15

Sample Date Sample Tracking No: N	Client Contact	TestAmerica Laboratory location: Brighton Regulatory program:	-	n of Cust	ody	-d // 48116 / 810-	229-2763	\mathbb{Z}	CHIL	MICHIGAN 150	TestAmerico
Telephone: 244-94-2340		Regulatory program	-	NPDES	S RCRA	Olher			17		Total American I administration
Telephone: 248-994-2349 Telephone: 248-994-2340 Telephone: 248-9		Client Project Manager: Kris	s Hinskey	Site Contact	t: Christina Weave	5	Lab Conta	ct: Mike De	IMonico		COC No:
Simple Number N		Telephone: 248-994-2240		Telephone:	248-994-2240		Telephone	330-497-9	396		
Number Value Number Numb		Email: kristoffer.hinskey@a	readis.com	Analysi	s Turnaround Tim				Inalyses		
10 059 1			[K	TAT if differen	in from below 3 weeks						Walk-in client
Shipping Tracking No.		Method of Shipment/Carrier:		lo udy			8				Lab sampling
Shin Irritant Passar B Unknown Passar B		Shipping/Tracking No:		<u> </u>	days I day	-	8098				Job/SDG No:
Sample Date Sample Time	l		Matrix		ners & Preservatives		5-DCE 83				C. mandl. Committee. N.
5-12-23 1010 6 6 6 N G X X X X X X X X X X X X X X X X X X	Sample Identification	Sample Date Sample Time	Air Aqueo Sedimo Solid	HZOS	NaOH Vana HOan Unpre		cis-1,5				Special Instructions:
5-12-23 1010 6 6 6 N G X X X X X X X X X X X X X X X X X X		1		_			×	I	×		1 Trip Blank
5-12-23 1000 6	MW-765_051223	Г	٩	و			×	×	×		3 VOAs for 8260B
Skin Irritant Poison B Unknown Sample Disposal (Afer may be assessed if samples are retained longer than 1 month)	3		و	2		5	×	×	×		1
kin Irritant Poison B Unknown Return of Chem Sample Disposal (A fee may be assessed if samples are retained longer than I mo			و	9	0	3	×	×	×		n n
Sample Disposal (A fee may be assessed if samples are retained longer than I mo											
Sample Disposal (A fee may be assessed if samples are retained longer than I mo								_	_		
Sample Disposal (A fee may be assessed if samples are retained longer than I mo											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 mo						240-185406	Chain of Cus	tody			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 mo Return to Chem (2) Disposal By Lab. Return to Chem (2) Disposal By Lab.					_	-	=		_		
	Possible Hazard Identification Non-Hazard Flammable Skin	Poison B	Unknown	Sample D	bisposal (A fee may	be assessed if s	amples are retained	ned longer	than I month	whe	
	j	Company		1200	Received by:		PRACE	Com		dis	Date/Time: /1200
Date/Time: Date/Time: CoLD STORAGE Company (Coll by Coll by Co	R	CompanyARCADES		2825	Receiptor.			S 77	Brany		
1dis Baie/Time; 1200 Received by COLD STORAGE Company (Company A Date/Time; S-12-23/ S/S/23/ 0825 Received by COLD STORAGE Company (Company S/S/23/ S/S/23/		Company	SI(S/33	900	Received in Labo	oratory by:	J. I.	Com	DAIN:	7	1
Date/Time: 5-12-23 1200 Received by: 5-12-23 Secreted by: Date/Time: Secreted by: Company: Com						7	7777))	- 1

Eurofins - Canton Sample Receipt Form/Narrative Login #: 185406
Barberton Facility
Client ACCALS Site Name Cooler unpacked by:
Cooler Received on 5 16 23 Opened on 5 16 23 Machelle HAIdet
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other
Receipt After-hours: Drop-off Date/Time Storage Location
Eurofins Cooler # F. C Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Ice Blue Ice Dry Ice Water None
1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 1 CF + COrrected Cooler Temp. °C Corrected Cooler Temp. °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity -Were the seals on the outside of the cooler(s) signed & dated? -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were tamper/custody seals intact and uncompromised? 3. Shippers' packing slip attached to the cooler(s)? 4. Did custody preserve accomproses the comprose of the cooler(s)? A Did custody preserve accomproses the comprose of the cooler(s)? Yes No NA Oil and Grease
TOC
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp(Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? (Yes) No
11. Sufficient quantity received to perform indicated analyses? (Yes) No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? 14. Were VOAs on the COC? 15. Were air bubbles >6 mm in any VOA vials? 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #
17. Was a LL Hg or Me Hg trip blank present?Yes No
Contacted PM Date by via Verbal Voice Mail Other
Concerning
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES
19. SAMPLE CONDITION
Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)
20. SAMPLE PRESERVATION
Sample(s) were further preserved in the laboratory.
Sample(s) were further preserved in the laboratory. Time preserved: Preservative(s) added/Lot number(s):
VOA Sample Preservation - Date/Time VOAs Frozen:

Login #: 185406

0.1			Sample Receipt Mu		
Cooler Desc		IR Gun#	Observed	Corrected	Coolant
(Circle		(Circle)	Temp °C	Temp °C	(Circle)
EC Client Bo	x Other	IR GUN #: 13	1.6	/.\\	Wellice Blue Ice D
EC Client Bo	x Other	IR GUN #: 13	1.5	1.7	Wet ice Blue ice D
EC Client Bo	x Other	IR GUN #:			Wet ice Sive Ice Di Water None
EC Client So	x Other	IR GUN #:			Wellice Sive Ice Di Water None
EC Client Bo	x Other	IR GUN #:			Wel ice Blue Ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wellice Blue Ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wellice Sive Ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Sive ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Bive ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wel ice Sive ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dr Water None
EC Client Bo	x Other	R GUN #:			Wet ice Blue ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wel ice Blue ice Dr Water None
EC Client Bo	e Other	IR GUN 6:			Wet ice Blue ice Br Water None
EC Client Bo	x Other	IR GUN #:			Wellice Sive Ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Sive ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet Ice Street Ce Dr Water None
EC Client Bo	x Other	M GUN #:			Wet ice Blue Ice Dr Water Hone
EC Client Bo	x Other	IR GUN #:			Wet Ice Blue Ice Dry Water Mone
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dr Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dry Water None
EC Client So	x Other	R GUN #:			Wet Ice Blue Ice Dry Water None
EC Client So	x Other	R GUN 6:			Wet ice Blue ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dry Water None
EC Client So	x Other	IR GUN #:	1		Wet Ice Sive Ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wellice Blue Ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue Ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet Ice Blue Ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dry Water None
EC Client Bo	x Other	IR GUN #:			Wet ice Blue ice Dry Water None
EC Client Box	x Other	R GUN #:			Wet ice Stue ice Dry i Water None
EC Client Box	k Other	R GUN #:			Wet ice Blue ice Dry i Water None
				See Tem	perature Excursion Form

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

Eurofins Cleveland

80 S. Van Buren Avenue

Barberton, OH 44203 Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

Environment Testing

🌣 eurofins

N None O Asna02 P Na204S Q Na2803 R Na28203 S H2804 T TSP Dodecehydrate U Acetone V MCAA Vote: Since laboratory acceditations are subject to change. Eurofins Environment Tasting North Central, LLC places the ownership of method, analyse & accreditation compliance upon our subcontract laboratories. This samples the chain-of-custody. If the abboratory does not currently maintain accreditation in the State of Origin listed above for analysis/lests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC Special Instructions/Note: other (specify) Months PH 4-5 Company Company Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Return To Client Disposal By Lab Archive For Mont Preservation Co COC No: 240-168174.1 Ascorbic Acid 240-185406-1 Zn Acetate Nitric Acid NaHSO4 Page: Page 1 of 1 F MeOH G Amchior H Asset Ice DI Water EDTA EDA A HCL B NaOH C Zn Acet D Nitric Ac E NaHSOA reder 0 Date/Time: ဖ ဖ ဖ Frentsinos to redmuN istoT Method of Shipment: Date/Time: Carrier Tracking No(s): State of Origin: Michigan Analysis Requested Return To Client Dispo Special Instructions/QC Requirements: Lanter Incar E-Mail: Michael.DelMonico@et.eurofinsus.com Accreditations Required (See note) Received by Received by: Received by: × × Lab PM: DelMonico, Michael × 8580D_SIM/5030C × × × × \$60D/6030C (MOD) VOCs (\$hort List) Perform MS/MSD (Yes of No) Time: Preservation Code: (Wirwater, Sracild, Orwaste/oil, BTrTssue, Water Water Water Water AmAir) (C=comp, Sample G=grab) Type Primary Deliverable Rank: 2 Eastern 11:00 Eastern Eastern Eastern Sample Date: TAT Requested (days): Due Date Requested: 5/29/2023 Sample Date 5/12/23 5/12/23 5/12/23 5/12/23 Project #: 24015353 SSOW#: Date/Time: # 0,4 Phone: # 0d As refe Client Information (Sub Contract Lab) Deliverable Requested 1, II, III, IV Other (specify) Sample Identification - Client ID (Lab ID) Company: Eurofins Environment Testing Northeast, hone: 32-549-3900(Tel) 732-549-3679(Fax) TRIP BLANK_127 (240-185406-1) MW 76S_051223 (240-185406-2) MW-76_051223 (240-185406-3) Possible Hazard Identification 100 DUP-08 (240-185406-4) Kit Relinquished 777 New Durham Road, Shipping/Receiving Project Name: Ford LTP - Off Site Inconfirmed State, Zip: NJ, 08817 Edison

Custody Seal No.

Custody Seals Intact: △ Yes △ No

Cooler Temperature(s) °C and Other Remarks:

Company

I B. O

Client: ARCADIS US Inc

Job Number: 240-185406-1

Login Number: 185406 List Number: 2 List Source: Eurofins Edison List Creation: 05/17/23 12:25 PM

Creator: Armbruster, Chris

Cleator. Armbruster, Chris	
Question	Answer Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td>	N/A
The cooler's custody seal, if present, is intact.	N/A
Sample custody seals, if present, are intact.	N/A
The cooler or samples do not appear to have been compromised or tampered with.	True
Samples were received on ice.	True
Cooler Temperature is acceptable.	True
Cooler Temperature is recorded.	True
COC is present.	True
COC is filled out in ink and legible.	True
COC is filled out with all pertinent information.	True
Is the Field Sampler's name present on COC?	True
There are no discrepancies between the containers received and the COC.	True
Samples are received within Holding Time (excluding tests with immediate HTs)	True
Sample containers have legible labels.	True
Containers are not broken or leaking.	True
Sample collection date/times are provided.	True
Appropriate sample containers are used.	True
Sample bottles are completely filled.	True
Sample Preservation Verified.	True
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True
Multiphasic samples are not present.	True
Samples do not require splitting or compositing.	True
Residual Chlorine Checked.	N/A

Eurofins Cleveland

DATA VERIFICATION REPORT



May 30, 2023

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 185406-1 Sample date: 2023-05-12

Report received by CADENA: 2023-05-30

Initial Data Verification completed by CADENA: 2023-05-30

Number of Samples:4 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 185406-1

		Sample Name: Lab Sample ID: Sample Date:	TRIP BL 240185 5/12/20		•		MW-765 2401854 5/12/20		3		MW-76 2401854 5/12/20	- 4063			DUP-08 2401854 5/12/20	4064		
		Sample Bate.	3/12/20	Report		Valid	3/12/20	Report		Valid	3/12/20	Report		Valid	3/12/20	Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																		
OSW-826	<u>OD</u>																	
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
OSW-826	<u>ODSIM</u>																	
	1,4-Dioxane	123-91-1					ND	2.0	ug/l		ND	2.0	ug/l		ND	2.0	ug/l	



Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-185406-1

CADENA Verification Report: 2023-05-30

Analyses Performed By: Eurofins North Canton, Ohio

Report # 49940R Review Level: Tier III Project: 30167538.402.02

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-185406-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

			Sample Collection		Ana	lysis
Sample ID	Lab ID	Matrix	Date	Parent Sample	voc	VOC SIM
TRIP BLANK_127	240-185406-1	Water	05/12/23		Х	
MW-76S_051223	240-185406-2	Water	05/12/23		Х	X
MW-76_051223	240-185406-3	Water	05/12/23		Х	X
DUP-08	240-185406-4	Water	05/12/23	MW-76S_051223	X	X

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Repo	orted		mance ptable	Not
	No	Yes	No	Yes	Required
Sample receipt condition		Х		Х	
2. Requested analyses and sample results		Х		Х	
Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
Sample preparation/extraction/analysis dates		Х		X	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		Х	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-76S_051223/DUP-08	All target compounds	U	U	AC

Notes:

AC - Acceptable

U - Non detect

The calculated RPDs between the parent sample and field duplicate were acceptable.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Rep	orted		rmance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (G	C/MS)				
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation					
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Field Duplicate RPD		Х		Х	
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		Х		X	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Dilip Kumar

SIGNATURE:

DATE: June 16, 2023

PEER REVIEW: Andrew Korycinski

DATE: June 19, 2023

NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

MICHIGAN

Client Contact	Regulat	tory program:	:	f	DW	-	NP	DES		Γ	RCR	A	ſ	Oth	er [19)		
Company Name: Arcadis	Client Project	Manager: Kris	Hinske	v		Isir	e Cor	tact: (Chri	istina	Wes	Vor			_	Lab (Tamba.	.e. Mail	in Da	Monio				TestAmerica Laboratories, Inc.
Address: 28550 Cabot Drive, Suite 500																					.0			COC No:
City/State/Zip: Novi, MI, 48377	Telephone: 248	-994-2240				Te	lepho	ne: 24	18-99	94-22	40					Telep	hone:	330-4	97-93	196				1 4 606
	Email: kristoff	er.hinskey@ar	cadis.c	om		- 10	Ana	lysis I	Turn	arou	nd Ti	me		100					A	naly	ses			1 of 1 COCs For lab use only
Phone: 248-994-2240	Sampler Name					T/	Tica	fferent fr	rom b	velov														W-II. ' I' .
Project Name: Ford LTP Off-Site	JOE	FOST	IK				10 da		Г	3 wei														Walk-in client
Project Number: 30167538.402.04	Method of Ship	ment/Carrier:					70 01	,	г	1 wee	ek		2	ပ္			80				SIM			Lab sampling
PO # 30167538.402.04	Shipping/Track	ing No:								1 day			mple (Y / N)	Grab	_	60B	8260B			8260B	8260B S			Job/SDG No:
			_	M	atrix		Cor	ntainer	8 &	Preser	vativ	es	du	/)	8260B	E 82	-DCE	<u>a</u>	8	ride 8	ne 82			
Sample Identification	Sample Date	Sample Time	Air	Aqueous	Solid Other:	H2SO4	HN03	HCI	NaOH	ZnAc/ NaOH	Unpres	Other:	Filtered S	Composite	1,1-DCE 8	cis-1,2-DCE 8260B	Trans-1,2-DCE	PCE 8260B	TCE 8260B	Vinyl Chloride	1,4-Dioxane			Sample Specific Notes / Special Instructions:
TRIP BLANK_ 127				1		+	Ī	1	-	N.E			1	G		X	X			X	-			4 Trie Dlank
121	512.23		 	+	++	+	+-	,			\dashv		IIV.	,				-	X	1				1 Trip Blank
MW-765_051223	5.12.23	1010	\vdash	9		\perp	_	0					N	5	X	X	X	×	X	X	×			3 VOAs for 8260B 3 VOAs for 8260B SIM
0 MW - 76 _ 051223	5-12-23	1100		0				6					N	4	X	X	X	X	X	×	X			V
MW-76_051223	_	-		6				6					N	5	X	X	X	X	X	X	X			1/
				1																			+	
ວ ວຸ				+		+	+		\dashv		+								_	-			+	
υ			\vdash	+	+-	+	\vdash	\vdash	_		4								811 KK	 	 1			
											1	11111								Ш				
																			Ш					
						\top	T									ain of	CUS	i IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			111		+	
			\vdash	+	-	+	+	\vdash	\dashv	\vdash	-	240)-18	5400	Cite	1111 01	Out					-	+	
Possible Hazard Identification						+	Samo	le Disr	nosa	L(A)	fee m	av he	15506	l l	camp	les ar	Potoš	nad la	ngor (han I	month)			
Non-Hazard Flammable Skin Irrita	nt Poiso	n B	Unkno	wn		\bot	Γ	Return	n to t	Client		P D	ispos	sal By	Lab	rcs ar c		rchive		11411 (nths		
Special Instructions/QC Requirements & Comments: Sample Address: PLYMOUTH ROW Submit all results through Cadena at jtomalia@cadenaco	.com. Cadena #	F203631																						
Level IV Reporting requested.																								
Relinquished by:	Company:	dis	Г	ate/T	inie: 1-23/	12	00	- 1		N O		Co	LD	5	TOP	ALi	=		Comp	nany:	C (a	dis		Date/Time: /1200
Relinquished by:	Company AP	TADTO	E	ate/T	ime:	08	270	- F	Rece	N O	y: /	1 /			- 1	.,			Com	pany:	1			Date/Time:
Relinquished by:	Company:	MULS	Z	2/ [aje/T)/45/	00	, 63	c	Rece	eived.	in La	borato	ory.b	yl: \		- 6	1		Com	pany:	1			S/15/23 / 0828 Date/Time:
	Company:		5	115	23 D	701)		1	<u> </u>		fel	1	M	cu	ch)	t	30	Th	UC		51623 545













Eurofins Cleveland

180 S. Van Buren Avenue

Barberton, OH 44203 Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record



💸 eurofins

Environment Testing

01 41 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Sampler			Lab F		- M	lichae					Car	rier Tra	acking	No(s):				COC No: 240-168174.1	
Client Information (Sub Contract Lab) Client Contact:	Phone:			E-Ma	il:								te of C						Page:	<u> </u>
Shipping/Receiving Company:				Mich				@et.e quired (om	Mi	chiga	n					Page 1 of 1	
Eurofins Environment Testing Northeast,					7.0070	i Gilea	0113 710	qo	0001.0										240-185406-1	
Address: 777 New Durham Road,	Due Date Requestr 5/29/2023	ed:							An	alys	is R	eaue	stec	i					Preservation Code A HCL	es: M Hexane
City: Edison	TAT Requested (da	iys):	***************************************								T		T						B NaOH	N None O AsNaO2
Edison State, Zip:																			D Nitric Acid	P Na2O4S Q Na2SO3
NJ, 08817										İ									F MeOH	R Na2S2O3 S H2SO4
Phone: 732-549-3900(Tel) 732-549-3679(Fax)	PO#:				lgl.	1	(18t)												H Ascorbic Acid	T TSP Dodecahydrate U Acetone
Email:	WO#:			·	s or No	ion of	8260D/50/30C (MOD) VOCS (Short List) 8260D SIM/50/30C											g	J DI Water	V MCAA W pH 4-5
Project Name:	Project #: 24015353				ا الح		8	1										containers		Y Trizma Z other (specify)
Ford LTP - Off Site Site:	SSOW#:					SEL GEWICH SE	OA (a											of con	Other	
				Matrix			8260D/5030C (MU 8260D SIM/5030C	:											···········	
			Sample	(Wowater, Sesolid,			O30C											Total Number		
		Sample		O=waste/oil, ST=Tissue,		remorm eachten	or or	[]										1 Bit		
Sample Identification - Client ID (Lab ID)	Sample Date	Time	G=grab)	A=Air)			82		RC 7000 k				22 55,052			877.5	. 11.12	Š	Special Ins	tructions/Note:
		<u> </u>	Preservatio	tteamission talente	PP ²	\$ _			Plan Ne			<u>ali</u> Nois	e de la company			Sec. of Sec.	harana)	7		
TRIP BLANK_127 (240-185406-1)	5/12/23	Eastern		Water	Ц.	-	×											4		
MW 76S_051223 (240-185406-2)	5/12/23	10·10 Eastern		Water	Ш		× ×				_	_						6		
MW-76_051223 (240-185406-3)	5/12/23	11:00 Eastern		Water			× ×											6		
DUP-08 (240-185406-4)	5/12/23	Eastern		Water			x x			\perp				<u> </u>				6		
																		36		
														<u> </u>				t v		
					П										. :					
					П															
	1000			, and and	П			Τ										2.		
Note: Since laboratory accreditations are subject to change, Eurofins Environment	nt Testing North Cent	ral, LLC places	s the ownership o	f method, ar	nalyte &	k acci	reditation	on comp	liance	upon o	ur sub	contrac	t labor	atories	. This	samı	ole shi	omen	it is forwarded under o	hain-of-custody. If the
Note: Since laboratory accreditations are studied to claringe, Euromis Environment laboratory does not currently maintain accreditation in the State of Origin listed al accreditation status should be brought to Eurofins Environment Testing North Ce	an a for analysis/tost	naina vistamina	analized the con	nniae muet h	na chim	nad h	ack to	the Fun	Mins Er	างหากกา	ent le	istina r	ionn L	entrai.		abora	DLA OL	oure	L ILIZII ACUONIS MIII NA DI	indinant with cultural
Possible Hazard Identification					s	amp	ole Di	sposa	I(A	fee m	ay b	ass	essec	if sa	ample	es ai	re ret	aine	ed longer than 1	month)
Unconfirmed								rn To			<u> </u>		osal	By La	ab	Į.		Arch	ive For	Months
Deliverable Requested I, II, III, IV Other (specify)	Primary Deliver	able Rank:	2		S	peci	ial Ins	tructio	ns/Q(C Req	uiren	nents:								
Empty Kit Relinquished by		Date:			Time								Met	hod of	Shipm			e	dex	
Refinalished by:		, 12		mpany	W	_	eceive	<u>`'</u>	ره۸	<u>ui:</u>	بازر	محم				1/5	<u> 112</u>	3	lo us	Company
Religionatella Muchella Religionatella Religionatel	Date/Time:	,	Co	mpany ^f		R	eceive	i by:							Date/					Company
Relinquished by:	Date/Time:		Co	mpany		R	eceived	i by:							Date/	Time:				Company
Custody Seals Intact: Custody Seal No.	•			V		C		empera					ks:	*						
Δ Yes Δ No						4	سي. منه		4		<u> </u>			<u>`</u>						

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Date Received: 05/16/23 09:45

Client Sample ID: TRIP BLANK_127

Lab Sample ID: 240-185406-1 Date Collected: 05/12/23 00:00

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac 1.0 1,1-Dichloroethene 1.0 U 0.49 ug/L 05/23/23 21:22 cis-1,2-Dichloroethene 1.0 U 1.0 0.46 ug/L 05/23/23 21:22 Tetrachloroethene 1.0 U 1.0 0.44 ug/L 05/23/23 21:22 trans-1,2-Dichloroethene 1.0 U 1.0 0.51 ug/L 05/23/23 21:22 Trichloroethene 1.0 U 1.0 0.44 ug/L 05/23/23 21:22 Vinyl chloride 1.0 U 1.0 0.45 ug/L 05/23/23 21:22 %Recovery Qualifier Surrogate Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 87 70 - 128 05/23/23 21:22 Dibromofluoromethane (Surr) 97 05/23/23 21:22 77 - 124 05/23/23 21:22 Toluene-d8 (Surr) 86 80 - 120 4-Bromofluorobenzene 87 76 - 120 05/23/23 21:22

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

4-Bromofluorobenzene

Client Sample ID: MW-76S_051223

Date Collected: 05/12/23 10:10 Date Received: 05/16/23 09:45 Lab Sample ID: 240-185406-2 **Matrix: Water**

05/23/23 23:04

Method: SW846 8260D SIM - V	olatile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 09:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		75 - 133			-		05/22/23 09:49	1
- Method: SW846 8260D - Volati	le Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		70 - 128			-		05/23/23 23:04	1
Dibromofluoromethane (Surr)	96		77 - 124					05/23/23 23:04	1
Toluene-d8 (Surr)	85		80 - 120					05/23/23 23:04	1

76 - 120

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-76_051223

Lab Sample ID: 240-185406-3 Date Collected: 05/12/23 11:00

Matrix: Water

Date Received: 05/16/23 09:45

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 10:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene			75 - 133			_		05/22/23 10:11	1

Method: SW846 8260D - Volat	ile Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 128			-		05/23/23 23:25	1
Dibromofluoromethane (Surr)	96		77 - 124					05/23/23 23:25	1
Toluene-d8 (Surr)	87		80 - 120					05/23/23 23:25	1
4-Bromofluorobenzene	85		76 - 120					05/23/23 23:25	1

Client: ARCADIS US Inc Job ID: 240-185406-1

Project/Site: Ford LTP - Off Site

Client Sample ID: DUP-08

Lab Sample ID: 240-185406-4 Date Collected: 05/12/23 00:00

Matrix: Water

Date Received: 05/16/23 09:45

Method: SW846 8260D SIM	- Volatile Organic C	ompounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/23 10:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		75 - 133			_		05/22/23 10:33	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/23/23 23:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/23/23 23:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/23/23 23:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/23/23 23:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/23/23 23:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 128			-		05/23/23 23:45	1
Dibromofluoromethane (Surr)	97		77 - 124					05/23/23 23:45	1
Toluene-d8 (Surr)	85		80 - 120					05/23/23 23:45	1
4-Bromofluorobenzene	86		76 - 120					05/23/23 23:45	1