

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/17/2023 8:43:52 AM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-189867-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/17/2023 8:43:52 AM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)497-9396

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18



Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Job ID: 240-189867-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-189867-1

Receipt

The samples were received on 8/10/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.2°C and 0.4°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-189867-1	TRIP BLANK_22	Water	08/08/23 00:00	08/10/23 08:00
240-189867-2	MW-109S_080823	Water	08/08/23 09:35	08/10/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Job ID: 240-189867-1

Lab Sample ID: 240-189867-1

Lab Sample ID: 240-189867-2

No Detections.

8/17/2023

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Client Sample ID: TRIP BLANK_22

Lab Sample ID: 240-189867-1

Date Collected: 08/08/23 00:00

Matrix: Water

Date Received: 08/10/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/23 19:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/23 19:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 19:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/23 19:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 19:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/23 19:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		08/14/23 19:38	1
4-Bromofluorobenzene (Surr)	100		56 - 136		08/14/23 19:38	1
Toluene-d8 (Surr)	99		78 - 122		08/14/23 19:38	1
Dibromofluoromethane (Surr)	98		73 - 120		08/14/23 19:38	1

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Client Sample ID: MW-109S_080823

Lab Sample ID: 240-189867-2

Date Collected: 08/08/23 09:35

Matrix: Water

Date Received: 08/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/23 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120					08/15/23 19:04	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/23 20:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/23 20:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 20:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/23 20:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 20:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/23 20:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					08/14/23 20:03	1
4-Bromofluorobenzene (Surr)	96		56 - 136					08/14/23 20:03	1
Toluene-d8 (Surr)	97		78 - 122					08/14/23 20:03	1
Dibromofluoromethane (Surr)	99		73 - 120					08/14/23 20:03	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-189867-1	TRIP BLANK_22	100	100	99	98
240-189867-2	MW-109S_080823	100	96	97	99
240-189869-B-2 MS	Matrix Spike	97	101	97	101
240-189869-C-2 MSD	Matrix Spike Duplicate	96	103	97	102
LCS 240-583797/5	Lab Control Sample	98	100	100	101
MB 240-583797/8	Method Blank	100	99	97	102
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA (66-120)			
240-189771-F-3 MS	Matrix Spike	97			
240-189771-F-3 MSD	Matrix Spike Duplicate	87			
240-189867-2	MW-109S_080823	86			
LCS 240-583887/5	Lab Control Sample	93			
MB 240-583887/7	Method Blank	92			
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-583797/8

Matrix: Water

Analysis Batch: 583797

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/23 13:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/23 13:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 13:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/23 13:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 13:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/23 13:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		08/14/23 13:23	1
4-Bromofluorobenzene (Surr)	99		56 - 136		08/14/23 13:23	1
Toluene-d8 (Surr)	97		78 - 122		08/14/23 13:23	1
Dibromofluoromethane (Surr)	102		73 - 120		08/14/23 13:23	1

Lab Sample ID: LCS 240-583797/5

Matrix: Water

Analysis Batch: 583797

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	26.1		ug/L		105	63 - 134
cis-1,2-Dichloroethene	25.0	24.5		ug/L		98	77 - 123
Tetrachloroethene	25.0	24.8		ug/L		99	76 - 123
trans-1,2-Dichloroethene	25.0	23.5		ug/L		94	75 - 124
Trichloroethene	25.0	23.9		ug/L		96	70 - 122
Vinyl chloride	12.5	10.8		ug/L		86	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-189869-B-2 MS

Matrix: Water

Analysis Batch: 583797

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	24.0		ug/L		96	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	24.4		ug/L		98	66 - 128
Tetrachloroethene	1.0	U	25.0	23.4		ug/L		94	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.9		ug/L		92	56 - 136
Trichloroethene	1.0	U	25.0	23.2		ug/L		93	61 - 124
Vinyl chloride	1.0	U	12.5	9.35		ug/L		75	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	97		78 - 122

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-189869-B-2 MS

Matrix: Water

Analysis Batch: 583797

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-189869-C-2 MSD

Matrix: Water

Analysis Batch: 583797

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	25.1		ug/L		100	56 - 135	5	26
cis-1,2-Dichloroethene	1.0	U	25.0	25.3		ug/L		101	66 - 128	4	14
Tetrachloroethene	1.0	U	25.0	23.4		ug/L		93	62 - 131	0	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.6		ug/L		94	56 - 136	3	15
Trichloroethene	1.0	U	25.0	23.8		ug/L		95	61 - 124	3	15
Vinyl chloride	1.0	U	12.5	10.3		ug/L		82	43 - 157	10	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-583887/7

Matrix: Water

Analysis Batch: 583887

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/23 10:44	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	92		66 - 120		08/15/23 10:44	1			

Lab Sample ID: LCS 240-583887/5

Matrix: Water

Analysis Batch: 583887

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.44		ug/L		94	80 - 122

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		66 - 120

Lab Sample ID: 240-189771-F-3 MS

Matrix: Water

Analysis Batch: 583887

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.71		ug/L		97	51 - 153

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

		MS	MS								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	97		66 - 120								
Lab Sample ID: 240-189771-F-3 MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 583887											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.42		ug/L		94	51 - 153	3	16
		MSD	MSD								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	87		66 - 120								

QC Association Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

GC/MS VOA

Analysis Batch: 583797

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189867-1	TRIP BLANK_22	Total/NA	Water	8260D	
240-189867-2	MW-109S_080823	Total/NA	Water	8260D	
MB 240-583797/8	Method Blank	Total/NA	Water	8260D	
LCS 240-583797/5	Lab Control Sample	Total/NA	Water	8260D	
240-189869-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-189869-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 583887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189867-2	MW-109S_080823	Total/NA	Water	8260D SIM	
MB 240-583887/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-583887/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-189771-F-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-189771-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Client Sample ID: TRIP BLANK_22
Date Collected: 08/08/23 00:00
Date Received: 08/10/23 08:00

Lab Sample ID: 240-189867-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583797	LEE	EET CLE	08/14/23 19:38

Client Sample ID: MW-109S_080823
Date Collected: 08/08/23 09:35
Date Received: 08/10/23 08:00

Lab Sample ID: 240-189867-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583797	LEE	EET CLE	08/14/23 20:03
Total/NA	Analysis	8260D SIM		1	583887	MRL	EET CLE	08/15/23 19:04

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Cleveland

TestAmerica

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica's® Question by Item Technology of TestAmerica® is a trademark of TestAmerica, Inc.

Eurofins – Cleveland Sample Receipt Form/Narrative		Login # : _____	
Barberton Facility			
Client <u>Arcadis</u>		Site Name _____	
Cooler Received on <u>8/10/23</u>		Opened on <u>8/10/23</u>	
FedEx: 1 st Grd Exp <u>UPS FAS Clipper</u>		Cooler unpacked by: <u>CMH</u>	
Client Drop Off <u>Eurofins Courier</u>		Other _____	
Receipt After-hours: Drop-off Date/Time _____		Storage Location _____	
Eurofins Cooler # _____		Foam Box <input checked="" type="checkbox"/> Client Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/>	
Packing material used: <u>Bubble Wrap</u> <u>Foam</u> Plastic Bag <input type="checkbox"/> None <input type="checkbox"/> Other _____			
COOLANT: <u>Wet Ice</u> Blue Ice <input type="checkbox"/> Dry Ice <input type="checkbox"/> Water <input type="checkbox"/> None <input type="checkbox"/>			
1. Cooler temperature upon receipt <input checked="" type="checkbox"/> See Multiple Cooler Form			
IR GUN # <u>22</u> (CF <u>-0.1</u> °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C			
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>2</u>		<input checked="" type="radio"/> Yes <input type="radio"/> No	
-Were the seals on the outside of the cooler(s) signed & dated?		<input checked="" type="radio"/> Yes <input type="radio"/> No NA	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?		<input checked="" type="radio"/> Yes <input type="radio"/> No NA	
-Were tamper/custody seals intact and uncompromised?		<input checked="" type="radio"/> Yes <input type="radio"/> No NA	
3. Shippers' packing slip attached to the cooler(s)?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
4. Did custody papers accompany the sample(s)?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
5. Were the custody papers relinquished & signed in the appropriate place?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
6. Was/were the person(s) who collected the samples clearly identified on the COC?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
7. Did all bottles arrive in good condition (Unbroken)?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
10. Were correct bottle(s) used for the test(s) indicated?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
11. Sufficient quantity received to perform indicated analyses?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
12. Are these work share samples and all listed on the COC?		Yes <input checked="" type="radio"/> No <input type="radio"/>	
If yes, Questions 13-17 have been checked at the originating laboratory.			
13. Were all preserved sample(s) at the correct pH upon receipt?		Yes <input type="radio"/> No <input checked="" type="radio"/> NA pH Strip Lot# <u>10BDH4321</u>	
14. Were VOAs on the COC?		<input checked="" type="radio"/> Yes <input type="radio"/> No <u>HC312502</u>	
15. Were air bubbles >6 mm in any VOA vials? <input checked="" type="radio"/> Larger than this.		<input checked="" type="radio"/> Yes <input type="radio"/> No NA	
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>62225</u>		<input checked="" type="radio"/> Yes <input type="radio"/> No	
17. Was a LL Hg or Me Hg trip blank present?		Yes <input type="radio"/> No <input checked="" type="radio"/>	
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____			
Concerning _____			

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES <input type="checkbox"/> additional next page		Samples processed by: _____	
<u>Air bubbles in samples: msw-102-080823 (4 bottles)</u>		<u>7 (one)</u>	
<u>Dup 09 (3 bottles)</u>		<u>8-10-23</u>	
19. SAMPLE CONDITION			
Sample(s) _____ were received after the recommended holding time had expired.			
Sample(s) _____ were received in a broken container.			
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)			
20. SAMPLE PRESERVATION			
Sample(s) _____ were further preserved in the laboratory.			
Time preserved: _____ Preservative(s) added/Lot number(s): _____			
VOA Sample Preservation - Date/Time VOAs Frozen: _____			

©2008, TestAmerica Laboratories, Inc. All rights reserved.

Eurofins - Cleveland Sample Receipt Form/Narrative Login # : _____
Barberton Facility

Client Arcadis Site Name _____ Cooler unpacked by: CMH
Cooler Received on 8/10/23 Opened on 8/10/23
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____


Eurofins Cooler # _____ Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☒ See Multiple Cooler Form
IR GUN # 22 (CF -0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2
- Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
- Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA
14. Were VOAs on the COC? Yes No NA
15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62225 Yes No NA
17. Was a LL Hg or Me Hg trip blank present? Yes No NA

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page Samples processed by: _____
~~for bubbles in samples: mdu-102-080823 (4 bottles)~~ 8-10-23
~~Dup-09 (3 bottles)~~

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

WJ-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

DATA VERIFICATION REPORT



August 19, 2023

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 189867-1

Sample date: 2023-08-08

Report received by CADENA: 2023-08-18

Initial Data Verification completed by CADENA: 2023-08-19

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 189867-1

Sample Name: TRIP BLANK_22

MW-109S_080823

Lab Sample ID: 2401898671

2401898672

Sample Date: 8/8/2023

8/8/2023

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----

Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-189867-1

CADENA Verification Report: 2023-08-19

Analyses Performed By:
Eurofins Cleveland
Barberton, Ohio

Report # 51119R
Review Level: Tier III
Project: 30167538.402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-189867-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_22	240-189867-1	Water	08/08/2023		X	
MW-109S_080823	240-189867-2	Water	08/08/2023		X	X

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

DATA REVIEW

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

DATE: September 12, 2023

PEER REVIEW: Andrew Korycinski

DATE: September 14, 2023

**NO CORRECTIONS/QUALIFIERS ADDED
TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



TestAmerica

THE LEADER-IN-DEPENDENT TESTING

Page 376 of 380

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189867-1

Client Sample ID: TRIP BLANK_22

Lab Sample ID: 240-189867-1

Date Collected: 08/08/23 00:00

Matrix: Water

Date Received: 08/10/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/23 19:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/23 19:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 19:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/23 19:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 19:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/23 19:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		08/14/23 19:38	1
4-Bromofluorobenzene (Surr)	100		56 - 136		08/14/23 19:38	1
Toluene-d8 (Surr)	99		78 - 122		08/14/23 19:38	1
Dibromofluoromethane (Surr)	98		73 - 120		08/14/23 19:38	1

Client Sample ID: MW-109S_080823

Lab Sample ID: 240-189867-2

Date Collected: 08/08/23 09:35

Matrix: Water

Date Received: 08/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/15/23 19:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120		08/15/23 19:04	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/23 20:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/23 20:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 20:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/23 20:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/23 20:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/23 20:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		08/14/23 20:03	1
4-Bromofluorobenzene (Surr)	96		56 - 136		08/14/23 20:03	1
Toluene-d8 (Surr)	97		78 - 122		08/14/23 20:03	1
Dibromofluoromethane (Surr)	99		73 - 120		08/14/23 20:03	1

Eurofins Cleveland