

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/15/2023 5:12:04 AM

JOB DESCRIPTION

Ford LTP - Om Site

JOB NUMBER

240-189670-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/15/2023 5:12:04 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Job ID: 240-189670-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative
240-189670-1

Receipt

The samples were received on 8/5/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-189670-1	TRIP BLANK_50	Water	08/03/23 00:00	08/05/23 08:00
240-189670-2	MW-25_080323	Water	08/03/23 09:35	08/05/23 08:00
240-189670-3	MW-224S_080323	Water	08/03/23 10:55	08/05/23 08:00
240-189670-4	MW-01_080323	Water	08/03/23 12:35	08/05/23 08:00
240-189670-5	MW-36_080323	Water	08/03/23 14:10	08/05/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: TRIP BLANK_50

Lab Sample ID: 240-189670-1

No Detections.

Client Sample ID: MW-25_080323

Lab Sample ID: 240-189670-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.4	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-224S_080323

Lab Sample ID: 240-189670-3

No Detections.

Client Sample ID: MW-01_080323

Lab Sample ID: 240-189670-4

No Detections.

Client Sample ID: MW-36_080323

Lab Sample ID: 240-189670-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: TRIP BLANK_50

Lab Sample ID: 240-189670-1

Date Collected: 08/03/23 00:00

Matrix: Water

Date Received: 08/05/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 18:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 18:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 18:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 18:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 18:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		08/11/23 18:24	1
4-Bromofluorobenzene (Surr)	95		56 - 136		08/11/23 18:24	1
Toluene-d8 (Surr)	95		78 - 122		08/11/23 18:24	1
Dibromofluoromethane (Surr)	104		73 - 120		08/11/23 18:24	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: MW-25_080323

Lab Sample ID: 240-189670-2

Date Collected: 08/03/23 09:35

Matrix: Water

Date Received: 08/05/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.4	J	2.0	0.86	ug/L			08/09/23 12:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		66 - 120					08/09/23 12:57	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 18:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 18:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 18:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 18:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 18:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 18:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					08/11/23 18:47	1
4-Bromofluorobenzene (Surr)	92		56 - 136					08/11/23 18:47	1
Toluene-d8 (Surr)	96		78 - 122					08/11/23 18:47	1
Dibromofluoromethane (Surr)	105		73 - 120					08/11/23 18:47	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: MW-224S_080323

Lab Sample ID: 240-189670-3

Date Collected: 08/03/23 10:55

Matrix: Water

Date Received: 08/05/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/09/23 13:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		66 - 120					08/09/23 13:20	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 19:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 19:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 19:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 19:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					08/11/23 19:10	1
4-Bromofluorobenzene (Surr)	89		56 - 136					08/11/23 19:10	1
Toluene-d8 (Surr)	96		78 - 122					08/11/23 19:10	1
Dibromofluoromethane (Surr)	103		73 - 120					08/11/23 19:10	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: MW-01_080323

Lab Sample ID: 240-189670-4

Date Collected: 08/03/23 12:35

Matrix: Water

Date Received: 08/05/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/09/23 13:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		66 - 120					08/09/23 13:44	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 19:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 19:34	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 19:34	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:34	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 19:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					08/11/23 19:34	1
4-Bromofluorobenzene (Surr)	91		56 - 136					08/11/23 19:34	1
Toluene-d8 (Surr)	96		78 - 122					08/11/23 19:34	1
Dibromofluoromethane (Surr)	109		73 - 120					08/11/23 19:34	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: MW-36_080323

Lab Sample ID: 240-189670-5

Date Collected: 08/03/23 14:10

Matrix: Water

Date Received: 08/05/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/09/23 14:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		66 - 120					08/09/23 14:08	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 19:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 19:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 19:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 19:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 19:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					08/11/23 19:57	1
4-Bromofluorobenzene (Surr)	93		56 - 136					08/11/23 19:57	1
Toluene-d8 (Surr)	94		78 - 122					08/11/23 19:57	1
Dibromofluoromethane (Surr)	108		73 - 120					08/11/23 19:57	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-189670-1	TRIP BLANK_50	98	95	95	104
240-189670-2	MW-25_080323	103	92	96	105
240-189670-3	MW-224S_080323	98	89	96	103
240-189670-4	MW-01_080323	99	91	96	109
240-189670-5	MW-36_080323	103	93	94	108
240-189676-B-14 MS	Matrix Spike	94	93	96	104
240-189676-B-14 MSD	Matrix Spike Duplicate	94	91	96	102
LCS 240-583649/5	Lab Control Sample	102	97	95	103
MB 240-583649/8	Method Blank	107	103	99	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-189670-2	MW-25_080323	91
240-189670-3	MW-224S_080323	74
240-189670-4	MW-01_080323	95
240-189670-5	MW-36_080323	94
LCS 240-583359/5	Lab Control Sample	97
MB 240-583359/7	Method Blank	93

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-583649/8
Matrix: Water
Analysis Batch: 583649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/11/23 13:43	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/11/23 13:43	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 13:43	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/11/23 13:43	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/11/23 13:43	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/11/23 13:43	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	107		62 - 137		08/11/23 13:43	1
4-Bromofluorobenzene (Surr)	103		56 - 136		08/11/23 13:43	1
Toluene-d8 (Surr)	99		78 - 122		08/11/23 13:43	1
Dibromofluoromethane (Surr)	105		73 - 120		08/11/23 13:43	1

Lab Sample ID: LCS 240-583649/5
Matrix: Water
Analysis Batch: 583649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	24.2		ug/L		97	77 - 123
Tetrachloroethene	25.0	24.4		ug/L		97	76 - 123
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124
Trichloroethene	25.0	25.6		ug/L		102	70 - 122
Vinyl chloride	12.5	10.7		ug/L		86	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-189676-B-14 MS
Matrix: Water
Analysis Batch: 583649

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	20	U	500	497		ug/L		99	56 - 135
cis-1,2-Dichloroethene	310		500	738		ug/L		86	66 - 128
Tetrachloroethene	16	J	500	487		ug/L		94	62 - 131
trans-1,2-Dichloroethene	20	U	500	447		ug/L		89	56 - 136
Trichloroethene	920		500	1290	E	ug/L		74	61 - 124
Vinyl chloride	26		250	260		ug/L		93	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	93		56 - 136
Toluene-d8 (Surr)	96		78 - 122

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-189676-B-14 MS
Matrix: Water
Analysis Batch: 583649

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	104		73 - 120

Lab Sample ID: 240-189676-B-14 MSD
Matrix: Water
Analysis Batch: 583649

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	20	U	500	481		ug/L		96	56 - 135	3	26
cis-1,2-Dichloroethene	310		500	727		ug/L		84	66 - 128	1	14
Tetrachloroethene	16	J	500	496		ug/L		96	62 - 131	2	20
trans-1,2-Dichloroethene	20	U	500	455		ug/L		91	56 - 136	2	15
Trichloroethene	920		500	1340	E	ug/L		84	61 - 124	4	15
Vinyl chloride	26		250	273		ug/L		99	43 - 157	5	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-583359/7
Matrix: Water
Analysis Batch: 583359

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/09/23 12:31	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	93		66 - 120		08/09/23 12:31	1

Lab Sample ID: LCS 240-583359/5
Matrix: Water
Analysis Batch: 583359

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.1		ug/L		101	80 - 122

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		66 - 120

QC Association Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

GC/MS VOA

Analysis Batch: 583359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189670-2	MW-25_080323	Total/NA	Water	8260D SIM	
240-189670-3	MW-224S_080323	Total/NA	Water	8260D SIM	
240-189670-4	MW-01_080323	Total/NA	Water	8260D SIM	
240-189670-5	MW-36_080323	Total/NA	Water	8260D SIM	
MB 240-583359/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-583359/5	Lab Control Sample	Total/NA	Water	8260D SIM	

Analysis Batch: 583649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189670-1	TRIP BLANK_50	Total/NA	Water	8260D	
240-189670-2	MW-25_080323	Total/NA	Water	8260D	
240-189670-3	MW-224S_080323	Total/NA	Water	8260D	
240-189670-4	MW-01_080323	Total/NA	Water	8260D	
240-189670-5	MW-36_080323	Total/NA	Water	8260D	
MB 240-583649/8	Method Blank	Total/NA	Water	8260D	
LCS 240-583649/5	Lab Control Sample	Total/NA	Water	8260D	
240-189676-B-14 MS	Matrix Spike	Total/NA	Water	8260D	
240-189676-B-14 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Client Sample ID: TRIP BLANK_50

Lab Sample ID: 240-189670-1

Date Collected: 08/03/23 00:00

Matrix: Water

Date Received: 08/05/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583649	LEE	EET CLE	08/11/23 18:24

Client Sample ID: MW-25_080323

Lab Sample ID: 240-189670-2

Date Collected: 08/03/23 09:35

Matrix: Water

Date Received: 08/05/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583649	LEE	EET CLE	08/11/23 18:47
Total/NA	Analysis	8260D SIM		1	583359	MRL	EET CLE	08/09/23 12:57

Client Sample ID: MW-224S_080323

Lab Sample ID: 240-189670-3

Date Collected: 08/03/23 10:55

Matrix: Water

Date Received: 08/05/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583649	LEE	EET CLE	08/11/23 19:10
Total/NA	Analysis	8260D SIM		1	583359	MRL	EET CLE	08/09/23 13:20

Client Sample ID: MW-01_080323

Lab Sample ID: 240-189670-4

Date Collected: 08/03/23 12:35

Matrix: Water

Date Received: 08/05/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583649	LEE	EET CLE	08/11/23 19:34
Total/NA	Analysis	8260D SIM		1	583359	MRL	EET CLE	08/09/23 13:44

Client Sample ID: MW-36_080323

Lab Sample ID: 240-189670-5

Date Collected: 08/03/23 14:10

Matrix: Water

Date Received: 08/05/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583649	LEE	EET CLE	08/11/23 19:57
Total/NA	Analysis	8260D SIM		1	583359	MRL	EET CLE	08/09/23 14:08

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Om Site

Job ID: 240-189670-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login #: 189670

Client Arcadis Site Name _____ Cooler unpacked by: Matt
Cooler Received on 8-5-23 Opened on 8-5-23

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other _____
Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box _____ Client Cooler _____ Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag _____ None _____ Other _____
COOLANT: Wet Ice Blue Ice _____ Dry Ice _____ Water _____ None _____

- Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 22 (CF 0.1 °C) Observed Cooler Temp. 0.4 °C Corrected Cooler Temp. 0.3 °C
- Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- Shippers' packing slip attached to the cooler(s)? ms Yes No
- Did custody papers accompany the sample(s)? 8-5-23 Yes No
- Were the custody papers relinquished & signed in the appropriate place? Yes No
- Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- Did all bottles arrive in good condition (Unbroken)? Yes No
- Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (N/D)? ms Yes No
- Were correct bottle(s) used for the test(s) indicated? Yes No
- Sufficient quantity received to perform indicated analyses? Yes No
- Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# 10BDH4321
- Were VOAs on the COC? Yes No HC312502
- Were air bubbles >6 mm in any VOA vials? ms Yes No Larger than this.
- Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 00413011 Yes No
- Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



August 17, 2023

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30167538.401.03- onsite groundwater
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 189670-1
Sample date: 2023-08-03
Report received by CADENA: 2023-08-16
Initial Data Verification completed by CADENA: 2023-08-17
Number of Samples:5
Sample Matrices: Water and trip blank
Test Categories: GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 189670-1

Analyte	Cas No.	Sample Name: TRIP BLANK_50				Sample Name: MW-25_080323				Sample Name: MW-224S_080323				Sample Name: MW-01_080323				Sample Name: MW-36_080323			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					1.4	2.0	ug/l	J	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---