

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 8/16/2023 4:58:16 AM

## JOB DESCRIPTION

Ford LTP - Off Site

## JOB NUMBER

240-189537-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
8/16/2023 4:58:16 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	18
Chain of Custody . . . . .	19

# Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

---

**Job ID: 240-189537-1**

---

**Laboratory: Eurofins Cleveland**

---

**Narrative**

**Job Narrative  
240-189537-1**

**Receipt**

The samples were received on 8/3/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.5°C

**GC/MS VOA**

Method 8260D: The MS/ MSD for batch 583308 was analyzed outside of the tune time, due to an instrument fault. This is a batch QC sample; therefore, the data have been reported. TRIP BLANK\_51 (240-189537-1), MW-136S\_073123 (240-189537-2) and DUP-11\_073123 (240-189537-3)

Method 8260D\_SIM: The MS/MSD for batch analytical batch 240-583145 was not analyzed due to an instrument malfunction. The associated laboratory control sample (LCS) recovery met acceptance criteria. the following sample is affected: DUP-11\_073123 (240-189537-3)

Method 8260D\_SIM: The method requirement for no headspace was not met. The following volatile sample was analyzed with headspace in the sample container(s): MW-136S\_073123 (240-189537-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-189537-1	TRIP BLANK_51	Water	07/31/23 00:00	08/03/23 08:00
240-189537-2	MW-136S_073123	Water	07/31/23 12:15	08/03/23 08:00
240-189537-3	DUP-11_073123	Water	07/31/23 00:00	08/03/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: TRIP BLANK\_51**

**Lab Sample ID: 240-189537-1**

No Detections.

**Client Sample ID: MW-136S\_073123**

**Lab Sample ID: 240-189537-2**

No Detections.

**Client Sample ID: DUP-11\_073123**

**Lab Sample ID: 240-189537-3**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: TRIP BLANK\_51**

**Lab Sample ID: 240-189537-1**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 15:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 15:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 15:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 15:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 15:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 15:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137		08/09/23 15:47	1
4-Bromofluorobenzene (Surr)	83		56 - 136		08/09/23 15:47	1
Toluene-d8 (Surr)	94		78 - 122		08/09/23 15:47	1
Dibromofluoromethane (Surr)	96		73 - 120		08/09/23 15:47	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: MW-136S\_073123**

**Lab Sample ID: 240-189537-2**

Date Collected: 07/31/23 12:15

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/23 18:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 120					08/14/23 18:13	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 18:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 18:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 18:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 18:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137					08/09/23 18:07	1
4-Bromofluorobenzene (Surr)	87		56 - 136					08/09/23 18:07	1
Toluene-d8 (Surr)	99		78 - 122					08/09/23 18:07	1
Dibromofluoromethane (Surr)	99		73 - 120					08/09/23 18:07	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: DUP-11\_073123**

**Lab Sample ID: 240-189537-3**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/07/23 19:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120					08/07/23 19:40	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 18:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 18:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 18:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		62 - 137					08/09/23 18:31	1
4-Bromofluorobenzene (Surr)	86		56 - 136					08/09/23 18:31	1
Toluene-d8 (Surr)	97		78 - 122					08/09/23 18:31	1
Dibromofluoromethane (Surr)	97		73 - 120					08/09/23 18:31	1

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-189537-1	TRIP BLANK_51	90	83	94	96
240-189537-2	MW-136S_073123	93	87	99	99
240-189537-3	DUP-11_073123	91	86	97	97
240-189538-G-2 MS	Matrix Spike	94	100	107	104
240-189538-L-2 MSD	Matrix Spike Duplicate	84	84	95	94
LCS 240-583308/5	Lab Control Sample	89	93	99	95
MB 240-583308/9	Method Blank	91	89	99	98

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-189537-2	MW-136S_073123	93
240-189537-3	DUP-11_073123	89
240-189782-B-2 MS	Matrix Spike	93
240-189782-B-2 MSD	Matrix Spike Duplicate	79
LCS 240-583145/5	Lab Control Sample	84
LCS 240-583761/5	Lab Control Sample	87
MB 240-583145/7	Method Blank	87
MB 240-583761/7	Method Blank	91

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-583308/9

Matrix: Water

Analysis Batch: 583308

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 10:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 10:19	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 10:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 10:19	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 10:19	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 10:19	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	91		62 - 137		08/09/23 10:19	1
4-Bromofluorobenzene (Surr)	89		56 - 136		08/09/23 10:19	1
Toluene-d8 (Surr)	99		78 - 122		08/09/23 10:19	1
Dibromofluoromethane (Surr)	98		73 - 120		08/09/23 10:19	1

Lab Sample ID: LCS 240-583308/5

Matrix: Water

Analysis Batch: 583308

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	20.0	19.2		ug/L		96	77 - 123
Tetrachloroethene	20.0	18.2		ug/L		91	76 - 123
trans-1,2-Dichloroethene	20.0	18.1		ug/L		90	75 - 124
Trichloroethene	20.0	17.7		ug/L		89	70 - 122
Vinyl chloride	20.0	15.9		ug/L		80	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	93		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-189538-G-2 MS

Matrix: Water

Analysis Batch: 583308

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	20.0	21.7		ug/L		109	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	21.7		ug/L		108	66 - 128
Tetrachloroethene	1.0	U	20.0	20.2		ug/L		101	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	20.7		ug/L		103	56 - 136
Trichloroethene	1.0	U	20.0	19.5		ug/L		98	61 - 124
Vinyl chloride	1.0	U	20.0	17.4		ug/L		87	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	107		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-189538-G-2 MS**  
**Matrix: Water**  
**Analysis Batch: 583308**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	104		73 - 120

**Lab Sample ID: 240-189538-L-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 583308**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	20.0	19.2		ug/L		96	56 - 135	12	26	
cis-1,2-Dichloroethene	1.0	U	20.0	19.5		ug/L		98	66 - 128	10	14	
Tetrachloroethene	1.0	U	20.0	16.8		ug/L		84	62 - 131	19	20	
trans-1,2-Dichloroethene	1.0	U	20.0	18.4		ug/L		92	56 - 136	12	15	
Trichloroethene	1.0	U	20.0	17.1		ug/L		85	61 - 124	13	15	
Vinyl chloride	1.0	U	20.0	15.2		ug/L		76	43 - 157	14	24	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	84		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-583145/7**  
**Matrix: Water**  
**Analysis Batch: 583145**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		08/07/23 18:05	1	

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	87		66 - 120		08/07/23 18:05	1

**Lab Sample ID: LCS 240-583145/5**  
**Matrix: Water**  
**Analysis Batch: 583145**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	9.38		ug/L		94	80 - 122	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		66 - 120

**Lab Sample ID: MB 240-583761/7**  
**Matrix: Water**  
**Analysis Batch: 583761**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		08/14/23 11:05	1	

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		66 - 120		08/14/23 11:05	1

Lab Sample ID: LCS 240-583761/5  
Matrix: Water  
Analysis Batch: 583761

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.50		ug/L		95	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		66 - 120

Lab Sample ID: 240-189782-B-2 MS  
Matrix: Water  
Analysis Batch: 583761

Client Sample ID: Matrix Spike  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.16		ug/L		92	51 - 153

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		66 - 120

Lab Sample ID: 240-189782-B-2 MSD  
Matrix: Water  
Analysis Batch: 583761

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.32		ug/L		93	51 - 153	2	16

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		66 - 120

# QC Association Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## GC/MS VOA

### Analysis Batch: 583145

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189537-3	DUP-11_073123	Total/NA	Water	8260D SIM	
MB 240-583145/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-583145/5	Lab Control Sample	Total/NA	Water	8260D SIM	

### Analysis Batch: 583308

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189537-1	TRIP BLANK_51	Total/NA	Water	8260D	
240-189537-2	MW-136S_073123	Total/NA	Water	8260D	
240-189537-3	DUP-11_073123	Total/NA	Water	8260D	
MB 240-583308/9	Method Blank	Total/NA	Water	8260D	
LCS 240-583308/5	Lab Control Sample	Total/NA	Water	8260D	
240-189538-G-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-189538-L-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 583761

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189537-2	MW-136S_073123	Total/NA	Water	8260D SIM	
MB 240-583761/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-583761/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-189782-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-189782-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	



# Lab Chronicle

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: TRIP BLANK\_51**

**Lab Sample ID: 240-189537-1**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583308	AJS	EET CLE	08/09/23 15:47

**Client Sample ID: MW-136S\_073123**

**Lab Sample ID: 240-189537-2**

Date Collected: 07/31/23 12:15

Matrix: Water

Date Received: 08/03/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583308	AJS	EET CLE	08/09/23 18:07
Total/NA	Analysis	8260D SIM		1	583761	MRL	EET CLE	08/14/23 18:13

**Client Sample ID: DUP-11\_073123**

**Lab Sample ID: 240-189537-3**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	583308	AJS	EET CLE	08/09/23 18:31
Total/NA	Analysis	8260D SIM		1	583145	MRL	EET CLE	08/07/23 19:40

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Brighton --- 10448 Cilation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Project Manager: Kris Hinsky  
 Telephone: 248-994-2240  
 Email: kristoffer.hinsky@arcadis.com

Site Contact: Christina Weaver  
 Telephone: 248-994-2240  
 Lab Contact: Mike DelMonico  
 Telephone: 330-497-9396

Company Name: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240

Project Name: Ford LTP Off-Site  
 Project Number: 30167538-402.04  
 PO # 30167538-402.04

Sampler Name: Samuella Spachner  
 Method of Shipment/Carrier:  
 Shipping/Tracking No:

Analysis Turnaround Time  
 TAT # different from below  
 3 weeks  
 2 weeks  
 1 week  
 2 days  
 1 day

Analysis: 10 day

Containers & Preservatives  
 H2SO4  HNO3  HCl  NaOH  ZnAc  NaBr  Ures  Other:

Matrix  
 Air  Aqueous  Sediment  Solid  Other:

Sample Identification	Sample Date	Sample Time	Filtered Sample (Y/N)										Sample Specific Notes / Special Instructions			
			1-1-DCE 8260D	1-4-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Composite C / Grab-C	Composite C / Grab-C	Composite C / Grab-C		Composite C / Grab-C		
✓ TRIP BLANK_51	---	---	1													1 Trip Blank
✓ MW-1305-073123	7/31/23	12:15	6													3 VOAs for 8260D 3 VOAs for 8260D SIM
✓ DWL-11-073123	7/31/23	---	6													ii



Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown

Sample Disposal (A few may be assessed if samples are retained longer than 1 month)  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments:  
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by: Justin Gu Date/Time: 7/31/23 15:55 Company: Arcadis

Relinquished by: NOVI WLD SWAG Date/Time: 8/1/23 15:40 Company: Arcadis

Relinquished by: Justin Gu Date/Time: 8/1/23 08:35 Company: Arcadis

Relinquished by: Justin Gu Date/Time: 8/3/23 08:50 Company: EEETA

Relinquished by: Justin Gu Date/Time: 8/3/23 15:55 Company: Arcadis

Relinquished by: Justin Gu Date/Time: 8/1/23 15:40 Company: Arcadis

Relinquished by: Justin Gu Date/Time: 8/2/23 08:35 Company: EEETA

Relinquished by: Justin Gu Date/Time: 8/3/23 08:50 Company: EEETA



Eurofins - Cleveland Sample Receipt Form/Narrative

Login #: 189537

Barberton Facility

Client ARCADIS Site Name Cooler unpacked by: M. Khan
Cooler Received on 8.3.23 Opened on 8.3.23
FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

Eurofins Cooler # Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 22 (CF 0.1 °C) Observed Cooler Temp 0.6 °C Corrected Cooler Temp 0.5 °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No N/A pH Strip Lot# HC312502
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM Date by via Verbal Voice Mail Other
Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by:

19. SAMPLE CONDITION
Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) were further preserved in the laboratory.
Time preserved: Preservative(s) added/Lot number(s):
VOA Sample Preservation - Date/Time VOAs Frozen:

# DATA VERIFICATION REPORT



August 16, 2023

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 189537-1

Sample date: 2023-07-31

Report received by CADENA: 2023-08-16

Initial Data Verification completed by CADENA: 2023-08-16

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 189537-1

<b>Sample Name:</b>	TRIP BLANK_51	MW-136S_073123	DUP-11_073123
<b>Lab Sample ID:</b>	2401895371	2401895372	2401895373
<b>Sample Date:</b>	7/31/2023	7/31/2023	7/31/2023

Analyte	Cas No.	TRIP BLANK_51				MW-136S_073123				DUP-11_073123			
		Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier
<b>GC/MS VOC</b>													
<u>OSW-8260D</u>													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>													
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---



# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-189537-1

CADENA Verification Report: 2023-08-16

Analyses Performed By:  
Eurofins Cleveland  
Barberton, Ohio

Report # 50982R  
Review Level: Tier III  
Project: 30167538.402.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-189537-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_51	240-189537-1	Water	07/31/2023		X	
MW-136S_073123	240-189537-2	Water	07/31/2023		X	X
DUP-11_073123	240-189537-3	Water	07/31/2023	MW-136S_073123	X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

## DATA REVIEW

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result (µg/L)	Duplicate Result (µg/L)	RPD
MW-136S_073123 / DUP-11_073123	All target compounds	U	U	AC

Note:

AC                    Acceptable

The results between the parent sample and field duplicate were acceptable.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

---

DATE: September 11, 2023

PEER REVIEW: Andrew Korycinski

DATE: September 13, 2023



**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**




**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.																																					
Company Name: Arcadis		Client Project Manager: Kris Hinskey		Site Contact: Christina Weaver																																					
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Lab Contact: Mike DelMonico																																					
City/State/Zip: Novi, MI, 48377		Telephone: 248-994-2240		Telephone: 330-497-9396																																					
Phone: 248-994-2240		Email: kristoffer.hinskey@arcadis.com		<b>Analysis Turnaround Time</b>																																					
Project Name: Ford LTP Off-Site		Sampler Name: Samantha Szpaichler		TAT @ different from below																																					
Project Number: 30167538.402.04		Method of Shipment/Carrier:		<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day																																					
PO # 30167538.402.04		Shipping/Tracking No:		<b>Analyses</b>																																					
<b>Sample Identification</b>		<b>Sample Date</b>		<b>Sample Time</b>		<b>Matrix</b>		<b>Containers &amp; Preservatives</b>		<b>Filtered Sample (Y/N)</b>		<b>Composite=C / Grab=G</b>		1,1-DCE 8260D		cis-1,2-DCE 8260D		Trans-1,2-DCE 8260D		PCE 8260D		TCE 8260D		Vinyl Chloride 8260D		1,4-Dioxane 8260D SIM		COC No: \		1 of 1 COCs		For lab use only		Walk-in client		Lab sampling		Job/SDG No:		Sample Specific Notes / Special Instructions:	
						Air	Aqueous	Sediment	Solid																																

Sample Identification	Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	Zn/Ag	NaOH	Uppres	Other:	Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	COC No:	1 of 1 COCs	For lab use only	Walk-in client	Lab sampling	Job/SDG No:	Sample Specific Notes / Special Instructions:	
✓ TRIP BLANK_51	---	--	1							1						NG	X	X	X	X	X	X										1 Trip Blank
✓ MW-1365_073123	7/31/23	1215	6							6						NG	X	X	X	X	X	X										3 VOAs for 8260D 3 VOAs for 8260D SIM
✓ DUP-11_073123	7/31/23	---	6							6						NG	X	X	X	X	X	X										" "



**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown

**Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)**  
 Return to Client  Disposal By Lab  Archive For  Months

**Special Instructions/QC Requirements & Comments:**  
 Sample Address: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested. **Capitol Row**

Relinquished by: <i>Justin Sun</i>	Company: Arcadis	Date/Time: 7/31/23 15:55	Received by: NOVI cold storage	Company: Arcadis	Date/Time: 7/31/23 15:55
Relinquished by: <i>NOVI cold storage</i>	Company: Arcadis	Date/Time: 8/1/23 15:40	Received by: <i>Justin Sun</i>	Company: Arcadis	Date/Time: 8/1/23 15:40
Relinquished by: <i>Justin Sun</i>	Company: Arcadis	Date/Time: 8/2/23 08:35	Received in Laboratory by: <i>Justin Sun</i>	Company: EETA	Date/Time: 02 Aug 23 08:35
Relinquished by: <i>Justin Sun</i>	Company: EETA	Date/Time: 02 Aug 23 08:50	Received in Laboratory by: <i>Justin Sun</i>	Company: EETNC	Date/Time: 8-3-23 08:02

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: TRIP BLANK\_51**

**Lab Sample ID: 240-189537-1**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 15:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 15:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 15:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 15:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 15:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 15:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137		08/09/23 15:47	1
4-Bromofluorobenzene (Surr)	83		56 - 136		08/09/23 15:47	1
Toluene-d8 (Surr)	94		78 - 122		08/09/23 15:47	1
Dibromofluoromethane (Surr)	96		73 - 120		08/09/23 15:47	1

**Client Sample ID: MW-136S\_073123**

**Lab Sample ID: 240-189537-2**

Date Collected: 07/31/23 12:15

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/23 18:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 120		08/14/23 18:13	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 18:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 18:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 18:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 18:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		08/09/23 18:07	1
4-Bromofluorobenzene (Surr)	87		56 - 136		08/09/23 18:07	1
Toluene-d8 (Surr)	99		78 - 122		08/09/23 18:07	1
Dibromofluoromethane (Surr)	99		73 - 120		08/09/23 18:07	1

**Client Sample ID: DUP-11\_073123**

**Lab Sample ID: 240-189537-3**

Date Collected: 07/31/23 00:00

Matrix: Water

Date Received: 08/03/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/07/23 19:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		66 - 120		08/07/23 19:40	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - Off Site

Job ID: 240-189537-1

**Client Sample ID: DUP-11\_073123**

**Lab Sample ID: 240-189537-3**

**Date Collected: 07/31/23 00:00**

**Matrix: Water**

**Date Received: 08/03/23 08:00**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/23 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/23 18:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/23 18:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/23 18:31	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/23 18:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		62 - 137		08/09/23 18:31	1
4-Bromofluorobenzene (Surr)	86		56 - 136		08/09/23 18:31	1
Toluene-d8 (Surr)	97		78 - 122		08/09/23 18:31	1
Dibromofluoromethane (Surr)	97		73 - 120		08/09/23 18:31	1