ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey ARCADIS US Inc 28550 Cabot Drive Suite 500 Novi, Michigan 48377 Generated 8/24/2023 1:04:30 PM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-189968-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203



Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated 8/24/2023 1:04:30 PM

Authorized for release by
Ann Maddux, Project Management Assistant I
ann.maddux@et.eurofinsus.com
Designee for
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)497-9396

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site Laboratory Job ID: 240-189968-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
	13
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

-5

4

R

9

11

12

13

Definitions/Glossary

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Qualifiers

GC/MS VOA

U Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CFU Colony Forming Unit
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

3

4

Ę

Я

9

11

10

13

Case Narrative

Client: ARCADIS US Inc

Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Job ID: 240-189968-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-189968-1

Receipt

The samples were received on 8/11/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.1°C and 1.3°C

GC/MS VOA

Method 8260D: The MS/MSD for batch 240-584398 was not analyzed due to an instrument malfunction.

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-584488 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

3

4

E

6

_

g

q

10

111

12

Method Summary

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

5

8

40

11

13

Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189968-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-189968-1	TRIP BLANK_64	Water	08/09/23 00:00	08/11/23 08:00
240-189968-2	MW-77S_080923	Water	08/09/23 14:50	08/11/23 08:00
240-189968-3	MW-77_080923	Water	08/09/23 16:28	08/11/23 08:00

Detection Summary

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK_64

No Detections.

Client Sample ID: MW-77S_080923

Lab Sample ID: 240-189968-2

No Detections.

Client Sample ID: MW-77_080923

Lab Sample ID: 240-189968-3

7

Job ID: 240-189968-1

8

40

11

13

114

Client: ARCADIS US Inc

No Detections.

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Date Received: 08/11/23 08:00

Client Sample ID: TRIP BLANK_64

Lab Sample ID: 240-189968-1 Date Collected: 08/09/23 00:00

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/18/23 15:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/18/23 15:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 15:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/18/23 15:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 15:11	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/18/23 15:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137			_		08/18/23 15:11	1
4-Bromofluorobenzene (Surr)	87		56 ₋ 136					08/18/23 15:11	1
Toluene-d8 (Surr)	99		78 - 122					08/18/23 15:11	1
Dibromofluoromethane (Surr)	99		73 - 120					08/18/23 15:11	1

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-77S_080923

Date Collected: 08/09/23 14:50 Date Received: 08/11/23 08:00

Surrogate

Toluene-d8 (Surr)

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

Lab Sample ID: 240-189968-2

Prepared

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/23 11:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120			-		08/21/23 11:18	1
Method: SW846 8260D - Volat Analyte		ounds by G Qualifier	C/MS RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Analyte	Result	Qualifier	RL			<u>D</u> .	Prepared	.	Dil Fac
		Qualifier			Unit ug/L	<u>D</u> -	Prepared	Analyzed 08/20/23 18:28	Dil Fac
Analyte	Result	Qualifier U	RL	0.49		<u>D</u> .	Prepared	.	Dil Fac 1 1
Analyte 1,1-Dichloroethene		Qualifier U U		0.49 0.46	ug/L	<u>D</u> .	Prepared	08/20/23 18:28	Dil Fac 1 1 1
Analyte 1,1-Dichloroethene cis-1,2-Dichloroethene	Result 1.0 1.0	Qualifier U U U	1.0 1.0	0.49 0.46 0.44	ug/L ug/L	<u> </u>	Prepared	08/20/23 18:28 08/20/23 18:28	Dil Fac 1 1 1 1
Analyte 1,1-Dichloroethene cis-1,2-Dichloroethene Tetrachloroethene	Result 1.0 1.0 1.0	Qualifier U U U U	1.0 1.0 1.0	0.49 0.46 0.44 0.51	ug/L ug/L ug/L	<u>D</u> .	Prepared	08/20/23 18:28 08/20/23 18:28 08/20/23 18:28	Dil Fac 1 1 1 1 1 1

Limits

62 - 137

56 - 136

78 - 122

73 - 120

%Recovery Qualifier

111

90

101

101

8/24/2023

2

4

8

9

11

Dil Fac

Analyzed

08/20/23 18:28

08/20/23 18:28

08/20/23 18:28

08/20/23 18:28

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Client Sample ID: MW-77_080923

Lab Sample ID: 240-189968-3 Date Collected: 08/09/23 16:28

Matrix: Water

08/20/23 19:05

Date Received: 08/11/23 08:00

Dibromofluoromethane (Surr)

Method: SW846 8260D SIM - V Analyte	Posult	Qualifier	RL	MDI	Unit	D	Prepared	Analyzed	Dil Fac
							Fiepaieu	<u>-</u>	— III Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/23 13:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120			-		08/21/23 13:42	1
Method: SW846 8260D - Volati	le Organic Comp	ounds by G	C/MS						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/23 19:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/23 19:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 19:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/23 19:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 19:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/23 19:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137			-		08/20/23 19:05	1
4-Bromofluorobenzene (Surr)	89		56 ₋ 136					08/20/23 19:05	1
Toluene-d8 (Surr)	93		78 ₋ 122					08/20/23 19:05	1

73 - 120

105

8/24/2023

Surrogate Summary

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

				Percent Sur	rogate Recov
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-189968-1	TRIP BLANK_64	109	87	99	99
240-189968-2	MW-77S_080923	111	90	101	101
240-189968-2 MS	MW-77S-MS_080923	102	99	105	100
240-189968-2 MSD	MW-77S-MSD_080923	104	99	105	102
240-189968-3	MW-77_080923	90	89	93	105
240-189970-E-5 MS	Matrix Spike	82	91	96	94
240-189970-H-5 MSD	Matrix Spike Duplicate	88	89	101	97
LCS 240-584398/4	Lab Control Sample	104	101	108	101
LCS 240-584483/4	Lab Control Sample	89	92	94	98
LCS 240-584488/4	Lab Control Sample	103	100	106	102
MB 240-584398/7	Method Blank	111	88	100	102
MB 240-584483/7	Method Blank	93	88	92	105
MB 240-584488/7	Method Blank	109	89	101	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Prep Type: Total/NA **Matrix: Water**

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(66-120)	
240-189968-2	MW-77S_080923	105	
240-189968-2 MS	MW-77S-MS_080923	108	
240-189968-2 MSD	MW-77S-MSD_080923	105	
240-189968-3	MW-77_080923	105	
LCS 240-584517/5	Lab Control Sample	101	
MB 240-584517/7	Method Blank	100	
Surrogate Legend			

Page 12 of 26

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-584398/7

Matrix: Water

Analysis Batch: 584398

Client Sample ID: Method Blank

Prep Type: Total/NA

	МВ	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/18/23 14:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/18/23 14:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 14:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/18/23 14:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 14:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/18/23 14:21	1

MB MB

Surrogate	%Recovery	Qualifier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111	62 - 1	37	08/18/23 14:21	1
4-Bromofluorobenzene (Surr)	88	56 - 1	36	08/18/23 14:21	1
Toluene-d8 (Surr)	100	78 - 1	22	08/18/23 14:21	1
Dibromofluoromethane (Surr)	102	73 - 1	20	08/18/23 14:21	1

Lab Sample ID: LCS 240-584398/4

Matrix: Water

Analysis Batch: 584398

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	27.6		ug/L		110	63 - 134	
cis-1,2-Dichloroethene	25.0	23.8		ug/L		95	77 - 123	
Tetrachloroethene	25.0	26.7		ug/L		107	76 - 123	
trans-1,2-Dichloroethene	25.0	25.4		ug/L		101	75 - 124	
Trichloroethene	25.0	24.0		ug/L		96	70 - 122	
Vinyl chloride	12.5	10.6		ug/L		85	60 - 144	

LCS LCS

Surrogate	%Recovery (Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	101		56 ₋ 136
Toluene-d8 (Surr)	108		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: MB 240-584483/7

Matrix: Water

Analysis Batch: 584483

Client Sample ID: Method Blank

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/23 13:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/23 13:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 13:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/23 13:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 13:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/23 13:38	1

MB	MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		08/20/23 13:38	1
4-Bromofluorobenzene (Surr)	88		56 ₋ 136		08/20/23 13:38	1
Toluene-d8 (Surr)	92		78 - 122		08/20/23 13:38	1

Eurofins Cleveland

Page 13 of 26

Prep Type: Total/NA

8/24/2023

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

105

Lab Sample ID: MB 240-584483/7

Matrix: Water

Surrogate

Analysis Batch: 584483

Dibromofluoromethane (Surr)

Client Sample ID: Method Blank

08/20/23 13:38

Prep Type: Total/NA

MB MB Dil Fac %Recovery Qualifier Limits Prepared Analyzed

Lab Sample ID: LCS 240-584483/4

Matrix: Water

Analysis Batch: 584483

Client Sample ID: Lab Control Samp	le
Pren Type: Total/N	Δ

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	25.4		ug/L		101	63 - 134	
cis-1,2-Dichloroethene	25.0	23.8		ug/L		95	77 - 123	
Tetrachloroethene	25.0	28.2		ug/L		113	76 - 123	
trans-1,2-Dichloroethene	25.0	25.4		ug/L		102	75 - 124	
Trichloroethene	25.0	25.7		ug/L		103	70 - 122	
Vinyl chloride	12.5	11.4		ug/L		91	60 - 144	

73 - 120

LCS LCS Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 89 62 - 137 92 4-Bromofluorobenzene (Surr) 56 - 136 Toluene-d8 (Surr) 94 78 - 122 Dibromofluoromethane (Surr) 98 73 - 120

Lab Sample ID: 240-189970-E-5 MS Client Sample ID: Matrix Spike **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 584483

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1.0	U	25.0	24.7		ug/L		99	56 - 135	
cis-1,2-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	66 - 128	
Tetrachloroethene	1.0	U	25.0	24.7		ug/L		99	62 - 131	
trans-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	56 - 136	
Trichloroethene	1.0	U	25.0	23.4		ug/L		93	61 - 124	
Vinyl chloride	0.51	J	12.5	10.6		ug/L		81	43 - 157	

MS MS %Recovery Qualifier Limits Surrogate 1,2-Dichloroethane-d4 (Surr) 82 62 - 137 4-Bromofluorobenzene (Surr) 91 56 - 136 78 - 122 Toluene-d8 (Surr) 96 Dibromofluoromethane (Surr) 94 73 - 120

Lab Sample ID: 240-189970-H-5 MSD Client Sample ID: Matrix Spike Duplicate **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 584483

-	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	25.0	25.6		ug/L		102	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	66 - 128	5	14
Tetrachloroethene	1.0	U	25.0	27.7		ug/L		111	62 - 131	11	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.3		ug/L		93	56 - 136	2	15
Trichloroethene	1.0	U	25.0	26.2		ug/L		105	61 - 124	11	15

Eurofins Cleveland

Page 14 of 26

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-189970-H-5 MSD **Client Sample ID: Matrix Spike Duplicate Matrix: Water** Prep Type: Total/NA

Analysis Batch: 584483

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Vinyl chloride	0.51	J	12.5	12.4		ug/L		95	43 - 157	16	24

	MSD	MSD								
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	88		62 - 137							
4-Bromofluorobenzene (Surr)	89		56 ₋ 136							
Toluene-d8 (Surr)	101		78 - 122							
Dibromofluoromethane (Surr)	97		73 - 120							

Lab Sample ID: MB 240-584488/7

Matrix: Water

Analysis Batch: 584488

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/23 13:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/23 13:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 13:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/23 13:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 13:52	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/23 13:52	1

MB MB

Surrogate	%Recovery Qu	ualifier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109	62 - 137		08/20/23 13:52	1
4-Bromofluorobenzene (Surr)	89	56 - 136		08/20/23 13:52	1
Toluene-d8 (Surr)	101	78 - 122		08/20/23 13:52	1
Dibromofluoromethane (Surr)	102	73 - 120		08/20/23 13:52	1

Lab Sample ID: LCS 240-584488/4 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Matrix: Water

Analysis Batch: 584488

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	26.6		ug/L		106	63 - 134	
cis-1,2-Dichloroethene	25.0	22.8		ug/L		91	77 - 123	
Tetrachloroethene	25.0	25.2		ug/L		101	76 - 123	
trans-1,2-Dichloroethene	25.0	24.0		ug/L		96	75 - 124	
Trichloroethene	25.0	23.3		ug/L		93	70 - 122	
Vinyl chloride	12.5	9.69		ug/L		78	60 - 144	

LCS LCS

Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	103		62 - 137				
4-Bromofluorobenzene (Surr)	100		56 ₋ 136				
Toluene-d8 (Surr)	106		78 - 122				
Dibromofluoromethane (Surr)	102		73 - 120				

Client Sample ID: Method Blank

Prep Type: Total/NA

Client: ARCADIS US Inc Project/Site: Ford LTP - Off Site

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-189968-2 MS

Matrix: Water

Analysis Batch: 584488

Client Sample ID: MW-77S-MS_080923 Prep Type: Total/NA

Sample Sample MS MS %Rec Spike Result Qualifier Analyte Added Result Qualifier %Rec Limits Unit 1,1-Dichloroethene 1.0 U 25.0 25.7 ug/L 103 56 - 135 cis-1,2-Dichloroethene 1.0 U 25.0 22.4 ug/L 90 66 - 128 1.0 U 25.0 62 - 131 Tetrachloroethene 23.5 ug/L 94 trans-1,2-Dichloroethene 1.0 U 25.0 23.3 ug/L 93 56 - 136 Trichloroethene 25.0 22 2 89 61 - 124 1.0 U ug/L 12.5 9.88 Vinyl chloride 1.0 U ug/L 43 - 157

MS MS %Recovery Qualifier Limits Surrogate 62 - 137 1,2-Dichloroethane-d4 (Surr) 102 56 - 136 4-Bromofluorobenzene (Surr) 99 Toluene-d8 (Surr) 105 78 - 122 Dibromofluoromethane (Surr) 100 73 - 120

Lab Sample ID: 240-189968-2 MSD

Matrix: Water

Analysis Batch: 584488

Client Sample ID: MW-77S-MSD_080923 Prep Type: Total/NA

_	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	25.0	25.4		ug/L		101	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.0		ug/L		92	66 - 128	3	14
Tetrachloroethene	1.0	U	25.0	23.1		ug/L		92	62 - 131	2	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.8		ug/L		95	56 - 136	2	15
Trichloroethene	1.0	U	25.0	22.3		ug/L		89	61 - 124	0	15
Vinyl chloride	1.0	U	12.5	10.7		ug/L		85	43 - 157	8	24
trans-1,2-Dichloroethene Trichloroethene	1.0 1.0	U	25.0 25.0	23.8 22.3		ug/L ug/L		95 89	56 ₋ 136 61 ₋ 124	2 0 8	15 15

MSD MSD %Recovery Limits Surrogate 1,2-Dichloroethane-d4 (Surr) 104 62 - 137 4-Bromofluorobenzene (Surr) 99 56 - 136 Toluene-d8 (Surr) 105 78 - 122 Dibromofluoromethane (Surr) 73 - 120 102

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-584517/7 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analysis Batch: 584517

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/23 10:55	1
	MR	MR							

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 100 66 - 120 08/21/23 10:55

Eurofins Cleveland

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analysis Batch: 584517

Matrix: Water

Lab Sample ID: LCS 240-584517/5

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	10.0	9.48		ug/L		95	80 - 122	

LCS LCS

108

Surrogate	%Recovery	Qualifier	Limits
1.2-Dichloroethane-d4 (Surr)	101		66 - 120

Lab Sample ID: 240-189968-2 MS Client Sample ID: MW-77S-MS_080923

Matrix: Water Prep Type: Total/NA

Analysis Batch: 584517

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0	U	10.0	9.25		ug/L		92	51 - 153	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							

Lab Sample ID: 240-189968-2 MSD Client Sample ID: MW-77S-MSD_080923

66 - 120

Matrix: Water Prep Type: Total/NA

Analysis Batch: 584517

1,2-Dichloroethane-d4 (Surr)

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.61		ug/L		96	51 - 153	4	16

 Surrogate
 %Recovery
 Qualifier
 Limits

 1,2-Dichloroethane-d4 (Surr)
 105
 66 - 120

Eurofins Cleveland

QC Association Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-189968-1

GC/MS VOA

Δnal	veie.	Ratch:	584398
Allai	,	Duto	

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189968-1	TRIP BLANK_64	Total/NA	Water	8260D	
MB 240-584398/7	Method Blank	Total/NA	Water	8260D	
LCS 240-584398/4	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 584483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189968-3	MW-77_080923	Total/NA	Water	8260D	
MB 240-584483/7	Method Blank	Total/NA	Water	8260D	
LCS 240-584483/4	Lab Control Sample	Total/NA	Water	8260D	
240-189970-E-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-189970-H-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 584488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Bat
240-189968-2	MW-77S_080923	Total/NA	Water	8260D	
MB 240-584488/7	Method Blank	Total/NA	Water	8260D	
LCS 240-584488/4	Lab Control Sample	Total/NA	Water	8260D	
240-189968-2 MS	MW-77S-MS_080923	Total/NA	Water	8260D	
240-189968-2 MSD	MW-77S-MSD_080923	Total/NA	Water	8260D	

Analysis Batch: 584517

	011 (0 1 15				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-189968-2	MW-77S_080923	Total/NA	Water	8260D SIM	
240-189968-3	MW-77_080923	Total/NA	Water	8260D SIM	
MB 240-584517/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-584517/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-189968-2 MS	MW-77S-MS_080923	Total/NA	Water	8260D SIM	
240-189968-2 MSD	MW-77S-MSD 080923	Total/NA	Water	8260D SIM	

Eurofins Cleveland

8/24/2023

2

5

5

7

0

10

Lab Chronicle

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK_64

Lab Sample ID: 240-189968-1 Date Collected: 08/09/23 00:00

Matrix: Water

Date Received: 08/11/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	584398	CDG	EET CLE	08/18/23 15:11

Client Sample ID: MW-77S_080923 Lab Sample ID: 240-189968-2

Date Collected: 08/09/23 14:50 Matrix: Water

Date Received: 08/11/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	584488	CDG	EET CLE	08/20/23 18:28
Total/NA	Analysis	8260D SIM		1	584517	MRL	EET CLE	08/21/23 11:18

Client Sample ID: MW-77_080923 Lab Sample ID: 240-189968-3

Date Collected: 08/09/23 16:28 Matrix: Water

Date Received: 08/11/23 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	584483	LEE	EET CLE	08/20/23 19:05
Total/NA	Analysis	8260D SIM		1	584517	MRL	EET CLE	08/21/23 13:42

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Eurofins Cleveland

Accreditation/Certification Summary

Client: ARCADIS US Inc Job ID: 240-189968-1 Project/Site: Ford LTP - Off Site

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
lowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

 $^{^{\}star} \ \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

The place 24 may 2	Commany Name: Areadis		Regulator	negulatory program:	-	NA A	NFDES	2	KCKA		Other						
Triple Decided Decid	Company value: Arcadis	Ī	ent Project Ma	nager: Kris Hi	nskey		Site Con	act: Chri	stina Weave			Lab (ontact	Mike D	Monic		TestAmerica Laboratorie
The plane (1999) The plane (Address: 28550 Cabot Drive, Suite 500																
Note 120	City/State/Zip: Novi, MI, 48377	Tel	ephone: 248-9	94-2240			Telephor	ie: 248-99	14-2240			Tele	hone: 3	30-497-9	396		-
Note 1 1 1 1 1 1 1 1 1	Db 140 004 1140	E3	iail: kristoffer.	hinskey@arca	tis.com		Ana	ysis Turn	around Time	П		$\left\{ \right\}$			Inalys	Sa	
Note Part	rione: 240-594-2240 Project Name: Ford LTP Off-Site	Sar	npier Name:		۵		TATirdir	erent from b	3 weeks								Walk-in client
No.	Project Number: 30167538.402.04	Me	thod of Shipme	nt/Carrier:			- 10 da	2	weeks week	(N	9=		а			WIS	Lab sampling
TRIP BLANK GH	PO # 30167538.402.04	Shi	pping/Trackin	No:			_	L	z days 1 day	[/ X) ə			0928		8560D	S Q098	Job/SDG No:
Sample thoughtering Sample True Sample						atrix	Con	talners &	Preservatives	qms2 b			S-DCE		abinoln	xsue 8	
TRIP BLANK_64	Sample Identification	3	imple Date S	$\overline{}$	snoonby	bile2		_	NaOH Vapres	Filtere		_	r-snsıT		Vinyl CI	:old-4,1	Sample Specific Notes Special Instructions:
MW-775_0809123			-	i	_			1		Z			1	╟	×		1 Trip Blank
MW-775			8/04/13	450	9			9		2	J	X			×	×	3 VOAs for 8260D 3 VOAs for 8260D
MW-775-MSG 12			s/09/13 1	450	9			9		5	J	×	X	X	X	×	
Prouble Heard Identification Possible Heard Identification			8109/23	1450	9			9		5		×	×	X	×	×	
Possible Hazard Identification Possible Hazard Identification	MW-77		1 62/10/8	628	9			9		2		×	X		×	>	→
To describe the following the service of the sample of the					_												
rd Identification Recum to Chent												↓ ■					
rd Identification Return to Chear																	
rd Identification rd Flammable Skin Irritant Poison B Unknown Sample Disposal (A fee may be assessed if samples are retained longer than I month) rd Flammable Skin Irritant Poison B Unknown Sample Disposal By Lab Archive For Months sis:												240	18996	8 Chai	o C	stody	
ing requested. Company:	Possible Hazard Identification Non-Hazard	Skin Irritant	Poison		- undu		Samp	e Disposa	I (A fee may	be assess	ed if san	nples ar	retaine	d longer	han 1	nonth)	
Company Company Company Company Company Date/Time: Date	Special Instructions/QC Requirements & Comm Sample Address:	nents: P 6.5†	SOW Cadena #E							1	al by La		Arc	INC FOR		Months	
March Company: Compan	Relinquished by Will All Th	Cor	read 15			_	1750	Reco		-	7	ا ع		5 Q	Pany:	7	me: 173 17
Lead Company: Date/Time; Date/Tim	Relinquished 5/	Cor	ARCAU	15	Solution of the second	123/	(73%		ived by:	To the	3			Con	pany:	CEN	1240
֡	Relinquished by:	Con	43		Date/	22/5	(239	E	in tabo	forty by	5			3	gany:		2

TestAmerica

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Chain of Custody Record

MICHIGAN

VOA Sample Preservation - Date/Time VOAs Frozen:

				Eurofins - Canto	on Sample Receipt i	Multiple Cooler Form	
Co	ooler De		tion	IR Gun#	Observed	Corrected	Coolant
	(Circ	cle)		(Circle)	Temp °C	Temp °C	(Circle) Welice Sive Ice Dy ice
EC	Client	Box	Other	IR GUN 0; 22	1.2		Water None
Pro	Client	Box	Other	IR GUN 8:	1.4	1.3	Melico Sive Ice By Ice
K	Client	Box	Other	IR GUN #:			Watte Blue Ice By Ice Water None
IC	Client	Box	Other	IR GUN 9:			Wet ice Blue Ice By ice Water Mone
IC	Client	Box	Other	IR GUN #:			Wellice Dive Ice Bylce Water Mane
IC	Client	Box	Other	R GIN F:			Wellce Sive Ice Bylce Weler Mone
8C	Client	Box	Other	IR GUN #:	,		Wellice Slue Ice Sylce
8C	Client	Ben	Öther	IR GUN F:			Wellice Sheelice Bylce Weley Mana
BC	Client	Best	Other	IR GUN 6:			Wellice Blue lice Byles
BC	Clout	Bes	Other	IR GUN #:			Worke Studies Byles
BC	Clout	Ben	Other	R 64N F:			Wellice Blue Ice Bylce Weller Mane
BC	Cloud		Other	R GUN F:			Wellice Sive Ice Bylce
BC	Clout	Best	Other	IR GUN 6:			Wellico Shee Sco Bylco Waley Mane
BC	Cloud	Box	Other	R CW 4:			Wel to Sive to Byte
BC	Cloud	-	Other	IR GUN 6:			Wellies Sheetes Byte
BC	Client		Other	IR GON #:			Wellice Nee Ice Byte
8C	Client		Other	IR GUN #:			Wellice Sive Ice Byte
BC	Client		Other	R GON 6:			Welter None Welter She Ice Sylte
BC	Clent		Other	IR GUN #:			Wellice Nee Ice Byke
BC	Cloud		Other	IR GON F:			Wellce Nee Ice Byte
BC	Client		Other	IR GOW 9:			Weiter the tee Dyin
BC	Client		Other	IR GUN 6:			Wel to She to Byte
BC	Client	Box		IR GUN #:			Well to Nee Ice Byles
₽C	Client			IR GUN F:			Wellice Blue Ice Bry to
	Client			IR GON #:			Weller Mone Weller Mee Ice Byte
	****	Box		IR GON #:			Weller Mean Weller Me tee Bry to
		Box		IR GWI #:			Welter Ness Welter Stretce Byter
	- Maria	3ex		IR GUN #:			Weler None Wel Jee Blue Ice Dry Ice
	Cloud			IR GUN 9:			Water Mane Wet too She too Bry too
		Dex (IR GUN #:			Weller None Weller Sive Ice By Ice
	CSont .		-	IR GUN 5:			Wellce She toe Bry to
		lex (IR GUN #:			Wellice Slue Ice Dry ice
	Client (IR GUN F:			Wellice Sive Ice Bry Ice
				IR GUN F:			Weller Meas
₹C	Clent I	lex (Other				rature Excursion Form
						Cl see (amp)	HERET ENGLISHED TOTAL

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

1	Client Contact	Regulatory program:	MO	NPDES RCRA	Other				
Ιđ	Company Name: Arcadis								TestAmerica Laboratories, Inc.
14	Assess 19650 Caland Drive Caire Sta	Client Project Manager: Kris Hinskey	Hinskey	Site Contact: Christina Weaver		Lab Contact:	ab Contact: Mike DelMonico		COC No:
Ad	Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240		Telephone: 248-994-2240		Telephone: 330-497-9396	0-497-9396		
ΙΞ	City/State/Zip: Novi, MI, 48377	Email: kristoffer.hinskev@arcadis.com	adis com	Analysis Turnaround Time			Angivees		1 of 1 COCs
P.	Phone: 248-994-2240					E			ror tab use only
Pr	Project Name: Ford LTP Off-Site	Sampler Name:	99	TAT if different from below 3 weeks					Walk-in client
Pr	Project Number: 30167538.402.04	rrier:		- 1		а	(MIS	Lab sampling
P.	PO## 30167538.402.04	Shipping/Tracking No:		z days	Grab-		8560	S Q097	Job/SDG No:
1			Matrix	Containers & Preservatives)=a	DCE	a	,8 ar	
ı	Sample Identification	Sample Date Sample Time	Aqueous Sediment Solid Solid Other:	Oipei: Gubles Vaon Naon HCI HAO3	Filtered S Composite 1,1-DCE 8	Cis-1.2-DC-2.1.2-	Vinyl Chlo	nsxoid-4, f	Sample Specific Notes / Special Instructions:
8	TRIP BLANK_ (04		1	-	× 5 2	×	× ×		1 Trip Blank
а	MW-779-080923	08/69/13 1450	9	9	S	× ×	× ×	×	3 VOAs for 8260D 3 VOAs for 8260D SIM
P	676080-8M-511-MM	08/04/13/1450	9	9	NGX	× ×	×	×	
ane	MW-775-MSV-080923	08/09/23/450	9	9	S 2 X	×	×	×	
 2₽o	MW-77-080923	08/01/23 1628	9	9	N GA	×	×	>	>
126									
						240-18996	240-189968 Chain of Custody	stody	
								-	
	Possible Hazard Identification Non-Hazard Flammable Skin Irritant	Poison B	Unknown	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month Return to Client	e assessed if samp Disposal By Lab	oles are retained	ained longer than 1 m	wnth) Months	
Sa Su	Special Instructions/QC Requirements & Comments; Sample Address: Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203631 Level IV Reporting requested.	ROM com. Cadena #E203631							
2	Refindurshed by:	Company: Arced 15	Date/Time:	1750 Received by	STAVAGE	4	Company:	7	Date/Time: 08/64/23 1750
~ 공	Relinquis Jet's Kelinquis lied by.	Company Company Company	22/0	Received by:	7145-		Company:	En	
8/24/2023	CCDB Teshwercz lazonachos, ho. Alinglic remondi Teskmercz & Dekon III are inziemiens of Teskmercz Lazonalows, inc.		1						6

TestAmerica

Chain of Custody Record

VOA Sample Preservation - Date/Time VOAs Frozen:

1		-		Eurofins - Cant	on Sample Receipt	Multiple Cooler Form	
C	ooler D	escri	otion	IR Gun#	Observed	Corrected	Coolant
		rcle)		(Circle)	Temp °C	Temp °C	- (Circle)
10		Box	Other	IR GUN 0; 22	1.2	61	Wellce' Blue Ice By ice Water None
70	Client	Box	Other	IR GUN 0:	1.4	1.3	(Notice) Blue Ice By Ice
K	Client	Box	Other	IR GUN 0:			Wellice Sive Ice Bylce Water None
IC	Client	Sex	Other	IR GUN 9:			Wellice Blue Ice Bylce Water Mose
8C	Client	Beat	Other	IR GUN #:			Well to Blue Ice Dy Ice Water Mone
BC	Client	Box	Other	R GUN F:			Welte Blue fee Byte Water Mose
£C	Client	3-ox	Other	IR GUN 6:			Watte No to Byte
BC	Client	Bex	Other	IR GUN #:			Wellice Silve Ice Bylce Water Mane
- BC	Client	Best	Other	IR GUN 6:			Wellice Blue lice Bytes
10	Client	Box	Other	IR GUN F:			Welter Blue less Bytes
1C	Client	Bex	Other	ROW F:			Well too Blue too By too
BC	Client	Box	Other	IR GUN #:		j.	Wellice Shee Sce Bytes Water Mane
BC	Client	Ben	Other	IR GUN #:			Well too Mare Itoo By too
BC	Cloud	Bex	Other	IR GUN #:			Well too Shee too Styles
BC	Client	Bex	Other	IR 60H F:			Well too Blue too By too Water Mano Water Blue too By too
BC	Client	Bex	Other	IR GON #:			Water Mone
BC BC	Client	Jex	Other	IR GUN #:			Water Mane
BC	Client	3ex	Other	IR GUN F:			Water Mees Water Mees Water Mees
BC	Clent	Box	Other	IR GUN #:			Water Ness With
BC	Cloud	Bex	Other				Water Name
80	Client	3ox	Other	IR GUN #:			Wellice Sive Ice By ite Waler Hene Walling Sive Ice By ite
BC	Client	Box	Other	IR GUN #:			Water Mone
EC	Client	Box	Öther	R GUN #:			Welto Sive too By to Welto Sive too By to
- ec	CSoul	Box	Other	R 60N #:			Weler Mane
_	Clock		Other	12 GOM #:			Wellice Stor Ice Bytes Weller Mean Wellice Stor Ice Bytes
	Client		Other	R GW #:	3		Well to Sive to By to
- William - 2-	Client	Dex	Other	R GUN #:			Weler None
	Client		Other	IR GUN 6:			Well Ice She Ice Dry Ice Well Ice She Ice Dry Ice
_	Client	Box	Other	R GW 6:			Wefer Mone
	Client	Bex	Other	IR GUN #:			Water Mana
€C	Client	Box	Ölher	R CON 6:			Water Mane
₽C	Client	Bex	Other	IR GUN 6:			Water Mase
€C	Client	Box	Other	R GON 6:			Wellice Sive Ice Bry Ice
EC	Client	Box	Other	IR GUN #:			Wellice Nive Ice Brylice Water Nees
						□ See Tem	perature Excursion Form

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

DATA VERIFICATION REPORT



August 24, 2023

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 189968-1 Sample date: 2023-08-09

Report received by CADENA: 2023-08-24

Initial Data Verification completed by CADENA: 2023-08-24

Number of Samples:3 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI $48108\ 517\text{-}819\text{-}0356$

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 189968-1

		Sample Name:	TRIP BLA	4NK_64			MW-775	5_08092	3		MW-77 ₋	_080923		
		Lab Sample ID:	2401899	9681			2401899	9682			2401899	9683		
		Sample Date:	8/9/202	.3			8/9/202	.3			8/9/202	3		
				Report		Valid		Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC														
OS	W-8260D													
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
<u>OS'</u>	W-8260DSIM													
	1,4-Dioxane	123-91-1					ND	2.0	ug/l		ND	2.0	ug/l	



Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-189968-1

CADENA Verification Report: 2023-08-24

Analyses Performed By: Eurofins Cleveland Barberton, Ohio

Report # 51138R Review Level: Tier III Project: 30167538.402.02

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-189968-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample	Parent Sample	Ana	lysis
Sample ID	Lab ID	Matrix	Collection Date	Parent Sample	VOC	VOC SIM
TRIP BLANK_64	240-189968-1	Water	08/09/2023		Х	
MW-77S_080923	240-189968-2	Water	08/09/2023		X	X
MW-77_080923	240-189968-3	Water	08/09/2023		Х	Х

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Rev	iewed	Rep	orted		mance otable	Not Required
		No	Yes	No	Yes	Required
1. Sample receipt condition			X		X	
2. Requested analyses and samp	ole results		Х		Х	
Master tracking list			Х		Х	
4. Methods of analysis			Х		Х	
5. Reporting limits			Х		Х	
6. Sample collection date			Х		Х	
7. Laboratory sample received da	ate		Х		Х	
8. Sample preservation verification	on (as applicable)		Х		X	
9. Sample preparation/extraction	/analysis dates		Х		X	
10. Fully executed Chain-of-Custo	dy (COC) form		Х		Х	
Narrative summary of Quality a problems provided	Assurance or sample		Х		Х	
12. Data Package Completeness	and Compliance		Х		Х	

The MS/MSD analysis is requested on the chain-of-custody (COC); however, the analysis is not performed due to instrument malfunction.

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Methods 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock. System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Continuing Calibration	Compound	Criteria
MW-77S_080923	CCV %D	Vinyl chloride	-23.3%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Continuing Calibration	Criteria	Sample Result	Qualification
	RRF <0.05	Non-detect	R
	RRF <0.05	Detect	J
Continuing Calibration	entinuing Calibration RRF <0.01 ¹	Non-detect	R
Continuing Calibration		Detect	J
		Non-detect	No Action
	RRF >0.05 01 RRF >0.01	Detect	NO ACTION
	%D >20% (increase/decrease in sensitivity)	Non-detect	UJ

Continuing Calibration	Criteria	Sample Result	Qualification
Continuing Calibration Verification (CCV)		Detect	J
verification (CCv)	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
	100 > 90% (increase/decrease in sensitivity)	Detect	J

Note:

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

¹RRF of 0.01 only applies to compounds which are typically poor responding compounds

DATA VALIDATION CHECKLIST FOR VOCs

Rep	orted		Not Required	
No	Yes	No	Yes	Required
C/MS)				
	Х		Х	
'				
	Х		Х	
	Х		Х	
	Х		Х	
	Х	Х		
	Х		Х	
	Х		Х	
Х				Х
	X		Х	
	Х		Х	
	Х		Х	
	Х		Х	
	X		X	
	Х		Х	
	No C/MS)	X X X X X X X X X X X X X X X X X X X	Reported Acce No Yes No C/MS) X X X X X X X X X X X X X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Pruthvi Kumar C

SIGNATURE:

DATE: September 13, 2023

PEER REVIEW: Andrew Korycinski

DATE: September 14, 2023

NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



Chain of Custody Record



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763 **Client Contact** Regulatory program: NPDES RCRA Other Company Name: Arcadis TestAmerica Laboratories, Inc. Client Project Manager: Kris Hinskey Site Contact: Christina Weaver Lab Contact: Mike DelMonico COC No: Address: 28550 Cabot Drive, Suite 500 Telephone: 248-994-2240 Telephone: 248-994-2240 Telephone: 330-497-9396 City/State/Zip: Novi, MI, 48377 1 of 1 COCs Analysis Turnaround Time Email: kristoffer.hinskey@arcadis.com Analyses For lab use only Phone: 248-994-2240 FAT if different from below Sampler Name: Walk-in client Project Name: Ford LTP Off-Site 3 weeks Megan Lep 10 day Lab sampling Project Number: 30167538.402.04 Method of Shipment/Carrier: I week SIM Z 8260D 2 days 8260D Composite=C / Gral cis-1.2-DCE 8260D 1,4-Dioxane 8260D PO# 30167538.402.04 Shipping/Tracking No: 1 day Job/SDG No: /inyl Chloride Matrix Containers & Preservatives Sample Specific Notes / HN03 NaOH Special Instructions: Sample Date | Sample Time Sample Identification TRIP BLANK_ (04 G X Х X Х X X 1 Trip Blank MW-775-080923 08/09/23 1450 3 VOAs for 8260D (d 3 VOAs for 8260D SIM MW-775-M5_080923 08/09/23 1450 . Page 6345 of 635 0 MW-775-MSD_080923 08/09/23 1450 a MW-77_080923 08/09/23 1 628 4 Possible Hazard Identification Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Non-Hazard Special Instructions/QC Requirements & Comments: Flammable Skin Irritant Poison B Unknown Return to Client Disposal By Lab Archive For Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested. Relinquished by Date/Time: Arcadis 1790 08/09/23 1750 Avcdalz Company:

©2008, TestAmenca Laboratories, Inc., All rights reserved. TestAmerica & Design ¹⁹ are trademarks of TestAmerica Laboratories, Inc.

MICHIGAN 190

08. TestAmerica Laboratories, Inc. All rights reserved. America & Design ™ are trademarks of TestAmerica Laboratories, Inc.

Chain of Custody Record

<u>TestAmerica</u>

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763 Client Contact Regulatory program: DW NPDES RCRA Other Company Name: Arcadis TestAmerica Laboratories, Inc. Client Project Manager: Kris Hinskey Site Contact: Christina Weaver ab Contact: Mike DelMonico Address: 28550 Cabot Drive, Suite 500 Telephone: 248-994-2240 Telephone: 248-994-2240 Telephone: 330-497-9396 City/State/Zip: Novi, MI, 48377 1 of COCs Analysis Turnaround Time Email: kristoffer.hinskey@arcadis.com Analyses For lab use only Phone: 248-994-2240 Sampler Name: TAT if different from below Walk-in client Project Name: Ford LTP Off-Site 3 weeks Megan Lab sampling Project Number: 30167538,402.04 Method of Shipment/Carrier: 1 week S mple (Y/N) 2 days /inyl Chloride 8260D PO # 30167538.402.04 cis-1,2-DCE 8260D 1,4-Dioxane 8260D Shipping/Tracking No: □ I day Job/SDG No: Matrix Containers & Preservatives PCE 8260D H2SO4 Sample Specific Notes / Solid HC Special Instructions: Sample Identification Sample Date | Sample Time TRIP BLANK_ (04 NIG Х Х Х Χ Χ X 1 Trip Blank MW-779-080923 08/09/23 1450 3 VOAs for 8260D 0 3 VOAs for 8260D SIM MW-775-MS_080923 08/09/23/1450 0 Page 635 of 636 0 MW-775-MSP_080923 08/09/23 1450 0 0 08/09/23 1628 MW-77_080923 6 Possible Hazard Identification Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ▼ Non-Hazard Flammable Skin Irritant Special Instructions/QC Requirements & Comments: Poison B Unknown Return to Client Disposal By Lab Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested. Relinquished by Company: Company: Arcadis OB/09/23 1750 Avcadiz Company: 1234

Client: ARCADIS US Inc Job ID: 240-189968-1

Project/Site: Ford LTP - Off Site

Client Sample ID: TRIP BLANK_64 Lab Sample ID: 240-189968-1

Date Collected: 08/09/23 00:00 **Matrix: Water**

Date Received: 08/11/23 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/18/23 15:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/18/23 15:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 15:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/18/23 15:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/18/23 15:11	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/18/23 15:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137			-		08/18/23 15:11	1
4-Bromofluorobenzene (Surr)	87		56 - 136					08/18/23 15:11	1
Toluene-d8 (Surr)	99		78 - 122					08/18/23 15:11	1
Dibromofluoromethane (Surr)	99		73 - 120					08/18/23 15:11	1

Client Sample ID: MW-77S_080923

Date Collected: 08/09/23 14:50

Date Received: 08/11/23 08:00

Method: SW846 8260D SIN	I - Volatile Orga	anic Comp	ounds (GC/N	IS)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/23 11:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120			-		08/21/23 11:18	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/23 18:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/23 18:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 18:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/23 18:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 18:28	1
Vinyl chloride	1.0	メ UJ	1.0	0.45	ug/L			08/20/23 18:28	1

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111	62 - 137		08/20/23 18:28	1
4-Bromofluorobenzene (Surr)	90	56 ₋ 136		08/20/23 18:28	1
Toluene-d8 (Surr)	101	78 - 122		08/20/23 18:28	1
Dibromofluoromethane (Surr)	101	73 - 120		08/20/23 18:28	1

Client Sample ID: MW-77_080923

Lab Sample ID: 240-189968-3 Date Collected: 08/09/23 16:28 **Matrix: Water** Date Received: 08/11/23 08:00

Method: SW846 8260D SIN	I - Volatile Orga	anic Comp	ounds (GC/N	(IS)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/23 13:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120					08/21/23 13:42	1

Lab Sample ID: 240-189968-2

Matrix: Water

Client: ARCADIS US Inc Job ID: 240-189968-1
Project/Site: Ford LTP - Off Site

Client Sample ID: MW-77_080923 Lab Sample ID: 240-189968-3

Date Collected: 08/09/23 16:28 Matrix: Water Date Received: 08/11/23 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/23 19:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/23 19:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 19:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/23 19:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/23 19:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/23 19:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					08/20/23 19:05	1
4-Bromofluorobenzene (Surr)	89		56 ₋ 136					08/20/23 19:05	1
Toluene-d8 (Surr)	93		78 - 122					08/20/23 19:05	1
Dibromofluoromethane (Surr)	105		73 - 120					08/20/23 19:05	1