

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 11/28/2023 4:58:55 AM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-195663-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/28/2023 4:58:55 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Job ID: 240-195663-1

Laboratory: Eurofins Cleveland

Narrative

**Job Narrative
240-195663-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/17/2023 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 2.7°C, 2.9°C and 3.5°C

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 595564 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-195663-1	TRIP BLANK_133	Water	11/13/23 00:00	11/17/23 09:40
240-195663-2	MW-166S_111323	Water	11/13/23 13:30	11/17/23 09:40

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Client Sample ID: TRIP BLANK_133

Lab Sample ID: 240-195663-1

No Detections.

Client Sample ID: MW-166S_111323

Lab Sample ID: 240-195663-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Client Sample ID: TRIP BLANK_133

Lab Sample ID: 240-195663-1

Date Collected: 11/13/23 00:00

Matrix: Water

Date Received: 11/17/23 09:40

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 20:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 20:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 20:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 20:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 20:15	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/23 20:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		11/22/23 20:15	1
4-Bromofluorobenzene (Surr)	92		56 - 136		11/22/23 20:15	1
Toluene-d8 (Surr)	107		78 - 122		11/22/23 20:15	1
Dibromofluoromethane (Surr)	81		73 - 120		11/22/23 20:15	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Client Sample ID: MW-166S_111323

Lab Sample ID: 240-195663-2

Date Collected: 11/13/23 13:30

Matrix: Water

Date Received: 11/17/23 09:40

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/23 04:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		66 - 120					11/25/23 04:42	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 05:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 05:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 05:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 05:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 05:51	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/23 05:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					11/22/23 05:51	1
4-Bromofluorobenzene (Surr)	98		56 - 136					11/22/23 05:51	1
Toluene-d8 (Surr)	101		78 - 122					11/22/23 05:51	1
Dibromofluoromethane (Surr)	102		73 - 120					11/22/23 05:51	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-195494-F-27 MSD	Matrix Spike Duplicate	92	92	103	90
240-195494-I-27 MS	Matrix Spike	85	93	102	84
240-195662-E-2 MS	Matrix Spike	110	100	101	101
240-195662-F-2 MSD	Matrix Spike Duplicate	111	100	100	101
240-195663-1	TRIP BLANK_133	92	92	107	81
240-195663-2	MW-166S_111323	109	98	101	102
LCS 240-595468/4	Lab Control Sample	107	100	100	102
LCS 240-595564/4	Lab Control Sample	90	98	110	91
MB 240-595468/7	Method Blank	108	96	101	99
MB 240-595564/7	Method Blank	95	100	107	87

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-195663-2	MW-166S_111323	97
500-242543-C-3 MS	Matrix Spike	99
500-242543-C-3 MSD	Matrix Spike Duplicate	100
LCS 240-595687/4	Lab Control Sample	97
MB 240-595687/6	Method Blank	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-595468/7

Matrix: Water

Analysis Batch: 595468

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 00:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 00:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 00:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 00:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 00:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/23 00:07	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		11/22/23 00:07	1
4-Bromofluorobenzene (Surr)	96		56 - 136		11/22/23 00:07	1
Toluene-d8 (Surr)	101		78 - 122		11/22/23 00:07	1
Dibromofluoromethane (Surr)	99		73 - 120		11/22/23 00:07	1

Lab Sample ID: LCS 240-595468/4

Matrix: Water

Analysis Batch: 595468

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.7		ug/L		103	77 - 123
Tetrachloroethene	25.0	22.5		ug/L		90	76 - 123
trans-1,2-Dichloroethene	25.0	24.9		ug/L		99	75 - 124
Trichloroethene	25.0	25.0		ug/L		100	70 - 122
Vinyl chloride	12.5	11.1		ug/L		89	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-195662-E-2 MS

Matrix: Water

Analysis Batch: 595468

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	25.0	22.2		ug/L		89	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.9		ug/L		92	66 - 128
Tetrachloroethene	1.0	U	25.0	20.7		ug/L		83	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.5		ug/L		90	56 - 136
Trichloroethene	1.0	U	25.0	21.4		ug/L		86	61 - 124
Vinyl chloride	1.0	U	12.5	9.71		ug/L		78	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	101		78 - 122

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-195662-E-2 MS
Matrix: Water
Analysis Batch: 595468

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-195662-F-2 MSD
Matrix: Water
Analysis Batch: 595468

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	25.0	20.4		ug/L		82	56 - 135	9	26
cis-1,2-Dichloroethene	1.0	U	25.0	20.6		ug/L		82	66 - 128	10	14
Tetrachloroethene	1.0	U	25.0	20.1		ug/L		80	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.8		ug/L		83	56 - 136	7	15
Trichloroethene	1.0	U	25.0	20.5		ug/L		82	61 - 124	5	15
Vinyl chloride	1.0	U	12.5	8.92		ug/L		71	43 - 157	8	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	111		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: MB 240-595564/7
Matrix: Water
Analysis Batch: 595564

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 12:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 12:54	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 12:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 12:54	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 12:54	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/23 12:54	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		11/22/23 12:54	1
4-Bromofluorobenzene (Surr)	100		56 - 136		11/22/23 12:54	1
Toluene-d8 (Surr)	107		78 - 122		11/22/23 12:54	1
Dibromofluoromethane (Surr)	87		73 - 120		11/22/23 12:54	1

Lab Sample ID: LCS 240-595564/4
Matrix: Water
Analysis Batch: 595564

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	29.5		ug/L		118	63 - 134
cis-1,2-Dichloroethene	25.0	28.4		ug/L		114	77 - 123
Tetrachloroethene	25.0	27.2		ug/L		109	76 - 123
trans-1,2-Dichloroethene	25.0	29.9		ug/L		119	75 - 124
Trichloroethene	25.0	23.9		ug/L		95	70 - 122

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-595564/4

Matrix: Water

Analysis Batch: 595564

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	13.0		ug/L		104	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	110		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-195494-F-27 MSD

Matrix: Water

Analysis Batch: 595564

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	24.5		ug/L		98	56 - 135	12	26
cis-1,2-Dichloroethene	1.0	U	25.0	26.4		ug/L		105	66 - 128	10	14
Tetrachloroethene	1.0	U	25.0	27.6		ug/L		110	62 - 131	2	20
trans-1,2-Dichloroethene	1.0	U	25.0	24.0		ug/L		96	56 - 136	2	15
Trichloroethene	1.0	U	25.0	24.1		ug/L		97	61 - 124	4	15
Vinyl chloride	1.0	U	12.5	12.0		ug/L		96	43 - 157	8	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: 240-195494-I-27 MS

Matrix: Water

Analysis Batch: 595564

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	27.5		ug/L		110	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.7		ug/L		95	66 - 128
Tetrachloroethene	1.0	U	25.0	28.1		ug/L		113	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	23.4		ug/L		94	56 - 136
Trichloroethene	1.0	U	25.0	23.2		ug/L		93	61 - 124
Vinyl chloride	1.0	U	12.5	11.1		ug/L		89	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		62 - 137
4-Bromofluorobenzene (Surr)	93		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	84		73 - 120

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-595687/6
Matrix: Water
Analysis Batch: 595687

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/23 02:18	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		66 - 120					11/25/23 02:18	1

Lab Sample ID: LCS 240-595687/4
Matrix: Water
Analysis Batch: 595687

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.1		ug/L		101	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	97		66 - 120				

Lab Sample ID: 500-242543-C-3 MS
Matrix: Water
Analysis Batch: 595687

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	0.90	J F1	30.0	11.7	F1	ug/L		36	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	99		66 - 120						

Lab Sample ID: 500-242543-C-3 MSD
Matrix: Water
Analysis Batch: 595687

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	0.90	J F1	30.0	11.1	F1	ug/L		34	51 - 153	5	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	100		66 - 120								

QC Association Summary

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

GC/MS VOA

Analysis Batch: 595468

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195663-2	MW-166S_111323	Total/NA	Water	8260D	
MB 240-595468/7	Method Blank	Total/NA	Water	8260D	
LCS 240-595468/4	Lab Control Sample	Total/NA	Water	8260D	
240-195662-E-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-195662-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 595564

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195663-1	TRIP BLANK_133	Total/NA	Water	8260D	
MB 240-595564/7	Method Blank	Total/NA	Water	8260D	
LCS 240-595564/4	Lab Control Sample	Total/NA	Water	8260D	
240-195494-F-27 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	
240-195494-I-27 MS	Matrix Spike	Total/NA	Water	8260D	

Analysis Batch: 595687

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195663-2	MW-166S_111323	Total/NA	Water	8260D SIM	
MB 240-595687/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-595687/4	Lab Control Sample	Total/NA	Water	8260D SIM	
500-242543-C-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
500-242543-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	



Lab Chronicle

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Client Sample ID: TRIP BLANK_133

Lab Sample ID: 240-195663-1

Date Collected: 11/13/23 00:00

Matrix: Water

Date Received: 11/17/23 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	595564	LEE	EET CLE	11/22/23 20:15

Client Sample ID: MW-166S_111323

Lab Sample ID: 240-195663-2

Date Collected: 11/13/23 13:30

Matrix: Water

Date Received: 11/17/23 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	595468	LEE	EET CLE	11/22/23 05:51
Total/NA	Analysis	8260D SIM		1	595687	CS	EET CLE	11/25/23 04:42

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



1 TestAmerica Laboratory location: 10440 LITTON LANE, SUITE 200 / BRIGNON, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Off-Site Project Number: 30167538-402.04 PO # 30167538-402.04		Regulatory program: DW NPDES RCRA Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kris@hinskey.com		Site Contact: Christina Weaver Telephone: 248-994-2240	
Lab Contact: Mike DeMonico Telephone: 330-497-9396		TestAmerica Lab COC No: 1 of 1	
Sampler Name: Aina Pitera Method of Shipment/Carrier: Shipping/Tracking No:		For lab use only Walk-in client Lab sampling Job/SDG No:	
Sample Identification TRIP BLANK_133 MW-1665-11323		Sample Spec Special Inst 1 Trip Blank 3 VOAs for 8; 3 VOAs for 8;	
Matrix Air: 1 Aqueous: 6 Sediment: Solid: Other:		Containers & Preservatives H2SO4: HNO3: HCl: NaOH: NaOH: Unpres: Other:	
Analysis Turnaround Time TAT, if different from below: 10 day 3 weeks 2 weeks 1 week 2 days 1 day		Analyses 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM	
Filtered Sample (Y/N) NG X NG X		Composite C / Grab G	
Sample Date --- 11/13/23 ---		Sample Time --- 1330 ---	
Possible Hazard Identification Non-Hazard Flammable Skin Irritant Poison B Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Return to Client Disposal By Lab Archive For Months	



12147 stark rd.

Relinquished by: <i>Maria Pitera</i> Relinquished by: <i>Sam S...</i> Relinquished by: <i>...</i>	Company: Arcadis Company: Arcadis Company: Arcadis	Date/Time: 11/15/23 1330 Date/Time: 11/16/23 0843 Date/Time: 11/16/23 10120	Date/Time: 11/15/23 1330 Date/Time: 10/16/23 10115 Date/Time: 11-17-23 990
Received by: <i>Novi Cold Storage</i> Received by: <i>...</i> Received in Laboratory by: <i>...</i>	Company: Arcadis Company: EETA Company: EC	Received by: <i>Novi Cold Storage</i> Received by: <i>...</i> Received in Laboratory by: <i>...</i>	Company: Arcadis Company: EETA Company: EC



Eurofins - Cleveland Sample Receipt Form/Narrative

Login #: 195663

Barberton Facility

Client Arcadis

Site Name

Cooler unpacked by:

Cooler Received on 11-17-23

Opened on 11-17-23

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

Eurofins Cooler # EC Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

See Multiple Cooler Form

IR GUN # 21 (CF 70.2 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 3

-Were the seals on the outside of the cooler(s) signed & dated?

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?

-Were tamper/custody seals intact and uncompromised?

3. Shippers' packing slip attached to the cooler(s)?

4. Did custody papers accompany the sample(s)?

5. Were the custody papers relinquished & signed in the appropriate place?

6. Was/were the person(s) who collected the samples clearly identified on the COC?

7. Did all bottles arrive in good condition (Unbroken)?

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated?

11. Sufficient quantity received to perform indicated analyses?

12. Are these work share samples and all listed on the COC?

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?

14. Were VOAs on the COC?

15. Were air bubbles >6 mm in any VOA vials? Larger than this.

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #

17. Was a LL Hg or Me Hg trip blank present?

Yes No NA pH Strip Lot# HC316719

Yes No

Yes No NA

Yes No

Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.

Sample(s) were received in a broken container.

Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.

Time preserved: Preservative(s) added/Lot number(s):

VOA Sample Preservation - Date/Time VOAs Frozen:



DATA VERIFICATION REPORT

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30167538.402.04 off-site

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 195663-1

Sample date: 2023-11-13

Report received by CADENA: 2023-11-28

Initial Data Verification completed by CADENA: 2023-11-28

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

GCMS VOC SIM QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 195663-1

Sample Name:	TRIP BLANK_133	MW-166S_111323
Lab Sample ID:	2401956631	2401956632
Sample Date:	11/13/2023	11/13/2023

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier	
		Result	Limit			Result	Limit			
GC/MS VOC										
<u>OSW-8260D</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
<u>OSW-8260DSIM</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	

Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-195663-1

CADENA Verification Report: 2023-11-28

Analyses Performed By:
Eurofins Cleveland
Barberton, Ohio

Report # 52166R
Review Level: Tier III
Project: 30167538.402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-195663-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_133	240-195663-1	Water	11/13/2023		X	
MW-166S_111323	240-195663-2	Water	11/13/2023		X	X

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
TRIP BLANK_133	Continuous Calibration Verification %D	Vinyl chloride	+27.4%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 ¹	Non-detect	R
		Detect	J
	RRF >0.05 or RRF >0.01 ¹	Non-detect	No Action
		Detect	

DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

¹RRF of 0.01 only applies to compounds which are typically poor responding compounds

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Dilip Kumar

SIGNATURE: 

DATE: December 15, 2023

PEER REVIEW: Andrew Korycinski

DATE: December 18, 2023

CHAIN OF CUSTODY

**CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Lab					
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DeMonico		COC No:					
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396		1 of 1					
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses		For lab use only					
Phone: 248-994-2240		Sampler Name: Aldina Pitera				TAT if different from below				1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM		Walk-in client					
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:				<input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Lab sampling					
Project Number: 30167538.402.04		Shipping/Tracking No:				Filtered Sample (Y/N) Composite-C / Grab-G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Job/SDG No:							
PO # 30167538.402.04										Sample Spec							
Sample Identification		Sample Date		Sample Time		Matrix					Containers & Preservatives					Special Inst	
						Air Aqueous Sediment Solid Other: H2SO4 HNO3 HCl NaOH ZnAc NaOH Unpres Other:											
TRIP BLANK_133		---		---		1					1					1 Trip Blani	
MW-1665_11323		11/13/23		1330		6					6					3 VOAs for 8; 3 VOAs for 8;	



Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Special Instructions/QC Requirements & Comments:							
Sample Address: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested.							
12147 Stark Rd.							
Relinquished by: Aldina Pitera		Company: Arcadis		Date/Time: 11/15/23 1330		Received by: Novi Cold Storage	
Relinquished by: [Signature]		Company: Arcadis		Date/Time: 11/16/23 0845		Received by: [Signature]	
Relinquished by: [Signature]		Company: EETA		Date/Time: 11/16/23 10120		Received in Laboratory by: [Signature]	
						Company: EETA	
						Company: EC	
						Date/Time: 11/15/23 1330	
						Date/Time: 10/16/23 10115	
						Date/Time: 11-17-23 940	

Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195663-1

Client Sample ID: TRIP BLANK_133

Lab Sample ID: 240-195663-1

Date Collected: 11/13/23 00:00

Matrix: Water

Date Received: 11/17/23 09:40

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 20:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 20:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 20:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 20:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 20:15	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/23 20:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		11/22/23 20:15	1
4-Bromofluorobenzene (Surr)	92		56 - 136		11/22/23 20:15	1
Toluene-d8 (Surr)	107		78 - 122		11/22/23 20:15	1
Dibromofluoromethane (Surr)	81		73 - 120		11/22/23 20:15	1

Client Sample ID: MW-166S_111323

Lab Sample ID: 240-195663-2

Date Collected: 11/13/23 13:30

Matrix: Water

Date Received: 11/17/23 09:40

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/23 04:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		66 - 120		11/25/23 04:42	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/23 05:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/23 05:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 05:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/23 05:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/23 05:51	1
Vinyl chloride	1.0	UU	1.0	0.45	ug/L			11/22/23 05:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		11/22/23 05:51	1
4-Bromofluorobenzene (Surr)	98		56 - 136		11/22/23 05:51	1
Toluene-d8 (Surr)	101		78 - 122		11/22/23 05:51	1
Dibromofluoromethane (Surr)	102		73 - 120		11/22/23 05:51	1