

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/1/2023 5:35:10 AM

## JOB DESCRIPTION

Ford LTP - On Site

## JOB NUMBER

240-195749-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
12/1/2023 5:35:10 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	18
Chain of Custody . . . . .	19

# Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

---

**Job ID: 240-195749-1**

---

**Laboratory: Eurofins Cleveland**

## Narrative

---

### Job Narrative 240-195749-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 11/18/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.7°C

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-195749-1	TRIP BLANK_20	Water	11/16/23 00:00	11/18/23 08:00
240-195749-2	PW-16-01_111623	Water	11/16/23 15:04	11/18/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

**Client Sample ID: TRIP BLANK\_20**

**Lab Sample ID: 240-195749-1**

No Detections.

**Client Sample ID: PW-16-01\_111623**

**Lab Sample ID: 240-195749-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.95	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	60		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	5.8		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	690		20	9.0	ug/L	20		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

**Client Sample ID: TRIP BLANK\_20**

**Lab Sample ID: 240-195749-1**

Date Collected: 11/16/23 00:00

Matrix: Water

Date Received: 11/18/23 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/23 18:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/23 18:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 18:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/23 18:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 18:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/23 18:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		11/26/23 18:42	1
4-Bromofluorobenzene (Surr)	84		56 - 136		11/26/23 18:42	1
Toluene-d8 (Surr)	104		78 - 122		11/26/23 18:42	1
Dibromofluoromethane (Surr)	104		73 - 120		11/26/23 18:42	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

**Client Sample ID: PW-16-01\_111623**

**Lab Sample ID: 240-195749-2**

Date Collected: 11/16/23 15:04

Matrix: Water

Date Received: 11/18/23 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.95	J	2.0	0.86	ug/L			11/29/23 14:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		66 - 120					11/29/23 14:02	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/23 22:28	1
cis-1,2-Dichloroethene	60		1.0	0.46	ug/L			11/26/23 22:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 22:28	1
trans-1,2-Dichloroethene	5.8		1.0	0.51	ug/L			11/26/23 22:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 22:28	1
Vinyl chloride	690		20	9.0	ug/L			11/27/23 21:52	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					11/26/23 22:28	1
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					11/27/23 21:52	20
4-Bromofluorobenzene (Surr)	83		56 - 136					11/26/23 22:28	1
4-Bromofluorobenzene (Surr)	81		56 - 136					11/27/23 21:52	20
Toluene-d8 (Surr)	105		78 - 122					11/26/23 22:28	1
Toluene-d8 (Surr)	104		78 - 122					11/27/23 21:52	20
Dibromofluoromethane (Surr)	102		73 - 120					11/26/23 22:28	1
Dibromofluoromethane (Surr)	100		73 - 120					11/27/23 21:52	20

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-195660-B-33 MS	Matrix Spike	106	97	109	105
240-195660-B-33 MSD	Matrix Spike Duplicate	107	99	107	105
240-195749-1	TRIP BLANK_20	111	84	104	104
240-195749-2	PW-16-01_111623	111	83	105	102
240-195749-2	PW-16-01_111623	110	81	104	100
240-195749-2 MS	PW-16-01_111623	102	98	109	99
240-195749-2 MSD	PW-16-01_111623	101	97	108	99
LCS 240-595705/5	Lab Control Sample	106	97	106	105
LCS 240-595841/5	Lab Control Sample	103	97	108	99
MB 240-595705/8	Method Blank	111	86	104	102
MB 240-595841/8	Method Blank	107	84	101	98

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-195693-D-6 MS	Matrix Spike	101
240-195693-I-6 MSD	Matrix Spike Duplicate	100
240-195749-2	PW-16-01_111623	100
LCS 240-595985/4	Lab Control Sample	93
MB 240-595985/6	Method Blank	92

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-595705/8

Matrix: Water

Analysis Batch: 595705

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/23 17:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/23 17:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 17:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/23 17:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/23 17:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/23 17:26	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		11/26/23 17:26	1
4-Bromofluorobenzene (Surr)	86		56 - 136		11/26/23 17:26	1
Toluene-d8 (Surr)	104		78 - 122		11/26/23 17:26	1
Dibromofluoromethane (Surr)	102		73 - 120		11/26/23 17:26	1

Lab Sample ID: LCS 240-595705/5

Matrix: Water

Analysis Batch: 595705

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	26.1		ug/L		105	63 - 134
cis-1,2-Dichloroethene	25.0	23.7		ug/L		95	77 - 123
Tetrachloroethene	25.0	26.8		ug/L		107	76 - 123
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124
Trichloroethene	25.0	24.9		ug/L		100	70 - 122
Vinyl chloride	12.5	11.0		ug/L		88	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

Lab Sample ID: 240-195660-B-33 MS

Matrix: Water

Analysis Batch: 595705

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	20	U	500	506		ug/L		101	56 - 135
cis-1,2-Dichloroethene	20	U	500	470		ug/L		94	66 - 128
Tetrachloroethene	20	U	500	498		ug/L		100	62 - 131
trans-1,2-Dichloroethene	20	U	500	467		ug/L		93	56 - 136
Trichloroethene	32		500	501		ug/L		94	61 - 124
Vinyl chloride	20	U	250	236		ug/L		94	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	109		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-195660-B-33 MS**  
**Matrix: Water**  
**Analysis Batch: 595705**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	105		73 - 120

**Lab Sample ID: 240-195660-B-33 MSD**  
**Matrix: Water**  
**Analysis Batch: 595705**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
				Result	Qualifier						
1,1-Dichloroethene	20	U	500	511		ug/L		102	56 - 135	1	26
cis-1,2-Dichloroethene	20	U	500	471		ug/L		94	66 - 128	0	14
Tetrachloroethene	20	U	500	507		ug/L		101	62 - 131	2	20
trans-1,2-Dichloroethene	20	U	500	476		ug/L		95	56 - 136	2	15
Trichloroethene	32		500	508		ug/L		95	61 - 124	1	15
Vinyl chloride	20	U	250	225		ug/L		90	43 - 157	4	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	107		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

**Lab Sample ID: MB 240-595841/8**  
**Matrix: Water**  
**Analysis Batch: 595841**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		11/27/23 18:31	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		11/27/23 18:31	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		11/27/23 18:31	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		11/27/23 18:31	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		11/27/23 18:31	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		11/27/23 18:31	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	107		62 - 137		11/27/23 18:31	1
4-Bromofluorobenzene (Surr)	84		56 - 136		11/27/23 18:31	1
Toluene-d8 (Surr)	101		78 - 122		11/27/23 18:31	1
Dibromofluoromethane (Surr)	98		73 - 120		11/27/23 18:31	1

**Lab Sample ID: LCS 240-595841/5**  
**Matrix: Water**  
**Analysis Batch: 595841**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	24.4		ug/L		97	63 - 134
cis-1,2-Dichloroethene	25.0	22.5		ug/L		90	77 - 123
Tetrachloroethene	25.0	27.1		ug/L		109	76 - 123
trans-1,2-Dichloroethene	25.0	23.2		ug/L		93	75 - 124
Trichloroethene	25.0	23.4		ug/L		94	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-595841/5

Matrix: Water

Analysis Batch: 595841

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	10.5		ug/L		84	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	108		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-195749-2 MS

Matrix: Water

Analysis Batch: 595841

Client Sample ID: PW-16-01\_111623

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20	U	500	473		ug/L		95	56 - 135
cis-1,2-Dichloroethene	49		500	496		ug/L		89	66 - 128
Tetrachloroethene	20	U	500	494		ug/L		99	62 - 131
trans-1,2-Dichloroethene	20	U	500	447		ug/L		89	56 - 136
Trichloroethene	20	U	500	435		ug/L		87	61 - 124
Vinyl chloride	690		250	900		ug/L		83	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	109		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-195749-2 MSD

Matrix: Water

Analysis Batch: 595841

Client Sample ID: PW-16-01\_111623

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	20	U	500	470		ug/L		94	56 - 135	1	26
cis-1,2-Dichloroethene	49		500	482		ug/L		87	66 - 128	3	14
Tetrachloroethene	20	U	500	479		ug/L		96	62 - 131	3	20
trans-1,2-Dichloroethene	20	U	500	445		ug/L		89	56 - 136	0	15
Trichloroethene	20	U	500	431		ug/L		86	61 - 124	1	15
Vinyl chloride	690		250	893		ug/L		80	43 - 157	1	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	108		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-595985/6**  
**Matrix: Water**  
**Analysis Batch: 595985**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/23 05:13	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		66 - 120					11/29/23 05:13	1

**Lab Sample ID: LCS 240-595985/4**  
**Matrix: Water**  
**Analysis Batch: 595985**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.3		ug/L		103	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	93		66 - 120				

**Lab Sample ID: 240-195693-D-6 MS**  
**Matrix: Water**  
**Analysis Batch: 595985**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.9		ug/L		109	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	101		66 - 120						

**Lab Sample ID: 240-195693-I-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 595985**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.1		ug/L		111	51 - 153	2	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	100		66 - 120								

# QC Association Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## GC/MS VOA

### Analysis Batch: 595705

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195749-1	TRIP BLANK_20	Total/NA	Water	8260D	
240-195749-2	PW-16-01_111623	Total/NA	Water	8260D	
MB 240-595705/8	Method Blank	Total/NA	Water	8260D	
LCS 240-595705/5	Lab Control Sample	Total/NA	Water	8260D	
240-195660-B-33 MS	Matrix Spike	Total/NA	Water	8260D	
240-195660-B-33 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 595841

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195749-2	PW-16-01_111623	Total/NA	Water	8260D	
MB 240-595841/8	Method Blank	Total/NA	Water	8260D	
LCS 240-595841/5	Lab Control Sample	Total/NA	Water	8260D	
240-195749-2 MS	PW-16-01_111623	Total/NA	Water	8260D	
240-195749-2 MSD	PW-16-01_111623	Total/NA	Water	8260D	

### Analysis Batch: 595985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195749-2	PW-16-01_111623	Total/NA	Water	8260D SIM	
MB 240-595985/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-595985/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-195693-D-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-195693-I-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	



# Lab Chronicle

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

**Client Sample ID: TRIP BLANK\_20**

**Lab Sample ID: 240-195749-1**

Date Collected: 11/16/23 00:00

Matrix: Water

Date Received: 11/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	595705	CDG	EET CLE	11/26/23 18:42

**Client Sample ID: PW-16-01\_111623**

**Lab Sample ID: 240-195749-2**

Date Collected: 11/16/23 15:04

Matrix: Water

Date Received: 11/18/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	595705	CDG	EET CLE	11/26/23 22:28
Total/NA	Analysis	8260D		20	595841	CDG	EET CLE	11/27/23 21:52
Total/NA	Analysis	8260D SIM		1	595985	CS	EET CLE	11/29/23 14:02

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195749-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



3.6 14.7

Chain of Custody Record

TestAmerica  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact  
Company Name: Arcadis  
Address: 28550 Cabot Drive, Suite 500  
City/State/Zip: Novi, MI, 48377  
Phone: 248-994-2240  
Project Name: Ford LTP On-Site  
Project Number: 30146655.401.03  
PO # 30146655.401.03

Client Project Manager: Kris Hinskey  
Site Contact: Christina Weaver  
Telephone: 248-994-2240  
Email: kristoffer.hinskey@arcadis.com

Lab Contact: Mike DelMontico  
Telephone: 330-497-9396

Sampler Name: Nolan Schendel  
Method of Shipment/Carrier:  
Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite C / Grab G	Analyses						Sample Specific Notes / Special Instructions:	
			Air	Aqueous	Sediment	Solid	H2SO4	HNO3	HCl	NaOH			ZnAc	LiPres	Other:	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B		PCE 8260B
TRIP BLANK_ 20	---	---	1																	1 Trip Blank
Pw-16-01-11/623	11/16/23	1504	6																	3 VOAs for 8260B 3 VOAs for 8260B SIM



Possible Hazard Identification  
 Non-Hazard  Flammable  Irritant  Poison B  Unknown

Special Instructions/QC Requirements & Comments:  
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728  
Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Nolan Schendel	Arcadis	11/17/23 0700	Novi Cold Storage	Arcadis	11/17/23 0700
Jammer Shuy	Arcadis	11/17/23 1150	[Signature]	EETA	11/17/23 1150
[Signature]	EETA	11/17/23 1150	Alisa Atkey	EETA	11-18-23 0800



Eurofins - Cleveland Sample Receipt Form/Narrative  
Barberton Facility

Login #: 195749

Client Arcadis Site Name \_\_\_\_\_  
Cooler Received on 11-18-23 Opened on 11-18-23  
FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other  
Cooler unpacked by: Alissa Peterson

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN # 22 (CPT 1.1 °C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 4.7 °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
  - Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA
  - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA
  - Were tamper/custody seals intact and uncompromised? Yes  No  NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes  No
- 4. Did custody papers accompany the sample(s)? Yes  No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes  No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes  No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes  No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes  No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes  No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes  No
- 11. Sufficient quantity received to perform indicated analyses? Yes  No
- 12. Are these work share samples and all listed on the COC? Yes  No
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA  pH Strip Lot# HC316719
- 14. Were VOAs on the COC? Yes  No  NA
- 15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes  No  NA
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 62225 Yes  No
- 17. Was a LL Hg or Me Hg trip blank present? Yes  No

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

# DATA VERIFICATION REPORT



December 01, 2023

Kris Hinskey  
Arcadis of Michigan  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil  
Project number: 30167538.401.03- onsite groundwater  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 195749-1  
Sample date: 2023-11-16  
Report received by CADENA: 2023-12-01  
Initial Data Verification completed by CADENA: 2023-12-01  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 195749-1

<b>Sample Name:</b>	TRIP BLANK_20	PW-16-01_111623
<b>Lab Sample ID:</b>	2401957491	2401957492
<b>Sample Date:</b>	11/16/2023	11/16/2023

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	60	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	5.8	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	690	20	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					0.95	2.0	ug/l	J