

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
ARCADIS US Inc  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/4/2023 8:55:14 AM Revision 1

## JOB DESCRIPTION

Ford LTP - On Site

## JOB NUMBER

240-195973-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396

Generated  
12/4/2023 8:55:14 AM  
Revision 1



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	17
Lab Chronicle . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20

# Definitions/Glossary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

---

## Job ID: 240-195973-1

---

### Laboratory: Eurofins Cleveland

#### Narrative

---

#### Job Narrative 240-195973-1

Report revised on 12/4/2023 to correct the data for 8260D.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 11/25/2023 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.7°C

#### GC/MS VOA

Method 8260D: The MS/MSD for batch 596033 is not reported because of incorrect spiking in the MS, the MS/MSD will be reported on another analytical batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Method Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-195973-1	TRIP BLANK_101	Water	11/21/23 00:00	11/25/23 10:00
240-195973-2	MW-55_112123	Water	11/21/23 10:50	11/25/23 10:00
240-195973-3	MW-55D_112123	Water	11/21/23 12:00	11/25/23 10:00
240-195973-4	MW-219S_112123	Water	11/21/23 09:30	11/25/23 10:00
240-195973-5	MW-113_112123	Water	11/21/23 14:10	11/25/23 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-195973-1**

No Detections.

**Client Sample ID: MW-55\_112123**

**Lab Sample ID: 240-195973-2**

No Detections.

**Client Sample ID: MW-55D\_112123**

**Lab Sample ID: 240-195973-3**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.1	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA

**Client Sample ID: MW-219S\_112123**

**Lab Sample ID: 240-195973-4**

No Detections.

**Client Sample ID: MW-113\_112123**

**Lab Sample ID: 240-195973-5**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-195973-1**

**Date Collected: 11/21/23 00:00**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 17:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 17:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 17:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 17:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 17:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 17:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		62 - 137		11/29/23 17:24	1
4-Bromofluorobenzene (Surr)	83		56 - 136		11/29/23 17:24	1
Toluene-d8 (Surr)	101		78 - 122		11/29/23 17:24	1
Dibromofluoromethane (Surr)	88		73 - 120		11/29/23 17:24	1

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: MW-55\_112123**

**Lab Sample ID: 240-195973-2**

Date Collected: 11/21/23 10:50

Matrix: Water

Date Received: 11/25/23 10:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/23 22:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 120		11/29/23 22:43	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 19:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 19:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 19:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 19:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 19:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 19:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137		11/29/23 19:57	1
4-Bromofluorobenzene (Surr)	83		56 - 136		11/29/23 19:57	1
Toluene-d8 (Surr)	104		78 - 122		11/29/23 19:57	1
Dibromofluoromethane (Surr)	88		73 - 120		11/29/23 19:57	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: MW-55D\_112123**

**Lab Sample ID: 240-195973-3**

Date Collected: 11/21/23 12:00

Matrix: Water

Date Received: 11/25/23 10:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.1	J	2.0	0.86	ug/L			11/29/23 23:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 120					11/29/23 23:07	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 20:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 20:22	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 20:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 20:22	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 20:22	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 20:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137					11/29/23 20:22	1
4-Bromofluorobenzene (Surr)	82		56 - 136					11/29/23 20:22	1
Toluene-d8 (Surr)	102		78 - 122					11/29/23 20:22	1
Dibromofluoromethane (Surr)	91		73 - 120					11/29/23 20:22	1

# Client Sample Results

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: MW-219S\_112123**

**Lab Sample ID: 240-195973-4**

Date Collected: 11/21/23 09:30

Matrix: Water

Date Received: 11/25/23 10:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/23 23:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		66 - 120		11/29/23 23:31	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 20:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 20:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 20:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 20:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 20:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 20:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137		11/29/23 20:48	1
4-Bromofluorobenzene (Surr)	82		56 - 136		11/29/23 20:48	1
Toluene-d8 (Surr)	100		78 - 122		11/29/23 20:48	1
Dibromofluoromethane (Surr)	88		73 - 120		11/29/23 20:48	1

# Client Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: MW-113\_112123**

**Lab Sample ID: 240-195973-5**

Date Collected: 11/21/23 14:10

Matrix: Water

Date Received: 11/25/23 10:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/23 23:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		66 - 120		11/29/23 23:55	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 21:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 21:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 21:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 21:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 21:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 21:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137		11/29/23 21:13	1
4-Bromofluorobenzene (Surr)	83		56 - 136		11/29/23 21:13	1
Toluene-d8 (Surr)	101		78 - 122		11/29/23 21:13	1
Dibromofluoromethane (Surr)	89		73 - 120		11/29/23 21:13	1

# Surrogate Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-195973-1	TRIP BLANK_101	82	83	101	88
240-195973-2	MW-55_112123	84	83	104	88
240-195973-3	MW-55D_112123	85	82	102	91
240-195973-4	MW-219S_112123	84	82	100	88
240-195973-5	MW-113_112123	84	83	101	89
LCS 240-596033/6	Lab Control Sample	81	92	106	89
MB 240-596033/10	Method Blank	84	87	104	88

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-195972-I-4 MS	Matrix Spike	105
240-195972-M-4 MSD	Matrix Spike Duplicate	104
240-195973-2	MW-55_112123	105
240-195973-3	MW-55D_112123	103
240-195973-4	MW-219S_112123	106
240-195973-5	MW-113_112123	107
LCS 240-596116/4	Lab Control Sample	104
MB 240-596116/6	Method Blank	106

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-596033/10**  
**Matrix: Water**  
**Analysis Batch: 596033**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/23 13:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/23 13:34	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 13:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/23 13:34	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/23 13:34	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/23 13:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137		11/29/23 13:34	1
4-Bromofluorobenzene (Surr)	87		56 - 136		11/29/23 13:34	1
Toluene-d8 (Surr)	104		78 - 122		11/29/23 13:34	1
Dibromofluoromethane (Surr)	88		73 - 120		11/29/23 13:34	1

**Lab Sample ID: LCS 240-596033/6**  
**Matrix: Water**  
**Analysis Batch: 596033**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	20.9		ug/L		104	63 - 134
cis-1,2-Dichloroethene	20.0	20.1		ug/L		100	77 - 123
Tetrachloroethene	20.0	21.3		ug/L		106	76 - 123
trans-1,2-Dichloroethene	20.0	20.3		ug/L		102	75 - 124
Trichloroethene	20.0	18.8		ug/L		94	70 - 122
Vinyl chloride	20.0	16.6		ug/L		83	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	89		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-596116/6**  
**Matrix: Water**  
**Analysis Batch: 596116**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/29/23 19:46	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		66 - 120		11/29/23 19:46	1

Eurofins Cleveland

# QC Sample Results

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-596116/4**  
**Matrix: Water**  
**Analysis Batch: 596116**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.93		ug/L		99	80 - 122
<b>Surrogate</b>							
	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	104		66 - 120				

**Lab Sample ID: 240-195972-I-4 MS**  
**Matrix: Water**  
**Analysis Batch: 596116**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	51 - 153
<b>Surrogate</b>									
	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	105		66 - 120						

**Lab Sample ID: 240-195972-M-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 596116**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.79		ug/L		98	51 - 153	3	16
<b>Surrogate</b>											
	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	104		66 - 120								



# QC Association Summary

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## GC/MS VOA

### Analysis Batch: 596033

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195973-1	TRIP BLANK_101	Total/NA	Water	8260D	
240-195973-2	MW-55_112123	Total/NA	Water	8260D	
240-195973-3	MW-55D_112123	Total/NA	Water	8260D	
240-195973-4	MW-219S_112123	Total/NA	Water	8260D	
240-195973-5	MW-113_112123	Total/NA	Water	8260D	
MB 240-596033/10	Method Blank	Total/NA	Water	8260D	
LCS 240-596033/6	Lab Control Sample	Total/NA	Water	8260D	

### Analysis Batch: 596116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195973-2	MW-55_112123	Total/NA	Water	8260D SIM	
240-195973-3	MW-55D_112123	Total/NA	Water	8260D SIM	
240-195973-4	MW-219S_112123	Total/NA	Water	8260D SIM	
240-195973-5	MW-113_112123	Total/NA	Water	8260D SIM	
MB 240-596116/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-596116/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-195972-I-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-195972-M-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: ARCADIS US Inc  
Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-195973-1**

**Date Collected: 11/21/23 00:00**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	596033	MRL	EET CLE	11/29/23 17:24

**Client Sample ID: MW-55\_112123**

**Lab Sample ID: 240-195973-2**

**Date Collected: 11/21/23 10:50**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	596033	MRL	EET CLE	11/29/23 19:57
Total/NA	Analysis	8260D SIM		1	596116	TJL2	EET CLE	11/29/23 22:43

**Client Sample ID: MW-55D\_112123**

**Lab Sample ID: 240-195973-3**

**Date Collected: 11/21/23 12:00**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	596033	MRL	EET CLE	11/29/23 20:22
Total/NA	Analysis	8260D SIM		1	596116	TJL2	EET CLE	11/29/23 23:07

**Client Sample ID: MW-219S\_112123**

**Lab Sample ID: 240-195973-4**

**Date Collected: 11/21/23 09:30**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	596033	MRL	EET CLE	11/29/23 20:48
Total/NA	Analysis	8260D SIM		1	596116	TJL2	EET CLE	11/29/23 23:31

**Client Sample ID: MW-113\_112123**

**Lab Sample ID: 240-195973-5**

**Date Collected: 11/21/23 14:10**

**Matrix: Water**

**Date Received: 11/25/23 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	596033	MRL	EET CLE	11/29/23 21:13
Total/NA	Analysis	8260D SIM		1	596116	TJL2	EET CLE	11/29/23 23:55

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS US Inc  
 Project/Site: Ford LTP - On Site

Job ID: 240-195973-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



2.7.7

# MICHIGAN 190

## Chain of Custody Record

TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240

Regulatory program:  DW  NPDES  RCRA  Other

Client Project Manager: Kris Hinskey  
 Telephone: 248-994-2240  
 Email: krisfor@hinskey@arcadis.com

Site Contact: Christina Weaver  
 Telephone: 310-497-9396

Project Name: Ford LTP On-Site  
 Project Number: 30146655.401.03  
 PO # 30146655.401.03

Sample Identification	Sample Date	Sample Time	Matrix					Container & Preservatives						Filtered Sample (Y/N)	Analyses						Sample Specific Notes / Special Instructions:				
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	Unpres		Other:	1,1-DCE 8260B	1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B		Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM		
TRIP BLANK_ 101	11/21/23	---	1																						1 Trip Blank
MW-55-112123	11/21/23	10:50																							3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-550-112123	11/21/23	12:00																							
MW-2195-112123	11/21/23	09:30																							
MW-113-112123	11/21/23	14:10																							



240-195973 Chain of Custody

Possible Hazard Identification  
 Non-Hazard  Irritable  In Irritant  Poison B  Unknown

Special Instructions/QC Requirements & Comments:  
 Sample Disposal (A fee may be assessed if sample is returned to client)  Disposal By Lab  Return to Client  Archive For \_\_\_\_\_ Months

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Kent Kasper	Arcadis	11/21/23 1710	Nov. Cold Storage	Arcadis	11/21/23 1710
[Signature]	ARCADIS	11/22/23 1400	P. A. Alward	EETA	11/22/23 1406
[Signature]	EETA	11/23/23 1406	[Signature]	EETA	11-25-23 1000

Eurofins - Cleveland Sample Receipt Form/Narrative

Login # : \_\_\_\_\_

Barberton Facility

Client Arcadis Site Name Ford LTP

Cooler unpacked by: (Signature)

Cooler Received on 11-25-23 Opened on 11-27-23

FedEx: 1<sup>st</sup> Grd  UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # 2 Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form

IR GUN # 21 (CF +0.2 °C) Observed Cooler Temp. 2.5 °C Corrected Cooler Temp. 2.7 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes No

-Were the seals on the outside of the cooler(s) signed & dated?  Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No NA

-Were tamper/custody seals intact and uncompromised?  Yes No NA

3. Shippers' packing slip attached to the cooler(s)?  Yes No

4. Did custody papers accompany the sample(s)?  Yes No

5. Were the custody papers relinquished & signed in the appropriate place?  Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes No

7. Did all bottles arrive in good condition (Unbroken)?  Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes No

9. For each sample, does the COC specify preservatives  (Y/N), # of containers  (Y/N), and sample type of grab/comp  (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated?  Yes No

11. Sufficient quantity received to perform indicated analyses?  Yes No

12. Are these work share samples and all listed on the COC? Yes  No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No  NA pH Strip Lot# HC316719

14. Were VOAs on the COC?  Yes No

15. Were air bubbles >6 mm in any VOA vials?  Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered  Yes No

17. Was a LL Hg or Me Hg trip blank present? Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) 3x40 for SSD, 1x40 for MW-219S were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



# DATA VERIFICATION REPORT

December 04, 2023

Kris Hinskey  
Arcadis of Michigan  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil  
Project number: 30167538.401.03- onsite groundwater  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 195973-1  
Sample date: 2023-11-21  
Report received by CADENA: 2023-12-01  
Initial Data Verification completed by CADENA: 2023-12-01  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

Revision: This report was corrected to eliminate trip blank detections.

There were no minor QC exceptions or missing information noted.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.



## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 195973-1

Analyte	Cas No.	Sample Name: TRIP BLANK_101				Sample Name: MW-55_112123				Sample Name: MW-55D_112123				Sample Name: MW-219S_112123				Sample Name: MW-113_112123			
		Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid	Result	Limit	Units	Valid
<b>GC/MS VOC</b>																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	1.1	2.0	ug/l	J	ND	2.0	ug/l	---	ND	2.0	ug/l	---