

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
ARCADIS US Inc
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 11/27/2023 4:35:52 AM

JOB DESCRIPTION

Ford LTP - Off Site

JOB NUMBER

240-195202-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/27/2023 4:35:52 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20



Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Job ID: 240-195202-1

Laboratory: Eurofins Cleveland

Narrative

**Job Narrative
240-195202-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/10/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.7°C and 2.9°C

GC/MS VOA

Method 8260D_SIM: The following sample was analyzed outside of analytical holding time due to instrument malfunction: MW-98S_110623 (240-195202-3).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-195202-1	TRIP BLANK_44	Water	11/06/23 00:00	11/10/23 08:00
240-195202-2	MW-138S_110623	Water	11/06/23 15:40	11/10/23 08:00
240-195202-3	MW-98S_110623	Water	11/06/23 16:55	11/10/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-195202-1

No Detections.

Client Sample ID: MW-138S_110623

Lab Sample ID: 240-195202-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.1		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-98S_110623

Lab Sample ID: 240-195202-3

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-195202-1

Date Collected: 11/06/23 00:00

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 17:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 17:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 17:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 17:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 17:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 17:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		11/16/23 17:30	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/16/23 17:30	1
Toluene-d8 (Surr)	99		78 - 122		11/16/23 17:30	1
Dibromofluoromethane (Surr)	94		73 - 120		11/16/23 17:30	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: MW-138S_110623

Lab Sample ID: 240-195202-2

Date Collected: 11/06/23 15:40

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/23 23:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		66 - 120					11/20/23 23:56	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 07:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 07:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 07:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 07:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 07:59	1
Vinyl chloride	1.1		1.0	0.45	ug/L			11/16/23 07:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					11/16/23 07:59	1
4-Bromofluorobenzene (Surr)	98		56 - 136					11/16/23 07:59	1
Toluene-d8 (Surr)	102		78 - 122					11/16/23 07:59	1
Dibromofluoromethane (Surr)	96		73 - 120					11/16/23 07:59	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: MW-98S_110623

Lab Sample ID: 240-195202-3

Date Collected: 11/06/23 16:55

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U H	2.0	0.86	ug/L			11/21/23 00:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		66 - 120					11/21/23 00:20	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 08:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 08:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 08:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 08:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 08:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 08:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137					11/16/23 08:24	1
4-Bromofluorobenzene (Surr)	95		56 - 136					11/16/23 08:24	1
Toluene-d8 (Surr)	99		78 - 122					11/16/23 08:24	1
Dibromofluoromethane (Surr)	94		73 - 120					11/16/23 08:24	1

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-195201-F-2 MS	Matrix Spike	93	102	102	95
240-195201-I-2 MSD	Matrix Spike Duplicate	93	101	105	95
240-195202-1	TRIP BLANK_44	94	95	99	94
240-195202-2	MW-138S_110623	94	98	102	96
240-195202-3	MW-98S_110623	93	95	99	94
240-195206-D-2 MS	Matrix Spike	93	103	105	96
240-195206-I-2 MSD	Matrix Spike Duplicate	92	99	106	96
LCS 240-594741/5	Lab Control Sample	94	102	105	97
LCS 240-594812/5	Lab Control Sample	90	100	101	94
MB 240-594741/9	Method Blank	93	93	102	95
MB 240-594812/9	Method Blank	93	98	103	94

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-195156-E-37 MS	Matrix Spike	97
240-195156-E-37 MSD	Matrix Spike Duplicate	98
240-195202-2	MW-138S_110623	96
240-195202-3	MW-98S_110623	98
LCS 240-595335/13	Lab Control Sample	102
MB 240-595335/14	Method Blank	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-594741/9

Matrix: Water

Analysis Batch: 594741

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 04:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 04:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 04:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 04:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 04:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 04:10	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		11/16/23 04:10	1
4-Bromofluorobenzene (Surr)	93		56 - 136		11/16/23 04:10	1
Toluene-d8 (Surr)	102		78 - 122		11/16/23 04:10	1
Dibromofluoromethane (Surr)	95		73 - 120		11/16/23 04:10	1

Lab Sample ID: LCS 240-594741/5

Matrix: Water

Analysis Batch: 594741

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	19.9		ug/L		100	63 - 134
cis-1,2-Dichloroethene	20.0	18.1		ug/L		90	77 - 123
Tetrachloroethene	20.0	17.1		ug/L		86	76 - 123
trans-1,2-Dichloroethene	20.0	18.8		ug/L		94	75 - 124
Trichloroethene	20.0	18.6		ug/L		93	70 - 122
Vinyl chloride	20.0	23.1		ug/L		116	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-195201-F-2 MS

Matrix: Water

Analysis Batch: 594741

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	18.7		ug/L		93	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	16.7		ug/L		84	66 - 128
Tetrachloroethene	1.0	U	20.0	15.7		ug/L		79	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	17.3		ug/L		87	56 - 136
Trichloroethene	1.0	U	20.0	15.6		ug/L		78	61 - 124
Vinyl chloride	1.0	U	20.0	22.4		ug/L		112	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	102		78 - 122

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-195201-F-2 MS
Matrix: Water
Analysis Batch: 594741

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-195201-I-2 MSD
Matrix: Water
Analysis Batch: 594741

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1,1-Dichloroethene	1.0	U	20.0	19.9		ug/L		100	56 - 135	7	26
cis-1,2-Dichloroethene	1.0	U	20.0	17.9		ug/L		90	66 - 128	7	14
Tetrachloroethene	1.0	U	20.0	16.5		ug/L		82	62 - 131	5	20
trans-1,2-Dichloroethene	1.0	U	20.0	18.5		ug/L		93	56 - 136	7	15
Trichloroethene	1.0	U	20.0	16.4		ug/L		82	61 - 124	5	15
Vinyl chloride	1.0	U	20.0	22.4		ug/L		112	43 - 157	0	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: MB 240-594812/9
Matrix: Water
Analysis Batch: 594812

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 15:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 15:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 15:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 15:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 15:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 15:23	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		11/16/23 15:23	1
4-Bromofluorobenzene (Surr)	98		56 - 136		11/16/23 15:23	1
Toluene-d8 (Surr)	103		78 - 122		11/16/23 15:23	1
Dibromofluoromethane (Surr)	94		73 - 120		11/16/23 15:23	1

Lab Sample ID: LCS 240-594812/5
Matrix: Water
Analysis Batch: 594812

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	20.0	20.7		ug/L		104	63 - 134
cis-1,2-Dichloroethene	20.0	18.5		ug/L		93	77 - 123
Tetrachloroethene	20.0	19.2		ug/L		96	76 - 123
trans-1,2-Dichloroethene	20.0	19.5		ug/L		97	75 - 124
Trichloroethene	20.0	18.4		ug/L		92	70 - 122

Eurofins Cleveland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-594812/5

Matrix: Water

Analysis Batch: 594812

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	20.0	23.2		ug/L		116	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 240-195206-D-2 MS

Matrix: Water

Analysis Batch: 594812

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	20.9		ug/L		105	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	18.3		ug/L		92	66 - 128
Tetrachloroethene	1.0	U	20.0	19.2		ug/L		96	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	56 - 136
Trichloroethene	1.0	U	20.0	17.9		ug/L		89	61 - 124
Vinyl chloride	1.0	U	20.0	23.6		ug/L		118	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-195206-I-2 MSD

Matrix: Water

Analysis Batch: 594812

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	20.4		ug/L		102	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	66 - 128	2	14
Tetrachloroethene	1.0	U	20.0	18.9		ug/L		95	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.2		ug/L		96	56 - 136	2	15
Trichloroethene	1.0	U	20.0	17.4		ug/L		87	61 - 124	3	15
Vinyl chloride	1.0	U	20.0	23.4		ug/L		117	43 - 157	1	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

QC Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-595335/14
Matrix: Water
Analysis Batch: 595335

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/23 23:08	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		66 - 120					11/20/23 23:08	1

Lab Sample ID: LCS 240-595335/13
Matrix: Water
Analysis Batch: 595335

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.84		ug/L		98	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	102		66 - 120				

Lab Sample ID: 240-195156-E-37 MS
Matrix: Water
Analysis Batch: 595335

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	44		10.0	56.0	4	ug/L		122	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	97		66 - 120						

Lab Sample ID: 240-195156-E-37 MSD
Matrix: Water
Analysis Batch: 595335

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	44		10.0	56.3	4	ug/L		124	51 - 153	1	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	98		66 - 120								

QC Association Summary

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

GC/MS VOA

Analysis Batch: 594741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195202-2	MW-138S_110623	Total/NA	Water	8260D	
240-195202-3	MW-98S_110623	Total/NA	Water	8260D	
MB 240-594741/9	Method Blank	Total/NA	Water	8260D	
LCS 240-594741/5	Lab Control Sample	Total/NA	Water	8260D	
240-195201-F-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-195201-I-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 594812

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195202-1	TRIP BLANK_44	Total/NA	Water	8260D	
MB 240-594812/9	Method Blank	Total/NA	Water	8260D	
LCS 240-594812/5	Lab Control Sample	Total/NA	Water	8260D	
240-195206-D-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-195206-I-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 595335

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-195202-2	MW-138S_110623	Total/NA	Water	8260D SIM	
240-195202-3	MW-98S_110623	Total/NA	Water	8260D SIM	
MB 240-595335/14	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-595335/13	Lab Control Sample	Total/NA	Water	8260D SIM	
240-195156-E-37 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-195156-E-37 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-195202-1

Date Collected: 11/06/23 00:00

Matrix: Water

Date Received: 11/10/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	594812	AJS	EET CLE	11/16/23 17:30

Client Sample ID: MW-138S_110623

Lab Sample ID: 240-195202-2

Date Collected: 11/06/23 15:40

Matrix: Water

Date Received: 11/10/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	594741	AJS	EET CLE	11/16/23 07:59
Total/NA	Analysis	8260D SIM		1	595335	CS	EET CLE	11/20/23 23:56

Client Sample ID: MW-98S_110623

Lab Sample ID: 240-195202-3

Date Collected: 11/06/23 16:55

Matrix: Water

Date Received: 11/10/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	594741	AJS	EET CLE	11/16/23 08:24
Total/NA	Analysis	8260D SIM		1	595335	CS	EET CLE	11/21/23 00:20

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377

Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377

Phone: 248-994-2240

Project Name: Ford LTP OH-Site
Project Number: 30167538-402.04

PO # 30167538-402.04

Client Project Manager: Kris Hinskey
Telephone: 248-994-2240

Site Contact: Christina Weaver
Telephone: 248-994-2240

Lab Contact: Mike DelMonico
Telephone: 330-497-9396

TestAmerica Laboratories, Inc.
COC No: 1 of 1 COCS

Sampler Name: Alana P. Pera

Method of Shipment/Carrier: 10 day

Shipping/Tracking No: ---

Analyses Turnaround Time
TAT at different from below
3 weeks
2 weeks
1 week
2 days
1 day

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite C/Grab-G	Analyses						Sample Specific Notes / Special Instructions:					
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl			NaOH	NaOH	Uprts	Other:	1-DCE 8260D	cis-1,2-DCE 8260D		Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM
TRIP BLANK_44	---	---	1																					1 Trip Blank
MW-1385-110623	11/06/23	1540	G																					3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-985-110623	11/06/23	1655	G																					I



MICHIGAN
190

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant

Special Instructions/QC Requirements & Comments:
Sample Address: Beacon Row

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
Level IV Reporting requested.

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
<u>Alana P. Pera</u>	Arcadis	11/07/23 1530	<u>NOVI cold storage</u>	Arcadis	11/07/23 1530
<u>Jennifer Day</u>	Arcadis	11/9/23 0850	<u>[Signature]</u>	EETA	11/9/23 10:00
<u>[Signature]</u>	EETA	11/9/23 10:15	<u>[Signature]</u>	EETUC	11-10-23 0800

Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility


Login # : 195202

Client Arcadis Site Name _____ Cooler unpacked by: Alissa Atkinson
Cooler Received on 11.10.23 Opened on 11/10/23
FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # _____ Foam Box Client Cooler Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag _____ None _____ Other _____
COOLANT: Wet Ice Blue Ice _____ Dry Ice _____ Water _____ None _____

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 22 (CF +1.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 ea Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC316719
14. Were VOAs on the COC? Yes No NA
15. Were air bubbles >6 mm in any VOA vials? Yes No NA
 Larger than this: 
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A covered Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



November 27, 2023

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30167538.402.04 off-site
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 195202-1
Sample date: 2023-11-06
Report received by CADENA: 2023-11-27
Initial Data Verification completed by CADENA: 2023-11-27

Number of Samples:3
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

HTQ - GCMS VOC SIM sample -003 analyses were performed outside of reference holding time so all associated results should be considered to be estimated and qualified with UJ flags if non-detect. GCMS

VOC SIM QC batch MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Qualified Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 195202-1

Sample Name: MW-98S_110623

Lab Sample ID: 2401952023

Sample Date: 11/6/2023

Analyte	Cas No.	Report		Units	Valid Qualifier
		Result	Limit		
GC/MS VOC					
<u>OSW-8260DSIM</u>					
1,4-Dioxane	123-91-1	ND	2.0	ug/l	UJ

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 195202-1

Sample Name: TRIP BLANK_44	MW-138S_110623	MW-98S_110623
Lab Sample ID: 2401952021	2401952022	2401952023
Sample Date: 11/6/2023	11/6/2023	11/6/2023

Analyte	Cas No.	Report				Valid				Report				Valid			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																	
<u>OSW-8260D</u>																	
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	1.1	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																	
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	UJ

Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-195202-1

CADENA Verification Report: 2023-11-27

Analyses Performed By:
Eurofins Cleveland
Barberton, Ohio

Report # 52138R
Review Level: Tier III
Project: 30167538.402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-195202-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_44	240-195202-1	Water	11/06/2023		X	
MW-138S_110623	240-195202-2	Water	11/06/2023		X	X
MW-98S_110623	240-195202-3	Water	11/06/2023		X	X

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

The analyses that exceeded the holding are presented in the following table.

Sample ID	Holding Time	Criteria
MW-98S_110623	15 days from collection to analysis	14 days from collection to analysis

Sample results associated with sample locations analyzed by analytical method SW-846 8260D-SIM were qualified, as specified in the table below. All other holding times were met.

Criteria	Qualification	
	Detected Analytes	Non-detect Analytes
Analysis completed less than two times holding time	J	UJ
Analysis completed greater than two times holding time	J	R

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

DATA REVIEW

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X	X		
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

DATE: December 15, 2023

PEER REVIEW: Andrew Korycinski

DATE: December 19, 2023

**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



Client Sample Results

Client: ARCADIS US Inc
Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-195202-1

Date Collected: 11/06/23 00:00

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 17:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 17:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 17:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 17:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 17:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 17:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		11/16/23 17:30	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/16/23 17:30	1
Toluene-d8 (Surr)	99		78 - 122		11/16/23 17:30	1
Dibromofluoromethane (Surr)	94		73 - 120		11/16/23 17:30	1

Client Sample ID: MW-138S_110623

Lab Sample ID: 240-195202-2

Date Collected: 11/06/23 15:40

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/23 23:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		66 - 120		11/20/23 23:56	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 07:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 07:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 07:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 07:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 07:59	1
Vinyl chloride	1.1		1.0	0.45	ug/L			11/16/23 07:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		11/16/23 07:59	1
4-Bromofluorobenzene (Surr)	98		56 - 136		11/16/23 07:59	1
Toluene-d8 (Surr)	102		78 - 122		11/16/23 07:59	1
Dibromofluoromethane (Surr)	96		73 - 120		11/16/23 07:59	1

Client Sample ID: MW-98S_110623

Lab Sample ID: 240-195202-3

Date Collected: 11/06/23 16:55

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U UU	2.0	0.86	ug/L			11/21/23 00:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		66 - 120		11/21/23 00:20	1

Client Sample Results

Client: ARCADIS US Inc
 Project/Site: Ford LTP - Off Site

Job ID: 240-195202-1

Client Sample ID: MW-98S_110623

Lab Sample ID: 240-195202-3

Date Collected: 11/06/23 16:55

Matrix: Water

Date Received: 11/10/23 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/16/23 08:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/16/23 08:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 08:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/16/23 08:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/16/23 08:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/16/23 08:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		11/16/23 08:24	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/16/23 08:24	1
Toluene-d8 (Surr)	99		78 - 122		11/16/23 08:24	1
Dibromofluoromethane (Surr)	94		73 - 120		11/16/23 08:24	1