

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
Arcadis U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/12/2024 11:45:17 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-200381-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/12/2024 11:45:17 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	22
Lab Chronicle	23
Certification Summary	24
Chain of Custody	25

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP - On Site

Job ID: 240-200381-1

Job ID: 240-200381-1

Eurofins Cleveland

Job Narrative 240-200381-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/2/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.4°C and 3.8°C.

GC/MS VOA

Method 8260D: The MS/MSD for batch 240-605522 was not analyzed due to an instrument malfunction

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-200381-1	TRIP BLANK_38	Water	02/29/24 00:00	03/02/24 08:00
240-200381-2	MW-24_022924	Water	02/29/24 10:48	03/02/24 08:00
240-200381-3	MW-37_022924	Water	02/29/24 12:36	03/02/24 08:00
240-200381-4	MW-33_022924	Water	02/29/24 14:38	03/02/24 08:00
240-200381-5	MW-47_022924	Water	02/29/24 15:57	03/02/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: TRIP BLANK_38

Lab Sample ID: 240-200381-1

No Detections.

Client Sample ID: MW-24_022924

Lab Sample ID: 240-200381-2

No Detections.

Client Sample ID: MW-37_022924

Lab Sample ID: 240-200381-3

No Detections.

Client Sample ID: MW-33_022924

Lab Sample ID: 240-200381-4

No Detections.

Client Sample ID: MW-47_022924

Lab Sample ID: 240-200381-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.96	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	7.1		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.1		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	8.9		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: TRIP BLANK_38

Lab Sample ID: 240-200381-1

Date Collected: 02/29/24 00:00

Matrix: Water

Date Received: 03/02/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/08/24 19:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/08/24 19:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/08/24 19:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/08/24 19:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/08/24 19:52	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/08/24 19:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		03/08/24 19:52	1
4-Bromofluorobenzene (Surr)	87		56 - 136		03/08/24 19:52	1
Toluene-d8 (Surr)	102		78 - 122		03/08/24 19:52	1
Dibromofluoromethane (Surr)	89		73 - 120		03/08/24 19:52	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: MW-24_022924

Lab Sample ID: 240-200381-2

Date Collected: 02/29/24 10:48

Matrix: Water

Date Received: 03/02/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/24 17:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		68 - 127					03/08/24 17:43	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/05/24 15:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/05/24 15:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/05/24 15:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/05/24 15:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/05/24 15:20	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/05/24 15:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					03/05/24 15:20	1
4-Bromofluorobenzene (Surr)	86		56 - 136					03/05/24 15:20	1
Toluene-d8 (Surr)	90		78 - 122					03/05/24 15:20	1
Dibromofluoromethane (Surr)	104		73 - 120					03/05/24 15:20	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: MW-37_022924

Lab Sample ID: 240-200381-3

Date Collected: 02/29/24 12:36

Matrix: Water

Date Received: 03/02/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/24 18:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127					03/08/24 18:07	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/24 00:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/24 00:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/24 00:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/24 00:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/24 00:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/24 00:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					03/09/24 00:28	1
4-Bromofluorobenzene (Surr)	89		56 - 136					03/09/24 00:28	1
Toluene-d8 (Surr)	96		78 - 122					03/09/24 00:28	1
Dibromofluoromethane (Surr)	98		73 - 120					03/09/24 00:28	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: MW-33_022924

Lab Sample ID: 240-200381-4

Date Collected: 02/29/24 14:38

Matrix: Water

Date Received: 03/02/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/24 22:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					03/08/24 22:51	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/24 21:08	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/24 21:08	1
Tetrachloroethene	1.0	U F2	1.0	0.44	ug/L			03/11/24 21:08	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/24 21:08	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/24 21:08	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/24 21:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137					03/11/24 21:08	1
4-Bromofluorobenzene (Surr)	99		56 - 136					03/11/24 21:08	1
Toluene-d8 (Surr)	95		78 - 122					03/11/24 21:08	1
Dibromofluoromethane (Surr)	102		73 - 120					03/11/24 21:08	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: MW-47_022924

Lab Sample ID: 240-200381-5

Date Collected: 02/29/24 15:57

Matrix: Water

Date Received: 03/02/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.96	J	2.0	0.86	ug/L			03/07/24 15:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		68 - 127					03/07/24 15:16	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/24 01:19	1
cis-1,2-Dichloroethene	7.1		1.0	0.46	ug/L			03/09/24 01:19	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/24 01:19	1
trans-1,2-Dichloroethene	1.1		1.0	0.51	ug/L			03/09/24 01:19	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/24 01:19	1
Vinyl chloride	8.9		1.0	0.45	ug/L			03/09/24 01:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					03/09/24 01:19	1
4-Bromofluorobenzene (Surr)	98		56 - 136					03/09/24 01:19	1
Toluene-d8 (Surr)	101		78 - 122					03/09/24 01:19	1
Dibromofluoromethane (Surr)	108		73 - 120					03/09/24 01:19	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-200153-G-2 MS	Matrix Spike	108	97	97	101
240-200153-G-2 MSD	Matrix Spike Duplicate	103	98	93	99
240-200381-1	TRIP BLANK_38	104	87	102	89
240-200381-2	MW-24_022924	109	86	90	104
240-200381-3	MW-37_022924	112	89	96	98
240-200381-4	MW-33_022924	114	99	95	102
240-200381-4 MS	MW-33-MS_022924	109	107	101	104
240-200381-4 MSD	MW-33-MSD_022924	107	107	94	105
240-200381-5	MW-47_022924	111	98	101	108
LCS 240-604963/4	Lab Control Sample	103	99	99	103
LCS 240-605522/5	Lab Control Sample	103	99	98	102
LCS 240-605703/5	Lab Control Sample	116	107	107	110
MB 240-604963/7	Method Blank	110	91	93	107
MB 240-605522/8	Method Blank	114	87	96	91
MB 240-605703/8	Method Blank	101	89	107	86

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- TOL = Toluene-d8 (Surr)
- DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-200378-B-2 MS	Matrix Spike	112
240-200378-B-2 MSD	Matrix Spike Duplicate	123
240-200381-2	MW-24_022924	111
240-200381-3	MW-37_022924	110
240-200381-4	MW-33_022924	107
240-200381-4 MS	MW-33-MS_022924	107
240-200381-4 MSD	MW-33-MSD_022924	107
240-200381-5	MW-47_022924	116
500-246857-B-2 MS	Matrix Spike	108
500-246857-B-2 MSD	Matrix Spike Duplicate	115
LCS 240-605248/5	Lab Control Sample	106
LCS 240-605411/5	Lab Control Sample	110
LCS 240-605526/3	Lab Control Sample	108
MB 240-605248/7	Method Blank	105
MB 240-605411/7	Method Blank	111
MB 240-605526/5	Method Blank	84

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-604963/7

Matrix: Water

Analysis Batch: 604963

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/05/24 10:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/05/24 10:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/05/24 10:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/05/24 10:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/05/24 10:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/05/24 10:57	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		03/05/24 10:57	1
4-Bromofluorobenzene (Surr)	91		56 - 136		03/05/24 10:57	1
Toluene-d8 (Surr)	93		78 - 122		03/05/24 10:57	1
Dibromofluoromethane (Surr)	107		73 - 120		03/05/24 10:57	1

Lab Sample ID: LCS 240-604963/4

Matrix: Water

Analysis Batch: 604963

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	26.6		ug/L		106	77 - 123
Tetrachloroethene	25.0	27.1		ug/L		108	76 - 123
trans-1,2-Dichloroethene	25.0	28.4		ug/L		114	75 - 124
Trichloroethene	25.0	26.8		ug/L		107	70 - 122
Vinyl chloride	12.5	12.5		ug/L		100	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-200153-G-2 MS

Matrix: Water

Analysis Batch: 604963

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	500	U	12500	11700		ug/L		93	56 - 135
cis-1,2-Dichloroethene	500	U	12500	12400		ug/L		99	66 - 128
Tetrachloroethene	500	U	12500	10600		ug/L		85	62 - 131
trans-1,2-Dichloroethene	500	U	12500	13100		ug/L		104	56 - 136
Trichloroethene	500	U	12500	11700		ug/L		93	61 - 124
Vinyl chloride	6100		6250	10600		ug/L		71	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	97		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-200153-G-2 MS
Matrix: Water
Analysis Batch: 604963

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-200153-G-2 MSD
Matrix: Water
Analysis Batch: 604963

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	500	U	12500	12400		ug/L		99	56 - 135	6	26
cis-1,2-Dichloroethene	500	U	12500	12600		ug/L		101	66 - 128	1	14
Tetrachloroethene	500	U	12500	10900		ug/L		87	62 - 131	3	20
trans-1,2-Dichloroethene	500	U	12500	12800		ug/L		102	56 - 136	2	15
Trichloroethene	500	U	12500	11900		ug/L		95	61 - 124	2	15
Vinyl chloride	6100		6250	11100		ug/L		79	43 - 157	5	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: MB 240-605522/8
Matrix: Water
Analysis Batch: 605522

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		03/08/24 19:02	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		03/08/24 19:02	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		03/08/24 19:02	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		03/08/24 19:02	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		03/08/24 19:02	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		03/08/24 19:02	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		03/08/24 19:02	1
4-Bromofluorobenzene (Surr)	87		56 - 136		03/08/24 19:02	1
Toluene-d8 (Surr)	96		78 - 122		03/08/24 19:02	1
Dibromofluoromethane (Surr)	91		73 - 120		03/08/24 19:02	1

Lab Sample ID: LCS 240-605522/5
Matrix: Water
Analysis Batch: 605522

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	26.5		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	26.5		ug/L		106	77 - 123
Tetrachloroethene	25.0	25.6		ug/L		102	76 - 123
trans-1,2-Dichloroethene	25.0	27.9		ug/L		112	75 - 124
Trichloroethene	25.0	25.8		ug/L		103	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-605522/5

Matrix: Water

Analysis Batch: 605522

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	12.1		ug/L		97	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: MB 240-605703/8

Matrix: Water

Analysis Batch: 605703

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/11/24 19:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/11/24 19:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/11/24 19:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/11/24 19:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/11/24 19:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/11/24 19:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		03/11/24 19:02	1
4-Bromofluorobenzene (Surr)	89		56 - 136		03/11/24 19:02	1
Toluene-d8 (Surr)	107		78 - 122		03/11/24 19:02	1
Dibromofluoromethane (Surr)	86		73 - 120		03/11/24 19:02	1

Lab Sample ID: LCS 240-605703/5

Matrix: Water

Analysis Batch: 605703

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.8		ug/L		103	63 - 134
cis-1,2-Dichloroethene	25.0	28.0		ug/L		112	77 - 123
Tetrachloroethene	25.0	29.1		ug/L		116	76 - 123
trans-1,2-Dichloroethene	25.0	27.4		ug/L		110	75 - 124
Trichloroethene	25.0	30.6		ug/L		122	70 - 122
Vinyl chloride	12.5	9.78		ug/L		78	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	116		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	107		78 - 122
Dibromofluoromethane (Surr)	110		73 - 120

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-200381-4 MS

Matrix: Water

Analysis Batch: 605703

Client Sample ID: MW-33-MS_022924

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	1.0	U	25.0	26.5		ug/L		106		56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	27.3		ug/L		109		66 - 128
Tetrachloroethene	1.0	U F2	25.0	25.5		ug/L		102		62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.0		ug/L		108		56 - 136
Trichloroethene	1.0	U	25.0	29.0		ug/L		116		61 - 124
Vinyl chloride	1.0	U	12.5	10.2		ug/L		82		43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

Lab Sample ID: 240-200381-4 MSD

Matrix: Water

Analysis Batch: 605703

Client Sample ID: MW-33-MSD_022924

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	Limit
1,1-Dichloroethene	1.0	U	25.0	24.6		ug/L		98		56 - 135	7	26
cis-1,2-Dichloroethene	1.0	U	25.0	25.9		ug/L		103		66 - 128	5	14
Tetrachloroethene	1.0	U F2	25.0	20.7	F2	ug/L		83		62 - 131	21	20
trans-1,2-Dichloroethene	1.0	U	25.0	25.7		ug/L		103		56 - 136	5	15
Trichloroethene	1.0	U	25.0	25.5		ug/L		102		61 - 124	13	15
Vinyl chloride	1.0	U	12.5	9.43		ug/L		75		43 - 157	8	24

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	94		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-605248/7

Matrix: Water

Analysis Batch: 605248

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/24 10:06	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		68 - 127		03/07/24 10:06	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-605248/5

Matrix: Water

Analysis Batch: 605248

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.35		ug/L		83	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	106		68 - 127				

Lab Sample ID: 500-246857-B-2 MS

Matrix: Water

Analysis Batch: 605248

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.26		ug/L		83	20 - 180
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	108		68 - 127						

Lab Sample ID: 500-246857-B-2 MSD

Matrix: Water

Analysis Batch: 605248

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	8.06		ug/L		81	20 - 180	2	20
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	115		68 - 127								

Lab Sample ID: MB 240-605411/7

Matrix: Water

Analysis Batch: 605411

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/24 11:22	1
Surrogate	%Recovery	MB Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	111		68 - 127						
							Prepared	Analyzed	Dil Fac
								03/08/24 11:22	1

Lab Sample ID: LCS 240-605411/5

Matrix: Water

Analysis Batch: 605411

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.45		ug/L		84	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	110		68 - 127				

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-200378-B-2 MS
Matrix: Water
Analysis Batch: 605411

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
1,4-Dioxane	2.0	U	10.0	8.46		ug/L		85	20 - 180	
Surrogate	%Recovery	MS Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	112		68 - 127							

Lab Sample ID: 240-200378-B-2 MSD
Matrix: Water
Analysis Batch: 605411

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.54		ug/L		95	20 - 180	12	20
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	123		68 - 127								

Lab Sample ID: MB 240-605526/5
Matrix: Water
Analysis Batch: 605526

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/08/24 17:27	1	
Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac				
1,2-Dichloroethane-d4 (Surr)	84		68 - 127		03/08/24 17:27	1				

Lab Sample ID: LCS 240-605526/3
Matrix: Water
Analysis Batch: 605526

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	10.5		ug/L		105	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	108		68 - 127				

Lab Sample ID: 240-200381-4 MS
Matrix: Water
Analysis Batch: 605526

Client Sample ID: MW-33-MS_022924
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	11.6		ug/L		116	20 - 180
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	107		68 - 127						

QC Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-200381-4 MSD

Matrix: Water

Analysis Batch: 605526

Client Sample ID: MW-33-MSD_022924

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.2		ug/L		112	20 - 180	3	20
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

GC/MS VOA

Analysis Batch: 604963

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-2	MW-24_022924	Total/NA	Water	8260D	
MB 240-604963/7	Method Blank	Total/NA	Water	8260D	
LCS 240-604963/4	Lab Control Sample	Total/NA	Water	8260D	
240-200153-G-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-200153-G-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 605248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-5	MW-47_022924	Total/NA	Water	8260D SIM	
MB 240-605248/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-605248/5	Lab Control Sample	Total/NA	Water	8260D SIM	
500-246857-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
500-246857-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 605411

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-2	MW-24_022924	Total/NA	Water	8260D SIM	
240-200381-3	MW-37_022924	Total/NA	Water	8260D SIM	
MB 240-605411/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-605411/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-200378-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-200378-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 605522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-1	TRIP BLANK_38	Total/NA	Water	8260D	
240-200381-3	MW-37_022924	Total/NA	Water	8260D	
240-200381-5	MW-47_022924	Total/NA	Water	8260D	
MB 240-605522/8	Method Blank	Total/NA	Water	8260D	
LCS 240-605522/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 605526

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-4	MW-33_022924	Total/NA	Water	8260D SIM	
MB 240-605526/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-605526/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-200381-4 MS	MW-33-MS_022924	Total/NA	Water	8260D SIM	
240-200381-4 MSD	MW-33-MSD_022924	Total/NA	Water	8260D SIM	

Analysis Batch: 605703

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200381-4	MW-33_022924	Total/NA	Water	8260D	
MB 240-605703/8	Method Blank	Total/NA	Water	8260D	
LCS 240-605703/5	Lab Control Sample	Total/NA	Water	8260D	
240-200381-4 MS	MW-33-MS_022924	Total/NA	Water	8260D	
240-200381-4 MSD	MW-33-MSD_022924	Total/NA	Water	8260D	



Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Client Sample ID: TRIP BLANK_38

Lab Sample ID: 240-200381-1

Date Collected: 02/29/24 00:00

Matrix: Water

Date Received: 03/02/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	605522	CDG	EET CLE	03/08/24 19:52

Client Sample ID: MW-24_022924

Lab Sample ID: 240-200381-2

Date Collected: 02/29/24 10:48

Matrix: Water

Date Received: 03/02/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	604963	LEE	EET CLE	03/05/24 15:20
Total/NA	Analysis	8260D SIM		1	605411	MDH	EET CLE	03/08/24 17:43

Client Sample ID: MW-37_022924

Lab Sample ID: 240-200381-3

Date Collected: 02/29/24 12:36

Matrix: Water

Date Received: 03/02/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	605522	CDG	EET CLE	03/09/24 00:28
Total/NA	Analysis	8260D SIM		1	605411	MDH	EET CLE	03/08/24 18:07

Client Sample ID: MW-33_022924

Lab Sample ID: 240-200381-4

Date Collected: 02/29/24 14:38

Matrix: Water

Date Received: 03/02/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	605703	CDG	EET CLE	03/11/24 21:08
Total/NA	Analysis	8260D SIM		1	605526	MDH	EET CLE	03/08/24 22:51

Client Sample ID: MW-47_022924

Lab Sample ID: 240-200381-5

Date Collected: 02/29/24 15:57

Matrix: Water

Date Received: 03/02/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	605522	CDG	EET CLE	03/09/24 01:19
Total/NA	Analysis	8260D SIM		1	605248	MDH	EET CLE	03/07/24 15:16

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200381-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.


Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24 *
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-01-24
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other														TestAmerica Laboratories, Inc.										
Company Name: Arcadis		Client Project Manager: Kris Hinsky				Site Contact: Christina Weaver				Lab Contact: Mike DeMonico				COC No:												
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs												
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinsky@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only												
Phone: 248-994-2240		Sampler Name: Nolan Schendel				TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 82600 cis-1,2-DCE 82600 Trans-1,2-DCE 82600 PCE 82600 TCE 82600 Vinyl Chloride 82600 1,4-Dioxane 82600 SIM				Walk-in client												
Project Name: Ford LTP On-Site		Method of Shipment/Carrier:				Shipping/Tracking No:								Job/SDG No:				Sample Specific Notes / Special Instructions:								
Project Number: 30167538.401.03		Sample Date		Sample Time		Matrix				Containers & Preservatives																
PO # 30167538.401.03																										
Sample Identification		Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Ungates	Other:	Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 82600	cis-1,2-DCE 82600	Trans-1,2-DCE 82600	PCE 82600	TCE 82600	Vinyl Chloride 82600	1,4-Dioxane 82600 SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK_38		----	----	X							1						NG	X	X	X	X	X	X			1 Trip Blank
MW-24_022924		02/29/24	10:48	G							G						NG	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-37_022924		02/29/24	12:36	G							G						NG	X	X	X	X	X	X			
MW-33_022924		02/29/24	14:38	G							G						NG	X	X	X	X	X	X			
MW-33-MS_022924		02/29/24	14:38	G							G						NG	X	X	X	X	X	X			Run MS/MSD
MW-33-MSID_022924		02/29/24	14:38	G							G						NG	X	X	X	X	X	X			Run MS/MSD
MW-47_022924		02/29/24	15:57	G							G						NG	X	X	X	X	X	X			



Possible Hazard Identification: Non-Hazard Flammable Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return to Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
 Level IV Reporting requested.

Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 02/29/24 18:00	Received by: Novi Cold Storage	Company: Arcadis	Date/Time: 02/29/24 18:00
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 3/1/24 1500	Received by: <i>[Signature]</i>	Company: EPTA	Date/Time: 3/1/24 1500
Relinquished by: <i>[Signature]</i>	Company: EPTA	Date/Time: 3/1/24 1530	Received in Laboratory by: <i>[Signature]</i>	Company: EPTA	Date/Time: 3-2-24 8am

©2006 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative
 Barberton Facility
 Client: ARRADIS Site Name: ARRADIS Login #: _____
 Cooler Received on: 5.24.24 opened on: 5.24.24 Cooler Unpacked by: M. HOLL
 FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____
 Eurofins Cooler # 22 Foam Box Client Cooler Box Other _____
 Packing material used: ~~Bubble Wrap~~ Foam Plastic Bag None Other _____
 COOLANT: ~~Wet Ice~~ Blue Ice Dry Ice Water None _____

1. Cooler temperature upon receipt: _____ °C Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN # 17 (CE) ~~1~~ See Multiple Cooler Form

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
 3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11. Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.

Tests that are not checked for pH by Receiving:
 VOAS
 Oil and Grease
 TOC

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC316719
 14. Were VOAs on the COC? Yes No
 15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) 1 mu-34 1 HBA vial were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



March 13, 2024

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30167538.401.03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 200381-1
Sample date: 2024-02-29
Report received by CADENA: 2024-03-12
Initial Data Verification completed by CADENA: 2024-03-13
Number of Samples:5
Sample Matrices: Water and trip blank
Test Categories: GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

MS or MSD recoveries but not both or RPD only were outliers for the following analytes so results for the client sample spiked were not qualified based on these QC outliers alone: GCMS VOC sample -04 - RPD outlier only for tetrachloroethylene. NOTE: MS/MSD data for QC batch 605522 not available due to instrument malfunction per laboratory submittal case narrative.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 200381-1

Analyte	Cas No.	Sample Name: TRIP BLANK_38				MW-24_022924				MW-37_022924				MW-33_022924				MW-47_022924			
		Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	7.1	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.1	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	8.9	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	0.96	2.0	ug/l	J