

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
Arcadis U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/19/2024 7:13:15 AM

## JOB DESCRIPTION

Ford LTP - On Site

## JOB NUMBER

240-200746-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/19/2024 7:13:15 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Method Summary . . . . .         | 6  |
| Sample Summary . . . . .         | 7  |
| Detection Summary . . . . .      | 8  |
| Client Sample Results . . . . .  | 9  |
| Surrogate Summary . . . . .      | 12 |
| QC Sample Results . . . . .      | 13 |
| QC Association Summary . . . . . | 15 |
| Lab Chronicle . . . . .          | 16 |
| Certification Summary . . . . .  | 17 |
| Chain of Custody . . . . .       | 18 |

# Definitions/Glossary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: Arcadis U.S., Inc.  
Project: Ford LTP - On Site

Job ID: 240-200746-1

**Job ID: 240-200746-1**

**Eurofins Cleveland**

## Job Narrative 240-200746-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 3/8/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.3°C and 3.3°C.

### GC/MS VOA

Method 8260D\_SIM: An MS/MSD was prepared and analyzed with batch 240-605892, but is not reported due to the MS sample having a bad purge.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

| Method    | Method Description                  | Protocol | Laboratory |
|-----------|-------------------------------------|----------|------------|
| 8260D     | Volatile Organic Compounds by GC/MS | SW846    | EET CLE    |
| 8260D SIM | Volatile Organic Compounds (GC/MS)  | SW846    | EET CLE    |
| 5030C     | Purge and Trap                      | SW846    | EET CLE    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

---

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 240-200746-1  | TRIP BLANK_54    | Water  | 03/06/24 00:00 | 03/08/24 08:00 |
| 240-200746-2  | MW-07_030624     | Water  | 03/06/24 14:04 | 03/08/24 08:00 |
| 240-200746-3  | MW-222S_030624   | Water  | 03/06/24 15:45 | 03/08/24 08:00 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

**Client Sample ID: TRIP BLANK\_54**

**Lab Sample ID: 240-200746-1**

No Detections.

**Client Sample ID: MW-07\_030624**

**Lab Sample ID: 240-200746-2**

No Detections.

**Client Sample ID: MW-222S\_030624**

**Lab Sample ID: 240-200746-3**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

**Client Sample ID: TRIP BLANK\_54**

**Lab Sample ID: 240-200746-1**

Date Collected: 03/06/24 00:00

Matrix: Water

Date Received: 03/08/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/15/24 14:16 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/15/24 14:16 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/15/24 14:16 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/15/24 14:16 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/15/24 14:16 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/15/24 14:16 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 62 - 137 |          | 03/15/24 14:16 | 1       |
| 4-Bromofluorobenzene (Surr)  | 89        |           | 56 - 136 |          | 03/15/24 14:16 | 1       |
| Toluene-d8 (Surr)            | 99        |           | 78 - 122 |          | 03/15/24 14:16 | 1       |
| Dibromofluoromethane (Surr)  | 98        |           | 73 - 120 |          | 03/15/24 14:16 | 1       |

# Client Sample Results

Client: Arcadis U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

**Client Sample ID: MW-07\_030624**

**Lab Sample ID: 240-200746-2**

Date Collected: 03/06/24 14:04

Matrix: Water

Date Received: 03/08/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 03/13/24 14:42 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 112       |           | 68 - 127 |      |      |   |          | 03/13/24 14:42 | 1       |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 03/15/24 18:25 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 03/15/24 18:25 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/15/24 18:25 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 03/15/24 18:25 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/15/24 18:25 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 03/15/24 18:25 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 111       |           | 62 - 137 |      |      |   |          | 03/15/24 18:25 | 1       |
| 4-Bromofluorobenzene (Surr)  | 87        |           | 56 - 136 |      |      |   |          | 03/15/24 18:25 | 1       |
| Toluene-d8 (Surr)            | 98        |           | 78 - 122 |      |      |   |          | 03/15/24 18:25 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 73 - 120 |      |      |   |          | 03/15/24 18:25 | 1       |

# Client Sample Results

Client: Arcadis U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

**Client Sample ID: MW-222S\_030624**

**Lab Sample ID: 240-200746-3**

Date Collected: 03/06/24 15:45

Matrix: Water

Date Received: 03/08/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 03/13/24 15:06 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 68 - 127 |      |      |   |          | 03/13/24 15:06 | 1       |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 03/15/24 18:50 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 03/15/24 18:50 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/15/24 18:50 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 03/15/24 18:50 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/15/24 18:50 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 03/15/24 18:50 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 110       |           | 62 - 137 |      |      |   |          | 03/15/24 18:50 | 1       |
| 4-Bromofluorobenzene (Surr)  | 91        |           | 56 - 136 |      |      |   |          | 03/15/24 18:50 | 1       |
| Toluene-d8 (Surr)            | 98        |           | 78 - 122 |      |      |   |          | 03/15/24 18:50 | 1       |
| Dibromofluoromethane (Surr)  | 100       |           | 73 - 120 |      |      |   |          | 03/15/24 18:50 | 1       |

# Surrogate Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                  |
|--------------------|------------------------|--|-----------------|-----------------|------------------|
|                    |                        | DCA<br>(62-137)                                | BFB<br>(56-136) | TOL<br>(78-122) | DBFM<br>(73-120) |
| 240-200746-1       | TRIP BLANK_54          | 105  | 89              | 99              | 98               |
| 240-200746-2       | MW-07_030624           | 111  | 87              | 98              | 102              |
| 240-200746-3       | MW-222S_030624         | 110  | 91              | 98              | 100              |
| 240-200774-B-6 MS  | Matrix Spike           | 103  | 104             | 101             | 100              |
| 240-200774-B-6 MSD | Matrix Spike Duplicate | 103  | 105             | 102             | 99               |
| LCS 240-606244/5   | Lab Control Sample     | 99   | 106             | 103             | 96               |
| MB 240-606244/7    | Method Blank           | 104  | 91              | 101             | 97               |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID    | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |
|------------------|--------------------|--|
|                  |                    | DCA<br>(68-127)                                |
| 240-200746-2     | MW-07_030624       | 112  |
| 240-200746-3     | MW-222S_030624     | 109  |
| LCS 240-605892/5 | Lab Control Sample | 109  |
| MB 240-605892/7  | Method Blank       | 107  |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-606244/7

Matrix: Water

Analysis Batch: 606244

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                  | MB     | MB        | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|                          | Result | Qualifier |     |      |      |   |          |                |         |
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/15/24 12:36 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/15/24 12:36 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/15/24 12:36 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/15/24 12:36 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/15/24 12:36 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/15/24 12:36 | 1       |

| Surrogate                    | MB        | MB        | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 104       |           | 62 - 137 |          | 03/15/24 12:36 | 1       |
| 4-Bromofluorobenzene (Surr)  | 91        |           | 56 - 136 |          | 03/15/24 12:36 | 1       |
| Toluene-d8 (Surr)            | 101       |           | 78 - 122 |          | 03/15/24 12:36 | 1       |
| Dibromofluoromethane (Surr)  | 97        |           | 73 - 120 |          | 03/15/24 12:36 | 1       |

Lab Sample ID: LCS 240-606244/5

Matrix: Water

Analysis Batch: 606244

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------|-------------|------------|---------------|------|---|------|-------------|
|                          |             |            |               |      |   |      |             |
| cis-1,2-Dichloroethene   | 25.0        | 24.5       |               | ug/L |   | 98   | 77 - 123    |
| Tetrachloroethene        | 25.0        | 24.2       |               | ug/L |   | 97   | 76 - 123    |
| trans-1,2-Dichloroethene | 25.0        | 24.1       |               | ug/L |   | 96   | 75 - 124    |
| Trichloroethene          | 25.0        | 23.4       |               | ug/L |   | 94   | 70 - 122    |
| Vinyl chloride           | 12.5        | 12.4       |               | ug/L |   | 99   | 60 - 144    |

| Surrogate                    | LCS       | LCS       | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 106       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 103       |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 96        |           | 73 - 120 |

Lab Sample ID: 240-200774-B-6 MS

Matrix: Water

Analysis Batch: 606244

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                | Sample | Sample    | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------|--------|-----------|-------------|-----------|--------------|------|---|------|-------------|
|                        | Result | Qualifier |             |           |              |      |   |      |             |
| cis-1,2-Dichloroethene | 1.0    | U         | 25.0        | 24.1      |              | ug/L |   | 97   | 66 - 128    |
| Tetrachloroethene      | 1.0    | U         | 25.0        | 23.5      |              | ug/L |   | 94   | 62 - 131    |
| Trichloroethene        | 1.0    | U         | 25.0        | 23.1      |              | ug/L |   | 92   | 61 - 124    |
| Vinyl chloride         | 1.9    |           | 12.5        | 11.8      |              | ug/L |   | 79   | 43 - 157    |

| Surrogate                    | MS        | MS        | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 103       |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 104       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 101       |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 100       |           | 73 - 120 |

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-200774-B-6 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 606244

| Analyte                | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| cis-1,2-Dichloroethene | 1.0           | U                | 25.0        | 23.8       |               | ug/L |   | 95   | 66 - 128    | 1   | 14        |
| Tetrachloroethene      | 1.0           | U                | 25.0        | 22.7       |               | ug/L |   | 91   | 62 - 131    | 4   | 20        |
| Trichloroethene        | 1.0           | U                | 25.0        | 22.3       |               | ug/L |   | 89   | 61 - 124    | 3   | 15        |
| Vinyl chloride         | 1.9           |                  | 12.5        | 14.7       |               | ug/L |   | 102  | 43 - 157    | 22  | 24        |

| Surrogate                    | MSD %Recovery | MSD Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 103           |               | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 105           |               | 56 - 136 |
| Toluene-d8 (Surr)            | 102           |               | 78 - 122 |
| Dibromofluoromethane (Surr)  | 99            |               | 73 - 120 |

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-605892/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 605892

| Analyte     | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0       | U            | 2.0 | 0.86 | ug/L |   |          | 03/13/24 10:20 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 107          |              | 68 - 127 |          | 03/13/24 10:20 | 1       |

Lab Sample ID: LCS 240-605892/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 605892

| Analyte     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|-------------|-------------|------------|---------------|------|---|------|-------------|
| 1,4-Dioxane | 10.0        | 8.28       |               | ug/L |   | 83   | 75 - 121    |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 109           |               | 68 - 127 |

# QC Association Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## GC/MS VOA

### Analysis Batch: 605892

| Lab Sample ID    | Client Sample ID   | Prep Type | Matrix | Method    | Prep Batch |
|------------------|--------------------|-----------|--------|-----------|------------|
| 240-200746-2     | MW-07_030624       | Total/NA  | Water  | 8260D SIM |            |
| 240-200746-3     | MW-222S_030624     | Total/NA  | Water  | 8260D SIM |            |
| MB 240-605892/7  | Method Blank       | Total/NA  | Water  | 8260D SIM |            |
| LCS 240-605892/5 | Lab Control Sample | Total/NA  | Water  | 8260D SIM |            |

### Analysis Batch: 606244

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-200746-1       | TRIP BLANK_54          | Total/NA  | Water  | 8260D  |            |
| 240-200746-2       | MW-07_030624           | Total/NA  | Water  | 8260D  |            |
| 240-200746-3       | MW-222S_030624         | Total/NA  | Water  | 8260D  |            |
| MB 240-606244/7    | Method Blank           | Total/NA  | Water  | 8260D  |            |
| LCS 240-606244/5   | Lab Control Sample     | Total/NA  | Water  | 8260D  |            |
| 240-200774-B-6 MS  | Matrix Spike           | Total/NA  | Water  | 8260D  |            |
| 240-200774-B-6 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260D  |            |

# Lab Chronicle

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

**Client Sample ID: TRIP BLANK\_54**

**Lab Sample ID: 240-200746-1**

Date Collected: 03/06/24 00:00

Matrix: Water

Date Received: 03/08/24 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 606244       | CDG     | EET CLE | 03/15/24 14:16       |

**Client Sample ID: MW-07\_030624**

**Lab Sample ID: 240-200746-2**

Date Collected: 03/06/24 14:04

Matrix: Water

Date Received: 03/08/24 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 606244       | CDG     | EET CLE | 03/15/24 18:25       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 605892       | MDH     | EET CLE | 03/13/24 14:42       |

**Client Sample ID: MW-222S\_030624**

**Lab Sample ID: 240-200746-3**

Date Collected: 03/06/24 15:45

Matrix: Water

Date Received: 03/08/24 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 606244       | CDG     | EET CLE | 03/15/24 18:50       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 605892       | MDH     | EET CLE | 03/13/24 15:06       |

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396





# Accreditation/Certification Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-200746-1

## Laboratory: Eurofins Cleveland


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority         | Program             | Identification Number | Expiration Date |
|-------------------|---------------------|-----------------------|-----------------|
| California        | State               | 2927                  | 02-27-24 *      |
| Illinois          | NELAP               | 200004                | 07-31-24        |
| Iowa              | State               | 421                   | 06-01-25        |
| Kentucky (WW)     | State               | KY98016               | 12-30-24        |
| Minnesota         | NELAP               | 039-999-348           | 12-31-24        |
| New Jersey        | NELAP               | OH001                 | 06-30-24        |
| New York          | NELAP               | 10975                 | 04-01-24        |
| Oregon            | NELAP               | 4062                  | 02-27-25        |
| Pennsylvania      | NELAP               | 68-00340              | 08-31-24        |
| Texas             | NELAP               | T104704517-22-19      | 08-31-24        |
| USDA              | US Federal Programs | P330-18-00281         | 01-05-27        |
| Virginia          | NELAP               | 460175                | 09-14-24        |
| West Virginia DEP | State               | 210                   | 12-31-24        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

## Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

| <b>Client Contact</b>  |        |      | Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other |             |                                     |                        |  |       |   |   |   |                  | TestAmerica Laboratories, Inc. |   |                        |         |  |  |  |  |
|--|--------|------|---|-------------|-------------------------------------|------------------------|--|-------|---|---|---|------------------|--------------------------------|---|------------------------|---------|--|--|--|--|
| Company Name: Arcadis  |        |      | Client Project Manager: Kris Hinsky   |             |                                     |                        | Site Contact: Christina Weaver   |       |   |   | Lab Contact: Mike DeMacono  |                  |                                | COC No: _____                                 |                        |         |  |  |  |  |
| Address: 28550 Cabot Drive, Suite 500  |        |      | Telephone: 248-994-2240   |             |                                     |                        | Telephone: 248-994-2240  |       |   |   | Telephone: 330-497-9396   |                  |                                | 1 of 1 COCs:                                  |                        |         |  |  |  |  |
| City/State/Zip: Novi, MI, 48377  |        |      | Email: kristoffer.hinsky@arcadis.com  |             |                                     |                        | <b>Analysis Turnaround Time</b>  |       |   |   | <b>Analyses</b>   |                  |                                | For lab use only                              |                        |         |  |  |  |  |
| Phone: 248-994-2240  |        |      | Sampler Name: <u>Rebecca Coshigan</u>   |             |                                     |                        | TAT if different from below  |       |   |   | <input type="checkbox"/> 3 weeks<br><input checked="" type="checkbox"/> 2 weeks<br><input type="checkbox"/> 1 week<br><input type="checkbox"/> 2 days<br><input type="checkbox"/> 1 day |                  |                                | Walk-in client<br>Lab sampling<br>Job/SDG No: |                        |         |  |  |  |  |
| Project Name: Ford LTP On-Site   |        |      | Method of Shipments/Carrier:  |             |                                     |                        | <b>Filtered Sample (Y/N)</b><br>Composite=C / Grab=G<br>1,1-DCE 82600<br>cis-1,2-DCE 82600<br>Trans-1,2-DCE 82600<br>PCE 82600<br>TCE 82600<br>Vinyl Chloride 82600<br>1,4-Dioxane 82600 SIM |       |   |   |   |                  |                                |   |                        |         | Sample Specific Notes /<br>Special Instructions: |  |  |  |
| Project Number: 30167538.401.03  |        |      | Shipping/Tracking No:   |             |                                     |                        |  |       |   |   |   |                  |                                |   |                        |         |  |  |  |  |
| PO # 30167538.401.03   |        |      |   |             |                                     |                        |  |       |   |   |   |                  |                                |   |                        |         |  |  |  |  |
| Sample Identification  |        |      | Sample Date   | Sample Time | Matrix                              |                        |  |       |   | Combiners & Preservatives   |   |                  |                                |   |                        |         |  |  |  |  |
|  |        |      |   |             | Air                                 | Aqueous                | Sediment   | Soils | Other:  | H2SO4   | HNO3  | HCl              | NaOH                           | Zn-Ac   | NiOH                   | Uopates | Other:   |  |  |  |
| TRIP BLANK_54  | ---    | ---  |   |             | <input checked="" type="checkbox"/> |                        |  |       |   |   |   |                  | 1                              |   |                        |         |  |  |  | 1 Trip Blank                             |
| MW-07-030624   | 3/6/24 | 1404 |   |             | <input checked="" type="checkbox"/> |                        |  |       |   |   |   |                  | 6                              |   |                        |         |  |  |  | 3 VOAs for 8260D<br>3 VOAs for 8260D SIM |
| MW-2225-030624   | 3/6/24 | 1545 |   |             | <input checked="" type="checkbox"/> |                        |  |       |   |   |   |                  | 6                              |   |                        |         |  |  |  | L  |
| <br>240-200746 Chain of Custody   |        |      |   |             |                                     |                        |  |       |   |   |   |                  |                                |   |                        |         |  |  |  |  |
| <b>Possible Hazard Identification</b>  |        |      |   |             |                                     |                        |  |       |   | <b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>  |   |                  |                                |   |                        |         |  |  |  |  |
| <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown |        |      |   |             |                                     |                        |  |       |   | <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months |   |                  |                                |   |                        |         |  |  |  |  |
| <b>Special Instructions/QC Requirements &amp; Comments:</b>  |        |      |   |             |                                     |                        |  |       |   |   |   |                  |                                |   |                        |         |  |  |  |  |
| Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728<br>Level IV Reporting requested.   |        |      |   |             |                                     |                        |  |       |   |   |   |                  |                                |   |                        |         |  |  |  |  |
| Relinquished by: <u>[Signature]</u>  |        |      | Company: Arcadis  |             |                                     | Date/Time: 3/6/24 1649 |  |       | Received by: <u>[Signature]</u>               |   |   | Company: Arcadis |                                |   | Date/Time: 3/6/24 1649 |         |  |  |  |  |
| Relinquished by: <u>[Signature]</u>  |        |      | Company: Arcadis  |             |                                     | Date/Time: 3/7/24 1530 |  |       | Received by: <u>[Signature]</u>               |   |   | Company: EETA    |                                |   | Date/Time: 3/7/24 1530 |         |  |  |  |  |
| Relinquished by: <u>[Signature]</u>  |        |      | Company: EETA   |             |                                     | Date/Time: 3/7/24 1600 |  |       | Received in Laboratory by: <u>[Signature]</u> |   |   | Company: EETNC   |                                |   | Date/Time: 3/8/24 8:00 |         |  |  |  |  |

Eurofins - Cleveland Sample Receipt Form/Narrative  
 Barberjon Facility  
 Client Arad's Site Name \_\_\_\_\_ Login # \_\_\_\_\_

Cooler Received on 3/18/24 Opened on 3/18/24 Cooler unpacked by: [Signature]  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_  
 Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used. Bubble Wrap  Board  Plastic Bag  None  Other \_\_\_\_\_  
 COOLANT Wet Ice  Blue Ice  Dry Ice  Water  None

1 Cooler temperature upon receipt \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C  
 IR GUN # 02 (CR) 0 (°C) Observed Cooler Temp \_\_\_\_\_ °C  
 See Multiple Cooler Form

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LHg/MeHg)?  Yes  No  NA

-Were tamper/custody seals intact and uncompromised?  Yes  No  NA

3 Shippers' packing slip attached to the cooler(s)?  Yes  No  NA

4 Did custody papers accompany the sample(s)?  Yes  No  NA

5 Were the custody papers relinquished & signed in the appropriate place?  Yes  No  NA

6 Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  NA

7 Did all bottles arrive in good condition (Unbroken)?  Yes  No  NA

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  NA

10 Were correct bottle(s) used for the test(s) indicated?  Yes  No  NA

11 Sufficient quantity received to perform indicated analyses?  Yes  No  NA

12 Are these work share samples and all listed on the COC?  Yes  No  NA

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HG316719

14 Were VOAs on the COC?  Yes  No  NA HC329089

15 Were air bubbles >6 mm in any VOA vials?  Yes  No  NA Larger than this.

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 63024  Yes  No  NA

17 Was a LL Hg or Me Hg trip blank present?  Yes  No  NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18 CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19 SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20 SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved. \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen. \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC



# DATA VERIFICATION REPORT



REVISED REPORT: March 22, 2024 REVISION SUMMARY: DVR updated to include ARS table.

Kris Hinskey  
Arcadis of Michigan  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil  
Project number: 30167538.401.03  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 200746-1  
Sample date: 2024-03-06  
Report received by CADENA: 2024-03-19  
Initial Data Verification completed by CADENA: 2024-03-19  
Number of Samples:3  
Sample Matrices: Water and trip blank  
Test Categories: GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC-SIM QC batch 605892 did not include MS/MSD analysis results due to a bad purge on the instrument according to the laboratory submittal case narrative.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

| Valid Qualifiers | Description  |
|------------------|--|
| <                | Less than the reported concentration.  |
| >                | Greater than the reported concentration.   |
| B                | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E                | The analyte / Compound reported exceeds the calibration range and is considered estimated.   |
| EMPC             | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.  |
| J                | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.                     |
| J-               | The result is an estimated quantity, but the result may be biased low.   |
| JB               | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED   |
| JH               | The sample result is considered estimated and is potentially biased high.  |
| JL               | The sample result is considered estimated and is potentially biased low.   |
| JUB              | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED  |
| NJ               | Tentatively identified compound with approximated concentration.   |
| R                | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)  |
| TNTC             | Too Numerous to Count - Asbestos and Microbiological Results.  |
| U                | Indicates that the analyte / compound was analyzed for, but not detected.  |
| UB               | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.   |
| UJ               | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.  |

# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 200746-1

|                                   |              |                |
|-----------------------------------|--------------|----------------|
| <b>Sample Name:</b> TRIP BLANK_54 | MW-07_030624 | MW-222S_030624 |
| <b>Lab Sample ID:</b> 2402007461  | 2402007462   | 2402007463     |
| <b>Sample Date:</b> 3/6/2024      | 3/6/2024     | 3/6/2024       |

| Analyte | Cas No. | TRIP BLANK_54 |       |       |                 | MW-07_030624 |       |       |                 | MW-222S_030624 |       |       |                 |
|---------|---------|---------------|-------|-------|-----------------|--------------|-------|-------|-----------------|----------------|-------|-------|-----------------|
|         |         | Result        | Limit | Units | Valid Qualifier | Result       | Limit | Units | Valid Qualifier | Result         | Limit | Units | Valid Qualifier |

**GC/MS VOC**

OSW-8260D

|                          |          |    |     |      |     |    |     |      |     |    |     |      |     |
|--------------------------|----------|----|-----|------|-----|----|-----|------|-----|----|-----|------|-----|
| 1,1-Dichloroethene       | 75-35-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| cis-1,2-Dichloroethene   | 156-59-2 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Tetrachloroethene        | 127-18-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| trans-1,2-Dichloroethene | 156-60-5 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Trichloroethene          | 79-01-6  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Vinyl chloride           | 75-01-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |

OSW-8260DSIM

|             |          |  |  |  |  |    |     |      |     |    |     |      |     |
|-------------|----------|--|--|--|--|----|-----|------|-----|----|-----|------|-----|
| 1,4-Dioxane | 123-91-1 |  |  |  |  | ND | 2.0 | ug/l | --- | ND | 2.0 | ug/l | --- |
|-------------|----------|--|--|--|--|----|-----|------|-----|----|-----|------|-----|