

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
Arcadis U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/21/2024 4:03:43 PM

JOB DESCRIPTION

Ford LTP - On Site

JOB NUMBER

240-200847-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/21/2024 4:03:43 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	7
Sample Summary	8
Detection Summary	9
Client Sample Results	10
Surrogate Summary	15
QC Sample Results	16
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP - On Site

Job ID: 240-200847-1

Job ID: 240-200847-1

Eurofins Cleveland

Job Narrative 240-200847-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/9/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C.

GC/MS VOA

Method 8260D: No MS/MSD for batch 606330 due to parent samples needs reanalyzed at a different dilution.

Eurofins Cleveland

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP - On Site

Job ID: 240-200847-1

Job ID: 240-200847-1 (Continued)

Eurofins Cleveland

TRIP BLANK_44 (240-200847-1), MW-209S_030724 (240-200847-2), MW-208S_030724 (240-200847-3), MW-210S_030724 (240-200847-4) and MW-14_030724 (240-200847-5)

Method 8260D_SIM: An MS/MSD was prepared and analyzed with batch 240-605892, but is not reported due to the MS sample having a bad purge.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-200847-1	TRIP BLANK_44	Water	03/07/24 00:00	03/09/24 08:00
240-200847-2	MW-209S_030724	Water	03/07/24 10:13	03/09/24 08:00
240-200847-3	MW-208S_030724	Water	03/07/24 11:30	03/09/24 08:00
240-200847-4	MW-210S_030724	Water	03/07/24 13:35	03/09/24 08:00
240-200847-5	MW-14_030724	Water	03/07/24 15:35	03/09/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-200847-1

No Detections.

Client Sample ID: MW-209S_030724

Lab Sample ID: 240-200847-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.74	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-208S_030724

Lab Sample ID: 240-200847-3

No Detections.

Client Sample ID: MW-210S_030724

Lab Sample ID: 240-200847-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.1	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	2.0		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	9.0		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-14_030724

Lab Sample ID: 240-200847-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-200847-1

Date Collected: 03/07/24 00:00

Matrix: Water

Date Received: 03/09/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/24 23:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/24 23:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/24 23:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/24 23:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/24 23:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/15/24 23:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		03/15/24 23:46	1
4-Bromofluorobenzene (Surr)	74		56 - 136		03/15/24 23:46	1
Toluene-d8 (Surr)	87		78 - 122		03/15/24 23:46	1
Dibromofluoromethane (Surr)	113		73 - 120		03/15/24 23:46	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: MW-209S_030724

Lab Sample ID: 240-200847-2

Date Collected: 03/07/24 10:13

Matrix: Water

Date Received: 03/09/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/13/24 18:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		68 - 127					03/13/24 18:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/16/24 01:43	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/16/24 01:43	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 01:43	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/16/24 01:43	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 01:43	1
Vinyl chloride	0.74	J	1.0	0.45	ug/L			03/16/24 01:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					03/16/24 01:43	1
4-Bromofluorobenzene (Surr)	72		56 - 136					03/16/24 01:43	1
Toluene-d8 (Surr)	94		78 - 122					03/16/24 01:43	1
Dibromofluoromethane (Surr)	111		73 - 120					03/16/24 01:43	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: MW-208S_030724

Lab Sample ID: 240-200847-3

Date Collected: 03/07/24 11:30

Matrix: Water

Date Received: 03/09/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/13/24 18:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					03/13/24 18:41	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/16/24 02:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/16/24 02:06	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/16/24 02:06	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:06	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/16/24 02:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					03/16/24 02:06	1
4-Bromofluorobenzene (Surr)	78		56 - 136					03/16/24 02:06	1
Toluene-d8 (Surr)	96		78 - 122					03/16/24 02:06	1
Dibromofluoromethane (Surr)	118		73 - 120					03/16/24 02:06	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: MW-210S_030724

Lab Sample ID: 240-200847-4

Date Collected: 03/07/24 13:35

Matrix: Water

Date Received: 03/09/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.1	J	2.0	0.86	ug/L			03/13/24 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		68 - 127					03/13/24 19:04	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/16/24 02:30	1
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L			03/16/24 02:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:30	1
trans-1,2-Dichloroethene	2.0		1.0	0.51	ug/L			03/16/24 02:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:30	1
Vinyl chloride	9.0		1.0	0.45	ug/L			03/16/24 02:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					03/16/24 02:30	1
4-Bromofluorobenzene (Surr)	73		56 - 136					03/16/24 02:30	1
Toluene-d8 (Surr)	95		78 - 122					03/16/24 02:30	1
Dibromofluoromethane (Surr)	112		73 - 120					03/16/24 02:30	1

Client Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: MW-14_030724

Lab Sample ID: 240-200847-5

Date Collected: 03/07/24 15:35

Matrix: Water

Date Received: 03/09/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/13/24 19:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		68 - 127					03/13/24 19:28	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/16/24 02:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/16/24 02:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/16/24 02:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/16/24 02:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/16/24 02:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					03/16/24 02:53	1
4-Bromofluorobenzene (Surr)	79		56 - 136					03/16/24 02:53	1
Toluene-d8 (Surr)	98		78 - 122					03/16/24 02:53	1
Dibromofluoromethane (Surr)	120		73 - 120					03/16/24 02:53	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-200847-1	TRIP BLANK_44	105	74	87	113
240-200847-2	MW-209S_030724	103	72	94	111
240-200847-3	MW-208S_030724	109	78	96	118
240-200847-4	MW-210S_030724	104	73	95	112
240-200847-5	MW-14_030724	111	79	98	120
LCS 240-606330/5	Lab Control Sample	94	92	99	102
MB 240-606330/9	Method Blank	109	80	97	113

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-200847-2	MW-209S_030724	114
240-200847-3	MW-208S_030724	106
240-200847-4	MW-210S_030724	111
240-200847-5	MW-14_030724	111
LCS 240-605892/5	Lab Control Sample	109
MB 240-605892/7	Method Blank	107

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-606330/9
Matrix: Water
Analysis Batch: 606330

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/15/24 23:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/15/24 23:22	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/15/24 23:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/15/24 23:22	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/15/24 23:22	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/15/24 23:22	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		03/15/24 23:22	1
4-Bromofluorobenzene (Surr)	80		56 - 136		03/15/24 23:22	1
Toluene-d8 (Surr)	97		78 - 122		03/15/24 23:22	1
Dibromofluoromethane (Surr)	113		73 - 120		03/15/24 23:22	1

Lab Sample ID: LCS 240-606330/5
Matrix: Water
Analysis Batch: 606330

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	21.3		ug/L		107	63 - 134
cis-1,2-Dichloroethene	20.0	20.4		ug/L		102	77 - 123
Tetrachloroethene	20.0	20.5		ug/L		102	76 - 123
trans-1,2-Dichloroethene	20.0	19.6		ug/L		98	75 - 124
Trichloroethene	20.0	19.0		ug/L		95	70 - 122
Vinyl chloride	20.0	23.6		ug/L		118	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-605892/7
Matrix: Water
Analysis Batch: 605892

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/13/24 10:20	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	107		68 - 127		03/13/24 10:20	1

QC Sample Results

Client: Arcadis U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-605892/5

Matrix: Water

Analysis Batch: 605892

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.28		ug/L		83	75 - 121
Surrogate		LCS	LCS			%Recovery	Limits
1,2-Dichloroethane-d4 (Surr)		109					68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

GC/MS VOA

Analysis Batch: 605892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200847-2	MW-209S_030724	Total/NA	Water	8260D SIM	
240-200847-3	MW-208S_030724	Total/NA	Water	8260D SIM	
240-200847-4	MW-210S_030724	Total/NA	Water	8260D SIM	
240-200847-5	MW-14_030724	Total/NA	Water	8260D SIM	
MB 240-605892/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-605892/5	Lab Control Sample	Total/NA	Water	8260D SIM	

Analysis Batch: 606330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-200847-1	TRIP BLANK_44	Total/NA	Water	8260D	
240-200847-2	MW-209S_030724	Total/NA	Water	8260D	
240-200847-3	MW-208S_030724	Total/NA	Water	8260D	
240-200847-4	MW-210S_030724	Total/NA	Water	8260D	
240-200847-5	MW-14_030724	Total/NA	Water	8260D	
MB 240-606330/9	Method Blank	Total/NA	Water	8260D	
LCS 240-606330/5	Lab Control Sample	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Client Sample ID: TRIP BLANK_44

Lab Sample ID: 240-200847-1

Date Collected: 03/07/24 00:00

Matrix: Water

Date Received: 03/09/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	606330	AJS	EET CLE	03/15/24 23:46

Client Sample ID: MW-209S_030724

Lab Sample ID: 240-200847-2

Date Collected: 03/07/24 10:13

Matrix: Water

Date Received: 03/09/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	606330	AJS	EET CLE	03/16/24 01:43
Total/NA	Analysis	8260D SIM		1	605892	MDH	EET CLE	03/13/24 18:17

Client Sample ID: MW-208S_030724

Lab Sample ID: 240-200847-3

Date Collected: 03/07/24 11:30

Matrix: Water

Date Received: 03/09/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	606330	AJS	EET CLE	03/16/24 02:06
Total/NA	Analysis	8260D SIM		1	605892	MDH	EET CLE	03/13/24 18:41

Client Sample ID: MW-210S_030724

Lab Sample ID: 240-200847-4

Date Collected: 03/07/24 13:35

Matrix: Water

Date Received: 03/09/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	606330	AJS	EET CLE	03/16/24 02:30
Total/NA	Analysis	8260D SIM		1	605892	MDH	EET CLE	03/13/24 19:04

Client Sample ID: MW-14_030724

Lab Sample ID: 240-200847-5

Date Collected: 03/07/24 15:35

Matrix: Water

Date Received: 03/09/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	606330	AJS	EET CLE	03/16/24 02:53
Total/NA	Analysis	8260D SIM		1	605892	MDH	EET CLE	03/13/24 19:28

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-200847-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24 *
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-01-24
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24


* Accreditation/Certification renewal pending - accreditation/certification considered valid.

1.4/1.4

1/6

Chain of Custody Record

TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.														
Company Name: Arcadis		Client Project Manager: Kris Hiskey			Site Contact: Christina Weaver			Lab Contact: Mike DeMonico				COC No:														
Address: 28550 Cabot Drive, Suite 800		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396				1 of 1 COCs														
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hiskey@arcadis.com			Analysis Turnaround Time			Analyses				For lab use only														
Phone: 248-994-2240		Sampler Name: Maxam Hanani			TAT if different from below							Walk-in client														
Project Name: Ford LTP On-Site		Method of Shipment/Carrier:			10 day							Lab sampling														
Project Number: 30167538.401.03		Shipping/Tracking No:										Job/SDG No:														
PO # 30167538.401.03																										
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)	Composite=C / Grab=G	Sample Specific Notes / Special Instructions:											
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	Zn-Ac				NaOH	Ungates	Other:								
TRIP BLANK_44	---	---	X	(S)					1						NG	X	X	X	X	X	X			1 Trip Blank		
MW-209S_030724	3/7/24	1013	X	(S)					6						NG	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM		
MW-208S_030724	" "	1130	X	(S)					6						NG	X	X	X	X	X	X			" "		
MW-210S_030724	↓	1335	X	(S)					6						NG	X	X	X	X	X	X			↓		
MW-14_030724	↓	1535	X	(S)					6						NG	X	X	X	X	X	X			↓		
 240-200847 Chain of Custody																										
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																
Special Instructions/QC Requirements & Comments:																										
Submit all results through Cadena at jtomalia@cadenaco.com . Cadena #E203728 Level IV Reporting requested.																										
Relinquished by: <i>Maxam Hanani</i>		Company: Arcadis			Date/Time: 3/7/24 1700			Received by: <i>Novi Cold Storage</i>			Company: Arcadis			Date/Time: 3/7/24 1700												
Relinquished by: <i>Sumit Gupta</i>		Company: Arcadis			Date/Time: 3/8/24 1435			Received by: <i>[Signature]</i>			Company: BETA			Date/Time: 3/8/24 1435												
Relinquished by: <i>[Signature]</i>		Company: BETA			Date/Time: 3/8/24 1500			Received in Laboratory by: <i>[Signature]</i>			Company: EETNC			Date/Time: 3-9-24 800												

©2006 TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica and Design are trademarks of TestAmerica Laboratories, Inc.

Enviros - Cleveland Sample Receipt Form/Narrative
 Barberly Facility

Client Accadis Site Name _____
 Cooler Received on 3-9-24 Opened on 3-9-24 Cooler unpacked by Young Bayle
 FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off _____ Biofins Courier _____ Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Biofins Cooler # ES Foam Box _____ Client Cooler _____ Box _____ Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag _____ None _____ Other _____
COOLANT Wet Ice Blue Ice _____ Dry Ice _____ Water _____ None _____
 1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # g2 (CF 0.0 °C) Observed Cooler Temp 14 °C Corrected Cooler Temp 14 °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 -Were the seals on the outside of the cooler(s) signed & dated? Yes Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes Yes No NA
 3 Shippers' packing slip attached to the cooler(s)? Yes Yes No NA
 4 Did custody papers accompany the sample(s)? Yes Yes No NA
 5 Were the custody papers relinquished & signed in the appropriate place? Yes Yes No NA
 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes Yes No NA
 7 Did all bottles arrive in good condition (Unbroken)? Yes Yes No NA
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes Yes No NA
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes Yes No NA
 10 Were correct bottle(s) used for the test(s) indicated? Yes Yes No NA
 11 Sufficient quantity received to perform indicated analyses? Yes Yes No NA
 12 Are these work share samples and all listed on the COC? Yes Yes No NA

Tests that are not checked for pH by Receiving
 VOAs
 Oil and Grease
 TOC

If yes, Questions 13-17 have been checked at the originating laboratory
 13 Were all preserved sample(s) at the correct pH upon receipt? Yes Yes No NA pH Strip Lot# HG316719
 14 Were VOAs on the COC? Yes Yes No NA Hc329089
 15 Were air bubbles >6 mm in any VOA vials? Yes Yes No NA Larger than this
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 63024 Yes Yes No NA
 17 Was a LL Hg or Me Hg trip blank present? Yes Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved _____ Preservative(s) added/Lot number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

DATA VERIFICATION REPORT



March 22, 2024

Kris Hinskey
Arcadis of Michigan
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE -Soil Gas, Ground water and Soil
Project number: 30167538.401.03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 200847-1
Sample date: 2024-03-07
Report received by CADENA: 2024-03-21
Initial Data Verification completed by CADENA: 2024-03-22
Number of Samples:5
Sample Matrices: Water and trip blank
Test Categories: GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 200847-1

Analyte	Cas No.	Sample Name: TRIP BLANK_44				MW-209S_030724				MW-208S_030724				MW-210S_030724				MW-14_030724			
		Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier	Result	Limit	Units	Valid Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	14	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	2.0	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.74	1.0	ug/l	J	ND	1.0	ug/l	---	9.0	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	1.1	2.0	ug/l	J	ND	2.0	ug/l	---