

**Environment Testing** 

### **ANALYTICAL REPORT**

### PREPARED FOR

Attn: Kristoffer Hinskey Arcadis U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377 Generated 5/29/2024 7:52:40 AM

### JOB DESCRIPTION

Ford LTP

### **JOB NUMBER**

240-204748-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203





### **Eurofins Cleveland**

### Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Mouro

Generated 5/29/2024 7:52:40 AM 1

5 6 7

> 12 13

Authorized for release by Michael DelMonico, Project Manager I <u>Michael.DelMonico@et.eurofinsus.com</u> (330)497-9396

### **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

### Qualifiers

Qualifiers		3
GC/MS VOA		
Qualifier	Qualifier Description	
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	
U	Indicates the analyte was analyzed for but not detected.	5
Glossary		6
Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	0
CFU	Colony Forming Unit	0
CNF	Contains No Free Liquid	
DER	Duplicate Error Ratio (normalized absolute difference)	9
Dil Fac	Dilution Factor	
DL	Detection Limit (DoD/DOE)	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision Level Concentration (Radiochemistry)	
EDL	Estimated Detection Limit (Dioxin)	
LOD	Limit of Detection (DoD/DOE)	
LOQ	Limit of Quantitation (DoD/DOE)	
MCL	EPA recommended "Maximum Contaminant Level"	13
MDA	Minimum Detectable Activity (Radiochemistry)	
MDC	Minimum Detectable Concentration (Radiochemistry)	
MDL	Method Detection Limit	

### Glossary

¤ %R	Listed under the "D" column to designate that the result is reported on a dry weight basis
	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-204748-1

### Job ID: 240-204748-1

### **Eurofins Cleveland**

### Job Narrative 240-204748-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 5/18/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.7°C.

### GC/MS VOA

Method 8260D: Method required MS/MSD and/or duplicate QC were prepared and analyzed at required batch frequency for analytical batch 240-614388 using samples from other sites, and are not reported with this project.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Client: Arcadis U.S., Inc. Project/Site: Ford LTP

3 4

5

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Client: Arcadis U.S., Inc. Project/Site: Ford LTP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-204748-1	TRIP BLANK_130	Water	05/15/24 00:00	05/18/24 08:00
240-204748-2	MW-221S_051524	Water	05/15/24 14:55	05/18/24 08:00

### Client Sample ID: TRIP BLANK\_130

Lab Sample ID: 240-204748-1

Lab Sample ID: 240-204748-2

Job ID: 240-204748-1

No Detections.

### Client Sample ID: MW-221S\_051524

-								
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D Method	Prep Type
cis-1,2-Dichloroethene	5.4		1.0	0.46	ug/L	1	8260D	Total/NA
Trichloroethene	0.54	J	1.0	0.44	ug/L	1	8260D	Total/NA

Client: Arcadis U.S., Inc. Project/Site: Ford LTP

### Client Sample ID: TRIP BLANK\_130

Date Collected: 05/15/24 00:00 Date Received: 05/18/24 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/24 17:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/24 17:19	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/24 17:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/24 17:19	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/24 17:19	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/24 17:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137			-		05/24/24 17:19	1
4-Bromofluorobenzene (Surr)	93		56 - 136					05/24/24 17:19	1
Toluene-d8 (Surr)	96		78 - 122					05/24/24 17:19	1
Dibromofluoromethane (Surr)	98		73 - 120					05/24/24 17:19	1

Job ID: 240-204748-1

Matrix: Water

Lab Sample ID: 240-204748-1

### Client Sample ID: MW-221S\_051524

Date Collected: 05/15/24 14:55 Date Received: 05/18/24 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/24 07:04	1	÷,
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	98		68 - 127			-		05/24/24 07:04	1	
Method: SW846 8260D - Volati	ile Organic Comp	ounds by G	C/MS							ż
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/24 20:00	1	÷7
cis-1,2-Dichloroethene	5.4		1.0	0.46	ug/L			05/24/24 20:00	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/24 20:00	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/24 20:00	1	
Trichloroethene	0.54	J	1.0	0.44	ug/L			05/24/24 20:00	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/24 20:00	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	102		62 - 137			-		05/24/24 20:00	1	
4-Bromofluorobenzene (Surr)	95		56 - 136					05/24/24 20:00	1	
Toluene-d8 (Surr)	98		78 - 122					05/24/24 20:00	1	
Dibromofluoromethane (Surr)	99		73 - 120					05/24/24 20:00	1	1

5/29/2024

Job ID: 240-204748-1

Matrix: Water

Lab Sample ID: 240-204748-2

1

BFB

(56-136)

93

95

98

95

TOL

(78-122)

96

98

97

99

DCA

(62-137)

100

102

96

103

### Method: 8260D - Volatile Organic Compounds by GC/MS

**Client Sample ID** 

TRIP BLANK\_130

MW-221S\_051524

Lab Control Sample

Method Blank

### Matrix: Water

Lab Sample ID

240-204748-1

240-204748-2

LCS 240-614388/4

MB 240-614388/6

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr) BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

DBFM

(73-120)

98

99

100

99

5	
8	
9	)

Method: 8260D SIM - Volatile Organic Compounds (GC/	MS)
Matrix: Water	

		Prep Type: Total/NA	
		Percent Surrogate Recovery (Acceptance Limits)	
	DCA		
Client Sample ID	(68-127)		
MW-221S_051524	98		
Matrix Spike	98		
Matrix Spike Duplicate	96		
Lab Control Sample	93		
Method Blank	93		
	MW-221S_051524 Matrix Spike Matrix Spike Duplicate Lab Control Sample	Client Sample ID(68-127)MW-221S_05152498Matrix Spike98Matrix Spike Duplicate96Lab Control Sample93	DCA   Client Sample ID (68-127)   MW-221S_051524 98   Matrix Spike 98   Matrix Spike Duplicate 96   Lab Control Sample 93

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

### Method: 8260D - Volatile Organic Compounds by GC/MS

		04740 4	1
	Job ID: 240-2	.04748-1	2
			3
Client Sa	mple ID: Metho Prep Type:		4
			5
repared	Analyzed	Dil Fac	
	05/24/24 16:33	1	6
	05/24/24 16:33	1	
	05/24/24 16:33	1	7
	05/24/24 16:33	1	
	05/24/24 16:33	1	8
	05/24/24 16:33	1	
			9
Prepared	Analyzed	Dil Fac	
	05/24/24 16:33	1	10
	05/24/24 16:33	1	
	05/24/24 16:33	1	11
	05/24/24 16:33	1	
			4.0

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

### Lab Sample ID: MB 240-614388/6

### Matrix: Water Analysis Batch: 614388

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/24 16:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/24 16:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/24 16:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/24 16:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/24 16:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/24 16:33	1
	MB	MB							

	110	III B					
Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137	_		05/24/24 16:33	1
4-Bromofluorobenzene (Surr)	95		56 - 136			05/24/24 16:33	1
Toluene-d8 (Surr)	99		78 - 122			05/24/24 16:33	1
Dibromofluoromethane (Surr)	99		73 - 120			05/24/24 16:33	1

### Lab Sample ID: LCS 240-614388/4 Matrix: Water Analysis Batch: 614388

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	25.6		ug/L		102	63 - 134	
cis-1,2-Dichloroethene	25.0	25.8		ug/L		103	77 - 123	
Tetrachloroethene	25.0	25.5		ug/L		102	76 _ 123	
trans-1,2-Dichloroethene	25.0	26.9		ug/L		107	75 _ 124	
Trichloroethene	25.0	25.9		ug/L		103	70 - 122	
Vinyl chloride	12.5	11.4		ug/L		91	60 - 144	
LCS LC	s							

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

### Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-614186/5 Matrix: Water Analysis Batch: 614186							Client Sa	ample ID: Metho Prep Type: 1	
-	МВ	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/24 00:24	1
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		68 - 127			-		05/24/24 00:24	1

Matrix: Water

Surrogate

1,2-Dichloroethane-d4 (Surr)

Lab Sample ID: LCS 240-614186/3

Prep Type: Total/NA

**Client Sample ID: Lab Control Sample** 

## 5

	8
Client Sample ID: Matrix Spike Prep Type: Total/NA	9
%Rec	10
D %Rec Limits	
95 20 - 180	
ient Sample ID: Matrix Spike Duplicate	13
Prep Type: Total/NA	
%Rec RPD	
D %Rec Limits RPD Limit	

2

20

Analysis Batch: 614186			Outline	1.00					0/ D
Awalada			Spike		LCS	11	-	0/ D	%Rec
Analyte			Added		Qualifier	Unit	D	%Rec	Limits
1,4-Dioxane			10.0	9.38		ug/L		94	75 - 121
	LCS	LCS							
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	93		68 - 127						
Lab Sample ID: 240-204757-	E-3 MS							Client	Sample ID: I
Matrix: Water									· Prep Ty
Analysis Batch: 614186									
	Sample	Sample	Spike	MS	MS				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,4-Dioxane	2.0	U	10.0	9.53		ug/L		95	20 - 180
	MS	MS							
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	98		68 - 127						
Lab Sample ID: 240-204757-	E-3 MSD						Client S	ample II	D: Matrix Spik
Matrix: Water									Prep Ty
Analysis Batch: 614186									
	Sample	Sample	Spike	MSD	MSD				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,4-Dioxane	2.0	U	10.0	9.76		ug/L		98	20 - 180
	MSD	MSD							

Limits

68 - 127

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

%Recovery Qualifier

96

### GC/MS VOA Analysis Batch: 614186

LCS 240-614388/4

Lab Control Sample

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-204748-2	MW-221S_051524	Total/NA	Water	8260D SIM	
MB 240-614186/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-614186/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-204757-E-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-204757-E-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
nalysis Batch: 61438	8				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-204748-1	TRIP BLANK_130	Total/NA	Water	8260D	
240-204748-2	MW-221S_051524	Total/NA	Water	8260D	
MB 240-614388/6	Method Blank	Total/NA	Water	8260D	

Total/NA

Water

8260D

Matrix: Water

Matrix: Water

### Client Sample ID: TRIP BLANK\_130 Lab Sample ID: 240-204748-1 Date Collected: 05/15/24 00:00 Date Received: 05/18/24 08:00 Dilution Batch Batch Batch Prepared Method Prep Type Туре Run Factor Number Analyst Lab or Analyzed Total/NA 8260D 614388 SAM EET CLE 05/24/24 17:19 Analysis 1 Client Sample ID: MW-221S\_051524 Lab Sample ID: 240-204748-2 Date Collected: 05/15/24 14:55 Date Received: 05/18/24 08:00

	Batch	Batch		Dilution	Batch			Prepared	
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed	
Total/NA	Analysis	8260D		1	614388	SAM	EET CLE	05/24/24 20:00	
Total/NA	Analysis	8260D SIM		1	614186	MDH	EET CLE	05/24/24 07:04	

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

**12** 13

**Eurofins Cleveland** 

### Accreditation/Certification Summary

Client: Arcadis U.S., Inc. Project/Site: Ford LTP

13

### Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	07-31-24
lowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

**Eurofins Cleveland** 



### **Chain of Custody Record**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact	Regula	tory program:		Г	- DW		Г I	PDE	s	T R	CRA	Г	Othe	r 🦳											
Company Name: Arcadis														-										TestAmerica Laborato	ories, In
Address: 28550 Cabot Drive, Suite 500	Client Project	Manager: Kris	Hinsk	ey			Site C	Conta	ct: Cl	hristina \	Weaver			P	Lab C	Conta	ct: M	ike D	elMor	lico				COC No:	
	Telephone: 248	-994-2240					Telep	hone	: 248-	994-2240	)			1	Telep	bone:	330-	497-9	396						
City/State/Zip: Novi, MI, 48377	Email: kristoff	er.hinskey@ar	cadis.	com	-		- 4	in ly	ns Tu	rbaroup	Time					-			Anal	yses				1 of 1 CC	DCs
Phone: 248-994-2240																		Τ	T						
Project Name: Ford LTP	Sampler Name			10			TAT	f diffen		n below 3 weel	د	-[]]												Walk-in client	
	Gar	rett	LI	NK			10	day	1	7 2 weel	cs													Lab sampling	
Project Number: 30206169.0401.03	Method of Ship	ment/Carrier:								l week 2 days		ź.	2			g			0	SIN					
PO # US3410018772	Shipping/Traci	king No:		-						l day		ole (Y /	/ Gral	0	3260D	E 826			8260	3260D				Job/SDG No:	
				M	atrix			Conta	úners a	& Preserv	atives	- Line	te-C	826(	CE	2-DC	g	8	oride	ane 8					
Sample Identification	Sample Date	Sample Time	Air	Aqueous Sediment	Solid	Other:	H2SOH	FONH	HCI	ZaAci	Unpres Other:	Filtered Sample (Y / N)	Composite=C / Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Irans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinvl Chloride 8260D	1,4-Dioxane 8260D SIM				Sample Specific No Special Instructio	
			Ħ	1				-	1			N			X	X	X	X	+-					1 Trip Blank	-
= 150			+	_				-						~			1		1			+		3 VOAs for 8260D	
TRIP BLANK_ 130 MW-2215-051524	5/15/24	1455		6				(	9			N	G	X	×	×	×	×	$\langle \land \rangle$	X	_			3 VOAs for 8260E	
								Τ																	
<u> </u>					+-			+	+					-+				+	+						
					+			+	+		-												-		
			+	_						++													-	·····	
														240	-204	4748	Ch	ain o	fCu	stody					
																		1	1		1				
					-						+								+						
Possible Hazard Identification										sal ( A fe	e may b	e 255055	ed if s	ample								1			
✓ Non-Hazard	n Irritant 🗆 Poise		Jnka	nown	· · · ·			R	cturn	to Client	-	Dispos	al By	Lab			rchiv	e For	1	Mo	nths		-		
ubmit all results through Cadena at jtomalia@cad evel IV Reporting requested.	enaco.com. Cadena #	E203728																							
Clinquished by: Garrett CINK / Hund Fine	Company:	15		Date/T	ime: 5/2	110	530	2	Ro	Not	y:	(1)	<+-	-			-	Con	1pany	CAD	<			Date/Time:	20
clinquished by:	Company:	-		Date/Ti	5/2 <sup>1</sup> ime:		2.26		Ro	ceived b		1 r	10	ing	-	-		-	ipany	_	CM		_		in
clinquished by:	An	cis		5	116	olze	11	65	1	eccijeEi		M	X		-			0		e	PHI			Date/Time 16/24	(0)
clinquisnea by:	Company:			Date/Ti	ime:				- IR	ecciteri	LIDIT	atom of		NA.				ICOD	opany	/:				Date/Time:	180

C2008, TestAmerica Laboratorias, Inc. All rights reserved, TestAmerica & Design " are trademarks of TestAmerica Laboratories, Inc.

Clear $Mrc Cadh S$ Site Name   Cooler Received on $0S   I R   A  $ Opened on $0S   I R   A  $ Cooler unpacked by     Cooler Received on $0S   I R   A  $ Opened on $0S   I R   A  $ Opened on $0S   I R   A  $ Imog COSKC     Receipt After-hours Drop-off DateTime   Storage Location   Storage Location   Other     Burofits Cooler $T = ECC_{$
Concerning
PMDate g IN OF CUSTODY & SAMPLE DISCREPAN PLE CONDITION PLE PRESERVATION
PMDate g IN OF CUSTODY & SAMPLE DISCREPAN PLE CONDITION PLE CONDITION Were re
tacted PM Date by via Verbal Vo cerming
ttacted PM Date by via Verbal Vo
Mby

## 5/18/2024 14

# Login Container Summary Report

### Temperature readings

	Voa Vial 40ml - Hydrochloric Acid	240-204748-F-2	MW-2218_051524
	Voa Vial 40ml - Hydrochlorıc Acid	240-204748-E-2	MW-2218_051524
	Voa Vial 40ml - Hydrochlorıc Acid	240-204748-D-2	MW-2218_051524
	Voa Vial 40ml - Hydrochloric Acıd	240-204748-C-2	MW-2218_051524
	Voa Vial 40ml - Hydrochloric Acid	240-204748-B-2	MW-2218_051524
	Voa Vial 40ml - Hydrochloric Acid	240-204748-A-2	MW-2218_051524
	Voa Vial 40ml - Hydrochloric Acid	240-204748-A-1	TRIP BLANK_130
<u>Container</u> <u>Preservation</u> <u>Preservation</u> <u>pH</u> <u>Temp</u> <u>Added</u> <u>Lot Number</u>	Container Type	Lab ID	<u>Client Sample ID</u>

### **DATA VERIFICATION REPORT**



May 29, 2024

Megan Meckley Arcadis 28550 Cabot Drive Suite 500 Novi, MI US 48377

CADENA project ID: E203728 Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil Project number: 30206169.401.03 Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland Laboratory submittal: 204748-1 Sample date: 2024-05-15 Report received by CADENA: 2024-05-29 Initial Data Verification completed by CADENA: 2024-05-29 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <u>http://clms.cadenaco.com/index.cfm</u>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

### **CADENA Valid Qualifiers**

Valid Qualifiers	Description							
<	Less than the reported concentration.							
>	Greater than the reported concentration.							
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.							
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.							
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.							
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.							
J-	The result is an estimated quantity, but the result may be biased low.							
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED							
JH	The sample result is considered estimated and is potentially biased high.							
JL	The sample result is considered estimated and is potentially biased low.							
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED							
NJ	Tentatively identified compound with approximated concentration.							
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)							
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.							
U	Indicates that the analyte / compound was analyzed for, but not detected.							
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than $5x$ (or $10x$ for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than $10x$ the blank concentration and is considered non-detect at the RDL.							
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.							

### **Analytical Results Summary**

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland Laboratory Submittal: 204748-1

		Sample Name:	TRIP BLANK_130 2402047481			MW-221S_051524				
		Lab Sample ID:					240204			
		Sample Date:	5/15/2024				5/15/2024			
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC										
<u>OSW-826</u>	<u>0D</u>									
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		5.4	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		0.54	1.0	ug/l	J
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
<u>OSW-826</u>	<u>ODSIM</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	