PREPARED FOR

Attn: Kristoffer Hinskey Arcadis U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Generated 6/3/2024 7:05:55 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-205032-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated 6/3/2024 7:05:55 AM

Authorized for release by Michael DelMonico, Project Manager I <u>Michael.DelMonico@et.eurofinsus.com</u> (330)497-9396

Page 2 of 21

Client: Arcadis U.S., Inc. Project/Site: Ford LTP

Laboratory Job ID: 240-205032-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

-5

4

6

9

10

12

13

Definitions/Glossary

Client: Arcadis U.S., Inc.

Job ID: 240-205032-1

Project/Site: Ford LTP

Qualifiers

GC/MS VOA

 Qualifier
 Qualifier Description

 B
 Compound was found in the blank and sample.

 F2
 MS/MSD RPD exceeds control limits

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Eisted under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CFU Colony Forming Unit
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Cleveland

Page 4 of 21 6/3/2024

Case Narrative

Client: Arcadis U.S., Inc. Project: Ford LTP

Job ID: 240-205032-1 Eurofins Cleveland

Job Narrative 240-205032-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.8°C and 3.4°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-614817 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8260D_SIM: The method blank for analytical batch 240-615070 contained 1,4-Dioxane above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or reanalysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Page 5 of 21 6/3/2024

2

Job ID: 240-205032-1

3

_

7

8

3

12

13

Method Summary

Client: Arcadis U.S., Inc.

Project/Site: Ford LTP

Job ID: 240-205032-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Eurofins Cleveland

Page 6 of 21 6/3/2024

Sample Summary

Client: Arcadis U.S., Inc.

Project/Site: Ford LTP

Job ID: 240-205032-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-205032-1	TRIP BLANK_73	Water	05/21/24 00:00	05/23/24 08:00
240-205032-2	MW-35_052124	Water	05/21/24 11:55	05/23/24 08:00

Detection Summary

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Lab Sample ID: 240-205032-1 Client Sample ID: TRIP BLANK_73

No Detections.

Client Sample ID: MW-35_052124 Lab Sample ID: 240-205032-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.5	В	2.0	0.86	ug/L	1	_	8260D SIM	Total/NA
Vinyl chloride	0.90	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample Results

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Client Sample ID: TRIP BLANK_73

Lab Sample ID: 240-205032-1 Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 18:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 18:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 18:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 18:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 18:20	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 18:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137			_		05/30/24 18:20	1
4-Bromofluorobenzene (Surr)	98		56 ₋ 136					05/30/24 18:20	1
Toluene-d8 (Surr)	101		78 - 122					05/30/24 18:20	1
Dibromofluoromethane (Surr)	103		73 - 120					05/30/24 18:20	1

Eurofins Cleveland

Page 9 of 21 6/3/2024

Client Sample Results

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Date Received: 05/23/24 08:00

Dibromofluoromethane (Surr)

Client Sample ID: MW-35_052124

Lab Sample ID: 240-205032-2 Date Collected: 05/21/24 11:55

Matrix: Water

05/30/24 20:50

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.5	В	2.0	0.86	ug/L			05/31/24 20:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		68 - 127					05/31/24 20:24	1
Method: SW846 8260D - Volat	ile Organic Comp	ounds by G	C/MS						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 20:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 20:50	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 20:50	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:50	1
Vinyl chloride	0.90	J	1.0	0.45	ug/L			05/30/24 20:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		62 - 137			-		05/30/24 20:50	1
4-Bromofluorobenzene (Surr)	95		56 ₋ 136					05/30/24 20:50	1
Toluene-d8 (Surr)	101		78 ₋ 122					05/30/24 20:50	1

73 - 120

103

6/3/2024

Surrogate Summary

Client: Arcadis U.S., Inc.

Project/Site: Ford LTP

Job ID: 240-205032-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

				Percent Sur	rrogate Recovery (Ad	
		DCA	BFB	TOL	DBFM	
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)	
240-205032-1	TRIP BLANK_73	116	98	101	103	
240-205032-2	MW-35_052124	115	95	101	103	
240-205042-B-5 MS	Matrix Spike	109	109	103	102	
240-205042-B-5 MSD	Matrix Spike Duplicate	107	109	103	102	
LCS 240-614817/3	Lab Control Sample	108	110	102	102	
MB 240-614817/5	Method Blank	114	97	101	102	

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(68-127)	
240-205032-2	MW-35_052124	103	
240-205035-A-2 MS	Matrix Spike	102	
240-205035-A-2 MSD	Matrix Spike Duplicate	102	
LCS 240-615070/4	Lab Control Sample	106	
MB 240-615070/6	Method Blank	106	
Surrogate Legend			

DCA = 1,2-Dichloroethane-d4 (Surr)

Eurofins Cleveland

9

10

19

13

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-614817/5

Matrix: Water

Project/Site: Ford LTP

Analysis Batch: 614817

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 17:56	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 17:56	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 17:56	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 17:56	1

MB MB %Recovery Qualifier Dil Fac Surrogate Limits Prepared Analyzed 1,2-Dichloroethane-d4 (Surr) 62 - 137 05/30/24 17:56 114 4-Bromofluorobenzene (Surr) 97 56 - 136 05/30/24 17:56 05/30/24 17:56 Toluene-d8 (Surr) 101 78 - 122 Dibromofluoromethane (Surr) 102 73 - 120 05/30/24 17:56

Lab Sample ID: LCS 240-614817/3

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	25.0	27.5		ug/L		110	63 - 134	
cis-1,2-Dichloroethene	25.0	25.6		ug/L		102	77 - 123	
Tetrachloroethene	25.0	24.8		ug/L		99	76 - 123	
trans-1,2-Dichloroethene	25.0	25.6		ug/L		103	75 - 124	
Trichloroethene	25.0	25.1		ug/L		100	70 - 122	
Vinyl chloride	12.5	9.10		ug/L		73	60 - 144	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	110		56 ₋ 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	102		73 120

Analysis Batch: 614817

Lab Sample ID: 240-205042-B-5 MS Client Sample ID: Matrix Spike **Matrix: Water** Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1.0	U F2	25.0	25.7		ug/L		103	56 - 135	
cis-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	66 - 128	
Tetrachloroethene	1.0	U F2	25.0	23.2		ug/L		93	62 - 131	
trans-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	56 - 136	
Trichloroethene	1.0	U F2	25.0	22.2		ug/L		89	61 - 124	
Vinyl chloride	1.0	U F2	12.5	9.88		ug/L		79	43 - 157	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Cleveland

Page 12 of 21

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-205042-B-5 MS

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Matrix Spike Prep Type: Total/NA

MS MS

Surrogate %Recovery Qualifier Limits Dibromofluoromethane (Surr) 102 73 - 120

Lab Sample ID: 240-205042-B-5 MSD

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U F2	25.0	19.1	F2	ug/L		76	56 - 135	29	26
cis-1,2-Dichloroethene	1.0	U F2	25.0	17.6	F2	ug/L		71	66 - 128	30	14
Tetrachloroethene	1.0	U F2	25.0	17.3	F2	ug/L		69	62 - 131	29	20
trans-1,2-Dichloroethene	1.0	U F2	25.0	17.9	F2	ug/L		72	56 - 136	29	15
Trichloroethene	1.0	U F2	25.0	16.9	F2	ug/L		67	61 - 124	27	15
Vinyl chloride	1.0	U F2	12.5	5.62	F2	ug/L		45	43 - 157	55	24

MSD MSD

MR MR

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-615070/6

Matrix: Water

Analysis Batch: 615070

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 1,4-Dioxane 1.66 J 2.0 0.86 ug/L 05/31/24 13:58 MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 106 68 - 127 05/31/24 13:58

Lab Sample ID: LCS 240-615070/4

Analysis Batch: 615070

Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit D %Rec Limits 1,4-Dioxane 10.0 11.9 ug/L 119 75 - 121

LCS LCS

%Recovery Qualifier Surrogate Limits 1,2-Dichloroethane-d4 (Surr) 68 - 127 106

Lab Sample ID: 24

Matrix: Water

Analysis Batch: 615070

40-205035-A-2 MS	Client Sample ID: Matrix Spike
	Prep Type: Total/NA

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier Limits Analyte Unit %Rec 3.3 B 1,4-Dioxane 10.0 13.3 ug/L 100 20 - 180

QC Sample Results

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS N	MS		
Surrogate	%Recovery G	Qualifier	Limits	
1,2-Dichloroethane-d4 (Surr)	102		68 - 127	
Lab Sample ID: 240-205035-A	A-2 MSD			
Matrix: Water				
Analysis Batch: 615070				
	Sample S	Sample	Snika	Med Med

•	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	3.3	В	10.0	13.4		ug/L		101	20 - 180	1	20
	MSD	MSD									

QC Association Summary

Client: Arcadis U.S., Inc.

Project/Site: Ford LTP

Job ID: 240-205032-1

GC/MS VOA

Analysis Batch: 614817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205032-1	TRIP BLANK_73	Total/NA	Water	8260D	
240-205032-2	MW-35_052124	Total/NA	Water	8260D	
MB 240-614817/5	Method Blank	Total/NA	Water	8260D	
LCS 240-614817/3	Lab Control Sample	Total/NA	Water	8260D	
240-205042-B-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-205042-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 615070

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205032-2	MW-35_052124	Total/NA	Water	8260D SIM	
MB 240-615070/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-615070/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-205035-A-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-205035-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

9

4

5

_

8

9

11

40

13

Lab Chronicle

Client: Arcadis U.S., Inc. Job ID: 240-205032-1

Project/Site: Ford LTP

Client Sample ID: TRIP BLANK_73

Lab Sample ID: 240-205032-1 Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/30/24 18:20

Client Sample ID: MW-35_052124 Lab Sample ID: 240-205032-2

Date Collected: 05/21/24 11:55 Matrix: Water

Date Received: 05/23/24 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/30/24 20:50
Total/NA	Analysis	8260D SIM		1	615070	MDH	EET CLE	05/31/24 20:24

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.

Project/Site: Ford LTP

Job ID: 240-205032-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	07-31-24
lowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

4

5

_

8

10

12

13



Chain of Custody Record

TestAmeri	CC
THE LEADER IN CARRIOGNAL TAL	TESTIN

248-99 toffer.						Tele		ne: 248			Weaver 0			1			: Mike	DelN	lonic	,				TestAmerica Laboratories, l COC No:				
248-99 toffer.	94-2240 hinskey@arc					Tele	phon	ne: 248									: Mike	DelN	lonic)				COC No:				
toffer.	.hinskey@arc	adis.	com				-		8-994	4-224	0					_				coc no:								
me:		adis.	com				Anal	average in the	Telephone: 248-994-2240								30-497	-939	,			Telephone: 330-497-9396						
					Email: kristoffer.hinskey@arcadis.com										Analyses									1 of 1 COCs For lab use only				
		Sampler Name:						TAT if different from below						П										Walk-in client				
Leftic Jay							☐ 3 weeks 10 day ☐ 2 weeks																					
Method of Shipment/Carrier:														l	İ	Q N				ľ	Lab sampling							
Shipping/Tracking No:						☐ 2 days ☐ 1 day					Grab		G09	8260			32600	G093				Job/SDG No:						
Т			N	latrix		Containers & Preservatives						E 82	9	٥	۵	ride 1	ne 82											
	Sample Time	ir	durous	ediment	ther:	12504	INO3	ici	HOE	aOH	apres ther:	iltered Si	Omposite	1-DCE 8	Is-1,2-DC	rans-1,2-	CE 8260	CE 8260	inyl Chlo	,4-Dioxar				Sample Specific Notes / Special Instructions:				
ite 3	sample Time	Í		δ δ		Ħ			Z :	N Z	5 5						_			-	+		┪					
_		_		_		Ш		1	_	_		111	G		\rightarrow	싀	<u> </u>	<u> </u>	-			$\perp \perp$	4	1 Trìp Blank				
니	1155		6					6				N	6	X	X	X	X.	X		X				3 VOAs for 8260D 3 VOAs for 8260D SIM				
																					RIRE RIIII	11111111						
7				7		T			7	\top	1	\top	П		_	11111			W W			WW	WW					
+		II	\Rightarrow	_		-		\rightarrow	4	+	-		\perp	_	_	1/11/		W	W	WW			WW					
						\vdash										\W	$\mathbb{N}\mathbb{N}$		W		Milita	(I II II III	W HW is					
										7	+	\perp				1111	0-205	032	Cha	in of C	ustoc	У	84					
+		\vdash	\dashv	+-	+	\vdash		-	+	+	-	+			_	24	0.20					1	\dashv					
																7	\downarrow											
																				$\overline{}$	\$ <i>j</i> 2	1/2	, ,	(L)				
+			-+	+	 	Н	\dashv	\dashv	+	\dashv	+	+			-	_	-	-			+	 	\exists	<u> </u>				
									Ц				ĻŢ			لب												
oison I	в г	Jnk	nown			S													ınln		15							
	rackin	racking No: ate Sample Time 4 \\ 55	ate Sample Time \(\frac{1}{2}\)	ate Sample Time 17 1 1 1 1 5 5 6	ate Sample Time V Pilos	racking No: Matrix	racking No: Matrix Pilot Pilot	racking No: Matrix Continue Form Fo	Tacking No: Matrix Container 1 1 1 1 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 7 1	racking No: Matrix Containers & I	Tacking No: Matrix Containers & Preservate Containers & Containers & Preservate Containers & Contain	Tacking No: Auto Part P	Tacking No: Containers & Preservatives Pr	Tacking No: Containers & Preservatives Page Page	Tacking No: Containers & Preservatives Pr	Tacking No: Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Cont	Tacking No: Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Cont	Tacking No: Containers & Preservatives Containers & Containers & Preservatives Containers & Co	Compared Compared	Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Preservatives Containers & Cont	Tacking No: Company C	Containers & Preservatives Containers & Containers	Containers & Preservatives Containers & Containers	Containers & Preservatives Containers & Conta				

C2008, TestAmerica Laboratories, Inc., All rights reserved, TestAmerica & Design ¹⁰ are tradenarias of TestAmerica Laboratories, Inc. 4

5

7

8

10

13

88

Mone	COOLANT: Wet Ice Blue Ice Dry Ice Water None
None Other	Packing material used. Bubble Wrap Foam Plastic Bag
	Eurofins Cooler # EC Roam Box Chent Cooler Box
Storage Location_	Receipt After-hours Drop-off Date/Time
Eurofins Courier Other	FedEx. 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other
3 24 me	Cooler Received on 5.23 24 Opened on 5.23 24
Coo.	Chent Arcadis Site Name LTP
# 1.0pm# :	Eurofins Gleveland Sample Receipt Form/Naugative

__ Cooler temperature upon receipt IR GUN# 0.0 Ĵ Observed Cooler Temp. See Multiple Cooler Form °C Corrected Cooler Temp

Tests that are not

'n -Were tamper/custody seals intact and uncompromised? Shippers' packing slip attached to the cooler(s)? Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were the seals on the outside of the cooler(s) signed & dated? E X X

3

VOAs

Oil and Grease TOC

checked for pH by Receiving

'രീ

Did custody papers accompany the sample(s)?

S Were the custody papers relinquished & signed in the appropriate place?

9 Was/were the person(s) who collected the samples clearly identified on the COC?

Did all bottles arrive in good condition (Unbroken)?

9 %

Could all bottle labels (ID/Date/Time) be reconciled with the COC? For each sample, does the COC specify preservatives (YAN), # of containers (Ky), sample type of grab/comp(Y/M)

Z

Z, ď Ÿ ž

Were correct bottle(s) used for the test(s) indicated?

Sufficient quantity received to perform indicated analyses?

Are these work share samples and all listed on the COC?

If yes, Questions 13-17 have been checked at the originating laboratory

Were all preserved sample(s) at the correct pH upon receipt?

14 Were VOAs on the COC?

15 Were air bubbles >6 mm in any VOA vials?

Was a VOA trip blank present in the cooler(s)?

Was a LL Hg or Me Hg trip blank present?

Concerning

Contacted PM

Date

Trip Blank Lot # DO 4130 (F ğ via Verbal Voice Mail Other

18 CHAIN OF CUSTODY & SAMPLE DISCREPANCIES 🖾 addıtıonal next page Samples processed by

Sample(s) VOA Sample Preservation Time preserved 20 SAMPLE PRESERVATION Sample(s) Sample(s) Sample(s) 19 SAMPLE CONDITION Date/Time VOAs Frozen. Preservative(s) added/Lot number(s) were received after the recommended holding time had expired were received with bubble >6 mm in diameter (Notify PM) were received in a broken container were further preserved in the laboratory

WI NC-099-041724 Cooler Receipt Form

No (NA)

pH Strap Lo# HC439975

No NA

Login#	
620S0E	

EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Bax Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	EC Client Box Other	FC Client Box Other	Ed Client box Other	Ec Client Box Other	Cooler Description (Circle)
7 GON #	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	R GUN#:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #:	IR GUN #: //	IR GUN #:/{\}	#Eurofins ∌Clevelano IR Gun # (Circle)
					Andrew State Control of the Control	Character of the Control of the Cont																										1.8	3.4.	#Eurofins #Cleveland Sample Receipt Multiple Cooler Form ## IR Gun # Observed Corrected (Circle) Temp °C Temp °C
☐ See Ter																															,	8, 7	3.4,	ulti <u>ple Cooler Form</u> 無 Corrected Temp °C
Wellice sive ice bry ice Water None See Temperature Excursion Form	Wet Ice Blue Ice Dry Ice Water None	Wet Ice Blue Ice Dry Ice Water None	Wellice Bluelice Drylice Water Name	Wet ice Bive ice Dry ice Water None	Wet Ice Bive Ice Dry Ice Water None	Wet Ice Blue Ice Dry Ice Waler None	Wet Ice Bive Ice Dry Ice Water None	Wetice Blueice Dryice Water None	Blue Ice uler None	Wel Ice Blue Ice Dry Ice Waler None	Wet Ice Blue Ice Dry Ice Water None	Wellice Bluelice Drylice Water None	Wet Ice Blue Ice Dry Ice Water None	Wellice Bluelice Drylice Water None	Wet Ice Blue Ice Dry Ice Water None	Wet Ice Bive Ice Dry Ice Water None	Wellice Bluelice Drylice Waler Nane	Wet Ice Blue Ice Dry Ice Waler None	Wet Ice Blue Ice Dry Ice Water None	Wellice Bluelice Drylice Water None	Wet ice Bive ice Dry ice Waler None	Wettice Bluetice Drytice Water None	Wettice Bluelice Drylice Water None	Wet Ice Blue Ice Dry Ice Water None	Wet Ice Bive Ice Dry Ice Water None	Wet Ice Blue Ice Dry Ice Water None	Wellice Bluelice Drylice Water None	Wellce Bluelce Drylice Water None	Wellice Bluelice Drylice Water None	Wet ice Bive ice Dry ice Waler None	Wet Ice Stue Ice Dry Ice Water None	Blue Ice Ialer None	Weblee' Blue Ice Dry Ice Water None	Ú

5/23/2024

Login Container Summary Report

240-205032

Temperature readings

MW 35_052124 240-205032-F-2 Voa Vial 40ml - Hydrochloric Acid	MW-35_052124 240-205032-E-2 Voa Vial 40ml - Hydrochloric Acid	MW-35_052124 240-205032-D-2 Voa Vial 40ml - Hydrochloric Acid	MW-35_052124 240-205032-C-2 Voa Vial 40ml - Hydrochloric Acid	MW-35_052124 240-205032-B-2 Voa Vial 40ml - Hydrochloric Acid	MW-35_052124 240-205032-A-2 Voa Vial 40ml - Hydrochloric Acid	TRIP BLANK_73 240-205032-A-1 Voa Vial 40ml - Hydrochloric Acid	Chent Sample ID Lab ID Container Type
-F-2 Voa Vial 40ml - Hydrochloric Acid	-E-2 Voa Vial 40ml - Hydrochloric Acid	-D-2 Voa Vial 40ml - Hydrochloric Acid	-C-2 Voa Vial 40ml - Hydrochloric Acid	-B-2 Voa Vıal 40ml - Hydrochloric Acid	-A-2 Voa Vial 40ml - Hydrochloric Acid	-A-1 Voa Vial 40ml - Hydrochloric Acid	Container Type
		***************************************	The state of the s	the same and the s	The state of the s	The state of the s	Container Preservation Preservation pH Temp Added Lot Number

Page 21 of 21 6/3/2024

DATA VERIFICATION REPORT



June 03, 2024

Megan Meckley Arcadis 28550 Cabot Drive Suite 500 Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.401.03

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 205032-1

Sample date: 2024-05-21

Report received by CADENA: 2024-06-03

Initial Data Verification completed by CADENA: 2024-06-03

Number of Samples:2 Sample Matrices: Water Test Categories: GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

MBK - METHOD BLANKS had detections BELOW the Reporting Limit (RL) for these analytes. The listed client sample results had concentrations LESS than 5X the method blank levels so client sample results reported below the RL are considered non-detect at the RL and qualified with UB flags and results greater than the RL are non-detect at the sample concentration reported and qualified with B flags: GCMS VOC-SIM QC batch 615070 - 1,4-DIOXANE - B - sample -02.

MS/MSD recovery outliers or sample duplicate RPD outliers were not determined using a client sample from this submittal for the test and QC batch noted so qualification was not required based on these sample-specific QC outliers: GCMS VOC QC batch 614817.

GCMS VOC CCV STANDARD response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

Qualifiers added during verification have been added to the electronic data which is available for download from the CADENA CLMS. Refer to the attached table of analytical results that have been qualified during verification.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Qualified Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 205032-1

 Sample Name:
 MW-35_052124

 Lab Sample ID:
 2402050322

 Sample Date:
 5/21/2024

Report Valid
Analyte Cas No. Result Limit Units Qualifier

GC/MS VOC

OSW-8260DSIM

1,4-Dioxane 123-91-1 4.5 2.0 ug/l B

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 205032-1

		Sample Name:	TRIP BLA	NK_73			MW-35_052124						
		Lab Sample ID:	2402050	321			2402050						
		Sample Date:	5/21/202	24			5/21/202	24					
				Report		Valid		Report		Valid			
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier			
GC/MS VOC													
OSW-8260	<u>D</u>												
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l				
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l				
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l				
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l				
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l				
	Vinyl chloride	75-01-4	ND	1.0	ug/l		0.90	1.0	ug/l	J			
OSW-8260	<u>DSIM</u>												
	1,4-Dioxane	123-91-1					4.5	2.0	ug/l	В			