

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kristoffer Hinskey  
Arcadis U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 6/4/2024 8:29:22 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-205042-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
6/4/2024 8:29:22 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	15
QC Sample Results . . . . .	16
QC Association Summary . . . . .	22
Lab Chronicle . . . . .	23
Certification Summary . . . . .	24
Chain of Custody . . . . .	25

# Definitions/Glossary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis U.S., Inc.  
Project: Ford LTP

Job ID: 240-205042-1

**Job ID: 240-205042-1**

**Eurofins Cleveland**

## Job Narrative 240-205042-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 5/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.8°C and 3.4°C.

### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-614817 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-205042-1	TRIP BLANK_88	Water	05/21/24 00:00	05/23/24 08:00
240-205042-2	MW-210S_052124	Water	05/21/24 12:54	05/23/24 08:00
240-205042-3	DUP-07	Water	05/21/24 00:00	05/23/24 08:00
240-205042-4	MW-209S_052124	Water	05/21/24 14:55	05/23/24 08:00
240-205042-5	MW-208S_052124	Water	05/21/24 16:30	05/23/24 08:00
240-205042-6	MW-32_052124	Water	05/21/24 09:52	05/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Client Sample ID: TRIP BLANK\_88

Lab Sample ID: 240-205042-1

No Detections.

## Client Sample ID: MW-210S\_052124

Lab Sample ID: 240-205042-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.3		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	6.5		1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: DUP-07

Lab Sample ID: 240-205042-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.0	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.8		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	6.0		1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: MW-209S\_052124

Lab Sample ID: 240-205042-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.47	J	1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: MW-208S\_052124

Lab Sample ID: 240-205042-5

No Detections.

## Client Sample ID: MW-32\_052124

Lab Sample ID: 240-205042-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.61	J	1.0	0.46	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: TRIP BLANK\_88**

**Lab Sample ID: 240-205042-1**

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 06:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 06:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 06:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 06:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 06:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 06:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		62 - 137		05/30/24 06:46	1
4-Bromofluorobenzene (Surr)	95		56 - 136		05/30/24 06:46	1
Toluene-d8 (Surr)	100		78 - 122		05/30/24 06:46	1
Dibromofluoromethane (Surr)	100		73 - 120		05/30/24 06:46	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: MW-210S\_052124**

**Lab Sample ID: 240-205042-2**

Date Collected: 05/21/24 12:54

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.3		2.0	0.86	ug/L			06/01/24 10:05	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					06/01/24 10:05	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 13:47	1
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L			05/30/24 13:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 13:47	1
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L			05/30/24 13:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 13:47	1
Vinyl chloride	6.5		1.0	0.45	ug/L			05/30/24 13:47	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					05/30/24 13:47	1
4-Bromofluorobenzene (Surr)	96		56 - 136					05/30/24 13:47	1
Toluene-d8 (Surr)	99		78 - 122					05/30/24 13:47	1
Dibromofluoromethane (Surr)	101		73 - 120					05/30/24 13:47	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: DUP-07**

**Lab Sample ID: 240-205042-3**

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.0	J	2.0	0.86	ug/L			06/02/24 18:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		68 - 127					06/02/24 18:43	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 14:12	1
cis-1,2-Dichloroethene	14		1.0	0.46	ug/L			05/30/24 14:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 14:12	1
trans-1,2-Dichloroethene	1.8		1.0	0.51	ug/L			05/30/24 14:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 14:12	1
Vinyl chloride	6.0		1.0	0.45	ug/L			05/30/24 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					05/30/24 14:12	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/30/24 14:12	1
Toluene-d8 (Surr)	103		78 - 122					05/30/24 14:12	1
Dibromofluoromethane (Surr)	103		73 - 120					05/30/24 14:12	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: MW-209S\_052124**

**Lab Sample ID: 240-205042-4**

Date Collected: 05/21/24 14:55

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/24 12:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		68 - 127					06/02/24 12:28	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 20:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 20:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 20:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:25	1
<b>Vinyl chloride</b>	<b>0.47</b>	<b>J</b>	1.0	0.45	ug/L			05/30/24 20:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		62 - 137					05/30/24 20:25	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/30/24 20:25	1
Toluene-d8 (Surr)	101		78 - 122					05/30/24 20:25	1
Dibromofluoromethane (Surr)	102		73 - 120					05/30/24 20:25	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: MW-208S\_052124**

**Lab Sample ID: 240-205042-5**

Date Collected: 05/21/24 16:30

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/24 19:30	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					06/02/24 19:30	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U F2	1.0	0.49	ug/L			05/31/24 01:49	1
cis-1,2-Dichloroethene	1.0	U F2	1.0	0.46	ug/L			05/31/24 01:49	1
Tetrachloroethene	1.0	U F2	1.0	0.44	ug/L			05/31/24 01:49	1
trans-1,2-Dichloroethene	1.0	U F2	1.0	0.51	ug/L			05/31/24 01:49	1
Trichloroethene	1.0	U F2	1.0	0.44	ug/L			05/31/24 01:49	1
Vinyl chloride	1.0	U F2	1.0	0.45	ug/L			05/31/24 01:49	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	117		62 - 137					05/31/24 01:49	1
4-Bromofluorobenzene (Surr)	93		56 - 136					05/31/24 01:49	1
Toluene-d8 (Surr)	99		78 - 122					05/31/24 01:49	1
Dibromofluoromethane (Surr)	104		73 - 120					05/31/24 01:49	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

**Client Sample ID: MW-32\_052124**

**Lab Sample ID: 240-205042-6**

Date Collected: 05/21/24 09:52

Matrix: Water

Date Received: 05/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/24 12:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					06/02/24 12:51	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 20:44	1
<b>cis-1,2-Dichloroethene</b>	<b>0.61</b>	<b>J</b>	1.0	0.46	ug/L			05/30/24 20:44	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:44	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 20:44	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 20:44	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 20:44	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					05/30/24 20:44	1
4-Bromofluorobenzene (Surr)	91		56 - 136					05/30/24 20:44	1
Toluene-d8 (Surr)	93		78 - 122					05/30/24 20:44	1
Dibromofluoromethane (Surr)	98		73 - 120					05/30/24 20:44	1

# Surrogate Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
180-174436-C-4 MS	Matrix Spike	108	109	101	102
180-174436-C-4 MSD	Matrix Spike Duplicate	107	109	102	103
240-204972-A-5 MS	Matrix Spike	97	97	97	98
240-204972-B-5 MSD	Matrix Spike Duplicate	96	94	93	99
240-205042-1	TRIP BLANK_88	115	95	100	100
240-205042-2	MW-210S_052124	116	96	99	101
240-205042-3	DUP-07	116	95	103	103
240-205042-4	MW-209S_052124	115	95	101	102
240-205042-5	MW-208S_052124	117	93	99	104
240-205042-5 MS	MW-208S-MS_052124	109	109	103	102
240-205042-5 MSD	MW-208S-MSD_052124	107	109	103	102
240-205042-6	MW-32_052124	102	91	93	98
LCS 240-614816/4	Lab Control Sample	107	112	101	102
LCS 240-614817/3	Lab Control Sample	108	110	102	102
LCS 240-614939/4	Lab Control Sample	96	96	96	98
MB 240-614816/6	Method Blank	114	99	102	104
MB 240-614817/5	Method Blank	114	97	101	102
MB 240-614939/5	Method Blank	99	91	94	97

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-205042-2	MW-210S_052124	106
240-205042-2 MS	MW-210S_052124	104
240-205042-2 MSD	MW-210S_052124	105
240-205042-3	DUP-07	109
240-205042-4	MW-209S_052124	100
240-205042-5	MW-208S_052124	107
240-205042-5 MS	MW-208S-MS_052124	105
240-205042-5 MSD	MW-208S-MSD_052124	103
240-205042-6	MW-32_052124	104
LCS 240-615090/4	Lab Control Sample	105
LCS 240-615136/4	Lab Control Sample	99
MB 240-615090/6	Method Blank	106
MB 240-615136/6	Method Blank	99

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-614816/6**

**Matrix: Water**

**Analysis Batch: 614816**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 06:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 06:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 06:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 06:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 06:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 06:21	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		05/30/24 06:21	1
4-Bromofluorobenzene (Surr)	99		56 - 136		05/30/24 06:21	1
Toluene-d8 (Surr)	102		78 - 122		05/30/24 06:21	1
Dibromofluoromethane (Surr)	104		73 - 120		05/30/24 06:21	1

**Lab Sample ID: LCS 240-614816/4**

**Matrix: Water**

**Analysis Batch: 614816**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	25.3		ug/L		101	63 - 134
cis-1,2-Dichloroethene	25.0	23.9		ug/L		96	77 - 123
Tetrachloroethene	25.0	23.3		ug/L		93	76 - 123
trans-1,2-Dichloroethene	25.0	23.8		ug/L		95	75 - 124
Trichloroethene	25.0	23.1		ug/L		93	70 - 122
Vinyl chloride	12.5	8.87		ug/L		71	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	112		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

**Lab Sample ID: 180-174436-C-4 MS**

**Matrix: Water**

**Analysis Batch: 614816**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

**Lab Sample ID: 180-174436-C-4 MSD**

**Matrix: Water**

**Analysis Batch: 614816**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137

Eurofins Cleveland



# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 180-174436-C-4 MSD**

**Matrix: Water**

**Analysis Batch: 614816**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

**Lab Sample ID: MB 240-614817/5**

**Matrix: Water**

**Analysis Batch: 614817**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 17:56	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 17:56	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 17:56	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 17:56	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		05/30/24 17:56	1
4-Bromofluorobenzene (Surr)	97		56 - 136		05/30/24 17:56	1
Toluene-d8 (Surr)	101		78 - 122		05/30/24 17:56	1
Dibromofluoromethane (Surr)	102		73 - 120		05/30/24 17:56	1

**Lab Sample ID: LCS 240-614817/3**

**Matrix: Water**

**Analysis Batch: 614817**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	27.5		ug/L		110	63 - 134
cis-1,2-Dichloroethene	25.0	25.6		ug/L		102	77 - 123
Tetrachloroethene	25.0	24.8		ug/L		99	76 - 123
trans-1,2-Dichloroethene	25.0	25.6		ug/L		103	75 - 124
Trichloroethene	25.0	25.1		ug/L		100	70 - 122
Vinyl chloride	12.5	9.10		ug/L		73	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

**Lab Sample ID: 240-205042-5 MS**

**Matrix: Water**

**Analysis Batch: 614817**

**Client Sample ID: MW-208S-MS\_052124**

**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
1,1-Dichloroethene	1.0	U F2	25.0	25.7		ug/L		103	56 - 135
cis-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	66 - 128
Tetrachloroethene	1.0	U F2	25.0	23.2		ug/L		93	62 - 131

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-205042-5 MS**  
**Matrix: Water**  
**Analysis Batch: 614817**

**Client Sample ID: MW-208S-MS\_052124**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
trans-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	56 - 136
Trichloroethene	1.0	U F2	25.0	22.2		ug/L		89	61 - 124
Vinyl chloride	1.0	U F2	12.5	9.88		ug/L		79	43 - 157
<b>MS MS</b>									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	109		62 - 137						
4-Bromofluorobenzene (Surr)	109		56 - 136						
Toluene-d8 (Surr)	103		78 - 122						
Dibromofluoromethane (Surr)	102		73 - 120						

**Lab Sample ID: 240-205042-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 614817**

**Client Sample ID: MW-208S-MSD\_052124**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier					Limit	
1,1-Dichloroethene	1.0	U F2	25.0	19.1	F2	ug/L		76	56 - 135	29	26
cis-1,2-Dichloroethene	1.0	U F2	25.0	17.6	F2	ug/L		71	66 - 128	30	14
Tetrachloroethene	1.0	U F2	25.0	17.3	F2	ug/L		69	62 - 131	29	20
trans-1,2-Dichloroethene	1.0	U F2	25.0	17.9	F2	ug/L		72	56 - 136	29	15
Trichloroethene	1.0	U F2	25.0	16.9	F2	ug/L		67	61 - 124	27	15
Vinyl chloride	1.0	U F2	12.5	5.62	F2	ug/L		45	43 - 157	55	24
<b>MSD MSD</b>											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	107		62 - 137								
4-Bromofluorobenzene (Surr)	109		56 - 136								
Toluene-d8 (Surr)	103		78 - 122								
Dibromofluoromethane (Surr)	102		73 - 120								

**Lab Sample ID: MB 240-614939/5**  
**Matrix: Water**  
**Analysis Batch: 614939**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 16:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 16:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 16:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 16:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 16:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 16:53	1
<b>MB MB</b>									
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/30/24 16:53	1			
4-Bromofluorobenzene (Surr)	91		56 - 136		05/30/24 16:53	1			
Toluene-d8 (Surr)	94		78 - 122		05/30/24 16:53	1			
Dibromofluoromethane (Surr)	97		73 - 120		05/30/24 16:53	1			

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-614939/4

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	29.6		ug/L		118	63 - 134
cis-1,2-Dichloroethene	25.0	23.4		ug/L		94	77 - 123
Tetrachloroethene	25.0	25.7		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	28.5		ug/L		114	75 - 124
Trichloroethene	25.0	24.7		ug/L		99	70 - 122
Vinyl chloride	12.5	9.36		ug/L		75	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-204972-A-5 MS

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	26.1		ug/L		104	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.5		ug/L		94	66 - 128
Tetrachloroethene	1.0	U	25.0	23.4		ug/L		94	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.5		ug/L		110	56 - 136
Trichloroethene	1.0	U	25.0	23.5		ug/L		94	61 - 124
Vinyl chloride	1.0	U	12.5	8.53		ug/L		68	43 - 157

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-204972-B-5 MSD

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	27.0		ug/L		108	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	24.1		ug/L		96	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	25.0	27.5		ug/L		110	56 - 136	0	15
Trichloroethene	1.0	U	25.0	23.8		ug/L		95	61 - 124	2	15
Vinyl chloride	1.0	U	12.5	8.91		ug/L		71	43 - 157	4	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	93		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-204972-B-5 MSD  
Matrix: Water  
Analysis Batch: 614939

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	99		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-615090/6  
Matrix: Water  
Analysis Batch: 615090

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/24 02:02	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	106		68 - 127		06/01/24 02:02	1			

Lab Sample ID: LCS 240-615090/4  
Matrix: Water  
Analysis Batch: 615090

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	Limits
	Added	Result	Qualifier					
1,4-Dioxane	10.0	10.8		ug/L		108	75 - 121	
Surrogate	LCS	LCS	Limits					
1,2-Dichloroethane-d4 (Surr)	105		68 - 127					

Lab Sample ID: 240-205042-2 MS  
Matrix: Water  
Analysis Batch: 615090

Client Sample ID: MW-210S\_052124  
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,4-Dioxane	2.3		10.0	11.6		ug/L		93	20 - 180	
Surrogate	MS	MS	Limits							
1,2-Dichloroethane-d4 (Surr)	104		68 - 127							

Lab Sample ID: 240-205042-2 MSD  
Matrix: Water  
Analysis Batch: 615090

Client Sample ID: MW-210S\_052124  
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier								
1,4-Dioxane	2.3		10.0	11.7		ug/L		94	20 - 180	1	20		
Surrogate	MSD	MSD	Limits										
1,2-Dichloroethane-d4 (Surr)	105		68 - 127										

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 240-615136/6**  
**Matrix: Water**  
**Analysis Batch: 615136**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/02/24 11:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		68 - 127					06/02/24 11:41	1

**Lab Sample ID: LCS 240-615136/4**  
**Matrix: Water**  
**Analysis Batch: 615136**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.55		ug/L		95	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	99		68 - 127				

**Lab Sample ID: 240-205042-5 MS**  
**Matrix: Water**  
**Analysis Batch: 615136**

**Client Sample ID: MW-208S-MS\_052124**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	105		68 - 127						

**Lab Sample ID: 240-205042-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 615136**

**Client Sample ID: MW-208S-MSD\_052124**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.2		ug/L		102	20 - 180	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	103		68 - 127								

# QC Association Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## GC/MS VOA

### Analysis Batch: 614816

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205042-1	TRIP BLANK_88	Total/NA	Water	8260D	
240-205042-2	MW-210S_052124	Total/NA	Water	8260D	
240-205042-3	DUP-07	Total/NA	Water	8260D	
MB 240-614816/6	Method Blank	Total/NA	Water	8260D	
LCS 240-614816/4	Lab Control Sample	Total/NA	Water	8260D	
180-174436-C-4 MS	Matrix Spike	Total/NA	Water	8260D	
180-174436-C-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 614817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205042-4	MW-209S_052124	Total/NA	Water	8260D	
240-205042-5	MW-208S_052124	Total/NA	Water	8260D	
MB 240-614817/5	Method Blank	Total/NA	Water	8260D	
LCS 240-614817/3	Lab Control Sample	Total/NA	Water	8260D	
240-205042-5 MS	MW-208S-MS_052124	Total/NA	Water	8260D	
240-205042-5 MSD	MW-208S-MSD_052124	Total/NA	Water	8260D	

### Analysis Batch: 614939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205042-6	MW-32_052124	Total/NA	Water	8260D	
MB 240-614939/5	Method Blank	Total/NA	Water	8260D	
LCS 240-614939/4	Lab Control Sample	Total/NA	Water	8260D	
240-204972-A-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-204972-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 615090

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205042-2	MW-210S_052124	Total/NA	Water	8260D SIM	
MB 240-615090/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-615090/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-205042-2 MS	MW-210S_052124	Total/NA	Water	8260D SIM	
240-205042-2 MSD	MW-210S_052124	Total/NA	Water	8260D SIM	

### Analysis Batch: 615136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205042-3	DUP-07	Total/NA	Water	8260D SIM	
240-205042-4	MW-209S_052124	Total/NA	Water	8260D SIM	
240-205042-5	MW-208S_052124	Total/NA	Water	8260D SIM	
240-205042-6	MW-32_052124	Total/NA	Water	8260D SIM	
MB 240-615136/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-615136/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-205042-5 MS	MW-208S-MS_052124	Total/NA	Water	8260D SIM	
240-205042-5 MSD	MW-208S-MSD_052124	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Client Sample ID: TRIP BLANK\_88

Lab Sample ID: 240-205042-1

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614816	TJL2	EET CLE	05/30/24 06:46

## Client Sample ID: MW-210S\_052124

Lab Sample ID: 240-205042-2

Date Collected: 05/21/24 12:54

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614816	TJL2	EET CLE	05/30/24 13:47
Total/NA	Analysis	8260D SIM		1	615090	MDH	EET CLE	06/01/24 10:05

## Client Sample ID: DUP-07

Lab Sample ID: 240-205042-3

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614816	TJL2	EET CLE	05/30/24 14:12
Total/NA	Analysis	8260D SIM		1	615136	MDH	EET CLE	06/02/24 18:43

## Client Sample ID: MW-209S\_052124

Lab Sample ID: 240-205042-4

Date Collected: 05/21/24 14:55

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/30/24 20:25
Total/NA	Analysis	8260D SIM		1	615136	MDH	EET CLE	06/02/24 12:28

## Client Sample ID: MW-208S\_052124

Lab Sample ID: 240-205042-5

Date Collected: 05/21/24 16:30

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/31/24 01:49
Total/NA	Analysis	8260D SIM		1	615136	MDH	EET CLE	06/02/24 19:30

## Client Sample ID: MW-32\_052124

Lab Sample ID: 240-205042-6

Date Collected: 05/21/24 09:52

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614939	CS	EET CLE	05/30/24 20:44
Total/NA	Analysis	8260D SIM		1	615136	MDH	EET CLE	06/02/24 12:51

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-205042-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24



**Chain of Custody Record**


TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>														
Arcadis		<b>Client Project Manager:</b> Kris Hinskey				<b>Site Contact:</b> Christina Weaver				<b>Lab Contact:</b> Mike DelMonico				<b>COC No:</b>												
4801 Westland Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs												
Livonia, MI, 48377		Email: kristoffer.hinskey@arcadis.com				<b>Analysis Turnaround Time</b>				<b>Analyses</b>				For lab use only												
240		<b>Sampler Name:</b> Noah Donnie				<b>TAT if different from below</b>				<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Walk-in client												
Arcadis LTP		<b>Method of Shipment/Carrier:</b>				<b>10 day</b>								Lab sampling												
30206169.0401.03		<b>Shipping/Tracking No:</b>				<b>Matrix</b> Air Aqueous Sediment Solid Other: <b>Containers &amp; Preservatives</b> H2SO4 HNO3 HCl NaOH ZnAc NaOH Unpres Other: Filtered Sample (Y/N) Composite-C / Grab-C 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Job/SDG No:																
772										Sample Specific Notes / Special Instructions:																
Sample Identification		Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite-C / Grab-C	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:
trip blank 88		---	---	1							1						NG	X	X	X	X	X	X		1 Trip Blank	
MW-210S_052124		05/21/24	17:54	6							6						NG	X	X	X	X	X	X		3 VOAs for 8260D 3 VOAs for 8260D SIM	
Dup-07		05/21/24	/	6							6						NG	X	X	X	X	X	X			
MW-209S_052124		05/21/24	14:55	6							6						NG	X	X	X	X	X	X			
MW-208S_052124		05/21/24	16:30	6							6						NG	X	X	X	X	X	X			
MW-205S-MS-052124		05/21/24	16:30	6							6						NG	X	X	X	X	X	X		Run MS/MSD	
MW-208S-MS-052124		05/21/24	16:30	6							6						NG	X	X	X	X	X	X		Run MS/MSD	
MW-32_052125		05/21/24	9:52	6							6						NG	X	X	X	X	X	X			

Sample Disposal (A fee may be assessed if samples are retained longer than 90 days):  Return to Client  Disposal By Lab  Archive For

QA/QC Requirements & Comments:

Its through Cadena at jtomalla@cadenco.com. Cadena #E203728  
ing requested.



240-205042 Chain of Custody

Company: Arcadis	Date/Time: 05/21/24 17:00	Received by: Noah Donnie	Company: Arcadis	Date/Time: 05/21/24 17:00
Company: Arcadis	Date/Time: 5/22/24 1440	Received by: [Signature]	Company: [Signature]	Date/Time: 5/22/24 1440
Company: [Signature]	Date/Time: 5/22/24 1500	Received in Laboratory by: JESSICA RIGDON	Company: [Signature]	Date/Time: 5-23-24 0800

TestAmerica, Inc. All rights reserved. 4801 Westland Drive, Suite 500, Livonia, MI 48150

Eurofins Cleveland Sample Receipt Form/Narrative Log# 20504P  
 Barberon Facility

Client Arcadis Site Name LTP Cooler unpacked by: (me)  
 Cooler Received on 5-23-24 Opened on 5-23-24

FedEx: 1<sup>st</sup> Grd Exp UPS FAS (Maypoint) Client Drop Off Eurofins Courier Other \_\_\_\_\_  
 Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form  
 IR GUN # 18 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C

Tests that are not checked for pH by Receiving  
 VOAs  
 Oil and Grease  
 TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 160 Yes  No  NA   
 -Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA   
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA   
 -Were tamper/custody seals intact and uncompromised? Yes  No  NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes  No
- 4 Did custody papers accompany the sample(s)? Yes  No
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes  No
- 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes  No
- 7 Did all bottles arrive in good condition (Unbroken)? Yes  No
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes  No
- 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes  No
- 10 Were correct bottle(s) used for the test(s) indicated? Yes  No
- 11 Sufficient quantity received to perform indicated analyses? Yes  No
12. Are these work share samples and all listed on the COC? Yes  No
- If yes, Questions 13-17 have been checked at the originating laboratory
- 13 Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA  pH Strip Lot# HC439975
14. Were VOAs on the COC? Yes  No
- 15 Were air bubbles >6 mm in any VOA vials?  Larger than this Yes  No  NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 2041301E Yes  No
- 17 Was a LL Hg or Me Hg trip blank present? Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18 CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19 SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20 SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation Date/Time VOAs Frozen \_\_\_\_\_





Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>
					<u>Lot Number</u>
TRJP BLANK_88	240-205042-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-210S_052124	240-205042-F-2	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-A-3	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-B-3	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-C-3	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-D-3	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-E-3	Voa Vial 40ml - Hydrochloric Acid			
DUP-07	240-205042-F-3	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-A-4	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-B-4	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-C-4	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-D-4	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-E-4	Voa Vial 40ml - Hydrochloric Acid			
MW-209S_052124	240-205042-F-4	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-A-5	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240 205042-A-5 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-A-5 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-B-5	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-B-5 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-B-5 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-C-5	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240 205042-C-5 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-C-5 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-D-5	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-D-5 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-D-5 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-E-5	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-E-5 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-208S_052124	240-205042-E-5 MSD	Voa Vial 40ml - Hydrochloric Acid			



<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>pH</u>	<u>Temp</u>	<u>Preservation</u>	<u>Added</u>	<u>Preservation</u>	<u>Lot Number</u>
MW-208S-MSD_052124	240-205042-E-5 MSD	Voa Vial 40ml - Hydrochloric Acid							
MW-208S_052124	240-205042-F-5	Voa Vial 40ml - Hydrochloric Acid							
MW-208S-MS_052124	240-205042-F-5 MS	Voa Vial 40ml - Hydrochloric Acid							
MW-208S-MSD_052124	240-205042-F-5 MSD	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-A-6	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-B-6	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-C-6	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-D-6	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-E-6	Voa Vial 40ml - Hydrochloric Acid							
MW-32_052124	240-205042-F-6	Voa Vial 40ml - Hydrochloric Acid							



# DATA VERIFICATION REPORT



June 04, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.401.03

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 205042-1

Sample date: 2024-05-21

Report received by CADENA: 2024-06-04

Initial Data Verification completed by CADENA: 2024-06-04

Number of Samples:6

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC sample -005 MS/MSD RPD only were outliers for ALL ANALYTES so client sample results were not qualified based on these QC outliers alone.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.



## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 205042-1

Analyte	Cas No.	Sample Name: TRIP BLANK_88				MW-210S_052124				DUP-07				MW-209S_052124				MW-208S_052124				MW-32_052124			
		Lab Sample ID: 2402050421				2402050422				2402050423				2402050424				2402050425				2402050426			
		Sample Date: 5/21/2024				5/21/2024				5/21/2024				5/21/2024				5/21/2024				5/21/2024			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
<b>GC/MS VOC</b>																									
<u>OSW-8260D</u>																									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	14	1.0	ug/l	---	14	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.61	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	1.9	1.0	ug/l	---	1.8	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	6.5	1.0	ug/l	---	6.0	1.0	ug/l	---	0.47	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																									
1,4-Dioxane	123-91-1					2.3	2.0	ug/l	---	1.0	2.0	ug/l	J	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---