

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristoffer Hinskey
Arcadis U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 6/6/2024 3:18:47 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-205040-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
6/6/2024 3:18:47 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP

Job ID: 240-205040-1

Job ID: 240-205040-1

Eurofins Cleveland

Job Narrative 240-205040-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.8°C and 3.4°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-614817 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8260D_SIM: The following samples were analyzed outside of analytical holding time due to analyst oversight: MW-34_052124 (240-205040-2), MW-30_052124 (240-205040-3) and MW-31_052124 (240-205040-4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-205040-1	TRIP BLANK_90	Water	05/21/24 00:00	05/23/24 08:00
240-205040-2	MW-34_052124	Water	05/21/24 12:50	05/23/24 08:00
240-205040-3	MW-30_052124	Water	05/21/24 13:55	05/23/24 08:00
240-205040-4	MW-31_052124	Water	05/21/24 15:10	05/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: TRIP BLANK_90

Lab Sample ID: 240-205040-1

No Detections.

Client Sample ID: MW-34_052124

Lab Sample ID: 240-205040-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	5.4	H	2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.61	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-30_052124

Lab Sample ID: 240-205040-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	11	H	2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-31_052124

Lab Sample ID: 240-205040-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: TRIP BLANK_90

Lab Sample ID: 240-205040-1

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 19:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 19:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 19:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 19:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 19:11	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 19:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		05/30/24 19:11	1
4-Bromofluorobenzene (Surr)	90		56 - 136		05/30/24 19:11	1
Toluene-d8 (Surr)	95		78 - 122		05/30/24 19:11	1
Dibromofluoromethane (Surr)	98		73 - 120		05/30/24 19:11	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: MW-34_052124

Lab Sample ID: 240-205040-2

Date Collected: 05/21/24 12:50

Matrix: Water

Date Received: 05/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.4	H	2.0	0.86	ug/L			06/06/24 09:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					06/06/24 09:13	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 23:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 23:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 23:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 23:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 23:20	1
Vinyl chloride	0.61	J	1.0	0.45	ug/L			05/30/24 23:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		62 - 137					05/30/24 23:20	1
4-Bromofluorobenzene (Surr)	92		56 - 136					05/30/24 23:20	1
Toluene-d8 (Surr)	101		78 - 122					05/30/24 23:20	1
Dibromofluoromethane (Surr)	104		73 - 120					05/30/24 23:20	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: MW-30_052124

Lab Sample ID: 240-205040-3

Date Collected: 05/21/24 13:55

Matrix: Water

Date Received: 05/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	11	H	2.0	0.86	ug/L			06/06/24 09:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		68 - 127					06/06/24 09:36	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 23:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 23:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 23:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 23:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 23:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 23:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					05/30/24 23:25	1
4-Bromofluorobenzene (Surr)	91		56 - 136					05/30/24 23:25	1
Toluene-d8 (Surr)	96		78 - 122					05/30/24 23:25	1
Dibromofluoromethane (Surr)	99		73 - 120					05/30/24 23:25	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: MW-31_052124

Lab Sample ID: 240-205040-4

Date Collected: 05/21/24 15:10

Matrix: Water

Date Received: 05/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U H	2.0	0.86	ug/L			06/06/24 10:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					06/06/24 10:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/24 00:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/31/24 00:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/24 00:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/24 00:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/24 00:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/31/24 00:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		62 - 137					05/31/24 00:09	1
4-Bromofluorobenzene (Surr)	96		56 - 136					05/31/24 00:09	1
Toluene-d8 (Surr)	103		78 - 122					05/31/24 00:09	1
Dibromofluoromethane (Surr)	105		73 - 120					05/31/24 00:09	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-204972-A-5 MS	Matrix Spike	97	97	97	98
240-204972-B-5 MSD	Matrix Spike Duplicate	96	94	93	99
240-205040-1	TRIP BLANK_90	101	90	95	98
240-205040-2	MW-34_052124	117	92	101	104
240-205040-3	MW-30_052124	103	91	96	99
240-205040-4	MW-31_052124	118	96	103	105
240-205042-B-5 MS	Matrix Spike	109	109	103	102
240-205042-B-5 MSD	Matrix Spike Duplicate	107	109	103	102
LCS 240-614817/3	Lab Control Sample	108	110	102	102
LCS 240-614939/4	Lab Control Sample	96	96	96	98
MB 240-614817/5	Method Blank	114	97	101	102
MB 240-614939/5	Method Blank	99	91	94	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-205040-2	MW-34_052124	107
240-205040-3	MW-30_052124	105
240-205040-4	MW-31_052124	108
240-205411-A-6 MS	Matrix Spike	111
240-205411-E-6 MSD	Matrix Spike Duplicate	110
LCS 240-615662/4	Lab Control Sample	101
MB 240-615662/6	Method Blank	104

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-614817/5

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 17:56	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 17:56	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 17:56	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 17:56	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 17:56	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		05/30/24 17:56	1
4-Bromofluorobenzene (Surr)	97		56 - 136		05/30/24 17:56	1
Toluene-d8 (Surr)	101		78 - 122		05/30/24 17:56	1
Dibromofluoromethane (Surr)	102		73 - 120		05/30/24 17:56	1

Lab Sample ID: LCS 240-614817/3

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.6		ug/L		102	77 - 123
Tetrachloroethene	25.0	24.8		ug/L		99	76 - 123
trans-1,2-Dichloroethene	25.0	25.6		ug/L		103	75 - 124
Trichloroethene	25.0	25.1		ug/L		100	70 - 122
Vinyl chloride	12.5	9.10		ug/L		73	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-205042-B-5 MS

Matrix: Water

Analysis Batch: 614817

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U F2	25.0	25.7		ug/L		103	56 - 135
cis-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	66 - 128
Tetrachloroethene	1.0	U F2	25.0	23.2		ug/L		93	62 - 131
trans-1,2-Dichloroethene	1.0	U F2	25.0	23.8		ug/L		95	56 - 136
Trichloroethene	1.0	U F2	25.0	22.2		ug/L		89	61 - 124
Vinyl chloride	1.0	U F2	12.5	9.88		ug/L		79	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-205042-B-5 MS
Matrix: Water
Analysis Batch: 614817

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-205042-B-5 MSD
Matrix: Water
Analysis Batch: 614817

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
	Result	Qualifier		Result	Qualifier						
1,1-Dichloroethene	1.0	U F2	25.0	19.1	F2	ug/L		76	56 - 135	29	26
cis-1,2-Dichloroethene	1.0	U F2	25.0	17.6	F2	ug/L		71	66 - 128	30	14
Tetrachloroethene	1.0	U F2	25.0	17.3	F2	ug/L		69	62 - 131	29	20
trans-1,2-Dichloroethene	1.0	U F2	25.0	17.9	F2	ug/L		72	56 - 136	29	15
Trichloroethene	1.0	U F2	25.0	16.9	F2	ug/L		67	61 - 124	27	15
Vinyl chloride	1.0	U F2	12.5	5.62	F2	ug/L		45	43 - 157	55	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: MB 240-614939/5
Matrix: Water
Analysis Batch: 614939

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/30/24 16:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/30/24 16:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 16:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/30/24 16:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/30/24 16:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/30/24 16:53	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		05/30/24 16:53	1
4-Bromofluorobenzene (Surr)	91		56 - 136		05/30/24 16:53	1
Toluene-d8 (Surr)	94		78 - 122		05/30/24 16:53	1
Dibromofluoromethane (Surr)	97		73 - 120		05/30/24 16:53	1

Lab Sample ID: LCS 240-614939/4
Matrix: Water
Analysis Batch: 614939

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	29.6		ug/L		118	63 - 134
cis-1,2-Dichloroethene	25.0	23.4		ug/L		94	77 - 123
Tetrachloroethene	25.0	25.7		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	28.5		ug/L		114	75 - 124
Trichloroethene	25.0	24.7		ug/L		99	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-614939/4

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	9.36		ug/L		75	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-204972-A-5 MS

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	26.1		ug/L		104	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.5		ug/L		94	66 - 128
Tetrachloroethene	1.0	U	25.0	23.4		ug/L		94	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.5		ug/L		110	56 - 136
Trichloroethene	1.0	U	25.0	23.5		ug/L		94	61 - 124
Vinyl chloride	1.0	U	12.5	8.53		ug/L		68	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-204972-B-5 MSD

Matrix: Water

Analysis Batch: 614939

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	27.0		ug/L		108	56 - 135	4	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	24.1		ug/L		96	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	25.0	27.5		ug/L		110	56 - 136	0	15
Trichloroethene	1.0	U	25.0	23.8		ug/L		95	61 - 124	2	15
Vinyl chloride	1.0	U	12.5	8.91		ug/L		71	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-615662/6

Matrix: Water

Analysis Batch: 615662

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/06/24 08:50	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					06/06/24 08:50	1

Lab Sample ID: LCS 240-615662/4

Matrix: Water

Analysis Batch: 615662

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.73		ug/L		97	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	101		68 - 127				

Lab Sample ID: 240-205411-A-6 MS

Matrix: Water

Analysis Batch: 615662

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.47		ug/L		95	20 - 180
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	111		68 - 127						

Lab Sample ID: 240-205411-E-6 MSD

Matrix: Water

Analysis Batch: 615662

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.89		ug/L		99	20 - 180	4	20
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	110		68 - 127								

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

GC/MS VOA

Analysis Batch: 614817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205040-2	MW-34_052124	Total/NA	Water	8260D	
240-205040-4	MW-31_052124	Total/NA	Water	8260D	
MB 240-614817/5	Method Blank	Total/NA	Water	8260D	
LCS 240-614817/3	Lab Control Sample	Total/NA	Water	8260D	
240-205042-B-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-205042-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 614939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205040-1	TRIP BLANK_90	Total/NA	Water	8260D	
240-205040-3	MW-30_052124	Total/NA	Water	8260D	
MB 240-614939/5	Method Blank	Total/NA	Water	8260D	
LCS 240-614939/4	Lab Control Sample	Total/NA	Water	8260D	
240-204972-A-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-204972-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 615662

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-205040-2	MW-34_052124	Total/NA	Water	8260D SIM	
240-205040-3	MW-30_052124	Total/NA	Water	8260D SIM	
240-205040-4	MW-31_052124	Total/NA	Water	8260D SIM	
MB 240-615662/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-615662/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-205411-A-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-205411-E-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Client Sample ID: TRIP BLANK_90

Lab Sample ID: 240-205040-1

Date Collected: 05/21/24 00:00

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614939	CS	EET CLE	05/30/24 19:11

Client Sample ID: MW-34_052124

Lab Sample ID: 240-205040-2

Date Collected: 05/21/24 12:50

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/30/24 23:20
Total/NA	Analysis	8260D SIM		1	615662	MDH	EET CLE	06/06/24 09:13

Client Sample ID: MW-30_052124

Lab Sample ID: 240-205040-3

Date Collected: 05/21/24 13:55

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614939	CS	EET CLE	05/30/24 23:25
Total/NA	Analysis	8260D SIM		1	615662	MDH	EET CLE	06/06/24 09:36

Client Sample ID: MW-31_052124

Lab Sample ID: 240-205040-4

Date Collected: 05/21/24 15:10

Matrix: Water

Date Received: 05/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	614817	TJL2	EET CLE	05/31/24 00:09
Total/NA	Analysis	8260D SIM		1	615662	MDH	EET CLE	06/06/24 10:00

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-205040-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	06-30-24
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.											
Company Name: Arcadis		Client Project Manager: Kris Hinskey			Site Contact: Christina Weaver			Lab Contact: Mike DelMonico				COC No:											
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396				1 of 1 COCs											
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com			Analysis Turnaround Time		Analyses						For lab use only										
Phone: 248-994-2240		Sampler Name: Lottie Jay			TAT if different from below		<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Walk-in client										
Project Name: Ford LTP		Method of Shipment/Carrier:			10 day								Filtered Sample (Y/N)						Lab sampling				
Project Number: 30206169.0401.03		Shipping/Tracking No:											Composite=C / Grab=G						Job/SDG No:				
PO # US3410018772													1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM						Sample Specific Notes / Special Instructions:				
Sample Identification		Sample Date	Sample Time	Matrix	Containers & Preservatives																		
				Air Aqueous Sediment Solid Other:	H2SO4 HNO3 HCl NaOH ZnAc NaOH Unpres Other:																		
TRIP BLANK_90		---	---	1		1						NG	X	X	X	X	X	1 Trip Blank					
MW-34-052124		5/21/24	1250	6		6						NG	X	X	X	X	X	3 VOAs for 8260D 3 VOAs for 8260D SIM					
MW-30-052124		5/21/24	1355	6		6						NG	X	X	X	X	X						
MW-31-052124		5/21/24	1510	6		6						NG	X	X	X	X	X						
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																					
Special Instructions/QC Requirements & Comments:																							
Submit all results through Cadena at jtomalla@cadenco.com. Cadena #E203728 Level IV Reporting requested.																							
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:		Relinquished by:		Company:		Date/Time:		Relinquished by:		Company:		Date/Time:	
Lottie Jay		ARCADIS		5/21/24 1615		NOVI COLD STORAGE		ARCADIS		5/21/24 1615		Lottie Jay		ARCADIS		5/21/24 1440		JESSICA RIGDON		EETNC		5/23/24 0800	
Lottie Jay		ARCADIS		5/22/24 1440		Lottie Jay		EETNC		5/22/24 1440		Lottie Jay		ARCADIS		5/22/24 1500		Lottie Jay		EETNC		5/23/24 0800	
Lottie Jay		ARCADIS		5/22/24 1500		Lottie Jay		EETNC		5/22/24 1500		Lottie Jay		ARCADIS		5/22/24 1500		Lottie Jay		EETNC		5/23/24 0800	



5/21/24 LT

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Division: Glenland Sample Receipt Form/NARRATIVE Location: 265046
 Barberon Facility

Client: Arcadis Site Name: LTP Cooler unpacked by: (me)
 Cooler Received on: 5-23-24 Opened on: 5-23-24

FedEx: 1st Grd Exp UPS FAS (Waypoint) Client Drop Off Eurofins Courier Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Roam Box Client Cooler Box Other _____
 Packing material used Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # 18 (CF 0.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp _____ °C

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 each Yes No NA
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes No NA
- 4 Did custody papers accompany the sample(s)? Yes No NA
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA
- 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA
- 7 Did all bottles arrive in good condition (Unbroken)? Yes No NA
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA
- 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA
- 10 Were correct bottle(s) used for the test(s) indicated? Yes No NA
- 11 Sufficient quantity received to perform indicated analyses? Yes No NA
- 12 Are these work share samples and all listed on the COC? Yes No NA
- 13 If yes, Questions 13-17 have been checked at the originating laboratory
- 14 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Stmp Lot# HC439975
- 15 Were VOAs on the COC? Yes No NA
- 16 Were air bubbles >6 mm in any VOA vials? Larger than this Yes No NA
- 17 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 0041301E Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/Lot number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Login # . 265640

Eurofins Cleveland Sample Receipt Multiple Cooler Form

Cooler Description (Circle)		IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client box Other	IR GUN #: <u>18</u>		<u>3.4</u>		Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: <u>18</u>		<u>1.8</u>	<u>3.4</u>	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____				Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form



Temperature readings

Client Sample ID	Lab ID	Container Type	Container Preservation		
			pH	Temp	Added Lot Number
TRIP BLANK_90	240-205040-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-34_052124	240-205040-F-2	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-A-3	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-B-3	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-C-3	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-D-3	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-E-3	Voa Vial 40ml - Hydrochloric Acid			
MW-30_052124	240-205040-F-3	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-A-4	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-B-4	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-C-4	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-D-4	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-E-4	Voa Vial 40ml - Hydrochloric Acid			
MW-31_052124	240-205040-F-4	Voa Vial 40ml - Hydrochloric Acid			

DATA VERIFICATION REPORT



June 07, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.401.03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 205040-1
Sample date: 2024-05-21
Report received by CADENA: 2024-06-06
Initial Data Verification completed by CADENA: 2024-06-07
Number of Samples:4
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

HTQ - Sample result should be considered estimated and qualified with a J flag if detected and UJ flag if non-detect. Client sample was received/prepped/analyzed outside of the referenced holding time for the noted test: GCMS-SIM VOC samples -02, -03, -04 - J/UJ flags.

MS/MSD recovery outliers or sample duplicate RPD outliers were not determined using a client sample from this submittal for the test and QC batch noted so qualification was not required based on these sample-specific QC outliers: GCMS VOC QC batch 614817.

GCMS VOC CCV STANDARD response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

Qualifiers added during verification have been added to the electronic data which is available for download from the CADENA CLMS. Refer to the attached table of analytical results that have been qualified during verification.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Qualified Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 205040-1

Sample Name:	MW-34_052124	MW-30_052124	MW-31_052124
Lab Sample ID:	2402050402	2402050403	2402050404
Sample Date:	5/21/2024	5/21/2024	5/21/2024

Analyte	Cas No.	MW-34_052124				MW-30_052124				MW-31_052124			
		Report Result	Limit	Units	Valid Qualifier	Report Result	Limit	Units	Valid Qualifier	Report Result	Limit	Units	Valid Qualifier

GC/MS VOC

OSW-8260DSIM

1,4-Dioxane	123-91-1	5.4	2.0	ug/l	J	11	2.0	ug/l	J	ND	2.0	ug/l	UJ
-------------	----------	-----	-----	------	---	----	-----	------	---	----	-----	------	----

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 205040-1

Analyte	Cas No.	Sample Name: TRIP BLANK_90				Sample Name: MW-34_052124				Sample Name: MW-30_052124				Sample Name: MW-31_052124			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																	
<u>OSW-8260D</u>																	
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.61	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																	
1,4-Dioxane	123-91-1					5.4	2.0	ug/l	J	11	2.0	ug/l	J	ND	2.0	ug/l	UJ