

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/16/2024 8:06:09 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-208892-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/16/2024 8:06:09 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP

Job ID: 240-208892-1

Job ID: 240-208892-1

Eurofins Cleveland

Job Narrative 240-208892-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 8/6/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.2°C and 4.3°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-208892-1	TRIP BLANK_94	Water	08/02/24 00:00	08/06/24 08:00
240-208892-2	MW-29_080224	Water	08/02/24 09:20	08/06/24 08:00
240-208892-3	MW-19_080224	Water	08/02/24 10:10	08/06/24 08:00
240-208892-4	MW-197S_080224	Water	08/02/24 11:20	08/06/24 08:00
240-208892-5	DUP-07	Water	08/02/24 00:00	08/06/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: TRIP BLANK_94

Lab Sample ID: 240-208892-1

No Detections.

Client Sample ID: MW-29_080224

Lab Sample ID: 240-208892-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	11		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-19_080224

Lab Sample ID: 240-208892-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	100		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	0.74	J	1.0	0.46	ug/L	1		8260D	Total/NA
Trichloroethene	0.72	J	1.0	0.44	ug/L	1		8260D	Total/NA
Vinyl chloride	1.1		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-197S_080224

Lab Sample ID: 240-208892-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.7		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	29		5.0	2.3	ug/L	5		8260D	Total/NA
Trichloroethene	100		5.0	2.2	ug/L	5		8260D	Total/NA

Client Sample ID: DUP-07

Lab Sample ID: 240-208892-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	100		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	0.63	J	1.0	0.46	ug/L	1		8260D	Total/NA
Trichloroethene	0.66	J	1.0	0.44	ug/L	1		8260D	Total/NA
Vinyl chloride	1.1		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: TRIP BLANK_94

Lab Sample ID: 240-208892-1

Date Collected: 08/02/24 00:00

Matrix: Water

Date Received: 08/06/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/10/24 00:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/10/24 00:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/10/24 00:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/10/24 00:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/10/24 00:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/10/24 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		62 - 137		08/10/24 00:13	1
4-Bromofluorobenzene (Surr)	99		56 - 136		08/10/24 00:13	1
Toluene-d8 (Surr)	103		78 - 122		08/10/24 00:13	1
Dibromofluoromethane (Surr)	110		73 - 120		08/10/24 00:13	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: MW-29_080224

Lab Sample ID: 240-208892-2

Date Collected: 08/02/24 09:20

Matrix: Water

Date Received: 08/06/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	11		2.0	0.86	ug/L			08/08/24 16:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127					08/08/24 16:46	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/10/24 01:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/10/24 01:00	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/10/24 01:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/10/24 01:00	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/10/24 01:00	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/10/24 01:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137					08/10/24 01:00	1
4-Bromofluorobenzene (Surr)	96		56 - 136					08/10/24 01:00	1
Toluene-d8 (Surr)	102		78 - 122					08/10/24 01:00	1
Dibromofluoromethane (Surr)	107		73 - 120					08/10/24 01:00	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: MW-19_080224

Lab Sample ID: 240-208892-3

Date Collected: 08/02/24 10:10

Matrix: Water

Date Received: 08/06/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	100		2.0	0.86	ug/L			08/08/24 17:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					08/08/24 17:10	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/10/24 01:24	1
cis-1,2-Dichloroethene	0.74	J	1.0	0.46	ug/L			08/10/24 01:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/10/24 01:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/10/24 01:24	1
Trichloroethene	0.72	J	1.0	0.44	ug/L			08/10/24 01:24	1
Vinyl chloride	1.1		1.0	0.45	ug/L			08/10/24 01:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		62 - 137					08/10/24 01:24	1
4-Bromofluorobenzene (Surr)	98		56 - 136					08/10/24 01:24	1
Toluene-d8 (Surr)	104		78 - 122					08/10/24 01:24	1
Dibromofluoromethane (Surr)	110		73 - 120					08/10/24 01:24	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: MW-197S_080224

Lab Sample ID: 240-208892-4

Date Collected: 08/02/24 11:20

Matrix: Water

Date Received: 08/06/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.7		2.0	0.86	ug/L			08/08/24 17:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		68 - 127					08/08/24 17:33	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	5.0	U	5.0	2.5	ug/L			08/10/24 01:47	5
cis-1,2-Dichloroethene	29		5.0	2.3	ug/L			08/10/24 01:47	5
Tetrachloroethene	5.0	U	5.0	2.2	ug/L			08/10/24 01:47	5
trans-1,2-Dichloroethene	5.0	U	5.0	2.6	ug/L			08/10/24 01:47	5
Trichloroethene	100		5.0	2.2	ug/L			08/10/24 01:47	5
Vinyl chloride	5.0	U	5.0	2.3	ug/L			08/10/24 01:47	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		62 - 137					08/10/24 01:47	5
4-Bromofluorobenzene (Surr)	99		56 - 136					08/10/24 01:47	5
Toluene-d8 (Surr)	103		78 - 122					08/10/24 01:47	5
Dibromofluoromethane (Surr)	110		73 - 120					08/10/24 01:47	5

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: DUP-07

Lab Sample ID: 240-208892-5

Date Collected: 08/02/24 00:00

Matrix: Water

Date Received: 08/06/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	100		2.0	0.86	ug/L			08/08/24 17:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					08/08/24 17:57	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/24 11:58	1
cis-1,2-Dichloroethene	0.63	J	1.0	0.46	ug/L			08/14/24 11:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/24 11:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/24 11:58	1
Trichloroethene	0.66	J	1.0	0.44	ug/L			08/14/24 11:58	1
Vinyl chloride	1.1		1.0	0.45	ug/L			08/14/24 11:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					08/14/24 11:58	1
4-Bromofluorobenzene (Surr)	102		56 - 136					08/14/24 11:58	1
Toluene-d8 (Surr)	103		78 - 122					08/14/24 11:58	1
Dibromofluoromethane (Surr)	92		73 - 120					08/14/24 11:58	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-208892-1	TRIP BLANK_94	118	99	103	110
240-208892-2	MW-29_080224	114	96	102	107
240-208892-3	MW-19_080224	119	98	104	110
240-208892-4	MW-197S_080224	118	99	103	110
240-208892-4 MS	MW-197S_080224	109	109	110	103
240-208892-4 MSD	MW-197S_080224	109	109	110	103
240-208892-5	DUP-07	113	102	103	92
240-209185-B-1 MS	Matrix Spike	110	110	100	98
240-209185-B-1 MSD	Matrix Spike Duplicate	104	101	93	92
LCS 240-622969/4	Lab Control Sample	106	108	108	102
LCS 240-623282/5	Lab Control Sample	103	107	97	93
MB 240-622969/6	Method Blank	116	99	103	106
MB 240-623282/10	Method Blank	112	102	103	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-208882-E-2 MS	Matrix Spike	112
240-208882-E-2 MSD	Matrix Spike Duplicate	111
240-208892-2	MW-29_080224	110
240-208892-3	MW-19_080224	106
240-208892-4	MW-197S_080224	109
240-208892-5	DUP-07	106
LCS 240-622735/4	Lab Control Sample	102
MB 240-622735/6	Method Blank	106

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-622969/6

Matrix: Water

Analysis Batch: 622969

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/09/24 17:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/09/24 17:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/09/24 17:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/09/24 17:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/09/24 17:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/09/24 17:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	116		62 - 137		08/09/24 17:33	1
4-Bromofluorobenzene (Surr)	99		56 - 136		08/09/24 17:33	1
Toluene-d8 (Surr)	103		78 - 122		08/09/24 17:33	1
Dibromofluoromethane (Surr)	106		73 - 120		08/09/24 17:33	1

Lab Sample ID: LCS 240-622969/4

Matrix: Water

Analysis Batch: 622969

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	24.5		ug/L		98	77 - 123
Tetrachloroethene	25.0	24.4		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	25.0		ug/L		100	75 - 124
Trichloroethene	25.0	24.5		ug/L		98	70 - 122
Vinyl chloride	12.5	13.4		ug/L		107	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	108		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-208892-4 MS

Matrix: Water

Analysis Batch: 622969

Client Sample ID: MW-197S_080224

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	5.0	U	125	128		ug/L		102	56 - 135
cis-1,2-Dichloroethene	29		125	151		ug/L		97	66 - 128
Tetrachloroethene	5.0	U	125	119		ug/L		95	62 - 131
trans-1,2-Dichloroethene	5.0	U	125	127		ug/L		101	56 - 136
Trichloroethene	100		125	212		ug/L		87	61 - 124
Vinyl chloride	5.0	U	62.5	69.9		ug/L		112	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	110		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-208892-4 MS
Matrix: Water
Analysis Batch: 622969

Client Sample ID: MW-197S_080224
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-208892-4 MSD
Matrix: Water
Analysis Batch: 622969

Client Sample ID: MW-197S_080224
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	5.0	U	125	130		ug/L		104	56 - 135	2	26
cis-1,2-Dichloroethene	29		125	154		ug/L		100	66 - 128	2	14
Tetrachloroethene	5.0	U	125	117		ug/L		94	62 - 131	1	20
trans-1,2-Dichloroethene	5.0	U	125	129		ug/L		103	56 - 136	2	15
Trichloroethene	100		125	213		ug/L		88	61 - 124	0	15
Vinyl chloride	5.0	U	62.5	69.2		ug/L		111	43 - 157	1	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	110		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: MB 240-623282/10
Matrix: Water
Analysis Batch: 623282

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/24 07:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/24 07:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/24 07:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/24 07:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/24 07:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/24 07:02	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		08/14/24 07:02	1
4-Bromofluorobenzene (Surr)	102		56 - 136		08/14/24 07:02	1
Toluene-d8 (Surr)	103		78 - 122		08/14/24 07:02	1
Dibromofluoromethane (Surr)	91		73 - 120		08/14/24 07:02	1

Lab Sample ID: LCS 240-623282/5
Matrix: Water
Analysis Batch: 623282

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	50.0	37.7		ug/L		75	63 - 134
cis-1,2-Dichloroethene	50.0	44.6		ug/L		89	77 - 123
Tetrachloroethene	50.0	46.2		ug/L		92	76 - 123
trans-1,2-Dichloroethene	50.0	40.4		ug/L		81	75 - 124
Trichloroethene	50.0	43.9		ug/L		88	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-623282/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	50.0	46.1		ug/L		92	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-209185-B-1 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	50.0	33.4		ug/L		67	56 - 135
cis-1,2-Dichloroethene	1.0	U	50.0	42.6		ug/L		85	66 - 128
Tetrachloroethene	1.0	U	50.0	40.2		ug/L		80	62 - 131
trans-1,2-Dichloroethene	1.0	U	50.0	38.0		ug/L		76	56 - 136
Trichloroethene	1.0	U	50.0	41.3		ug/L		83	61 - 124
Vinyl chloride	1.0	U	50.0	43.1		ug/L		86	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-209185-B-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	50.0	32.5		ug/L		65	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	50.0	41.4		ug/L		83	66 - 128	3	14
Tetrachloroethene	1.0	U	50.0	38.9		ug/L		78	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	50.0	37.1		ug/L		74	56 - 136	2	15
Trichloroethene	1.0	U	50.0	40.2		ug/L		80	61 - 124	3	15
Vinyl chloride	1.0	U	50.0	42.6		ug/L		85	43 - 157	1	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-622735/6
Matrix: Water
Analysis Batch: 622735

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/08/24 11:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					08/08/24 11:41	1

Lab Sample ID: LCS 240-622735/4
Matrix: Water
Analysis Batch: 622735

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.50		ug/L		85	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	102		68 - 127				

Lab Sample ID: 240-208882-E-2 MS
Matrix: Water
Analysis Batch: 622735

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.28		ug/L		93	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	112		68 - 127						

Lab Sample ID: 240-208882-E-2 MSD
Matrix: Water
Analysis Batch: 622735

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.59		ug/L		96	20 - 180	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	111		68 - 127								

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

GC/MS VOA

Analysis Batch: 622735

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208892-2	MW-29_080224	Total/NA	Water	8260D SIM	
240-208892-3	MW-19_080224	Total/NA	Water	8260D SIM	
240-208892-4	MW-197S_080224	Total/NA	Water	8260D SIM	
240-208892-5	DUP-07	Total/NA	Water	8260D SIM	
MB 240-622735/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-622735/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-208882-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-208882-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 622969

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208892-1	TRIP BLANK_94	Total/NA	Water	8260D	
240-208892-2	MW-29_080224	Total/NA	Water	8260D	
240-208892-3	MW-19_080224	Total/NA	Water	8260D	
240-208892-4	MW-197S_080224	Total/NA	Water	8260D	
MB 240-622969/6	Method Blank	Total/NA	Water	8260D	
LCS 240-622969/4	Lab Control Sample	Total/NA	Water	8260D	
240-208892-4 MS	MW-197S_080224	Total/NA	Water	8260D	
240-208892-4 MSD	MW-197S_080224	Total/NA	Water	8260D	

Analysis Batch: 623282

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208892-5	DUP-07	Total/NA	Water	8260D	
MB 240-623282/10	Method Blank	Total/NA	Water	8260D	
LCS 240-623282/5	Lab Control Sample	Total/NA	Water	8260D	
240-209185-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-209185-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Client Sample ID: TRIP BLANK_94

Lab Sample ID: 240-208892-1

Date Collected: 08/02/24 00:00

Matrix: Water

Date Received: 08/06/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	622969	CS	EET CLE	08/10/24 00:13

Client Sample ID: MW-29_080224

Lab Sample ID: 240-208892-2

Date Collected: 08/02/24 09:20

Matrix: Water

Date Received: 08/06/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	622969	CS	EET CLE	08/10/24 01:00
Total/NA	Analysis	8260D SIM		1	622735	MS	EET CLE	08/08/24 16:46

Client Sample ID: MW-19_080224

Lab Sample ID: 240-208892-3

Date Collected: 08/02/24 10:10

Matrix: Water

Date Received: 08/06/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	622969	CS	EET CLE	08/10/24 01:24
Total/NA	Analysis	8260D SIM		1	622735	MS	EET CLE	08/08/24 17:10

Client Sample ID: MW-197S_080224

Lab Sample ID: 240-208892-4

Date Collected: 08/02/24 11:20

Matrix: Water

Date Received: 08/06/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		5	622969	CS	EET CLE	08/10/24 01:47
Total/NA	Analysis	8260D SIM		1	622735	MS	EET CLE	08/08/24 17:33

Client Sample ID: DUP-07

Lab Sample ID: 240-208892-5

Date Collected: 08/02/24 00:00

Matrix: Water

Date Received: 08/06/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623282	TJL2	EET CLE	08/14/24 11:58
Total/NA	Analysis	8260D SIM		1	622735	MS	EET CLE	08/08/24 17:57

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-208892-1

Laboratory: Eurofins Cleveland


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763


Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.													
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:											
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs											
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only											
Phone: 248-994-2240		Sampler Name: Garrett Link				TAT if different from below				<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Walk-in client											
Project Name: Ford LTP		Method of Shipment/Carrier:				Filtered Sample (Y/N)								Lab sampling											
Project Number: 30206169.0401.03		Shipping/Tracking No:				Composite=C / Grab=G				Job/SDG No:				Sample Specific Notes / Special Instructions:											
PO # US3410018772						1,1-DCE 8260D				1,4-Dioxane 8260D SIM															
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives																
		Air	Aqueous	Settling	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc2	NaOH	Unpres	Other:	Filtered	Composite	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM		
✓ TRIP BLANK_94		---	---	1					1						NG	X	X	X	X	X	X			1 Trip Blank	
✓ MW-29_080224		8/2/24	0920	6					6						NG	X	X	X	X	X	X	X		3 VOAs for 8260D 3 VOAs for 8260D SIM	
✓ MW-19_080224		8/2/24	1010	6					6						NG	X	X	X	X	X	X	X		↓	
✓ MW-197s_080224		8/2/24	1120	6					6						NG	X	X	X	X	X	X	X			
✓ DUP-07		8/2/24	---	6					6						NG	X	X	X	X	X	X	X			
Possible Hazard Identification		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)													
												<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For				Months									
Special Instructions/QC Requirements & Comments:																									
Submit all results through Cadena at jtomalina@cadonaco.com. Cadena #E203728																									
Level IV Reporting requested.																									
Relinquished by: <i>Garrett Link</i>		Company: ARCADIS		Date/Time: 8/2/24 1220		Received by: <i>Novi cold storage</i>		Company: ARCADIS		Date/Time: 8/2/24 1220															
Relinquished by: <i>Summer Day</i>		Company: Arcadis		Date/Time: 8/5/24 1030		Received by: <i>[Signature]</i>		Company: EETA		Date/Time: 8/5/24 10:31															
Relinquished by: <i>[Signature]</i>		Company: EETA		Date/Time: 8/5/24 10:35		Received in Laboratory by: <i>[Signature]</i>		Company: EC		Date/Time: 8-5-24 910															



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins - Cleveland Sample Receipt Form/Narrative Login # : _____
 Barberton Facility

Client Acadis Site Name _____ Cooler unpacked by: 

Cooler Received on 8-6-24 Opened on 8-6-24

Fedex: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____
 Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT Wet Ice Blue Ice Dry Ice Water None
 See Multiple Cooler Form

1 Cooler temperature upon receipt _____ °C Corrected Cooler Temp _____ °C
 IR GUN # BR (CF -01 °C) Observed Cooler Temp. _____ °C

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2
 - Were the seals on the outside of the cooler(s) signed & dated? Yes Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No No NA
 - Were tamper/custody seals intact and uncompromised? Yes Yes No NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes Yes No No
- 4 Did custody papers accompany the sample(s)? Yes Yes No No
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes Yes No No
- 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes Yes No No
- 7 Did all bottles arrive in good condition (Unbroken)? Yes Yes No No
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes Yes No No
- 9 For each sample, does the COC specify preservative(s) (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes Yes No No
- 10 Were correct bottle(s) used for the test(s) indicated? Yes Yes No No
- 11 Sufficient quantity received to perform indicated analyses? Yes Yes No No
- 12 Are these work share samples and all listed on the COC? Yes Yes No No
- 13 Were all preserved sample(s) at the originating laboratory? Yes Yes No NA
- 14 Were all preserved sample(s) at the correct pH upon receipt? Yes Yes No NA
- 15 Were air bubbles >6 mm in any VOA vials? Larger than this. Yes Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes Yes No No
- 17 Was a LL Hg or Me Hg trip blank present? Yes Yes No No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/L of number(s). _____
 VOA Sample Preservation - Date/Time VOAs Frozen. _____



Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
TRIP BLANK_94	240-208892-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-29_080224	240-208892-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-19_080224	240-208892-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-197S_080224	240-208892-F-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-A-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-B-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-C-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-D-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-E-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-07	240-208892-F-5	Voa Vial 40ml - Hydrochloric Acid				

DATA VERIFICATION REPORT



August 16, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-02
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 208892-1
Sample date: 2024-08-02
Report received by CADENA: 2024-08-16
Initial Data Verification completed by CADENA: 2024-08-16
Number of Samples:5
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 208892-1

Analyte	Cas No.	Sample Name: TRIP BLANK_94				MW-29_080224				MW-19_080224				MW-197S_080224				DUP-07			
		Lab Sample ID: 2402088921				2402088922				2402088923				2402088924				2402088925			
		Sample Date: 8/2/2024				8/2/2024				8/2/2024				8/2/2024				8/2/2024			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MSVOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	5.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.74	1.0	ug/l	J	29	5.0	ug/l	---	0.63	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	5.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	5.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.72	1.0	ug/l	J	100	5.0	ug/l	---	0.66	1.0	ug/l	J
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.1	1.0	ug/l	---	ND	5.0	ug/l	---	1.1	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					11	2.0	ug/l	---	100	2.0	ug/l	---	2.7	2.0	ug/l	---	100	2.0	ug/l	---