

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Ms. Megan Meckley  
Arcadis U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 8/22/2024 3:52:39 PM

**JOB DESCRIPTION**

Ford LTP

**JOB NUMBER**

240-209343-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
8/22/2024 3:52:39 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18

# Definitions/Glossary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis U.S., Inc.  
Project: Ford LTP

Job ID: 240-209343-1

**Job ID: 240-209343-1**

**Eurofins Cleveland**

## Job Narrative 240-209343-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 8/13/2024 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.6°C and 4.2°C.

### GC/MS VOA

Method 8260D\_SIM: Samples were prepped in advance before analysis due to instrument issues, Samples had to be prepped with headspace as a result.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-209343-1	TRIP BLANK_70	Water	08/09/24 00:00	08/13/24 09:30
240-209343-2	MW-235_080924	Water	08/09/24 10:10	08/13/24 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

**Client Sample ID: TRIP BLANK\_70**

**Lab Sample ID: 240-209343-1**

No Detections.

**Client Sample ID: MW-235\_080924**

**Lab Sample ID: 240-209343-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.3		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	6.1		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland





# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

**Client Sample ID: TRIP BLANK\_70**

**Lab Sample ID: 240-209343-1**

Date Collected: 08/09/24 00:00

Matrix: Water

Date Received: 08/13/24 09:30

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 12:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/16/24 12:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 12:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/16/24 12:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		08/16/24 12:46	1
4-Bromofluorobenzene (Surr)	93		56 - 136		08/16/24 12:46	1
Toluene-d8 (Surr)	96		78 - 122		08/16/24 12:46	1
Dibromofluoromethane (Surr)	95		73 - 120		08/16/24 12:46	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

**Client Sample ID: MW-235\_080924**

**Lab Sample ID: 240-209343-2**

Date Collected: 08/09/24 10:10

Matrix: Water

Date Received: 08/13/24 09:30

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/24 22:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		68 - 127					08/21/24 22:40	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 15:20	1
<b>cis-1,2-Dichloroethene</b>	<b>2.3</b>		1.0	0.46	ug/L			08/16/24 15:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 15:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 15:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 15:20	1
<b>Vinyl chloride</b>	<b>6.1</b>		1.0	0.45	ug/L			08/16/24 15:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					08/16/24 15:20	1
4-Bromofluorobenzene (Surr)	93		56 - 136					08/16/24 15:20	1
Toluene-d8 (Surr)	99		78 - 122					08/16/24 15:20	1
Dibromofluoromethane (Surr)	95		73 - 120					08/16/24 15:20	1

# Surrogate Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-209343-1	TRIP BLANK_70	101	93	96	95
240-209343-2	MW-235_080924	103	93	99	95
240-209367-C-6 MS	Matrix Spike	92	97	92	95
240-209367-C-6 MSD	Matrix Spike Duplicate	95	99	97	100
LCS 240-623588/5	Lab Control Sample	92	97	92	96
MB 240-623588/9	Method Blank	95	82	86	88

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-209343-2	MW-235_080924	83
240-209343-2 MS	MW-235_080924	80
240-209343-2 MSD	MW-235_080924	90
LCS 240-624227/13	Lab Control Sample	100
MB 240-624227/15	Method Blank	101

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-623588/9

Matrix: Water

Analysis Batch: 623588

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 12:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/16/24 12:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 12:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/16/24 12:24	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		08/16/24 12:24	1
4-Bromofluorobenzene (Surr)	82		56 - 136		08/16/24 12:24	1
Toluene-d8 (Surr)	86		78 - 122		08/16/24 12:24	1
Dibromofluoromethane (Surr)	88		73 - 120		08/16/24 12:24	1

Lab Sample ID: LCS 240-623588/5

Matrix: Water

Analysis Batch: 623588

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	22.5		ug/L		90	77 - 123
Tetrachloroethene	25.0	23.9		ug/L		96	76 - 123
trans-1,2-Dichloroethene	25.0	21.7		ug/L		87	75 - 124
Trichloroethene	25.0	24.1		ug/L		97	70 - 122
Vinyl chloride	12.5	12.3		ug/L		98	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-209367-C-6 MS

Matrix: Water

Analysis Batch: 623588

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	5.0	U	125	95.2		ug/L		76	56 - 135
cis-1,2-Dichloroethene	5.0	U	125	107		ug/L		86	66 - 128
Tetrachloroethene	100		125	203		ug/L		80	62 - 131
trans-1,2-Dichloroethene	5.0	U	125	102		ug/L		81	56 - 136
Trichloroethene	5.0	U	125	108		ug/L		86	61 - 124
Vinyl chloride	5.0	U	62.5	57.7		ug/L		92	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	92		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-209367-C-6 MS**  
**Matrix: Water**  
**Analysis Batch: 623588**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	95		73 - 120

**Lab Sample ID: 240-209367-C-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 623588**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	5.0	U	125	91.7		ug/L		73	56 - 135	4	26	
cis-1,2-Dichloroethene	5.0	U	125	105		ug/L		84	66 - 128	2	14	
Tetrachloroethene	100		125	192		ug/L		71	62 - 131	5	20	
trans-1,2-Dichloroethene	5.0	U	125	97.6		ug/L		78	56 - 136	4	15	
Trichloroethene	5.0	U	125	101		ug/L		81	61 - 124	6	15	
Vinyl chloride	5.0	U	62.5	54.7		ug/L		87	43 - 157	5	24	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-624227/15**  
**Matrix: Water**  
**Analysis Batch: 624227**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/21/24 18:22	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		68 - 127		08/21/24 18:22	1

**Lab Sample ID: LCS 240-624227/13**  
**Matrix: Water**  
**Analysis Batch: 624227**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	10.0	9.49		ug/L		95	75 - 121

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		68 - 127

**Lab Sample ID: 240-209343-2 MS**  
**Matrix: Water**  
**Analysis Batch: 624227**

**Client Sample ID: MW-235\_080924**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				Limits
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	20 - 180

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	80		68 - 127

Lab Sample ID: 240-209343-2 MSD  
Matrix: Water  
Analysis Batch: 624227

Client Sample ID: MW-235\_080924  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	8.96		ug/L		90	20 - 180	12	20

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	90		68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## GC/MS VOA

### Analysis Batch: 623588

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209343-1	TRIP BLANK_70	Total/NA	Water	8260D	
240-209343-2	MW-235_080924	Total/NA	Water	8260D	
MB 240-623588/9	Method Blank	Total/NA	Water	8260D	
LCS 240-623588/5	Lab Control Sample	Total/NA	Water	8260D	
240-209367-C-6 MS	Matrix Spike	Total/NA	Water	8260D	
240-209367-C-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 624227

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209343-2	MW-235_080924	Total/NA	Water	8260D SIM	
MB 240-624227/15	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-624227/13	Lab Control Sample	Total/NA	Water	8260D SIM	
240-209343-2 MS	MW-235_080924	Total/NA	Water	8260D SIM	
240-209343-2 MSD	MW-235_080924	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

**Client Sample ID: TRIP BLANK\_70**

**Lab Sample ID: 240-209343-1**

Date Collected: 08/09/24 00:00

Matrix: Water

Date Received: 08/13/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623588	MDH	EET CLE	08/16/24 12:46

**Client Sample ID: MW-235\_080924**

**Lab Sample ID: 240-209343-2**

Date Collected: 08/09/24 10:10

Matrix: Water

Date Received: 08/13/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623588	MDH	EET CLE	08/16/24 15:20
Total/NA	Analysis	8260D SIM		1	624227	CS	EET CLE	08/21/24 22:40

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396





# Accreditation/Certification Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209343-1

## Laboratory: Eurofins Cleveland


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>																									
Company Name: Arcadis		Client Project Manager: Kris Hinskey			Site Contact: Christina Weaver			Lab Contact: Mike DelMonico				COC No:																									
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396				1 of 1 COCs																									
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com			<b>Analysis Turnaround Time</b>			<b>Analyses</b>				For lab use only																									
Phone: 248-994-2240		Sampler Name: <i>Garrett Link</i>			TAT if different from below							Walk-in client																									
Project Name: Ford LTP		Method of Shipment/Carrier:			10 day <input checked="" type="checkbox"/> 3 weeks							Lab sampling																									
Project Number: 30206169.0401.03		Shipping/Tracking No:			2 weeks							Job/SDG No:																									
PO # US3410018772					1 week																																
					2 days																																
					1 day																																
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)				Composite-C / Grab-G				Sample Specific Notes / Special Instructions:															
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc2	K2OH	Unpres	Other:																					
✓	TRIP BLANK_ 70	---	---	1							1						NG	X	X	X	X	X	X												1 Trip Blank		
✓	MW-235-080924	8/9/24	10:10	1							1						NG	X	X	X	X	X	X												3 VOAs for 8260D 3 VOAs for 8260D SIM		
<b>Possible Hazard Identification</b>				<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>																																	
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> flammable <input type="checkbox"/> skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For: _____ Months																																	
<b>Special Instructions/QC Requirements &amp; Comments:</b>																																					
Submit all results through Cadena at jtomalia@cadonaco.com. Cadena #E203728 Level IV Reporting requested.																																					
Relinquished by: <i>[Signature]</i>		Company: <b>ARCADIS</b>			Date/Time: <b>8/9/24 1445</b>			Received by: <i>[Signature]</i>			Company: <b>ARCADIS</b>			Date/Time: <b>8/9/24 1445</b>																							
Relinquished by: <i>[Signature]</i>		Company: <b>ARCADIS</b>			Date/Time: <b>8/12/24 1225</b>			Received by: <i>[Signature]</i>			Company: <b>BETA</b>			Date/Time: <b>8/12/24 1225</b>																							
Relinquished by: <i>[Signature]</i>		Company: <b>BETA</b>			Date/Time: <b>8/12/24 1338</b>			Received in Laboratory by: <i>[Signature]</i>			Company: <b>EL</b>			Date/Time: <b>8/13/24 900</b>																							



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins - Cleveland Sample Receipt Form/Narrative  
 Barberton Facility  
 Client Arad's Site Name \_\_\_\_\_  
 Login # \_\_\_\_\_  
 Cooler unpacked by \_\_\_\_\_

Cooler Received on 8-13-24 Opened on 8-13-24  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours. Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_  
 Eurofins Cooler # FC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used. Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN # 22 (CF -0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes NO No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes NO No NA  
 -Were tamper/custody seals intact and uncompromised? Yes NO No NA  
 3 Shippers' packing slip attached to the cooler(s)? Yes NO No NA  
 4 Did custody papers accompany the sample(s)? Yes NO No NA  
 5 Were the custody papers relinquished & signed in the appropriate place? Yes NO No NA  
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes NO No NA  
 7 Did all bottles arrive in good condition (Unbroken)? Yes NO No NA  
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes NO No NA  
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes NO No NA  
 10 Were correct bottle(s) used for the test(s) indicated? Yes NO No NA  
 11 Sufficient quantity received to perform indicated analyses? Yes NO No NA  
 12. Are these work share samples and all listed on the COC? Yes NO No NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

13 Were all preserved sample(s) at the correct pH upon receipt? Yes NO No NA pH Smp Lot# HC442471  
 14 Were VOAs on the COC? Yes NO No NA  
 15 Were air bubbles >6 mm in any VOA vials? NO Larger than this. Yes NO No NA  
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes NO No NA  
 17 Was a LL Hg or Me Hg trip blank present? Yes NO No NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved. \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

Login # : \_\_\_\_\_

Eurofins - Cleveland Sample Receipt Multiple Cooler Form				
Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client box Other	IR GUN #: <u>22</u>	<u>3.7</u>	<u>3.6</u>	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____	<u>4.3</u>	<u>4.2</u>	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #: _____			Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form



8/13/2024

# Login Container Summary Report

240-209343

8/22/2024

## Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Preservation Temp</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
TRIP BLANK_70	240-209343-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-235_080924	240-209343-G-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

# DATA VERIFICATION REPORT



August 22, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil  
Project number: 30206169.0401.04\_WA-02  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 209343-1  
Sample date: 2024-08-09  
Report received by CADENA: 2024-08-22  
Initial Data Verification completed by CADENA: 2024-08-22  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

SRN - Sample Receipt Non-conformance (headspace) - Sample -002 results for GCMS VOC SIM should be considered to be estimated and qualified with UJ flags if non-detect due to sample receipt non-conformance that affects the integrity of the sample. See laboratory submittal sample receipt forms for details.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.



# Qualified Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 209343-1

**Sample Name:** MW-235\_080924

**Lab Sample ID:** 2402093432

**Sample Date:** 8/9/2024

Analyte	Cas No.	Result	Report Limit	Units	Valid Qualifier
---------	---------	--------	--------------	-------	-----------------

## GC/MS VOC

OSW-8260DSIM

1,4-Dioxane	123-91-1	ND	2.0	ug/l	UJ
-------------	----------	----	-----	------	----

# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 209343-1

<b>Sample Name:</b>	TRIP BLANK_70	MW-235_080924
<b>Lab Sample ID:</b>	2402093431	2402093432
<b>Sample Date:</b>	8/9/2024	8/9/2024

Analyte	Cas No.	Report		Valid		Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	
<b>GC/MS VOC</b>										
<u>OSW-8260D</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	2.3	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	6.1	1.0	ug/l	---	
<u>OSW-8260DSIM</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	UJ	