

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 8/26/2024 10:15:31 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-209337-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
8/26/2024 10:15:31 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18

# Definitions/Glossary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis U.S., Inc.  
Project: Ford LTP

Job ID: 240-209337-1

**Job ID: 240-209337-1**

**Eurofins Cleveland**

## Job Narrative 240-209337-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 8/13/2024 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.6°C and 4.2°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-209337-1	TRIP BLANK_66	Water	08/09/24 00:00	08/13/24 09:30
240-209337-2	MW-211S_080924	Water	08/09/24 09:55	08/13/24 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

---

**Client Sample ID: TRIP BLANK\_66**

**Lab Sample ID: 240-209337-1**

No Detections.

---

**Client Sample ID: MW-211S\_080924**

**Lab Sample ID: 240-209337-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

**Client Sample ID: TRIP BLANK\_66**

**Lab Sample ID: 240-209337-1**

Date Collected: 08/09/24 00:00

Matrix: Water

Date Received: 08/13/24 09:30

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 19:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/16/24 19:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 19:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 19:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 19:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/16/24 19:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		08/16/24 19:30	1
4-Bromofluorobenzene (Surr)	91		56 - 136		08/16/24 19:30	1
Toluene-d8 (Surr)	101		78 - 122		08/16/24 19:30	1
Dibromofluoromethane (Surr)	100		73 - 120		08/16/24 19:30	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

**Client Sample ID: MW-211S\_080924**

**Lab Sample ID: 240-209337-2**

Date Collected: 08/09/24 09:55

Matrix: Water

Date Received: 08/13/24 09:30

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/22/24 17:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		68 - 127					08/22/24 17:19	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 19:55	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/16/24 19:55	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 19:55	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 19:55	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 19:55	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/16/24 19:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					08/16/24 19:55	1
4-Bromofluorobenzene (Surr)	85		56 - 136					08/16/24 19:55	1
Toluene-d8 (Surr)	104		78 - 122					08/16/24 19:55	1
Dibromofluoromethane (Surr)	97		73 - 120					08/16/24 19:55	1

# Surrogate Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-209337-1	TRIP BLANK_66	114	91	101	100
240-209337-2	MW-211S_080924	111	85	104	97
240-209337-2 MS	MW-211S_MS_080924	95	106	100	97
240-209337-2 MSD	MW-211S_MS_080924	95	107	97	98
LCS 240-623601/5	Lab Control Sample	87	94	90	91
MB 240-623601/9	Method Blank	101	79	83	90

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-209337-2	MW-211S_080924	92
240-209337-2 MS	MW-211S_MS_080924	89
240-209337-2 MSD	MW-211S_MS_080924	94
LCS 240-624313/4	Lab Control Sample	102
MB 240-624313/6	Method Blank	99

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-623601/9**

**Matrix: Water**

**Analysis Batch: 623601**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/16/24 12:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/16/24 12:24	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/16/24 12:24	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/16/24 12:24	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/16/24 12:24	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		08/16/24 12:24	1
4-Bromofluorobenzene (Surr)	79		56 - 136		08/16/24 12:24	1
Toluene-d8 (Surr)	83		78 - 122		08/16/24 12:24	1
Dibromofluoromethane (Surr)	90		73 - 120		08/16/24 12:24	1

**Lab Sample ID: LCS 240-623601/5**

**Matrix: Water**

**Analysis Batch: 623601**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	24.2		ug/L		97	77 - 123
Tetrachloroethene	25.0	24.5		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	23.9		ug/L		95	75 - 124
Trichloroethene	25.0	23.2		ug/L		93	70 - 122
Vinyl chloride	12.5	11.2		ug/L		89	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	87		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	90		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

**Lab Sample ID: 240-209337-2 MS**

**Matrix: Water**

**Analysis Batch: 623601**

**Client Sample ID: MW-211S\_MS\_080924**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	25.0	19.6		ug/L		78	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	66 - 128
Tetrachloroethene	1.0	U	25.0	21.4		ug/L		85	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.0		ug/L		88	56 - 136
Trichloroethene	1.0	U	25.0	20.3		ug/L		81	61 - 124
Vinyl chloride	1.0	U	12.5	10.4		ug/L		83	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	100		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-209337-2 MS**  
**Matrix: Water**  
**Analysis Batch: 623601**

**Client Sample ID: MW-211S\_MS\_080924**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	97		73 - 120

**Lab Sample ID: 240-209337-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 623601**

**Client Sample ID: MW-211S\_MSD\_080924**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits		
1,1-Dichloroethene	1.0	U	25.0	21.8		ug/L		87	56 - 135	11	26
cis-1,2-Dichloroethene	1.0	U	25.0	24.9		ug/L		100	66 - 128	4	14
Tetrachloroethene	1.0	U	25.0	23.7		ug/L		95	62 - 131	11	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.4		ug/L		94	56 - 136	6	15
Trichloroethene	1.0	U	25.0	22.0		ug/L		88	61 - 124	8	15
Vinyl chloride	1.0	U	12.5	11.5		ug/L		92	43 - 157	10	24

  

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-624313/6**  
**Matrix: Water**  
**Analysis Batch: 624313**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/22/24 10:17	1

  

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	99		68 - 127		08/22/24 10:17	1

**Lab Sample ID: LCS 240-624313/4**  
**Matrix: Water**  
**Analysis Batch: 624313**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	10.0	9.95		ug/L		100	75 - 121

  

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		68 - 127

**Lab Sample ID: 240-209337-2 MS**  
**Matrix: Water**  
**Analysis Batch: 624313**

**Client Sample ID: MW-211S\_MS\_080924**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Result	Qualifier				Limits
1,4-Dioxane	2.0	U	10.0	10.0		ug/L		100	20 - 180

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	89		68 - 127

**Lab Sample ID: 240-209337-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 624313**

**Client Sample ID: MW-211S\_MSD\_080924**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample</i>	<i>Sample</i>	<i>Spike</i>	<i>MSD</i>	<i>MSD</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>	<i>RPD</i>	<i>RPD</i>
	<i>Result</i>	<i>Qualifier</i>	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>				<i>Limits</i>	<i>RPD</i>	<i>Limit</i>
1,4-Dioxane	2.0	U	10.0	8.30		ug/L		83	20 - 180	19	20

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	94		68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## GC/MS VOA

### Analysis Batch: 623601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209337-1	TRIP BLANK_66	Total/NA	Water	8260D	
240-209337-2	MW-211S_080924	Total/NA	Water	8260D	
MB 240-623601/9	Method Blank	Total/NA	Water	8260D	
LCS 240-623601/5	Lab Control Sample	Total/NA	Water	8260D	
240-209337-2 MS	MW-211S_MS_080924	Total/NA	Water	8260D	
240-209337-2 MSD	MW-211S_MSD_080924	Total/NA	Water	8260D	

### Analysis Batch: 624313

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209337-2	MW-211S_080924	Total/NA	Water	8260D SIM	
MB 240-624313/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-624313/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-209337-2 MS	MW-211S_MS_080924	Total/NA	Water	8260D SIM	
240-209337-2 MSD	MW-211S_MSD_080924	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

**Client Sample ID: TRIP BLANK\_66**

**Lab Sample ID: 240-209337-1**

Date Collected: 08/09/24 00:00

Matrix: Water

Date Received: 08/13/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623601	MS	EET CLE	08/16/24 19:30

**Client Sample ID: MW-211S\_080924**

**Lab Sample ID: 240-209337-2**

Date Collected: 08/09/24 09:55

Matrix: Water

Date Received: 08/13/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623601	MS	EET CLE	08/16/24 19:55
Total/NA	Analysis	8260D SIM		1	624313	MS	EET CLE	08/22/24 17:19

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Accreditation/Certification Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-209337-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24



Eurofins - Cleveland Sample Receipt Form/Narrative Log in #  
Barberton Facility

Client Arad's Site Name \_\_\_\_\_ Cooler unpacked by \_\_\_\_\_  
 Cooler Received on 8-13-24 Opened on 8-13-24  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_  
 Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None \_\_\_\_\_  
 1 Cooler temperature upon receipt:  See Multiple Cooler Form  
 IR GUN # 22 (CR 0.1 °C) Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2
    - Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA
    - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA
    - Were tamper/custody seals intact and uncompromised? Yes  No  NA
  - 3 Shippers' packing slip accompany the cooler(s)? Yes  No  NA
  - 4 Did custody papers relinquished & signed in the appropriate place? Yes  No  NA
  - 5 Were the custody papers accompanied the sample(s)? Yes  No  NA
  - 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes  No  NA
  - 7 Did all bottles arrive in good condition (Unbroken)? Yes  No  NA
  - 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes  No  NA
  - 9 For each sample, does the COC specify preservative(s) (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes  No  NA
  - 10 Were correct bottle(s) used for the test(s) indicated? Yes  No  NA
  - 11 Sufficient quantity received to perform indicated analyses? Yes  No  NA
  12. Are these work share samples and all listed on the COC? Yes  No  NA
  - If yes, Questions 13-17 have been checked at the originating laboratory
  - 13 Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA pH Strip Lot# HC442471
  - 14 Were VOAs on the COC? Yes  No  NA
  - 15 Were air bubbles > 6 mm in any VOA vials?  Larger than this. Yes  No  NA
  - 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes  No  NA
  - 17 Was a LL Hg or Me Hg trip blank present? Yes  No  NA
- Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble > 6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved. \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen. \_\_\_\_\_





Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added</u>	
					<u>Lot Number</u>	
TRIP BLANK_66	240-209337-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-A-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-A-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-B-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-B-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-C-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-C-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-D-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-D-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-E-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-E-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-F-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-F-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-211S_080924	240-209337-G-2	Voa Vial 40ml - Hydrochloric Acid				

# DATA VERIFICATION REPORT



August 27, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil  
Project number: 30206169.0401.04\_WA-02  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 209337-1  
Sample date: 2024-08-09  
Report received by CADENA: 2024-08-27  
Initial Data Verification completed by CADENA: 2024-08-27  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

