



ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/29/2024 6:57:43 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-209796-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/29/2024 6:57:43 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	15
QC Sample Results	16
QC Association Summary	20
Lab Chronicle	21
Certification Summary	23
Chain of Custody	24

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Ford LTP

Job ID: 240-209796-1

Job ID: 240-209796-1

Eurofins Cleveland

Job Narrative 240-209796-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 8/20/2024 8:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.6°C.

GC/MS VOA

Method 8260D_SIM: The method requirement for no headspace was not met. The following volatile samples were analyzed with headspace in the sample container(s): MW-49_081624 (240-209796-4) and DUP-01 (240-209796-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-209796-1	TRIP BLANK_7	Water	08/16/24 00:00	08/20/24 08:45
240-209796-2	MW-53_081624	Water	08/16/24 15:35	08/20/24 08:45
240-209796-3	MW-39_081624	Water	08/16/24 10:45	08/20/24 08:45
240-209796-4	MW-49_081624	Water	08/16/24 12:30	08/20/24 08:45
240-209796-5	DUP-01	Water	08/16/24 00:00	08/20/24 08:45
240-209796-6	MW-218S_081624	Water	08/16/24 09:10	08/20/24 08:45

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: TRIP BLANK_7

Lab Sample ID: 240-209796-1

No Detections.

Client Sample ID: MW-53_081624

Lab Sample ID: 240-209796-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.0	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.47	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-39_081624

Lab Sample ID: 240-209796-3

No Detections.

Client Sample ID: MW-49_081624

Lab Sample ID: 240-209796-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	18		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	55000		1600	740	ug/L	1600		8260D	Total/NA
Vinyl chloride	12000		800	360	ug/L	800		8260D	Total/NA

Client Sample ID: DUP-01

Lab Sample ID: 240-209796-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	17		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	54000		1600	740	ug/L	1600		8260D	Total/NA
Vinyl chloride	12000		800	360	ug/L	800		8260D	Total/NA

Client Sample ID: MW-218S_081624

Lab Sample ID: 240-209796-6

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: TRIP BLANK_7

Lab Sample ID: 240-209796-1

Date Collected: 08/16/24 00:00

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/24 22:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/24 22:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 22:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/24 22:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 22:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/23/24 22:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		08/23/24 22:23	1
4-Bromofluorobenzene (Surr)	78		56 - 136		08/23/24 22:23	1
Toluene-d8 (Surr)	87		78 - 122		08/23/24 22:23	1
Dibromofluoromethane (Surr)	88		73 - 120		08/23/24 22:23	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: MW-53_081624

Lab Sample ID: 240-209796-2

Date Collected: 08/16/24 15:35

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.0	J	2.0	0.86	ug/L			08/27/24 16:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					08/27/24 16:49	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/24 15:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/24 15:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 15:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/24 15:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 15:17	1
Vinyl chloride	0.47	J	1.0	0.45	ug/L			08/23/24 15:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		62 - 137					08/23/24 15:17	1
4-Bromofluorobenzene (Surr)	89		56 - 136					08/23/24 15:17	1
Toluene-d8 (Surr)	104		78 - 122					08/23/24 15:17	1
Dibromofluoromethane (Surr)	101		73 - 120					08/23/24 15:17	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: MW-39_081624

Lab Sample ID: 240-209796-3

Date Collected: 08/16/24 10:45

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/24 17:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		68 - 127					08/27/24 17:13	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/24 15:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/24 15:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 15:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/24 15:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 15:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/23/24 15:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					08/23/24 15:42	1
4-Bromofluorobenzene (Surr)	78		56 - 136					08/23/24 15:42	1
Toluene-d8 (Surr)	91		78 - 122					08/23/24 15:42	1
Dibromofluoromethane (Surr)	99		73 - 120					08/23/24 15:42	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: MW-49_081624

Lab Sample ID: 240-209796-4

Date Collected: 08/16/24 12:30

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	18		2.0	0.86	ug/L			08/27/24 17:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		68 - 127					08/27/24 17:36	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	800	U	800	390	ug/L			08/23/24 16:32	800
cis-1,2-Dichloroethene	55000		1600	740	ug/L			08/26/24 18:35	1600
Tetrachloroethene	800	U	800	350	ug/L			08/23/24 16:32	800
trans-1,2-Dichloroethene	800	U	800	410	ug/L			08/23/24 16:32	800
Trichloroethene	800	U	800	350	ug/L			08/23/24 16:32	800
Vinyl chloride	12000		800	360	ug/L			08/23/24 16:32	800
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					08/23/24 16:32	800
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					08/26/24 18:35	1600
4-Bromofluorobenzene (Surr)	84		56 - 136					08/23/24 16:32	800
4-Bromofluorobenzene (Surr)	80		56 - 136					08/26/24 18:35	1600
Toluene-d8 (Surr)	97		78 - 122					08/23/24 16:32	800
Toluene-d8 (Surr)	97		78 - 122					08/26/24 18:35	1600
Dibromofluoromethane (Surr)	103		73 - 120					08/23/24 16:32	800
Dibromofluoromethane (Surr)	107		73 - 120					08/26/24 18:35	1600

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: DUP-01

Lab Sample ID: 240-209796-5

Date Collected: 08/16/24 00:00

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	17		2.0	0.86	ug/L			08/27/24 18:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127					08/27/24 18:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	800	U	800	390	ug/L			08/23/24 16:57	800
cis-1,2-Dichloroethene	54000		1600	740	ug/L			08/26/24 18:10	1600
Tetrachloroethene	800	U	800	350	ug/L			08/23/24 16:57	800
trans-1,2-Dichloroethene	800	U	800	410	ug/L			08/23/24 16:57	800
Trichloroethene	800	U	800	350	ug/L			08/23/24 16:57	800
Vinyl chloride	12000		800	360	ug/L			08/23/24 16:57	800
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137					08/23/24 16:57	800
1,2-Dichloroethane-d4 (Surr)	106		62 - 137					08/26/24 18:10	1600
4-Bromofluorobenzene (Surr)	81		56 - 136					08/23/24 16:57	800
4-Bromofluorobenzene (Surr)	82		56 - 136					08/26/24 18:10	1600
Toluene-d8 (Surr)	88		78 - 122					08/23/24 16:57	800
Toluene-d8 (Surr)	94		78 - 122					08/26/24 18:10	1600
Dibromofluoromethane (Surr)	95		73 - 120					08/23/24 16:57	800
Dibromofluoromethane (Surr)	95		73 - 120					08/26/24 18:10	1600

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: MW-218S_081624

Lab Sample ID: 240-209796-6

Date Collected: 08/16/24 09:10

Matrix: Water

Date Received: 08/20/24 08:45

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/24 19:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		68 - 127					08/27/24 19:57	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/24 16:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/24 16:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 16:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/24 16:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 16:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/23/24 16:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		62 - 137					08/23/24 16:07	1
4-Bromofluorobenzene (Surr)	82		56 - 136					08/23/24 16:07	1
Toluene-d8 (Surr)	96		78 - 122					08/23/24 16:07	1
Dibromofluoromethane (Surr)	96		73 - 120					08/23/24 16:07	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-209725-E-2 MS	Matrix Spike	95	104	100	98
240-209725-E-2 MSD	Matrix Spike Duplicate	100	105	103	102
240-209796-1	TRIP BLANK_7	102	78	87	88
240-209796-2	MW-53_081624	115	89	104	101
240-209796-3	MW-39_081624	112	78	91	99
240-209796-4	MW-49_081624	113	84	97	103
240-209796-4	MW-49_081624	116	80	97	107
240-209796-5	DUP-01	105	81	88	95
240-209796-5	DUP-01	106	82	94	95
240-209796-6	MW-218S_081624	106	82	96	96
240-209796-6 MS	MW-218S-MS_081624	93	102	98	93
240-209796-6 MSD	MW-218S-MSD_081624	92	106	100	94
LCS 240-624514/5	Lab Control Sample	90	99	98	93
LCS 240-624673/5	Lab Control Sample	94	103	100	99
MB 240-624514/9	Method Blank	102	80	91	89
MB 240-624673/7	Method Blank	110	91	99	101

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-209796-2	MW-53_081624	104
240-209796-3	MW-39_081624	97
240-209796-4	MW-49_081624	98
240-209796-5	DUP-01	110
240-209796-6	MW-218S_081624	111
240-209796-6 MS	MW-218S-MS_081624	99
240-209796-6 MSD	MW-218S-MSD_081624	103
LCS 240-624868/4	Lab Control Sample	96
MB 240-624868/6	Method Blank	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-624514/9

Matrix: Water

Analysis Batch: 624514

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/24 13:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/24 13:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 13:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/24 13:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/24 13:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/23/24 13:12	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		08/23/24 13:12	1
4-Bromofluorobenzene (Surr)	80		56 - 136		08/23/24 13:12	1
Toluene-d8 (Surr)	91		78 - 122		08/23/24 13:12	1
Dibromofluoromethane (Surr)	89		73 - 120		08/23/24 13:12	1

Lab Sample ID: LCS 240-624514/5

Matrix: Water

Analysis Batch: 624514

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.0		ug/L		100	77 - 123
Tetrachloroethene	25.0	26.2		ug/L		105	76 - 123
trans-1,2-Dichloroethene	25.0	25.2		ug/L		101	75 - 124
Trichloroethene	25.0	23.7		ug/L		95	70 - 122
Vinyl chloride	12.5	10.4		ug/L		83	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	90		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-209796-6 MS

Matrix: Water

Analysis Batch: 624514

Client Sample ID: MW-218S-MS_081624

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	24.4		ug/L		97	66 - 128
Tetrachloroethene	1.0	U	25.0	23.7		ug/L		95	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	23.9		ug/L		96	56 - 136
Trichloroethene	1.0	U	25.0	22.0		ug/L		88	61 - 124
Vinyl chloride	1.0	U	12.5	11.3		ug/L		91	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	98		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-209796-6 MS
Matrix: Water
Analysis Batch: 624514

Client Sample ID: MW-218S-MS_081624
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-209796-6 MSD
Matrix: Water
Analysis Batch: 624514

Client Sample ID: MW-218S-MSD_081624
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier		Result	Qualifier								
1,1-Dichloroethene	1.0	U	25.0	24.1		ug/L		96	56 - 135	7	26		
cis-1,2-Dichloroethene	1.0	U	25.0	25.8		ug/L		103	66 - 128	6	14		
Tetrachloroethene	1.0	U	25.0	24.8		ug/L		99	62 - 131	4	20		
trans-1,2-Dichloroethene	1.0	U	25.0	25.1		ug/L		100	56 - 136	5	15		
Trichloroethene	1.0	U	25.0	23.0		ug/L		92	61 - 124	4	15		
Vinyl chloride	1.0	U	12.5	11.5		ug/L		92	43 - 157	1	24		

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: MB 240-624673/7
Matrix: Water
Analysis Batch: 624673

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		08/26/24 10:41	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		08/26/24 10:41	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		08/26/24 10:41	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		08/26/24 10:41	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		08/26/24 10:41	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		08/26/24 10:41	1	

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		08/26/24 10:41	1
4-Bromofluorobenzene (Surr)	91		56 - 136		08/26/24 10:41	1
Toluene-d8 (Surr)	99		78 - 122		08/26/24 10:41	1
Dibromofluoromethane (Surr)	101		73 - 120		08/26/24 10:41	1

Lab Sample ID: LCS 240-624673/5
Matrix: Water
Analysis Batch: 624673

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS		Unit	D	%Rec	%Rec
		Added	Result				
1,1-Dichloroethene	25.0	26.4		ug/L		105	63 - 134
cis-1,2-Dichloroethene	25.0	27.3		ug/L		109	77 - 123
Tetrachloroethene	25.0	27.0		ug/L		108	76 - 123
trans-1,2-Dichloroethene	25.0	27.2		ug/L		109	75 - 124
Trichloroethene	25.0	25.8		ug/L		103	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-624673/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 624673

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	12.7		ug/L		102	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-209725-E-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 624673

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	5.0	U	125	119		ug/L		95	56 - 135
cis-1,2-Dichloroethene	3.8	J	125	129		ug/L		100	66 - 128
Tetrachloroethene	5.0	U	125	118		ug/L		95	62 - 131
trans-1,2-Dichloroethene	5.0	U	125	126		ug/L		101	56 - 136
Trichloroethene	5.0	U	125	109		ug/L		87	61 - 124
Vinyl chloride	160		62.5	185		ug/L		48	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-209725-E-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 624673

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	5.0	U	125	129		ug/L		103	56 - 135	8	26
cis-1,2-Dichloroethene	3.8	J	125	137		ug/L		106	66 - 128	6	14
Tetrachloroethene	5.0	U	125	128		ug/L		102	62 - 131	8	20
trans-1,2-Dichloroethene	5.0	U	125	132		ug/L		105	56 - 136	5	15
Trichloroethene	5.0	U	125	119		ug/L		95	61 - 124	9	15
Vinyl chloride	160		62.5	192		ug/L		59	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	105		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-624868/6
Matrix: Water
Analysis Batch: 624868

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/24 11:10	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		68 - 127					08/27/24 11:10	1

Lab Sample ID: LCS 240-624868/4
Matrix: Water
Analysis Batch: 624868

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.85		ug/L		88	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	96		68 - 127				

Lab Sample ID: 240-209796-6 MS
Matrix: Water
Analysis Batch: 624868

Client Sample ID: MW-218S-MS_081624
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.48		ug/L		95	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	99		68 - 127						

Lab Sample ID: 240-209796-6 MSD
Matrix: Water
Analysis Batch: 624868

Client Sample ID: MW-218S-MSD_081624
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.77		ug/L		98	20 - 180	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	103		68 - 127								

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

GC/MS VOA

Analysis Batch: 624514

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209796-1	TRIP BLANK_7	Total/NA	Water	8260D	
240-209796-2	MW-53_081624	Total/NA	Water	8260D	
240-209796-3	MW-39_081624	Total/NA	Water	8260D	
240-209796-4	MW-49_081624	Total/NA	Water	8260D	
240-209796-5	DUP-01	Total/NA	Water	8260D	
240-209796-6	MW-218S_081624	Total/NA	Water	8260D	
MB 240-624514/9	Method Blank	Total/NA	Water	8260D	
LCS 240-624514/5	Lab Control Sample	Total/NA	Water	8260D	
240-209796-6 MS	MW-218S-MS_081624	Total/NA	Water	8260D	
240-209796-6 MSD	MW-218S-MSD_081624	Total/NA	Water	8260D	

Analysis Batch: 624673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209796-4	MW-49_081624	Total/NA	Water	8260D	
240-209796-5	DUP-01	Total/NA	Water	8260D	
MB 240-624673/7	Method Blank	Total/NA	Water	8260D	
LCS 240-624673/5	Lab Control Sample	Total/NA	Water	8260D	
240-209725-E-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-209725-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 624868

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-209796-2	MW-53_081624	Total/NA	Water	8260D SIM	
240-209796-3	MW-39_081624	Total/NA	Water	8260D SIM	
240-209796-4	MW-49_081624	Total/NA	Water	8260D SIM	
240-209796-5	DUP-01	Total/NA	Water	8260D SIM	
240-209796-6	MW-218S_081624	Total/NA	Water	8260D SIM	
MB 240-624868/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-624868/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-209796-6 MS	MW-218S-MS_081624	Total/NA	Water	8260D SIM	
240-209796-6 MSD	MW-218S-MSD_081624	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Client Sample ID: TRIP BLANK_7

Lab Sample ID: 240-209796-1

Date Collected: 08/16/24 00:00

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	624514	MS	EET CLE	08/23/24 22:23

Client Sample ID: MW-53_081624

Lab Sample ID: 240-209796-2

Date Collected: 08/16/24 15:35

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	624514	MS	EET CLE	08/23/24 15:17
Total/NA	Analysis	8260D SIM		1	624868	SAM	EET CLE	08/27/24 16:49

Client Sample ID: MW-39_081624

Lab Sample ID: 240-209796-3

Date Collected: 08/16/24 10:45

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	624514	MS	EET CLE	08/23/24 15:42
Total/NA	Analysis	8260D SIM		1	624868	SAM	EET CLE	08/27/24 17:13

Client Sample ID: MW-49_081624

Lab Sample ID: 240-209796-4

Date Collected: 08/16/24 12:30

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		800	624514	MS	EET CLE	08/23/24 16:32
Total/NA	Analysis	8260D		1600	624673	MS	EET CLE	08/26/24 18:35
Total/NA	Analysis	8260D SIM		1	624868	SAM	EET CLE	08/27/24 17:36

Client Sample ID: DUP-01

Lab Sample ID: 240-209796-5

Date Collected: 08/16/24 00:00

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		800	624514	MS	EET CLE	08/23/24 16:57
Total/NA	Analysis	8260D		1600	624673	MS	EET CLE	08/26/24 18:10
Total/NA	Analysis	8260D SIM		1	624868	SAM	EET CLE	08/27/24 18:00

Client Sample ID: MW-218S_081624

Lab Sample ID: 240-209796-6

Date Collected: 08/16/24 09:10

Matrix: Water

Date Received: 08/20/24 08:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	624514	MS	EET CLE	08/23/24 16:07
Total/NA	Analysis	8260D SIM		1	624868	SAM	EET CLE	08/27/24 19:57

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Ford LTP

Job ID: 240-209796-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24

Eurofins - Cleveland Sample Receipt Form/Narrative
 Barberton Facility
 Login #: 209794

Client Accedis Site Name Livonia LYF Cooler unpacked by: JESSICA RIGDON
 Cooler Received on 8.20.24 Opened on 8.20.24

FedEx: 1st Grd (Exp) UPS FAS Waypoint Client Drop Off Eurofins Courier Other
 Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other
 Packing material used: Bubble Wrap Foam Plastic Bag None Other
 COOLANT: Wet Ice Blue Ice Dry Ice Water None
 See Multiple Cooler Form

1 Cooler temperature upon receipt _____
 IR GUN # 22 (CF -011 °C) Observed Cooler Temp. 1.7 °C Corrected Cooler Temp 1.6 °C

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes No NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7 Did all bottles arrive in good condition (Unbroken)? Yes No
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9 For each sample, does the COC specify preservative(s) (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11 Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
- 13 If yes, Questions 13-17 have been checked at the originating laboratory
- 14 Were all preserved sample(s) at the correct pH upon receipt? Yes No
- 14 Were VOAs on the COC? Yes No
- 15 Were air bubbles >6 mm in any VOA vials? Yes No NA pH Strip Lot# HC442471
- 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # DD41301I Yes No
- 17 Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved _____ Preservative(s) added/Lot number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

DATA VERIFICATION REPORT



August 30, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04_WA-02

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 209796-1

Sample date: 2024-08-16

Report received by CADENA: 2024-08-29

Initial Data Verification completed by CADENA: 2024-08-30

Number of Samples:6

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

SRN - Sample Receipt Non-conformance (HEADSPACE) - Samples -004, -005 results for GCMS VOC SIM should be considered to be estimated and qualified with J flags if detected and due to sample receipt non-conformance that affects the integrity of the sample. See laboratory submittal sample receipt forms for details.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Qualified Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 209796-1

Sample Name:	MW-49_081624	DUP-01
Lab Sample ID:	2402097964	2402097965
Sample Date:	8/16/2024	8/16/2024

Analyte	Cas No.	Report		Valid	Report		Valid
		Result	Limit	Units	Qualifier	Result	Limit

GC/MS VOC

OSW-8260DSIM

1,4-Dioxane	123-91-1	18	2.0	ug/l	J	17	2.0	ug/l	J
-------------	----------	----	-----	------	---	----	-----	------	---

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 209796-1

Analyte	Cas No.	Sample Name: TRIP BLANK_7				MW-53_081624				MW-39_081624				MW-49_081624				DUP-01				MW-218S_081624			
		Lab Sample ID: 2402097961				2402097962				2402097963				2402097964				2402097965				2402097966			
		Sample Date: 8/16/2024				8/16/2024				8/16/2024				8/16/2024				8/16/2024				8/16/2024			
		Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid	Report	Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																									
<u>OSW-8260D</u>																									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	800	ug/l	---	ND	800	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	55000	1600	ug/l	---	54000	1600	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	800	ug/l	---	ND	800	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	800	ug/l	---	ND	800	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	800	ug/l	---	ND	800	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.47	1.0	ug/l	J	ND	1.0	ug/l	---	12000	800	ug/l	---	12000	800	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																									
1,4-Dioxane	123-91-1					1.0	2.0	ug/l	J	ND	2.0	ug/l	---	18	2.0	ug/l	J	17	2.0	ug/l	J	ND	2.0	ug/l	---