

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 8/16/2024 8:06:40 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-208956-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
8/16/2024 8:06:40 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	18
Lab Chronicle . . . . .	19
Certification Summary . . . . .	20
Chain of Custody . . . . .	21

# Definitions/Glossary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis U.S., Inc.  
Project: Ford LTP

Job ID: 240-208956-1

**Job ID: 240-208956-1**

**Eurofins Cleveland**

## Job Narrative 240-208956-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 8/7/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C.

### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-623147 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-208956-1	TRIP BLANK_133	Water	08/05/24 00:00	08/07/24 08:00
240-208956-2	MW-79SR_080524	Water	08/05/24 09:55	08/07/24 08:00
240-208956-3	MW-79D_080524	Water	08/05/24 10:55	08/07/24 08:00
240-208956-4	MW-141S_080524	Water	08/05/24 13:05	08/07/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Client Sample ID: TRIP BLANK\_133

Lab Sample ID: 240-208956-1

No Detections.

## Client Sample ID: MW-79SR\_080524

Lab Sample ID: 240-208956-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.67	J	1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: MW-79D\_080524

Lab Sample ID: 240-208956-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.9		1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: MW-141S\_080524

Lab Sample ID: 240-208956-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: TRIP BLANK\_133**

**Lab Sample ID: 240-208956-1**

Date Collected: 08/05/24 00:00

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 08:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 08:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 08:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 08:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 08:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/13/24 08:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		08/13/24 08:48	1
4-Bromofluorobenzene (Surr)	100		56 - 136		08/13/24 08:48	1
Toluene-d8 (Surr)	98		78 - 122		08/13/24 08:48	1
Dibromofluoromethane (Surr)	87		73 - 120		08/13/24 08:48	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: MW-79SR\_080524**

**Lab Sample ID: 240-208956-2**

Date Collected: 08/05/24 09:55

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 13:08	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					08/12/24 13:08	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:07	1
<b>Vinyl chloride</b>	<b>0.67</b>	<b>J</b>	1.0	0.45	ug/L			08/13/24 11:07	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					08/13/24 11:07	1
4-Bromofluorobenzene (Surr)	105		56 - 136					08/13/24 11:07	1
Toluene-d8 (Surr)	102		78 - 122					08/13/24 11:07	1
Dibromofluoromethane (Surr)	93		73 - 120					08/13/24 11:07	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: MW-79D\_080524**

**Lab Sample ID: 240-208956-3**

Date Collected: 08/05/24 10:55

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 13:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127					08/12/24 13:31	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:27	1
<b>Vinyl chloride</b>	<b>1.9</b>		1.0	0.45	ug/L			08/14/24 11:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					08/13/24 11:27	1
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					08/14/24 11:39	1
4-Bromofluorobenzene (Surr)	100		56 - 136					08/13/24 11:27	1
4-Bromofluorobenzene (Surr)	106		56 - 136					08/14/24 11:39	1
Toluene-d8 (Surr)	100		78 - 122					08/13/24 11:27	1
Toluene-d8 (Surr)	104		78 - 122					08/14/24 11:39	1
Dibromofluoromethane (Surr)	90		73 - 120					08/13/24 11:27	1
Dibromofluoromethane (Surr)	90		73 - 120					08/14/24 11:39	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: MW-141S\_080524**

**Lab Sample ID: 240-208956-4**

Date Collected: 08/05/24 13:05

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 17:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					08/12/24 17:26	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/13/24 11:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					08/13/24 11:46	1
4-Bromofluorobenzene (Surr)	101		56 - 136					08/13/24 11:46	1
Toluene-d8 (Surr)	102		78 - 122					08/13/24 11:46	1
Dibromofluoromethane (Surr)	89		73 - 120					08/13/24 11:46	1

# Surrogate Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-208956-1	TRIP BLANK_133	109	100	98	87
240-208956-2	MW-79SR_080524	113	105	102	93
240-208956-3	MW-79D_080524	111	100	100	90
240-208956-3	MW-79D_080524	112	106	104	90
240-208956-4	MW-141S_080524	111	101	102	89
240-208956-4 MS	MW-141S-MS_080524	101	109	98	93
240-208956-4 MSD	MW-141S-MSD_080524	112	113	102	98
240-209185-B-1 MS	Matrix Spike	110	110	100	98
240-209185-B-1 MSD	Matrix Spike Duplicate	104	101	93	92
LCS 240-623147/5	Lab Control Sample	110	110	99	100
LCS 240-623282/5	Lab Control Sample	103	107	97	93
MB 240-623147/11	Method Blank	111	97	97	89
MB 240-623282/10	Method Blank	112	102	103	91

**Surrogate Legend**

- DCA = 1,2-Dichloroethane-d4 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- TOL = Toluene-d8 (Surr)
- DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-208956-2	MW-79SR_080524	104
240-208956-3	MW-79D_080524	110
240-208956-4	MW-141S_080524	107
240-208956-4 MS	MW-141S-MS_080524	110
240-208956-4 MSD	MW-141S-MSD_080524	107
LCS 240-622992/4	Lab Control Sample	103
MB 240-622992/7	Method Blank	101

**Surrogate Legend**

- DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-623147/11

Matrix: Water

Analysis Batch: 623147

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 07:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 07:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 07:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 07:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 07:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/13/24 07:05	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		08/13/24 07:05	1
4-Bromofluorobenzene (Surr)	97		56 - 136		08/13/24 07:05	1
Toluene-d8 (Surr)	97		78 - 122		08/13/24 07:05	1
Dibromofluoromethane (Surr)	89		73 - 120		08/13/24 07:05	1

Lab Sample ID: LCS 240-623147/5

Matrix: Water

Analysis Batch: 623147

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	50.0	37.5		ug/L		75	63 - 134
cis-1,2-Dichloroethene	50.0	43.5		ug/L		87	77 - 123
Tetrachloroethene	50.0	43.3		ug/L		87	76 - 123
trans-1,2-Dichloroethene	50.0	40.1		ug/L		80	75 - 124
Trichloroethene	50.0	43.5		ug/L		87	70 - 122
Vinyl chloride	50.0	46.4		ug/L		93	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 240-208956-4 MS

Matrix: Water

Analysis Batch: 623147

Client Sample ID: MW-141S-MS\_080524

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	50.0	34.2		ug/L		68	56 - 135
cis-1,2-Dichloroethene	1.0	U	50.0	42.3		ug/L		85	66 - 128
Tetrachloroethene	1.0	U	50.0	40.9		ug/L		82	62 - 131
trans-1,2-Dichloroethene	1.0	U	50.0	38.0		ug/L		76	56 - 136
Trichloroethene	1.0	U	50.0	40.1		ug/L		80	61 - 124
Vinyl chloride	1.0	U	50.0	41.9		ug/L		84	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	98		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-208956-4 MS

Matrix: Water

Analysis Batch: 623147

Client Sample ID: MW-141S-MS\_080524

Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-208956-4 MSD

Matrix: Water

Analysis Batch: 623147

Client Sample ID: MW-141S-MSD\_080524

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	RPD	RPD	Limit
	Result	Qualifier		Result	Qualifier							
1,1-Dichloroethene	1.0	U	50.0	34.5		ug/L		69	56 - 135	1		26
cis-1,2-Dichloroethene	1.0	U	50.0	42.7		ug/L		85	66 - 128	1		14
Tetrachloroethene	1.0	U	50.0	40.3		ug/L		81	62 - 131	2		20
trans-1,2-Dichloroethene	1.0	U	50.0	38.5		ug/L		77	56 - 136	1		15
Trichloroethene	1.0	U	50.0	40.5		ug/L		81	61 - 124	1		15
Vinyl chloride	1.0	U	50.0	43.7		ug/L		87	43 - 157	4		24

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	112		62 - 137
4-Bromofluorobenzene (Surr)	113		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: MB 240-623282/10

Matrix: Water

Analysis Batch: 623282

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/14/24 07:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/14/24 07:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/14/24 07:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/14/24 07:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/14/24 07:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/14/24 07:02	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		08/14/24 07:02	1
4-Bromofluorobenzene (Surr)	102		56 - 136		08/14/24 07:02	1
Toluene-d8 (Surr)	103		78 - 122		08/14/24 07:02	1
Dibromofluoromethane (Surr)	91		73 - 120		08/14/24 07:02	1

Lab Sample ID: LCS 240-623282/5

Matrix: Water

Analysis Batch: 623282

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS		Unit	D	%Rec	%Rec
		Added	Result				
1,1-Dichloroethene	50.0	37.7		ug/L		75	63 - 134
cis-1,2-Dichloroethene	50.0	44.6		ug/L		89	77 - 123
Tetrachloroethene	50.0	46.2		ug/L		92	76 - 123
trans-1,2-Dichloroethene	50.0	40.4		ug/L		81	75 - 124
Trichloroethene	50.0	43.9		ug/L		88	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-623282/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	50.0	46.1		ug/L		92	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-209185-B-1 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	50.0	33.4		ug/L		67	56 - 135
cis-1,2-Dichloroethene	1.0	U	50.0	42.6		ug/L		85	66 - 128
Tetrachloroethene	1.0	U	50.0	40.2		ug/L		80	62 - 131
trans-1,2-Dichloroethene	1.0	U	50.0	38.0		ug/L		76	56 - 136
Trichloroethene	1.0	U	50.0	41.3		ug/L		83	61 - 124
Vinyl chloride	1.0	U	50.0	43.1		ug/L		86	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-209185-B-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 623282

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	50.0	32.5		ug/L		65	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	50.0	41.4		ug/L		83	66 - 128	3	14
Tetrachloroethene	1.0	U	50.0	38.9		ug/L		78	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	50.0	37.1		ug/L		74	56 - 136	2	15
Trichloroethene	1.0	U	50.0	40.2		ug/L		80	61 - 124	3	15
Vinyl chloride	1.0	U	50.0	42.6		ug/L		85	43 - 157	1	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120



# QC Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-622992/7

Matrix: Water

Analysis Batch: 622992

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 10:23	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		68 - 127					08/12/24 10:23	1

Lab Sample ID: LCS 240-622992/4

Matrix: Water

Analysis Batch: 622992

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.30		ug/L		93	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	103		68 - 127				

Lab Sample ID: 240-208956-4 MS

Matrix: Water

Analysis Batch: 622992

Client Sample ID: MW-141S-MS\_080524

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.82		ug/L		88	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	110		68 - 127						

Lab Sample ID: 240-208956-4 MSD

Matrix: Water

Analysis Batch: 622992

Client Sample ID: MW-141S-MSD\_080524

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.15		ug/L		92	20 - 180	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

# QC Association Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## GC/MS VOA

### Analysis Batch: 622992

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208956-2	MW-79SR_080524	Total/NA	Water	8260D SIM	
240-208956-3	MW-79D_080524	Total/NA	Water	8260D SIM	
240-208956-4	MW-141S_080524	Total/NA	Water	8260D SIM	
MB 240-622992/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-622992/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-208956-4 MS	MW-141S-MS_080524	Total/NA	Water	8260D SIM	
240-208956-4 MSD	MW-141S-MSD_080524	Total/NA	Water	8260D SIM	

### Analysis Batch: 623147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208956-1	TRIP BLANK_133	Total/NA	Water	8260D	
240-208956-2	MW-79SR_080524	Total/NA	Water	8260D	
240-208956-3	MW-79D_080524	Total/NA	Water	8260D	
240-208956-4	MW-141S_080524	Total/NA	Water	8260D	
MB 240-623147/11	Method Blank	Total/NA	Water	8260D	
LCS 240-623147/5	Lab Control Sample	Total/NA	Water	8260D	
240-208956-4 MS	MW-141S-MS_080524	Total/NA	Water	8260D	
240-208956-4 MSD	MW-141S-MSD_080524	Total/NA	Water	8260D	

### Analysis Batch: 623282

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-208956-3	MW-79D_080524	Total/NA	Water	8260D	
MB 240-623282/10	Method Blank	Total/NA	Water	8260D	
LCS 240-623282/5	Lab Control Sample	Total/NA	Water	8260D	
240-209185-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-209185-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: TRIP BLANK\_133**

**Lab Sample ID: 240-208956-1**

Date Collected: 08/05/24 00:00

Matrix: Water

Date Received: 08/07/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623147	TJL2	EET CLE	08/13/24 08:48

**Client Sample ID: MW-79SR\_080524**

**Lab Sample ID: 240-208956-2**

Date Collected: 08/05/24 09:55

Matrix: Water

Date Received: 08/07/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623147	TJL2	EET CLE	08/13/24 11:07
Total/NA	Analysis	8260D SIM		1	622992	MS	EET CLE	08/12/24 13:08

**Client Sample ID: MW-79D\_080524**

**Lab Sample ID: 240-208956-3**

Date Collected: 08/05/24 10:55

Matrix: Water

Date Received: 08/07/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623147	TJL2	EET CLE	08/13/24 11:27
Total/NA	Analysis	8260D		1	623282	TJL2	EET CLE	08/14/24 11:39
Total/NA	Analysis	8260D SIM		1	622992	MS	EET CLE	08/12/24 13:31

**Client Sample ID: MW-141S\_080524**

**Lab Sample ID: 240-208956-4**

Date Collected: 08/05/24 13:05

Matrix: Water

Date Received: 08/07/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	623147	TJL2	EET CLE	08/13/24 11:46
Total/NA	Analysis	8260D SIM		1	622992	MS	EET CLE	08/12/24 17:26

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-24
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-24



**Eurofins - Cleveland Sample Receipt Form/Narrative** Login # \_\_\_\_\_  
**Barberton Facility**

Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by: LM  
 Cooler Received on 8/7/24 Opened on 8/7/24

FedEx 1<sup>st</sup> Gnd Exp UPS FAS ~~Walmart~~ Client Drop Off Eurofins Courier Other \_\_\_\_\_  
 Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap ~~Foam~~ Plastic Bag None Other \_\_\_\_\_  
 COOLANT Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt -0.1 °C  See Multiple Cooler Form  
 IR GUN # 22 (CR 1.5 °C) Observed Cooler Temp. 1.5 °C Corrected Cooler Temp 1.4 °C

Tests that are not checked for pH by Receiving.  
 VOAs  
 Oil and Grease  
 TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
    - Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA
    - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA
    - Were tamper/custody seals intact and uncompromised? Yes  No  NA
  - 3 Shippers' packing slip attached to the cooler(s)? Yes  No
  - 4 Did custody papers accompany the sample(s)? Yes  No
  - 5 Were the custody papers relinquished & signed in the appropriate place? Yes  No
  - 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes  No
  - 7 Did all bottles arrive in good condition (Unbroken)? Yes  No
  - 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes  No
  - 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes  No
  - 10 Were correct bottle(s) used for the test(s) indicated? Yes  No
  - 11 Sufficient quantity received to perform indicated analyses? Yes  No
  - 12 Are these work share samples and all listed on the COC? Yes  No
  - 13 If yes, Questions 13-17 have been checked at the originating laboratory
  - 14 Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA  pH Strip Lot# HC442471
  - 15 Were VOAs on the COC? Yes  No
  - 16 Were air bubbles >6 mm in any VOA vials? Yes  Larger than this.  NA
  - 17 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes  No
  - 17 Was a LL Hg or Me Hg trip blank present? Yes  No
- Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved. \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample ID

Lab ID

Container Type

Container   Preservation   Preservation  
pH   Temp   Added   Lot Number



# DATA VERIFICATION REPORT



August 23, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04\_WA-02

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 208956-1

Sample date: 2024-08-05

Report received by CADENA: 2024-08-23

Initial Data Verification completed by CADENA: 2024-08-23

Number of Samples:4

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 208956-1

Analyte	Cas No.	Sample Name: TRIP BLANK_133				MW-79SR_080524				MW-79D_080524				MW-141S_080524			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
		2402089561				2402089562				2402089563				2402089564			
		8/5/2024				8/5/2024				8/5/2024				8/5/2024			

### GC/MS VOC

#### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.67	1.0	ug/l	J	1.9	1.0	ug/l	---	ND	1.0	ug/l	---

#### OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----	----	-----	------	-----

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-208956-1

CADENA Verification Report: 2024-08-23

Analyses Performed By:  
Eurofins Cleveland  
Barberton, Ohio

Report # 55499R  
Review Level: Tier III  
Project: 30206169.0401.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-208956-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_133	240-208956-1	Water	08/05/2024		X	
MW-79SR_080524	240-208956-2	Water	08/05/2024		X	X
MW-79D_080524	240-208956-3	Water	08/05/2024		X	X
MW-141S_080524	240-208956-4	Water	08/05/2024		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.



## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample ID	Initial / Continuing	Compound	Criteria
TRIP BLANK_133 MW-79SR_080524 MW-141S_080524	Continuing Calibration Verification %D	Vinyl chloride	-26.0%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 <sup>1</sup>	Non-detect	R

## DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
		Detect	J
	RRF >0.05 or RRF >0.01 <sup>1</sup>	Non-detect	No Action
		Detect	
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

<sup>1</sup>RRF of 0.01 only applies to compounds which are typically poor responding compounds

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

---

DATE: September 04, 2024

---

PEER REVIEW: Andrew Korycinski

DATE: September 7, 2024

---


**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



# Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												TestAmerica Laboratories, Inc.										
Company Name: Arcadis			Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:										
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs										
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only										
Phone: 248-994-2240			Sampler Name: <i>Mariam Hanani</i>				TAT if different from below								Walk-in client										
Project Name: Ford LTP			Method of Shipment/Carrier:				10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/>								Lab sampling										
Project Number: 30206169.0401.03			Shipping/Tracking No:				<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <input type="checkbox"/>								Job/SDG No:										
PO # US3410018772																									
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:			
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/Seal											Unpres	Other:	
✓ TRIP BLANK_133	---	---	1					1						NG	X	X	X	X	X	X					1 Trip Blank
✓ MW-79SR_080524	8/5/24	0955	6					6						NG	X	X	X	X	X	X					3 VOAs for 8260D 3 VOAs for 8260D SIM
✓ MW-79D_080524	8/5/24	1055	6					6						NG	X	X	X	X	X	X					
✓ MW-141S_080524	8/5/24	1305	6					6						NG	X	X	X	X	X	X					
✓ MW-141S-MS_080524	8/5/24	1305	6					6						NG	X	X	X	X	X	X					Ren MS/MSD
✓ MW-141S-MSD_080524	8/5/24	1305	6					6						NG	X	X	X	X	X	X					Ren MS/MSD
Possible Hazard Identification			Sample Disposal (A fee may be assessed if samp.)																						
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown			<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																						
Special Instructions/QC Requirements & Comments: <i>Boston Post ROW</i>																									
Submit all results through Cadena at <a href="mailto:jtomalina@cadenaco.com">jtomalina@cadenaco.com</a> . Cadena #E203728																									
Level IV Reporting requested.																									
Relinquished by: <i>Mariam Hanani</i>	Company: <i>Arcadis</i>	Date/Time: <i>8/5/24 1615</i>	Received by: <i>Novi Cold Storage</i>	Company: <i>Arcadis</i>	Date/Time: <i>8/5/24 1615</i>																				
Relinquished by: <i>Jammy</i>	Company: <i>Arcadis</i>	Date/Time: <i>8/6/24 1020</i>	Received by: <i>[Signature]</i>	Company: <i>ETA</i>	Date/Time: <i>8/6/24 1020</i>																				
Relinquished by: <i>[Signature]</i>	Company: <i>ETA</i>	Date/Time: <i>8/6/24 10:30</i>	Received in Laboratory by: <i>KATHARINE MARTIN</i>	Company: <i>EUR</i>	Date/Time: <i>8/7/24 800</i>																				



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: TRIP BLANK\_133**

**Lab Sample ID: 240-208956-1**

Date Collected: 08/05/24 00:00

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 08:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 08:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 08:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 08:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 08:48	1
Vinyl chloride	1.0	UU	1.0	0.45	ug/L			08/13/24 08:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		08/13/24 08:48	1
4-Bromofluorobenzene (Surr)	100		56 - 136		08/13/24 08:48	1
Toluene-d8 (Surr)	98		78 - 122		08/13/24 08:48	1
Dibromofluoromethane (Surr)	87		73 - 120		08/13/24 08:48	1

**Client Sample ID: MW-79SR\_080524**

**Lab Sample ID: 240-208956-2**

Date Collected: 08/05/24 09:55

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 13:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		68 - 127		08/12/24 13:08	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:07	1
Vinyl chloride	0.67	J	1.0	0.45	ug/L			08/13/24 11:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137		08/13/24 11:07	1
4-Bromofluorobenzene (Surr)	105		56 - 136		08/13/24 11:07	1
Toluene-d8 (Surr)	102		78 - 122		08/13/24 11:07	1
Dibromofluoromethane (Surr)	93		73 - 120		08/13/24 11:07	1

**Client Sample ID: MW-79D\_080524**

**Lab Sample ID: 240-208956-3**

Date Collected: 08/05/24 10:55

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 13:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127		08/12/24 13:31	1

# Client Sample Results

Client: Arcadis U.S., Inc.  
Project/Site: Ford LTP

Job ID: 240-208956-1

**Client Sample ID: MW-79D\_080524**

**Lab Sample ID: 240-208956-3**

Date Collected: 08/05/24 10:55

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:27	1
<b>Vinyl chloride</b>	<b>1.9</b>		1.0	0.45	ug/L			08/14/24 11:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		08/13/24 11:27	1
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		08/14/24 11:39	1
4-Bromofluorobenzene (Surr)	100		56 - 136		08/13/24 11:27	1
4-Bromofluorobenzene (Surr)	106		56 - 136		08/14/24 11:39	1
Toluene-d8 (Surr)	100		78 - 122		08/13/24 11:27	1
Toluene-d8 (Surr)	104		78 - 122		08/14/24 11:39	1
Dibromofluoromethane (Surr)	90		73 - 120		08/13/24 11:27	1
Dibromofluoromethane (Surr)	90		73 - 120		08/14/24 11:39	1

**Client Sample ID: MW-141S\_080524**

**Lab Sample ID: 240-208956-4**

Date Collected: 08/05/24 13:05

Matrix: Water

Date Received: 08/07/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/12/24 17:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127		08/12/24 17:26	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/13/24 11:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/13/24 11:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/13/24 11:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/13/24 11:46	1
Vinyl chloride	1.0	<del>U</del>	1.0	0.45	ug/L			08/13/24 11:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		08/13/24 11:46	1
4-Bromofluorobenzene (Surr)	101		56 - 136		08/13/24 11:46	1
Toluene-d8 (Surr)	102		78 - 122		08/13/24 11:46	1
Dibromofluoromethane (Surr)	89		73 - 120		08/13/24 11:46	1