

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 11/25/2024 7:19:55 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-215030-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
11/25/2024 7:19:55 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-215030-1

**Job ID: 240-215030-1**

**Eurofins Cleveland**

## Job Narrative 240-215030-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 11/15/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.1°C, 1.3°C, 1.4°C and 2.3°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215030-1	TRIP BLANK_130	Water	11/12/24 00:00	11/15/24 08:00
240-215030-2	MW-192S_111224	Water	11/12/24 14:57	11/15/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

---

**Client Sample ID: TRIP BLANK\_130**

**Lab Sample ID: 240-215030-1**

No Detections.

---

**Client Sample ID: MW-192S\_111224**

**Lab Sample ID: 240-215030-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

**Client Sample ID: TRIP BLANK\_130**

**Lab Sample ID: 240-215030-1**

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 05:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 05:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 05:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 05:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/21/24 05:10	1
4-Bromofluorobenzene (Surr)	96		56 - 136		11/21/24 05:10	1
Toluene-d8 (Surr)	102		78 - 122		11/21/24 05:10	1
Dibromofluoromethane (Surr)	100		73 - 120		11/21/24 05:10	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

**Client Sample ID: MW-192S\_111224**

**Lab Sample ID: 240-215030-2**

Date Collected: 11/12/24 14:57

Matrix: Water

Date Received: 11/15/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 20:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					11/20/24 20:15	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 05:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 05:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 05:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 05:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137					11/21/24 05:33	1
4-Bromofluorobenzene (Surr)	98		56 - 136					11/21/24 05:33	1
Toluene-d8 (Surr)	103		78 - 122					11/21/24 05:33	1
Dibromofluoromethane (Surr)	95		73 - 120					11/21/24 05:33	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-215030-1	TRIP BLANK_130	105	96	102	100
240-215030-2	MW-192S_111224	105	98	103	95
240-215030-2 MS	MW-192S_111224	101	103	103	98
240-215030-2 MSD	MW-192S_111224	96	99	104	92
LCS 240-636100/4	Lab Control Sample	99	102	102	95
MB 240-636100/7	Method Blank	102	100	104	95

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-215013-C-32 MS	Matrix Spike	103
240-215013-C-32 MSD	Matrix Spike Duplicate	102
240-215030-2	MW-192S_111224	107
LCS 240-636045/5	Lab Control Sample	104
MB 240-636045/8	Method Blank	108

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636100/7

Matrix: Water

Analysis Batch: 636100

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/24 23:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/24 23:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/24 23:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/24 23:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/24 23:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/24 23:02	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		11/20/24 23:02	1
4-Bromofluorobenzene (Surr)	100		56 - 136		11/20/24 23:02	1
Toluene-d8 (Surr)	104		78 - 122		11/20/24 23:02	1
Dibromofluoromethane (Surr)	95		73 - 120		11/20/24 23:02	1

Lab Sample ID: LCS 240-636100/4

Matrix: Water

Analysis Batch: 636100

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	22.4		ug/L		90	63 - 134
cis-1,2-Dichloroethene	25.0	23.3		ug/L		93	77 - 123
Tetrachloroethene	25.0	23.3		ug/L		93	76 - 123
trans-1,2-Dichloroethene	25.0	22.3		ug/L		89	75 - 124
Trichloroethene	25.0	22.3		ug/L		89	70 - 122
Vinyl chloride	12.5	10.7		ug/L		85	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-215030-2 MS

Matrix: Water

Analysis Batch: 636100

Client Sample ID: MW-192S\_111224

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	19.1		ug/L		77	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.5		ug/L		90	66 - 128
Tetrachloroethene	1.0	U	25.0	18.4		ug/L		74	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	17.9		ug/L		71	56 - 136
Trichloroethene	1.0	U	25.0	17.7		ug/L		71	61 - 124
Vinyl chloride	1.0	U	12.5	9.09		ug/L		73	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-215030-2 MS**  
**Matrix: Water**  
**Analysis Batch: 636100**

**Client Sample ID: MW-192S\_111224**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	98		73 - 120

**Lab Sample ID: 240-215030-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 636100**

**Client Sample ID: MW-192S\_111224**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	25.0	20.6		ug/L		82	56 - 135	7	26	
cis-1,2-Dichloroethene	1.0	U	25.0	22.8		ug/L		91	66 - 128	2	14	
Tetrachloroethene	1.0	U	25.0	19.8		ug/L		79	62 - 131	7	20	
trans-1,2-Dichloroethene	1.0	U	25.0	20.0		ug/L		80	56 - 136	11	15	
Trichloroethene	1.0	U	25.0	18.8		ug/L		75	61 - 124	6	15	
Vinyl chloride	1.0	U	12.5	9.60		ug/L		77	43 - 157	5	24	

  

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-636045/8**  
**Matrix: Water**  
**Analysis Batch: 636045**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 13:59	1

  

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	108		68 - 127		11/20/24 13:59	1			

**Lab Sample ID: LCS 240-636045/5**  
**Matrix: Water**  
**Analysis Batch: 636045**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike		LCS		Unit	D	%Rec	%Rec	
	Added	Result	Qualifier	Result				Limits	
1,4-Dioxane	10.0	8.11			ug/L		81	75 - 121	

  

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		68 - 127

**Lab Sample ID: 240-215013-C-32 MS**  
**Matrix: Water**  
**Analysis Batch: 636045**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample		Spike Added	MS		Unit	D	%Rec	%Rec	
	Result	Qualifier		Result	Qualifier				Limits	
1,4-Dioxane	650		100	751	4	ug/L		98	20 - 180	

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	103		68 - 127

**Lab Sample ID: 240-215013-C-32 MSD**  
**Matrix: Water**  
**Analysis Batch: 636045**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample</i>	<i>Sample</i>	<i>Spike</i>	<i>MSD</i>	<i>MSD</i>				<i>%Rec</i>		<i>RPD</i>	
	<i>Result</i>	<i>Qualifier</i>	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>	<i>RPD</i>	<i>Limit</i>	
1,4-Dioxane	650		100	779	4	ug/L		126	20 - 180	4	20	

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	102		68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## GC/MS VOA

### Analysis Batch: 636045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215030-2	MW-192S_111224	Total/NA	Water	8260D SIM	
MB 240-636045/8	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-636045/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215013-C-32 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215013-C-32 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 636100

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215030-1	TRIP BLANK_130	Total/NA	Water	8260D	
240-215030-2	MW-192S_111224	Total/NA	Water	8260D	
MB 240-636100/7	Method Blank	Total/NA	Water	8260D	
LCS 240-636100/4	Lab Control Sample	Total/NA	Water	8260D	
240-215030-2 MS	MW-192S_111224	Total/NA	Water	8260D	
240-215030-2 MSD	MW-192S_111224	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Client Sample ID: TRIP BLANK\_130

Lab Sample ID: 240-215030-1

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636100	LEE	EET CLE	11/21/24 05:10

## Client Sample ID: MW-192S\_111224

Lab Sample ID: 240-215030-2

Date Collected: 11/12/24 14:57

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636100	LEE	EET CLE	11/21/24 05:33
Total/NA	Analysis	8260D SIM		1	636045	R5XG	EET CLE	11/20/24 20:15

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24





**Eurofins - Cleveland Sample Receipt Form/Narrative** Login # \_\_\_\_\_  
**Barberton Facility**

Client Accad 3 Site Name \_\_\_\_\_ Cooler unpacked by: JF

Cooler Received on 11/5/24 Opened on 11/5/24

FedEx. 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courner Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam \_\_\_\_\_ Plastic Bag \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_  
 COOLANT Wet Ice Blue Ice \_\_\_\_\_ Dry Ice \_\_\_\_\_ Water \_\_\_\_\_ None \_\_\_\_\_

1 Cooler temperature upon receipt 17 (CF) 70.1 (°C) Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C  
 See Multiple Cooler Form

2- Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes  No  NA  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

- 3 Shippers' packing slip attached to the cooler(s)?  Yes  No  NA
  - 4. Did custody papers accompany the sample(s)?  Yes  No  NA
  - 5 Were the custody papers relinquished & signed in the appropriate place?  Yes  No  NA
  - 6 Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  NA
  - 7 Did all bottles arrive in good condition (Unbroken)?  Yes  No  NA
  - 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  NA
  - 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  NA
  - 10 Were correct bottle(s) used for the test(s) indicated?  Yes  No  NA
  - 11 Sufficient quantity received to perform indicated analyses?  Yes  No  NA
  - 12. Are these work share samples and all listed on the COC?  Yes  No  NA
  - 13 Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC4448976
  - 14 Were VOAs on the COC?  Yes  No  NA
  - 15 Were air bubbles >6 mm in any VOA vials?  Yes  No  NA Larger than this.
  - 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered  Yes  No  NA
  - 17 Was a LL Hg or Me Hg trip blank present?  Yes  No  NA
- Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_





11/15/2024

# Login Container Summary Report

240-215030

## Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>
					<u>Lot Number</u>
TRIP BLANK_130	240-215030-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-192S_111224	240-215030-G-2	Voa Vial 40ml - Hydrochloric Acid			

# DATA VERIFICATION REPORT



November 25, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil  
Project number: 30206169.0401.04\_WA-03  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 215030-1  
Sample date: 2024-11-12  
Report received by CADENA: 2024-11-25  
Initial Data Verification completed by CADENA: 2024-11-25  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 215030-1

<b>Sample Name:</b>	TRIP BLANK_130	MW-192S_111224
<b>Lab Sample ID:</b>	2402150301	2402150302
<b>Sample Date:</b>	11/12/2024	11/12/2024

Analyte	Cas No.	Report		Valid		Report		Valid	
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---



# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-215030-1

CADENA Verification Report: 2024-11-25

Analyses Performed By:  
Eurofins Cleveland  
Barberton, Ohio

Report # 56934R  
Review Level: Tier III  
Project: 30206169.0401.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-215030-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_130	240-215030-1	Water	11/12/2024		X	
MW-192S_111224	240-215030-2	Water	11/12/2024		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

## **DATA REVIEW**

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD performed on sample MW-192S\_111224, exhibited acceptable recoveries and RPD between the MS/MSD recoveries.

### **6. Field Duplicate Analysis**

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

### **7. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **8. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Matrix Spike (MS)		X		X	
Matrix Spike Duplicate (MSD)		X		X	
MS/MSD Precision (RPD)		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

---

DATE: December 16, 2024

---

PEER REVIEW: Andrew Korycinski

DATE: December 19, 2024

---



# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												TestAmerica Laboratories, Inc.												
Company Name: Arcadis			Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:												
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs												
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only												
Phone: 248-994-2240			Sampler Name: <i>NOIEN Scherze 1</i>				TAT if different from below				Filtered Sample (Y/N) Composite-C / Grab-G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Walk-in client												
Project Name: Ford LTP			Method of Shipment/Carrier:				<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day								Lab sampling												
Project Number: 30206169.0401.03			Shipping/Tracking No:												Job/SDG No:												
PO # US3410018772															Sample Specific Notes / Special Instructions:												
Sample Identification			Sample Date	Sample Time	Matrix					Containers & Preservatives																	
					Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:											
TRIP BLANK_130			---	---	1							1					NG	X	X	X	X	X				1 Trip Blank	
Mw-1925_11224			11/12/24	14:57	6							6					NG	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM	
Possible Hazard Identification			Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																								
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown			<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																								
Special Instructions/QC Requirements & Comments: <i>Brewer Row</i>																											
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728			<i>Brewster Row</i>																								
Level IV Reporting requested.																											
Relinquished by: <i>[Signature]</i>			Company: <i>Arcadis</i>			Date/Time: <i>11/12/24 16:30</i>			Received by: <i>Non Cold Storage</i>			Company: <i>Arcadis</i>			Date/Time: <i>11/12/24 16:30</i>												
Relinquished by: <i>[Signature]</i>			Company: <i>Arcadis</i>			Date/Time: <i>11/14/24 1650</i>			Received by: <i>[Signature]</i>			Company: <i>EETA</i>			Date/Time: <i>11/14/24 1651</i>												
Relinquished by: <i>[Signature]</i>			Company: <i>EETA</i>			Date/Time: <i>11/14/24 1700</i>			Received in Laboratory by: <i>[Signature]</i>			Company: <i>EETA</i>			Date/Time: <i>11/15/24 8:00</i>												



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215030-1

**Client Sample ID: TRIP BLANK\_130**

**Lab Sample ID: 240-215030-1**

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 05:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 05:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 05:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 05:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/21/24 05:10	1
4-Bromofluorobenzene (Surr)	96		56 - 136		11/21/24 05:10	1
Toluene-d8 (Surr)	102		78 - 122		11/21/24 05:10	1
Dibromofluoromethane (Surr)	100		73 - 120		11/21/24 05:10	1

**Client Sample ID: MW-192S\_111224**

**Lab Sample ID: 240-215030-2**

Date Collected: 11/12/24 14:57

Matrix: Water

Date Received: 11/15/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 20:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127		11/20/24 20:15	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 05:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 05:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 05:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 05:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 05:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/21/24 05:33	1
4-Bromofluorobenzene (Surr)	98		56 - 136		11/21/24 05:33	1
Toluene-d8 (Surr)	103		78 - 122		11/21/24 05:33	1
Dibromofluoromethane (Surr)	95		73 - 120		11/21/24 05:33	1