eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 11/27/2024 11:38:01 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215287-1

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton OH 44203

See page two for job notes and contact information.

myEOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated
11/27/2024 11:38:01 AM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)497-9396

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Method Summary 6
Sample Summary 7
Detection Summary 8
Client Sample Results 9
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 23
Chain of Custody 24

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-215287-1 — Eurofins Cleveland

Job Narrative
240-215287-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 11/20/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.5°C and 1.9°C.

GC/MS VOA
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215287-1	TRIP BLANK_97	Water	11/18/24 00:00	11/20/24 08:00
240-215287-2	MW-85SR_111824	Water	11/18/24 11:00	11/20/24 08:00
240-215287-3	MW-85_111824	Water	11/18/24 12:00	11/20/24 08:00
240-215287-4	MW-102S_111824	Water	11/18/24 14:05	11/20/24 08:00
240-215287-5	MW-102_111824	Water	11/18/24 14:55	11/20/24 08:00
240-215287-6	DUP-11	Water	11/18/24 00:00	11/20/24 08:00
240-215287-7	DUP-10	Water	11/18/24 00:00	11/20/24 08:00

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: TRIP BLANK_97 — Lab Sample ID: 240-215287-1

No Detections.

Client Sample ID: MW-85SR_111824 — Lab Sample ID: 240-215287-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.3		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-85_111824 — Lab Sample ID: 240-215287-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	4.8		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-102S_111824 — Lab Sample ID: 240-215287-4

No Detections.

Client Sample ID: MW-102_111824 — Lab Sample ID: 240-215287-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	2.7		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: DUP-11 — Lab Sample ID: 240-215287-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	2.7		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: DUP-10 — Lab Sample ID: 240-215287-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.5		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: TRIP BLANK_97
Date Collected: 11/18/24 00:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-1
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 18:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 18:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 18:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 18:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 18:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/24 18:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*124*		*62 - 137*		*11/23/24 18:38*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/23/24 18:38*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/23/24 18:38*	*1*
Dibromofluoromethane (Surr)	*111*		*73 - 120*		*11/23/24 18:38*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: MW-85SR_111824
Date Collected: 11/18/24 11:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-2
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 04:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*107*		*68 - 127*		*11/23/24 04:37*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:18	1
Vinyl chloride	**1.3**		1.0	0.45	ug/L			11/23/24 21:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*126*		*62 - 137*		*11/23/24 21:18*	*1*
4-Bromofluorobenzene (Surr)	*84*		*56 - 136*		*11/23/24 21:18*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*11/23/24 21:18*	*1*
Dibromofluoromethane (Surr)	*112*		*73 - 120*		*11/23/24 21:18*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: MW-85_111824
Date Collected: 11/18/24 12:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-3
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 05:00*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:38	1
Vinyl chloride	**4.8**		1.0	0.45	ug/L			11/23/24 21:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*123*		*62 - 137*		*11/23/24 21:38*	*1*
4-Bromofluorobenzene (Surr)	*74*		*56 - 136*		*11/23/24 21:38*	*1*
Toluene-d8 (Surr)	*91*		*78 - 122*		*11/23/24 21:38*	*1*
Dibromofluoromethane (Surr)	*109*		*73 - 120*		*11/23/24 21:38*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: MW-102S_111824
Date Collected: 11/18/24 14:05
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-4
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*68 - 127*		*11/23/24 05:24*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/24 21:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*121*		*62 - 137*		*11/23/24 21:58*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*11/23/24 21:58*	*1*
Toluene-d8 (Surr)	*90*		*78 - 122*		*11/23/24 21:58*	*1*
Dibromofluoromethane (Surr)	*107*		*73 - 120*		*11/23/24 21:58*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: MW-102_111824
Date Collected: 11/18/24 14:55
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-5
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*68 - 127*		*11/23/24 05:47*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:18	1
Vinyl chloride	**2.7**		1.0	0.45	ug/L			11/23/24 22:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*129*		*62 - 137*		*11/23/24 22:18*	*1*
4-Bromofluorobenzene (Surr)	*83*		*56 - 136*		*11/23/24 22:18*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*11/23/24 22:18*	*1*
Dibromofluoromethane (Surr)	*114*		*73 - 120*		*11/23/24 22:18*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: DUP-11

Date Collected: 11/18/24 00:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-6

Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 06:11	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 06:11*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:38	1
Vinyl chloride	**2.7**		1.0	0.45	ug/L			11/23/24 22:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*128*		*62 - 137*		*11/23/24 22:38*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*11/23/24 22:38*	*1*
Toluene-d8 (Surr)	*96*		*78 - 122*		*11/23/24 22:38*	*1*
Dibromofluoromethane (Surr)	*117*		*73 - 120*		*11/23/24 22:38*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: DUP-10
Date Collected: 11/18/24 00:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-7
Matrix: Water

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 06:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 06:34*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:58	1
Vinyl chloride	**1.5**		1.0	0.45	ug/L			11/23/24 22:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*135*		*62 - 137*		*11/23/24 22:58*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*11/23/24 22:58*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/23/24 22:58*	*1*
Dibromofluoromethane (Surr)	*118*		*73 - 120*		*11/23/24 22:58*	*1*

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-215287-1	TRIP BLANK_97	124	87	98	111
240-215287-2	MW-85SR_111824	126	84	97	112
240-215287-3	MW-85_111824	123	74	91	109
240-215287-4	MW-102S_111824	121	79	90	107
240-215287-5	MW-102_111824	129	83	97	114
240-215287-6	DUP-11	128	82	96	117
240-215287-7	DUP-10	135	82	98	118
240-215290-A-2 MS	Matrix Spike	115	95	97	101
240-215290-A-2 MSD	Matrix Spike Duplicate	109	89	92	99
LCS 240-636483/4	Lab Control Sample	111	97	98	103
MB 240-636483/7	Method Blank	120	87	98	106

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)
		DCA
Lab Sample ID	Client Sample ID	(68-127)
240-215286-C-2 MS	Matrix Spike	95
240-215286-C-2 MSD	Matrix Spike Duplicate	100
240-215287-2	MW-85SR_111824	107
240-215287-3	MW-85_111824	106
240-215287-4	MW-102S_111824	108
240-215287-5	MW-102_111824	105
240-215287-6	DUP-11	106
240-215287-7	DUP-10	106
LCS 240-636431/4	Lab Control Sample	100
MB 240-636431/6	Method Blank	104

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636483/7
Matrix: Water
Analysis Batch: 636483

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 16:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 16:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 16:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 16:51	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 16:51	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/24 16:51	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*120*		*62 - 137*		*11/23/24 16:51*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/23/24 16:51*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/23/24 16:51*	*1*
Dibromofluoromethane (Surr)	*106*		*73 - 120*		*11/23/24 16:51*	*1*

Lab Sample ID: LCS 240-636483/4
Matrix: Water
Analysis Batch: 636483

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.4		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	24.9		ug/L		100	77 - 123
Tetrachloroethene	25.0	25.3		ug/L		101	76 - 123
trans-1,2-Dichloroethene	25.0	25.6		ug/L		102	75 - 124
Trichloroethene	25.0	23.5		ug/L		94	70 - 122
Vinyl chloride	12.5	13.6		ug/L		109	60 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*111*		*62 - 137*
4-Bromofluorobenzene (Surr)	*97*		*56 - 136*
Toluene-d8 (Surr)	*98*		*78 - 122*
Dibromofluoromethane (Surr)	*103*		*73 - 120*

Lab Sample ID: 240-215290-A-2 MS
Matrix: Water
Analysis Batch: 636483

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	2500	U	62500	63500		ug/L		102	56 - 135
cis-1,2-Dichloroethene	52000		62500	111000		ug/L		94	66 - 128
Tetrachloroethene	2500	U	62500	61600		ug/L		99	62 - 131
trans-1,2-Dichloroethene	2500	U	62500	65500		ug/L		105	56 - 136
Trichloroethene	2500	U	62500	57000		ug/L		91	61 - 124
Vinyl chloride	12000		31300	45700		ug/L		109	43 - 157

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*115*		*62 - 137*
4-Bromofluorobenzene (Surr)	*95*		*56 - 136*
Toluene-d8 (Surr)	*97*		*78 - 122*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215290-A-2 MS
Matrix: Water
Analysis Batch: 636483

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	*101*		*73 - 120*

Lab Sample ID: 240-215290-A-2 MSD
Matrix: Water
Analysis Batch: 636483

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	2500	U	62500	61900		ug/L		99	56 - 135	3	26
cis-1,2-Dichloroethene	52000		62500	110000		ug/L		94	66 - 128	0	14
Tetrachloroethene	2500	U	62500	60500		ug/L		97	62 - 131	2	20
trans-1,2-Dichloroethene	2500	U	62500	62800		ug/L		100	56 - 136	4	15
Trichloroethene	2500	U	62500	54900		ug/L		88	61 - 124	4	15
Vinyl chloride	12000		31300	43800		ug/L		103	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	*109*		*62 - 137*
4-Bromofluorobenzene (Surr)	*89*		*56 - 136*
Toluene-d8 (Surr)	*92*		*78 - 122*
Dibromofluoromethane (Surr)	*99*		*73 - 120*

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-636431/6
Matrix: Water
Analysis Batch: 636431

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 00:18	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	*104*		*68 - 127*		*11/23/24 00:18*	*1*

Lab Sample ID: LCS 240-636431/4
Matrix: Water
Analysis Batch: 636431

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.13		ug/L		81	75 - 121

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	*100*		*68 - 127*

Lab Sample ID: 240-215286-C-2 MS
Matrix: Water
Analysis Batch: 636431

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	20 - 180

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	*95*		*68 - 127*

Lab Sample ID: 240-215286-C-2 MSD
Matrix: Water
Analysis Batch: 636431

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.77		ug/L		98	20 - 180	3	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	*100*		*68 - 127*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

GC/MS VOA

Analysis Batch: 636431

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215287-2	MW-85SR_111824	Total/NA	Water	8260D SIM	
240-215287-3	MW-85_111824	Total/NA	Water	8260D SIM	
240-215287-4	MW-102S_111824	Total/NA	Water	8260D SIM	
240-215287-5	MW-102_111824	Total/NA	Water	8260D SIM	
240-215287-6	DUP-11	Total/NA	Water	8260D SIM	
240-215287-7	DUP-10	Total/NA	Water	8260D SIM	
MB 240-636431/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-636431/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215286-C-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215286-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 636483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215287-1	TRIP BLANK_97	Total/NA	Water	8260D	
240-215287-2	MW-85SR_111824	Total/NA	Water	8260D	
240-215287-3	MW-85_111824	Total/NA	Water	8260D	
240-215287-4	MW-102S_111824	Total/NA	Water	8260D	
240-215287-5	MW-102_111824	Total/NA	Water	8260D	
240-215287-6	DUP-11	Total/NA	Water	8260D	
240-215287-7	DUP-10	Total/NA	Water	8260D	
MB 240-636483/7	Method Blank	Total/NA	Water	8260D	
LCS 240-636483/4	Lab Control Sample	Total/NA	Water	8260D	
240-215290-A-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-215290-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: TRIP BLANK_97

Lab Sample ID: 240-215287-1
Date Collected: 11/18/24 00:00
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 18:38

Client Sample ID: MW-85SR_111824

Lab Sample ID: 240-215287-2
Date Collected: 11/18/24 11:00
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 21:18
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 04:37

Client Sample ID: MW-85_111824

Lab Sample ID: 240-215287-3
Date Collected: 11/18/24 12:00
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 21:38
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 05:00

Client Sample ID: MW-102S_111824

Lab Sample ID: 240-215287-4
Date Collected: 11/18/24 14:05
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 21:58
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 05:24

Client Sample ID: MW-102_111824

Lab Sample ID: 240-215287-5
Date Collected: 11/18/24 14:55
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 22:18
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 05:47

Client Sample ID: DUP-11

Lab Sample ID: 240-215287-6
Date Collected: 11/18/24 00:00
Matrix: Water
Date Received: 11/20/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 22:38
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 06:11

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: DUP-10
Date Collected: 11/18/24 00:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636483	CS	EET CLE	11/23/24 22:58
Total/NA	Analysis	8260D SIM		1	636431	R5XG	EET CLE	11/23/24 06:34

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

MICHIGAN 190

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

TestAmerica Laboratories, Inc.

Client Contact	Regulatory program:	Client Project Manager: Kris Hinskey	Site Contact: Christina Weaver	Lab Contact: Mike DelMonico	COC No:
Company Name: Arcadis	☐ DW ☐ NPDES ☐ RCRA ☐ Other	Telephone: 248-994-2240	Telephone: 248-994-2240	Telephone: 330-497-9396	1 of 1 COCs
Address: 28550 Cabot Drive, Suite 500		Email: kristoffer.hinskey@arcadis.com	Analysis Turnaround Time		For lab use only
City/State/Zip: Novi, MI, 48377		Sampler Name: Maryam Hanani	TAT if different from below: ☐ 3 weeks ☑ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day (10 day)		Walk-in client:
Phone: 248-994-2240		Method of Shipment/Carrier:			Lab sampling:
Project Name: Ford LTP		Shipping/Tracking No:			Job/SDG No:
Project Number: 30206169.0401.03					
PO # US3410018772					

Sample Identification	Sample Date	Sample Time	Matrix: Air	Aqueous	Sediment	Solid	Other:	Containers & Preservatives: H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:	Filtered Sample (Y / N)	Composite=C / Grab=G	Analyses: 1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK_97	----	---		1						1					N	G	X	X	X	X	X	X		1 Trip Blank
MW-85SR_111824	11/18/24	1100		6						6					N	G	X	X	X	X	X	X	X	3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-85_111824	11/18/24	1200		6						6					N	G	X	X	X	X	X	X	X	
MW-102S_111824	11/18/24	1405		6						6					N	G	X	X	X	X	X	X	X	
MW-102_111824	11/18/24	1455		6						6					N	G	X	X	X	X	X	X	X	
DUP-11	11/18/24	—		6						6					N	G	X	X	X	X	X	X	X	
DUP-10	11/18/24	—		6						6					N	G	X	X	X	X	X	X	X	

240-215287 COC

Possible Hazard Identification: ☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): ☐ Return to Client ☑ Disposal By Lab ☐ Archive For ____ Months

Special Instructions/QC Requirements & Comments: Rosati ROW

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Maryam Hanani	Arcadis	11/18/24 1630	Non Cold Storage	Arcadis	11/18/24 1630
Jommel Ruy	Arcadis	11/19/24 1120		EETA	11/19/24 1120
	EETA	11/19/24 1250	Received in Laboratory by:	EC	11-20-24 800

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design ™ are trademarks of TestAmerica Laboratories, Inc.

Eurofins – Cleveland Sample Receipt Form/Narrative Login # :
Barberton Facility

Client Arcadis Site Name

Cooler Received on 11-26-24 Opened on 11-26-24

Cooler unpacked by:

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

Eurofins Cooler # EC Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☑ See Multiple Cooler Form

IR GUN # 17 (CF +0.1 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2	Yes	No
-Were the seals on the outside of the cooler(s) signed & dated?	Yes	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	No
-Were tamper/custody seals intact and uncompromised?	Yes	No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes	No
4. Did custody papers accompany the sample(s)?	Yes	No
5. Were the custody papers relinquished & signed in the appropriate place?	Yes	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes	No
7. Did all bottles arrive in good condition (Unbroken)?	Yes	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	Yes	No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	Yes	No
11. Sufficient quantity received to perform indicated analyses?	Yes	No
12. Are these work share samples and all listed on the COC?	Yes	No
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes	No NA pH Strip Lot# HC448976
14. Were VOAs on the COC?	Yes	No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this.	Yes	No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #	Yes	No
17. Was a LL Hg or Me Hg trip blank present?	Yes	No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.

Sample(s) were received in a broken container.

Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.

Time preserved: Preservative(s) added/Lot number(s):

VOA Sample Preservation - Date/Time VOAs Frozen:

Login # : _____

Eurofins - Cleveland Sample Receipt Multiple Cooler Form

Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
(2) EC Client Box Other	IR GUN #: 13	1.4	1.5	Wet Ice Blue Ice Dry Ice Water None
(3) EC Client Box Other	IR GUN #: 13	1.8	1.9	Wet Ice Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: _____	

DATA VERIFICATION REPORT

November 27, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 215287-1
Sample date: 2024-11-18
Report received by CADENA: 2024-11-27
Initial Data Verification completed by CADENA: 2024-11-27
Number of Samples:7
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory Submittal: 215287-1

		Sample Name:	TRIP BLANK_97				MW-85SR_111824				MW-85_111824				MW-102S_111824				MW-102_111824				DUP-11				DUP-10			
		Lab Sample ID:	2402152871				2402152872				2402152873				2402152874				2402152875				2402152876				2402152877			
		Sample Date:	11/18/2024				11/18/2024				11/18/2024				11/18/2024				11/18/2024				11/18/2024				11/18/2024			
Analyte	Cas No.		Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier
GC/MS VOC																														
OSW-8260D																														
1,1-Dichloroethene	75-35-4		ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2		ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4		ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5		ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6		ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4		ND	1.0	ug/l	---	1.3	1.0	ug/l	---	4.8	1.0	ug/l	---	ND	1.0	ug/l	---	2.7	1.0	ug/l	---	2.7	1.0	ug/l	---	1.5	1.0	ug/l	---
OSW-8260DSIM																														
1,4-Dioxane	123-91-1						ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---

Ford Motor Company – Livonia Transmission Project

Data Review

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-215287-1

CADENA Verification Report: 2024-11-27

Analyses Performed By:
Eurofins Cleveland
Barberton, Ohio

Report # 56865R
Review Level: Tier III
Project: 30206169.0401.02

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-215287-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_97	240-215287-1	Water	11/18/2024		X	
MW-85SR_111824	240-215287-2	Water	11/18/2024		X	X
MW-85_111824	240-215287-3	Water	11/18/2024		X	X
MW-102S_111824	240-215287-4	Water	11/18/2024		X	X
MW-102_111824	240-215287-5	Water	11/18/2024		X	X
DUP-11	240-215287-6	Water	11/18/2024	MW-102_111824	X	X
DUP-10	240-215287-7	Water	11/18/2024	MW-85SR_111824	X	X

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

  UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

  UB Analyte considered non-detect at the listed value due to associated blank contamination.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-85SR_111824 / DUP-10	Vinyl chloride	1.3	1.5	AC
MW-102_111824 / DUP-11	Vinyl chloride	2.7	2.7	AC

Note:

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Febin J S

SIGNATURE: 

DATE: December 13, 2024

PEER REVIEW: Andrew Korycinski

DATE: December 18, 2024

NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

CHAIN OF CUSTODY

CORRECTED SAMPLE ANALYSIS DATA SHEETS

MICHIGAN 190

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

TestAmerica Laboratories, Inc.

Client Contact	Regulatory program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other			
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Christina Weaver	Lab Contact: Mike DelMonico	COC No:
Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240	Telephone: 248-994-2240	Telephone: 330-497-9396	1 of 1 COCs
City/State/Zip: Novi, MI, 48377	Email: kristoffer.hinskey@arcadis.com	Analysis Turnaround Time	Analyses	For lab use only
Phone: 248-994-2240	Sampler Name: Maryam Hanani	TAT if different from below: ☐ 3 weeks ☑ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day; 10 day		Walk-in client: Lab sampling:
Project Name: Ford LTP	Method of Shipment/Carrier:			Job/SDG No:
Project Number: 30206169.0401.03	Shipping/Tracking No:			
PO # US3410018772				

Sample Identification	Sample Date	Sample Time	Matrix: Air	Aqueous	Sediment	Solid	Other:	Containers & Preservatives: H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK_97	----	---		1						1					N	G	X	X	X	X	X	X		1 Trip Blank
MW-35SR_111824	11/18/24	1100		6						6					N	G	X	X	X	X	X	X	X	3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-35_111824	11/18/24	1200		6						6					N	G	X	X	X	X	X	X	X	
MW-102S_111824	11/18/24	1405		6						6					N	G	X	X	X	X	X	X	X	
MW-102_111824	11/18/24	1455		6						6					N	G	X	X	X	X	X	X	X	
DUP-11	11/18/24	—		6						6					N	G	X	X	X	X	X	X	X	
DUP-10	11/18/24	—		6						6					N	G	X	X	X	X	X	X	X	

240-215287 COC

Possible Hazard Identification: ☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): ☐ Return to Client ☑ Disposal By Lab ☐ Archive For ☐ Months

Special Instructions/QC Requirements & Comments: Rosati ROW

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728

Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Maryam Hanani	Arcadis	11/18/24 1630	Non Cold Storage	Arcadis	11/18/24 1630
Jommel Ley	Arcadis	11/19/24 1120		EETA	11/19/24 1120
	EETA	11/19/24 1250	Received in Laboratory by:	Company:	Date/Time:

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design ™ are trademarks of TestAmerica Laboratories, Inc.

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample ID: TRIP BLANK_97

Lab Sample ID: 240-215287-1

Date Collected: 11/18/24 00:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 18:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 18:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 18:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 18:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 18:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/24 18:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*124*		*62 - 137*		*11/23/24 18:38*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/23/24 18:38*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/23/24 18:38*	*1*
Dibromofluoromethane (Surr)	*111*		*73 - 120*		*11/23/24 18:38*	*1*

Client Sample ID: MW-85SR_111824

Lab Sample ID: 240-215287-2

Date Collected: 11/18/24 11:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 04:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*107*		*68 - 127*		*11/23/24 04:37*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:18	1
Vinyl chloride	**1.3**		1.0	0.45	ug/L			11/23/24 21:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*126*		*62 - 137*		*11/23/24 21:18*	*1*
4-Bromofluorobenzene (Surr)	*84*		*56 - 136*		*11/23/24 21:18*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*11/23/24 21:18*	*1*
Dibromofluoromethane (Surr)	*112*		*73 - 120*		*11/23/24 21:18*	*1*

Client Sample ID: MW-85_111824

Lab Sample ID: 240-215287-3

Date Collected: 11/18/24 12:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 05:00*	*1*

Client Sample ID: MW-85_111824

Lab Sample ID: 240-215287-3

Date Collected: 11/18/24 12:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:38	1
Vinyl chloride	**4.8**		1.0	0.45	ug/L			11/23/24 21:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*123*		*62 - 137*		*11/23/24 21:38*	*1*
4-Bromofluorobenzene (Surr)	*74*		*56 - 136*		*11/23/24 21:38*	*1*
Toluene-d8 (Surr)	*91*		*78 - 122*		*11/23/24 21:38*	*1*
Dibromofluoromethane (Surr)	*109*		*73 - 120*		*11/23/24 21:38*	*1*

Client Sample ID: MW-102S_111824

Lab Sample ID: 240-215287-4

Date Collected: 11/18/24 14:05

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*68 - 127*		*11/23/24 05:24*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 21:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 21:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 21:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 21:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/23/24 21:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*121*		*62 - 137*		*11/23/24 21:58*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*11/23/24 21:58*	*1*
Toluene-d8 (Surr)	*90*		*78 - 122*		*11/23/24 21:58*	*1*
Dibromofluoromethane (Surr)	*107*		*73 - 120*		*11/23/24 21:58*	*1*

Client Sample ID: MW-102_111824

Lab Sample ID: 240-215287-5

Date Collected: 11/18/24 14:55

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 05:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*68 - 127*		*11/23/24 05:47*	*1*

Client Sample ID: MW-102_111824

Lab Sample ID: 240-215287-5

Date Collected: 11/18/24 14:55

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:18	1
Vinyl chloride	**2.7**		1.0	0.45	ug/L			11/23/24 22:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*129*		*62 - 137*		*11/23/24 22:18*	*1*
4-Bromofluorobenzene (Surr)	*83*		*56 - 136*		*11/23/24 22:18*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*11/23/24 22:18*	*1*
Dibromofluoromethane (Surr)	*114*		*73 - 120*		*11/23/24 22:18*	*1*

Client Sample ID: DUP-11

Lab Sample ID: 240-215287-6

Date Collected: 11/18/24 00:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 06:11	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 06:11*	*1*

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:38	1
Vinyl chloride	**2.7**		1.0	0.45	ug/L			11/23/24 22:38	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*128*		*62 - 137*		*11/23/24 22:38*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*11/23/24 22:38*	*1*
Toluene-d8 (Surr)	*96*		*78 - 122*		*11/23/24 22:38*	*1*
Dibromofluoromethane (Surr)	*117*		*73 - 120*		*11/23/24 22:38*	*1*

Client Sample ID: DUP-10

Lab Sample ID: 240-215287-7

Date Collected: 11/18/24 00:00

Matrix: Water

Date Received: 11/20/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/24 06:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*68 - 127*		*11/23/24 06:34*	*1*

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215287-1

Client Sample ID: DUP-10
Date Collected: 11/18/24 00:00
Date Received: 11/20/24 08:00

Lab Sample ID: 240-215287-7
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/23/24 22:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/23/24 22:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/23/24 22:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/23/24 22:58	1
Vinyl chloride	**1.5**		1.0	0.45	ug/L			11/23/24 22:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*135*		*62 - 137*		*11/23/24 22:58*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*11/23/24 22:58*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/23/24 22:58*	*1*
Dibromofluoromethane (Surr)	*118*		*73 - 120*		*11/23/24 22:58*	*1*