

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 11/25/2024 7:08:08 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215023-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/25/2024 7:08:08 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	16
QC Sample Results	18
QC Association Summary	25
Lab Chronicle	26
Certification Summary	28
Chain of Custody	29

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-215023-1

Job ID: 240-215023-1

Eurofins Cleveland

Job Narrative 240-215023-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/15/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.1°C, 1.3°C, 1.4°C and 2.3°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215023-1	TRIP BLANK_71	Water	11/12/24 00:00	11/15/24 08:00
240-215023-2	MW-10_111224	Water	11/12/24 12:00	11/15/24 08:00
240-215023-3	MW-04_111224	Water	11/12/24 13:10	11/15/24 08:00
240-215023-4	MW-02_111224	Water	11/12/24 14:30	11/15/24 08:00
240-215023-5	DUP-01	Water	11/12/24 00:00	11/15/24 08:00
240-215023-6	MW-65_111224	Water	11/12/24 10:00	11/15/24 08:00
240-215023-7	DUP-06	Water	11/12/24 00:00	11/15/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-215023-1

No Detections.

Client Sample ID: MW-10_111224

Lab Sample ID: 240-215023-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.5		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	2.2		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	8400		250	110	ug/L	250		8260D	Total/NA

Client Sample ID: MW-04_111224

Lab Sample ID: 240-215023-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.7	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
1,1-Dichloroethene	5.2		1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	6300		200	92	ug/L	200		8260D	Total/NA
trans-1,2-Dichloroethene	170	J	200	100	ug/L	200		8260D	Total/NA
Trichloroethene	110	J	200	88	ug/L	200		8260D	Total/NA
Vinyl chloride	2600		200	90	ug/L	200		8260D	Total/NA

Client Sample ID: MW-02_111224

Lab Sample ID: 240-215023-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	6.6		2.0	0.86	ug/L	1		8260D SIM	Total/NA
1,1-Dichloroethene	3.3		1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	5900		100	46	ug/L	100		8260D	Total/NA
trans-1,2-Dichloroethene	750		100	51	ug/L	100		8260D	Total/NA
Trichloroethene	1.9		1.0	0.44	ug/L	1		8260D	Total/NA
Vinyl chloride	450		100	45	ug/L	100		8260D	Total/NA

Client Sample ID: DUP-01

Lab Sample ID: 240-215023-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	5.1		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	6100		200	92	ug/L	200		8260D	Total/NA
trans-1,2-Dichloroethene	850		200	100	ug/L	200		8260D	Total/NA
Vinyl chloride	530		200	90	ug/L	200		8260D	Total/NA

Client Sample ID: MW-65_111224

Lab Sample ID: 240-215023-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.0		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	13		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: DUP-06

Lab Sample ID: 240-215023-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.8		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	0.65	J	1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	14		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-215023-1

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 06:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 06:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 06:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 06:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 06:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 06:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/21/24 06:42	1
4-Bromofluorobenzene (Surr)	97		56 - 136		11/21/24 06:42	1
Toluene-d8 (Surr)	102		78 - 122		11/21/24 06:42	1
Dibromofluoromethane (Surr)	97		73 - 120		11/21/24 06:42	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: MW-10_111224

Lab Sample ID: 240-215023-2

Date Collected: 11/12/24 12:00

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.5		2.0	0.86	ug/L			11/20/24 06:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		68 - 127					11/20/24 06:25	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 15:13	1
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L			11/21/24 15:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 15:13	1
trans-1,2-Dichloroethene	2.2		1.0	0.51	ug/L			11/21/24 15:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 15:13	1
Vinyl chloride	8400		250	110	ug/L			11/22/24 17:42	250
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137					11/21/24 15:13	1
1,2-Dichloroethane-d4 (Surr)	119		62 - 137					11/22/24 17:42	250
4-Bromofluorobenzene (Surr)	92		56 - 136					11/21/24 15:13	1
4-Bromofluorobenzene (Surr)	82		56 - 136					11/22/24 17:42	250
Toluene-d8 (Surr)	101		78 - 122					11/21/24 15:13	1
Toluene-d8 (Surr)	99		78 - 122					11/22/24 17:42	250
Dibromofluoromethane (Surr)	100		73 - 120					11/21/24 15:13	1
Dibromofluoromethane (Surr)	109		73 - 120					11/22/24 17:42	250

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: MW-04_111224

Lab Sample ID: 240-215023-3

Date Collected: 11/12/24 13:10

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.7	J	2.0	0.86	ug/L			11/20/24 06:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		68 - 127					11/20/24 06:49	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	5.2		1.0	0.49	ug/L			11/21/24 15:32	1
cis-1,2-Dichloroethene	6300		200	92	ug/L			11/22/24 17:23	200
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 15:32	1
trans-1,2-Dichloroethene	170	J	200	100	ug/L			11/22/24 17:23	200
Trichloroethene	110	J	200	88	ug/L			11/22/24 17:23	200
Vinyl chloride	2600		200	90	ug/L			11/22/24 17:23	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137					11/21/24 15:32	1
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					11/22/24 17:23	200
4-Bromofluorobenzene (Surr)	92		56 - 136					11/21/24 15:32	1
4-Bromofluorobenzene (Surr)	83		56 - 136					11/22/24 17:23	200
Toluene-d8 (Surr)	100		78 - 122					11/21/24 15:32	1
Toluene-d8 (Surr)	94		78 - 122					11/22/24 17:23	200
Dibromofluoromethane (Surr)	107		73 - 120					11/21/24 15:32	1
Dibromofluoromethane (Surr)	100		73 - 120					11/22/24 17:23	200

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: MW-02_111224

Lab Sample ID: 240-215023-4

Date Collected: 11/12/24 14:30

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	6.6		2.0	0.86	ug/L			11/20/24 14:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					11/20/24 14:46	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	3.3		1.0	0.49	ug/L			11/21/24 15:51	1
cis-1,2-Dichloroethene	5900		100	46	ug/L			11/22/24 17:04	100
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 15:51	1
trans-1,2-Dichloroethene	750		100	51	ug/L			11/22/24 17:04	100
Trichloroethene	1.9		1.0	0.44	ug/L			11/21/24 15:51	1
Vinyl chloride	450		100	45	ug/L			11/22/24 17:04	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		62 - 137					11/21/24 15:51	1
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					11/22/24 17:04	100
4-Bromofluorobenzene (Surr)	91		56 - 136					11/21/24 15:51	1
4-Bromofluorobenzene (Surr)	73		56 - 136					11/22/24 17:04	100
Toluene-d8 (Surr)	99		78 - 122					11/21/24 15:51	1
Toluene-d8 (Surr)	91		78 - 122					11/22/24 17:04	100
Dibromofluoromethane (Surr)	105		73 - 120					11/21/24 15:51	1
Dibromofluoromethane (Surr)	99		73 - 120					11/22/24 17:04	100

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: DUP-01

Lab Sample ID: 240-215023-5

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.1		2.0	0.86	ug/L			11/20/24 15:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					11/20/24 15:10	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	200	U	200	98	ug/L			11/21/24 16:47	200
cis-1,2-Dichloroethene	6100		200	92	ug/L			11/21/24 16:47	200
Tetrachloroethene	200	U	200	88	ug/L			11/21/24 16:47	200
trans-1,2-Dichloroethene	850		200	100	ug/L			11/21/24 16:47	200
Trichloroethene	200	U	200	88	ug/L			11/21/24 16:47	200
Vinyl chloride	530		200	90	ug/L			11/21/24 16:47	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					11/21/24 16:47	200
4-Bromofluorobenzene (Surr)	94		56 - 136					11/21/24 16:47	200
Toluene-d8 (Surr)	102		78 - 122					11/21/24 16:47	200
Dibromofluoromethane (Surr)	103		73 - 120					11/21/24 16:47	200

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: MW-65_111224

Lab Sample ID: 240-215023-6

Date Collected: 11/12/24 10:00

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 15:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					11/20/24 15:33	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/24 11:20	1
cis-1,2-Dichloroethene	4.0		1.0	0.46	ug/L			11/22/24 11:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/24 11:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/24 11:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/24 11:20	1
Vinyl chloride	13		1.0	0.45	ug/L			11/22/24 11:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					11/22/24 11:20	1
4-Bromofluorobenzene (Surr)	81		56 - 136					11/22/24 11:20	1
Toluene-d8 (Surr)	99		78 - 122					11/22/24 11:20	1
Dibromofluoromethane (Surr)	99		73 - 120					11/22/24 11:20	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: DUP-06

Lab Sample ID: 240-215023-7

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 15:57	1
Surrogate									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		68 - 127					11/20/24 15:57	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 16:29	1
cis-1,2-Dichloroethene	6.8		1.0	0.46	ug/L			11/21/24 16:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 16:29	1
trans-1,2-Dichloroethene	0.65	J	1.0	0.51	ug/L			11/21/24 16:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 16:29	1
Vinyl chloride	14		1.0	0.45	ug/L			11/21/24 16:29	1
Surrogate									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					11/21/24 16:29	1
4-Bromofluorobenzene (Surr)	88		56 - 136					11/21/24 16:29	1
Toluene-d8 (Surr)	102		78 - 122					11/21/24 16:29	1
Dibromofluoromethane (Surr)	106		73 - 120					11/21/24 16:29	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215023-1	TRIP BLANK_71	105	97	102	97
240-215023-2	MW-10_111224	107	92	101	100
240-215023-2	MW-10_111224	119	82	99	109
240-215023-2 MS	MW-10_111224	111	98	98	102
240-215023-2 MSD	MW-10_111224	106	91	93	100
240-215023-3	MW-04_111224	108	92	100	107
240-215023-3	MW-04_111224	109	83	94	100
240-215023-4	MW-02_111224	106	91	99	105
240-215023-4	MW-02_111224	109	73	91	99
240-215023-5	DUP-01	110	94	102	103
240-215023-5 MS	DUP-01	106	92	97	102
240-215023-5 MSD	DUP-01	107	99	100	103
240-215023-6	MW-65_111224	110	81	99	99
240-215023-7	DUP-06	111	88	102	106
240-215030-A-2 MS	Matrix Spike	101	103	103	98
240-215030-C-2 MSD	Matrix Spike Duplicate	96	99	104	92
LCS 240-636100/4	Lab Control Sample	99	102	102	95
LCS 240-636146/5	Lab Control Sample	105	100	104	104
LCS 240-636315/5	Lab Control Sample	105	98	103	101
LCS 240-636315/6	Lab Control Sample	108	94	95	97
LCS 240-636315/7	Lab Control Sample	107	90	100	98
MB 240-636100/7	Method Blank	102	100	104	95
MB 240-636146/10	Method Blank	109	96	104	102
MB 240-636315/10	Method Blank	108	87	99	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215013-C-32 MS	Matrix Spike	103
240-215013-C-32 MSD	Matrix Spike Duplicate	102
240-215023-2	MW-10_111224	94
240-215023-3	MW-04_111224	97
240-215023-3 MS	MW-04_111224	108
240-215023-3 MSD	MW-04_111224	110
240-215023-4	MW-02_111224	106
240-215023-5	DUP-01	108
240-215023-6	MW-65_111224	108
240-215023-7	DUP-06	109
LCS 240-635906/4	Lab Control Sample	106
LCS 240-636045/5	Lab Control Sample	104
MB 240-635906/6	Method Blank	97

Eurofins Cleveland

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (68-127)
MB 240-636045/8	Method Blank	108

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636100/7

Matrix: Water

Analysis Batch: 636100

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/24 23:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/24 23:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/24 23:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/24 23:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/24 23:02	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/24 23:02	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		11/20/24 23:02	1
4-Bromofluorobenzene (Surr)	100		56 - 136		11/20/24 23:02	1
Toluene-d8 (Surr)	104		78 - 122		11/20/24 23:02	1
Dibromofluoromethane (Surr)	95		73 - 120		11/20/24 23:02	1

Lab Sample ID: LCS 240-636100/4

Matrix: Water

Analysis Batch: 636100

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	22.4		ug/L		90	63 - 134
cis-1,2-Dichloroethene	25.0	23.3		ug/L		93	77 - 123
Tetrachloroethene	25.0	23.3		ug/L		93	76 - 123
trans-1,2-Dichloroethene	25.0	22.3		ug/L		89	75 - 124
Trichloroethene	25.0	22.3		ug/L		89	70 - 122
Vinyl chloride	12.5	10.7		ug/L		85	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-215030-A-2 MS

Matrix: Water

Analysis Batch: 636100

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	19.1		ug/L		77	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.5		ug/L		90	66 - 128
Tetrachloroethene	1.0	U	25.0	18.4		ug/L		74	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	17.9		ug/L		71	56 - 136
Trichloroethene	1.0	U	25.0	17.7		ug/L		71	61 - 124
Vinyl chloride	1.0	U	12.5	9.09		ug/L		73	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215030-A-2 MS
Matrix: Water
Analysis Batch: 636100

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-215030-C-2 MSD
Matrix: Water
Analysis Batch: 636100

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	25.0	20.6		ug/L		82	56 - 135	7	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.8		ug/L		91	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	19.8		ug/L		79	62 - 131	7	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.0		ug/L		80	56 - 136	11	15
Trichloroethene	1.0	U	25.0	18.8		ug/L		75	61 - 124	6	15
Vinyl chloride	1.0	U	12.5	9.60		ug/L		77	43 - 157	5	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: MB 240-636146/10
Matrix: Water
Analysis Batch: 636146

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/21/24 10:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/21/24 10:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 10:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/21/24 10:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/21/24 10:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/21/24 10:48	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		11/21/24 10:48	1
4-Bromofluorobenzene (Surr)	96		56 - 136		11/21/24 10:48	1
Toluene-d8 (Surr)	104		78 - 122		11/21/24 10:48	1
Dibromofluoromethane (Surr)	102		73 - 120		11/21/24 10:48	1

Lab Sample ID: LCS 240-636146/5
Matrix: Water
Analysis Batch: 636146

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	23.3		ug/L		93	63 - 134
cis-1,2-Dichloroethene	25.0	23.7		ug/L		95	77 - 123
Tetrachloroethene	25.0	24.3		ug/L		97	76 - 123
trans-1,2-Dichloroethene	25.0	23.0		ug/L		92	75 - 124
Trichloroethene	25.0	23.8		ug/L		95	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-636146/5

Matrix: Water

Analysis Batch: 636146

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	11.9		ug/L		95	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

Lab Sample ID: 240-215023-5 MS

Matrix: Water

Analysis Batch: 636146

Client Sample ID: DUP-01

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	200	U	5000	4510		ug/L		90	56 - 135
cis-1,2-Dichloroethene	6100		5000	10200		ug/L		82	66 - 128
Tetrachloroethene	200	U	5000	4450		ug/L		89	62 - 131
trans-1,2-Dichloroethene	850		5000	5380		ug/L		91	56 - 136
Trichloroethene	200	U	5000	4720		ug/L		94	61 - 124
Vinyl chloride	530		2500	2960		ug/L		97	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-215023-5 MSD

Matrix: Water

Analysis Batch: 636146

Client Sample ID: DUP-01

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	200	U	5000	4620		ug/L		92	56 - 135	3	26
cis-1,2-Dichloroethene	6100		5000	10300		ug/L		85	66 - 128	1	14
Tetrachloroethene	200	U	5000	4690		ug/L		94	62 - 131	5	20
trans-1,2-Dichloroethene	850		5000	5430		ug/L		92	56 - 136	1	15
Trichloroethene	200	U	5000	4750		ug/L		95	61 - 124	1	15
Vinyl chloride	530		2500	3010		ug/L		99	43 - 157	2	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-636315/10

Matrix: Water

Analysis Batch: 636315

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/22/24 11:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/22/24 11:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/22/24 11:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/22/24 11:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/22/24 11:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/22/24 11:01	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		11/22/24 11:01	1
4-Bromofluorobenzene (Surr)	87		56 - 136		11/22/24 11:01	1
Toluene-d8 (Surr)	99		78 - 122		11/22/24 11:01	1
Dibromofluoromethane (Surr)	100		73 - 120		11/22/24 11:01	1

Lab Sample ID: LCS 240-636315/5

Matrix: Water

Analysis Batch: 636315

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	22.7		ug/L		91	63 - 134
cis-1,2-Dichloroethene	25.0	23.7		ug/L		95	77 - 123
Tetrachloroethene	25.0	24.5		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	22.6		ug/L		90	75 - 124
Trichloroethene	25.0	22.9		ug/L		91	70 - 122
Vinyl chloride	12.5	12.9		ug/L		103	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: LCS 240-636315/6

Matrix: Water

Analysis Batch: 636315

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: LCS 240-636315/7

Matrix: Water

Analysis Batch: 636315

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-636315/7
Matrix: Water
Analysis Batch: 636315

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	90		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-215023-2 MS
Matrix: Water
Analysis Batch: 636315

Client Sample ID: MW-10_111224
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec	Limits
	Result	Qualifier		Result	Qualifier					
1,1-Dichloroethene	250	U	6250	5490		ug/L		88		56 - 135
cis-1,2-Dichloroethene	250	U	6250	6110		ug/L		98		66 - 128
Tetrachloroethene	250	U	6250	6220		ug/L		100		62 - 131
trans-1,2-Dichloroethene	250	U	6250	5900		ug/L		94		56 - 136
Trichloroethene	250	U	6250	6150		ug/L		98		61 - 124
Vinyl chloride	8400		3130	10800		ug/L		78		43 - 157

Surrogate	MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	111		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-215023-2 MSD
Matrix: Water
Analysis Batch: 636315

Client Sample ID: MW-10_111224
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	Limits	RPD	Limit
	Result	Qualifier		Result	Qualifier							
1,1-Dichloroethene	250	U	6250	5470		ug/L		87		56 - 135	0	26
cis-1,2-Dichloroethene	250	U	6250	5880		ug/L		94		66 - 128	4	14
Tetrachloroethene	250	U	6250	6090		ug/L		97		62 - 131	2	20
trans-1,2-Dichloroethene	250	U	6250	5700		ug/L		91		56 - 136	4	15
Trichloroethene	250	U	6250	6010		ug/L		96		61 - 124	2	15
Vinyl chloride	8400		3130	10900		ug/L		80		43 - 157	0	24

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-635906/6
Matrix: Water
Analysis Batch: 635906

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/19/24 23:23	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-635906/6

Matrix: Water

Analysis Batch: 635906

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	97		68 - 127		11/19/24 23:23	1

Lab Sample ID: LCS 240-635906/4

Matrix: Water

Analysis Batch: 635906

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		68 - 127

Lab Sample ID: 240-215023-3 MS

Matrix: Water

Analysis Batch: 635906

Client Sample ID: MW-04_111224

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		68 - 127

Lab Sample ID: 240-215023-3 MSD

Matrix: Water

Analysis Batch: 635906

Client Sample ID: MW-04_111224

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		68 - 127

Lab Sample ID: MB 240-636045/8

Matrix: Water

Analysis Batch: 636045

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/24 13:59	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		68 - 127		11/20/24 13:59	1

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-636045/5

Matrix: Water

Analysis Batch: 636045

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.11		ug/L		81	75 - 121
Surrogate		LCS %Recovery	LCS Qualifier				Limits
1,2-Dichloroethane-d4 (Surr)		104					68 - 127

Lab Sample ID: 240-215013-C-32 MS

Matrix: Water

Analysis Batch: 636045

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	650		100	751	4	ug/L		98	20 - 180
Surrogate		MS %Recovery		MS Qualifier					Limits
1,2-Dichloroethane-d4 (Surr)		103							68 - 127

Lab Sample ID: 240-215013-C-32 MSD

Matrix: Water

Analysis Batch: 636045

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	650		100	779	4	ug/L		126	20 - 180	4	20
Surrogate		MSD %Recovery		MSD Qualifier					Limits		
1,2-Dichloroethane-d4 (Surr)		102							68 - 127		

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

GC/MS VOA

Analysis Batch: 635906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215023-2	MW-10_111224	Total/NA	Water	8260D SIM	
240-215023-3	MW-04_111224	Total/NA	Water	8260D SIM	
MB 240-635906/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-635906/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215023-3 MS	MW-04_111224	Total/NA	Water	8260D SIM	
240-215023-3 MSD	MW-04_111224	Total/NA	Water	8260D SIM	

Analysis Batch: 636045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215023-4	MW-02_111224	Total/NA	Water	8260D SIM	
240-215023-5	DUP-01	Total/NA	Water	8260D SIM	
240-215023-6	MW-65_111224	Total/NA	Water	8260D SIM	
240-215023-7	DUP-06	Total/NA	Water	8260D SIM	
MB 240-636045/8	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-636045/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215013-C-32 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215013-C-32 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 636100

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215023-1	TRIP BLANK_71	Total/NA	Water	8260D	
MB 240-636100/7	Method Blank	Total/NA	Water	8260D	
LCS 240-636100/4	Lab Control Sample	Total/NA	Water	8260D	
240-215030-A-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-215030-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 636146

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215023-2	MW-10_111224	Total/NA	Water	8260D	
240-215023-3	MW-04_111224	Total/NA	Water	8260D	
240-215023-4	MW-02_111224	Total/NA	Water	8260D	
240-215023-5	DUP-01	Total/NA	Water	8260D	
240-215023-7	DUP-06	Total/NA	Water	8260D	
MB 240-636146/10	Method Blank	Total/NA	Water	8260D	
LCS 240-636146/5	Lab Control Sample	Total/NA	Water	8260D	
240-215023-5 MS	DUP-01	Total/NA	Water	8260D	
240-215023-5 MSD	DUP-01	Total/NA	Water	8260D	

Analysis Batch: 636315

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215023-2	MW-10_111224	Total/NA	Water	8260D	
240-215023-3	MW-04_111224	Total/NA	Water	8260D	
240-215023-4	MW-02_111224	Total/NA	Water	8260D	
240-215023-6	MW-65_111224	Total/NA	Water	8260D	
MB 240-636315/10	Method Blank	Total/NA	Water	8260D	
LCS 240-636315/5	Lab Control Sample	Total/NA	Water	8260D	
LCS 240-636315/6	Lab Control Sample	Total/NA	Water	8260D	
LCS 240-636315/7	Lab Control Sample	Total/NA	Water	8260D	
240-215023-2 MS	MW-10_111224	Total/NA	Water	8260D	
240-215023-2 MSD	MW-10_111224	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: TRIP BLANK_71

Lab Sample ID: 240-215023-1

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636100	LEE	EET CLE	11/21/24 06:42

Client Sample ID: MW-10_111224

Lab Sample ID: 240-215023-2

Date Collected: 11/12/24 12:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636146	MS	EET CLE	11/21/24 15:13
Total/NA	Analysis	8260D		250	636315	MS	EET CLE	11/22/24 17:42
Total/NA	Analysis	8260D SIM		1	635906	R5XG	EET CLE	11/20/24 06:25

Client Sample ID: MW-04_111224

Lab Sample ID: 240-215023-3

Date Collected: 11/12/24 13:10

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636146	MS	EET CLE	11/21/24 15:32
Total/NA	Analysis	8260D		200	636315	MS	EET CLE	11/22/24 17:23
Total/NA	Analysis	8260D SIM		1	635906	R5XG	EET CLE	11/20/24 06:49

Client Sample ID: MW-02_111224

Lab Sample ID: 240-215023-4

Date Collected: 11/12/24 14:30

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636146	MS	EET CLE	11/21/24 15:51
Total/NA	Analysis	8260D		100	636315	MS	EET CLE	11/22/24 17:04
Total/NA	Analysis	8260D SIM		1	636045	R5XG	EET CLE	11/20/24 14:46

Client Sample ID: DUP-01

Lab Sample ID: 240-215023-5

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		200	636146	MS	EET CLE	11/21/24 16:47
Total/NA	Analysis	8260D SIM		1	636045	R5XG	EET CLE	11/20/24 15:10

Client Sample ID: MW-65_111224

Lab Sample ID: 240-215023-6

Date Collected: 11/12/24 10:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636315	MS	EET CLE	11/22/24 11:20
Total/NA	Analysis	8260D SIM		1	636045	R5XG	EET CLE	11/20/24 15:33

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Client Sample ID: DUP-06

Lab Sample ID: 240-215023-7

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/15/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636146	MS	EET CLE	11/21/24 16:29
Total/NA	Analysis	8260D SIM		1	636045	R5XG	EET CLE	11/20/24 15:57

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215023-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24



Chain of Custody Record



TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.																					
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:																			
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs																			
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only																			
Phone: 248-994-2240		Sampler Name: <u>Kent Kooper</u>				TAT if different from below				Filtered Sample (Y/N) Composite-C/Grab-G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Walk-in client																			
Project Name: Ford LTP		Method of Shipment/Carrier:				<input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day								Lab sampling																			
Project Number: 30206169.0401.03		Shipping/Tracking No:				Matrix				Containers & Preservatives				Job/SDG No:																			
PO # US3410018772		Sample Date		Sample Time		Air		Aqueous		Sediment		Solid		Other:		H2SO4		HNO3		HCl		NaOH		ZnAc		NaOH		Unpres		Other:		Sample Specific Notes / Special Instructions:	
Sample Identification																																	
TRIP BLANK_ 71		---		---		1												1														1 Trip Blank	
MW-10-111224		11/12/24		1200		6														6												3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-04-111224		11/12/24		1310		6														6													
MW-02-111224		11/12/24		1430		6														6													
DUP-01		11/12/24		-		6														6													
MW-65-111224		11/12/24		1600		6														6													
DUP-06		11/12/24		-		6														6													
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																							
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																							
Special Instructions/QC Requirements & Comments: <u>ONSITE</u>																																	
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728																																	
Level IV Reporting requested																																	
Relinquished by: <u>[Signature]</u>		Company: <u>Arcadis</u>		Date/Time: <u>11/12/24 1540</u>		Received by: <u>[Signature]</u>		Company: <u>Arcadis</u>		Date/Time: <u>11/12/24 1540</u>		Relinquished by: <u>[Signature]</u>		Company: <u>EETA</u>		Date/Time: <u>11/14/24 1651</u>																	
Relinquished by: <u>[Signature]</u>		Company: <u>Arcadis</u>		Date/Time: <u>11/14/24 1650</u>		Received by: <u>[Signature]</u>		Company: <u>EETA</u>		Date/Time: <u>11/14/24 1651</u>		Relinquished by: <u>[Signature]</u>		Company: <u>Euro</u>		Date/Time: <u>11/15/24 8:00</u>																	
Relinquished by: <u>[Signature]</u>		Company: <u>EETA</u>		Date/Time: <u>11/14/24 1700</u>		Received in Laboratory by: <u>[Signature]</u>		Company: <u>Euro</u>		Date/Time: <u>11/15/24 8:00</u>		Relinquished by: <u>[Signature]</u>		Company: <u>Euro</u>		Date/Time: <u>11/15/24 8:00</u>																	



©2008, TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

Enrofinis Cleveland Sample Receipt Form/Narrative Login # _____
 Barberton Facility

Client Arco 13 Site Name _____ Cooler unpacked by: JF
 Cooler Received on 11/15/24 Opened on 11/15/24

FedEx: 1st Grd Exp DPS FAS Waypoint Client Drop Off Enrofinis Courter Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Enrofinis Cooler # EL Foam Box Client Cooler Box _____ Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None _____ Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

1 Cooler temperature upon receipt, _____ °C Corrected Cooler Temp _____ °C
 IR GUN # 17 (CR 70.1 °C) Observed Cooler Temp _____ °C
 - Sec Multiple Cooler Form

2- Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
 3 Shippers' packing slip attached to the cooler(s)? Yes No NA
 4 Did custody papers accompany the sample(s)? Yes No NA
 5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA
 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA
 7 Did all bottles arrive in good condition (Unbroken)? Yes No NA
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
 10 Were correct bottle(s) used for the test(s) indicated? Yes No NA
 11 Sufficient quantity received to perform indicated analyses? Yes No NA
 12 Are these work share samples and all listed on the COC? Yes No NA
 If yes, Questions 13-17 have been checked at the originating laboratory

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC448976
 14 Were VOAs on the COC? Yes No NA
 15 Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered
 17 Was a LI Hg or Me Hg trip blank present? Yes No NA
 Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved _____ Preservative(s) added/Lot number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

Login #: _____

Eurofins - Cleveland Sample Receipt Multiple Cooler Form

Cooler Description (Circle)		IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client <input checked="" type="radio"/> box <input type="radio"/> Other	IR GUN #:	19	1.5	1.4	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:		1.8	1.9	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:		1.0	1.1	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:		2.2	2.3	Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None
EC Client box Other	IR GUN #:				Wet Ice Blue Ice Dry Ice Water None

See Temperature Excursion Form



Temperature readings

Client Sample ID	Lab ID	Container Type	Container pH	Temp	Preservation Added	Preservation Lot Number
TRIP BLANK_71	240-215023-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-10_111224	240-215023-G-2	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-04_111224	240-215023-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-02_111224	240-215023-F-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-A-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-B-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-C-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-D-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-E-5	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-215023-F-5	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-A-6	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-B-6	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-C-6	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-D-6	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-E-6	Voa Vial 40ml - Hydrochloric Acid				
MW-65_111224	240-215023-F-6	Voa Vial 40ml - Hydrochloric Acid				
DUP-06	240-215023-A-7	Voa Vial 40ml - Hydrochloric Acid				
DUP-06	240-215023-B-7	Voa Vial 40ml - Hydrochloric Acid				
DUP-06	240-215023-C-7	Voa Vial 40ml - Hydrochloric Acid				
DUP-06	240-215023-D-7	Voa Vial 40ml - Hydrochloric Acid				



<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>pH</u>	<u>Temp</u>	<u>Preservation</u>	<u>Added</u>	<u>Preservation</u>	<u>Lot Number</u>
DUP-06	240-215023-E-7	Voa Vial 40ml - Hydrochloric Acid							
DUP-06	240-215023-F-7	Voa Vial 40ml - Hydrochloric Acid							

DATA VERIFICATION REPORT



November 25, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 215023-1
Sample date: 2024-11-12
Report received by CADENA: 2024-11-25
Initial Data Verification completed by CADENA: 2024-11-25
Number of Samples:7
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215023-1

Analyte	Cas No.	TRIP BLANK_71				MW-10_111224				MW-04_111224				MW-02_111224				DUP-01				MW-65_111224				DUP-06			
		Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid	
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																													
<u>OSW-8260D</u>																													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	5.2	1.0	ug/l	---	3.3	1.0	ug/l	---	ND	200	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	15	1.0	ug/l	---	6300	200	ug/l	---	5900	100	ug/l	---	6100	200	ug/l	---	4.0	1.0	ug/l	---	6.8	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	200	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	2.2	1.0	ug/l	---	170	200	ug/l	J	750	100	ug/l	---	850	200	ug/l	---	ND	1.0	ug/l	---	0.65	1.0	ug/l	J
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	110	200	ug/l	J	1.9	1.0	ug/l	---	ND	200	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	8400	250	ug/l	---	2600	200	ug/l	---	450	100	ug/l	---	530	200	ug/l	---	13	1.0	ug/l	---	14	1.0	ug/l	---
<u>OSW-8260DSIM</u>																													
1,4-Dioxane	123-91-1					4.5	2.0	ug/l	---	1.7	2.0	ug/l	J	6.6	2.0	ug/l	---	5.1	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---